

0002



SCOTT M. MATHESON
Governor

GORDON E. HARMSTON
Executive Director,
NATURAL RESOURCES

CLEON B. FEIGHT
Director

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING
1588 West North Temple
Salt Lake City, Utah 84116
(801) 533-5771

OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON
Chairman

JOHN L. BELL
C. RAY JUVELIN
THADIS W. BOX
CONSTANCE K. LUNDBERG
EDWARD T. BECK
E. STEELE McINTYRE

May 26, 1979

Mr. Trevor Whiteside
Senior Mine Engineer
Valley Camp of Utah, Inc.
Scofield Route
Helper, Utah 84526

RE: Signs
Valley Camp of Utah
Belina No. 1 Mine
Carbon County, Utah
ACT/007/001

Dear Trevor:

In response to your letter of May 21, 1979, regarding perimeter, buffer zone, and topsoil markers, the Division agrees with Valley Camp's proposed submittal. However, the perimeter markers should say more than just the word "Perimeter". The signs should also identify the mine area. Something to the effect of "Caution - Belina No. 1 Mine Perimeter" or "Valley Camp of Utah - Mine Perimeter" would be more appropriate.

The buffer zone and perimeter signs should also be spaced so that they may be seen from one to the next. The buffer zone signs should be placed at least 100 feet from the stream channel, or as far away from the channel, within the above distance, as possible to ensure protection of the channel.

If you have any further questions, please call.

Sincerely,

K. Michael Thompson for JWS

JAMES W. SMITH, JR.
RECLAMATION SOILS SPECIALIST

JWS/te

cc: Murray Smith, Office of Surface Mining, Denver

● 24-79

Do these signs look OK?

Do we need a design drawing?

Should they say more than what V.C. of U. is contemplating putting on them?

They look ok. Call Murray to be sure.
Jim
Ra

JWS

VALLEY CAMP OF UTAH, INC.

Scofield Route

Helper, Utah 84526

May 21, 1979

Mr. K. Michael Thompson
Engineering Geologist
Division of Oil Gas & Mining
1588 West North Temple
Salt Lake City, Utah 84116



Re: Signs & Markers

Dear Mr. Thompson:

In an effort to comply to Section 817.11 (d) (e) and (g), of the Office of Surface Mining, Permanent Regulatory Program and as part of our compliance survey as performed by Vaughn Hansen Associates, the following is a description of the markers we intend to install in conjunction with the aforementioned.

1. "Perimeter" markers shall be metal signs approximately 8" x 24" in size mounted on metal posts with 6 inch letters spelling the work "Perimeter." These markers will be conspicuously placed around the areas affected by surface operations related to our mining activities. Such markers will be displayed with the face of the sign toward non-affected areas.
2. "Buffer zone" markers shall be metal signs approximately 12" x 24" in size mounted on metal posts with approximately 4" letters spelling "Buffer Zone, Do Not Disturb." These markers will be displayed with the face of the sign towards the affected areas and shall be located intermittently along the areas to be protected.
3. "Topsoil" markers shall be metal signs approximately 12" x 24" in size mounted on either wood or metal posts, with approximately 4" letters spelling "Storage Area - Topsoil." These markers shall be displayed in such a manner as to provide ready identification of the stockpiles to anyone approaching.

All markers will be maintained during all activities to which they pertain.

It is our hope these marker plans will meet with your approval and permission to proceed will be issued shortly.

Sincerely,
Trevor G. Whiteside
Trevor G. Whiteside
Senior Mine Engineer

tgw:vy
cc: John Tallerico
file