

0070

**PLATEAU  
MINING  
CORPORATION**

Willow Creek Mine  
PO Box 30  
847 NW Hwy 191  
Helper, Utah 84526  
(435) 472-0475  
Fax: (435) 472-4782

An affiliate of **RAG**

September 17, 2003

**RECEIVED  
SEP 19 2003**

Mr. Michael Herkimer  
State of Utah  
Department of Environmental Quality  
Division of Water Quality  
P.O. Box 144870  
Salt Lake City, Utah 84114-4870

DIV. OF OIL, GAS & MIN. AC  
INCOMING  
C 0070001

**Re: UPDES Report, August 2003 - Permit No. UTG040012**

Dear Mr. Herkimer:

Discharge Monitoring Reports are enclosed. During the Month of August, Outfall 014 was removed as part of the final reclamation activities occurring in Crandall Canyon. If you have any questions, please do not hesitate to contact me at (435) 472-4741.

Sincerely,



Johnny Pappas  
Sr. Environmental Engineer

Enclosures

cc: UDOGM

File: Env: 2.5.2.1.2.1  
Chrono: JP030902.ltr

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

UTG040012

PERMIT NUMBER

SUM A

DISCHARGE NUMBER

MINOR

P - FINAL

SUM OF ALL OUTFALLS

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	03	08	01		03	08	31

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****		( 26 )	*****	*****	*****				
	PERMIT REQUIREMENT	*****	2000 DAILY MX	LBS/DY	*****	*****	*****	****		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

JOHNNY PAPPAS  
Sr. Env. Engineer  
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: 435 472-4741  
DATE: 03 09 17  
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

IF TDS IS 500 MG/L OR LESS AT EACH OUTFALL ENTER N.A. FOR SUM A.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
001 A DISCHARGE NUMBER

MINOR
F - FINAL
WILLOW CREEK DISCHARGE

MONITORING PERIOD
YEAR MO DAY YEAR MO DAY
FROM 03 08 01 TO 03 08 31

NO DISCHARGE [X]
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, PH, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision...
TELEPHONE: 435 472-4741
DATE: 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
001 A DISCHARGE NUMBER

MINOR
F - FINAL
WILLOW CREEK DISCHARGE

MONITORING PERIOD
YEAR MO DAY YEAR MO DAY
FROM 03 08 01 TO 03 08 31

NO DISCHARGE [X]
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision...
TELEPHONE: 435 472-4741
DATE: 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

UTG040012

PERMIT NUMBER

002 A

DISCHARGE NUMBER

MINOR

F - FINAL

WILLOW CREEK DISCHARGE

MONITORING PERIOD

Table with columns: YEAR, MO, DAY, TO, YEAR, MO, DAY. Values: 03, 08, 01 TO 03, 08, 31

NO DISCHARGE [X]

NOTE: Read instructions before completing this form.

Main monitoring table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

JOHNNY PAPPAS Sr. Env. Engineer

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

435 472 4741 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NAME PLATEAU MINING COMP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING COMP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

UTG040012

PERMIT NUMBER

002 A

DISCHARGE NUMBER

MINOR

F - FINAL

WILLOW CREEK DISCHARGE

MONITORING PERIOD

Table with columns: YEAR, MO, DAY, TO, YEAR, MO, DAY. Values: 03, 08, 01 TO 03, 08, 31

NO DISCHARGE [X]

NOTE: Read instructions before completing this form.

Main monitoring table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

JOHNNY PAPPAS Sr. Env. Engineer

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

435 472 4741 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

UTG040012

PERMIT NUMBER

011 A

DISCHARGE NUMBER

MINOR

F - FINAL DISCHARGE TO PRICE RIVER

MONITORING PERIOD

Table with columns: YEAR, MO, DAY, FROM, TO. Values: 03, 08, 01, 03, 08, 31

\*\*\* NO DISCHARGE [X] \*\*\*

NOTE: Read instructions before completing this form.

Main monitoring table with columns: PARAMETER, QUANTITY OR LOADING, QUALITY OR CONCENTRATION, NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL (AS FE), FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

JOHNNY PAPPAS Sr. Env. Engineer TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

435 472-4741

DATE

03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

This is a 4-part form.

PAGE 0F

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

UTG040012

PERMIT NUMBER

011 A

DISCHARGE NUMBER

MINOR

F - FINAL DISCHARGE TO PRICE RIVER

MONITORING PERIOD

Table with columns: YEAR, MO, DAY, FROM, TO. Values: 03, 08, 01, 03, 08, 31

\*\*\* NO DISCHARGE [X] \*\*\*

NOTE: Read instructions before completing this form.

Main monitoring table with columns: PARAMETER, QUANTITY OR LOADING, QUALITY OR CONCENTRATION, NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

JOHNNY PAPPAS Sr. Env. Engineer TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

435 472-4741

DATE

03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

This is a 4-part form.

PAGE 0F

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
012 A DISCHARGE NUMBER

MINOR
F - FINAL
DISCHARGE TO PRICE RIVER

MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
FROM 03 08 01 TO 03 08 31

\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, EFFLUENT GROSS VALUE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
JOHNNY PAPPAS
Sr. Env. Engineer

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472 4741
DATE 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 1 OF 1

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
012 A DISCHARGE NUMBER

MINOR
F - FINAL
DISCHARGE TO PRICE RIVER

MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
FROM 03 08 01 TO 03 08 31

\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
JOHNNY PAPPAS
Sr. Env. Engineer

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472 4741
DATE 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 2 OF 2

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

PERMIT NUMBER UTC040012

DISCHARGE NUMBER 011 A

MONITORING PERIOD
YEAR MO DAY FROM 03 03 01 TO 03 08 31

MINOR
F - FINAL
SED POND DSCHARGE TO PRICE RIV

NO DISCHARGE
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
JOHNNY PAPPAS
Sr. Env. Engineer

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-4741
DATE 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THIS PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)
NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

PERMIT NUMBER UTC040012

DISCHARGE NUMBER 011 A

MONITORING PERIOD
YEAR MO DAY FROM 03 08 01 TO 03 08 31

MINOR
F - FINAL
SED POND DSCHARGE TO PRICE RIV

NO DISCHARGE
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
JOHNNY PAPPAS
Sr. Env. Engineer

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-4741
DATE 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THIS PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012
PERMIT NUMBER

014 A
DISCHARGE NUMBER

MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
FROM 03 08 01 TO 03 08 31

MINOR

F - FINAL

SED POND TO CRANDALL CANYON

NO DISCHARGE

NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, IRON, TOTAL, etc.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
JOHNNY PAPPAS
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435-472-4741
DATE 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED ON ONE TON (2000 LBS) PER DAY AS THE TDS FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012
PERMIT NUMBER

014 A
DISCHARGE NUMBER

MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
FROM 03 08 01 TO 03 08 31

MINOR

F - FINAL

SED POND TO CRANDALL CANYON

NO DISCHARGE

NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED, etc.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
JOHNNY PAPPAS
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435-472-4741
DATE 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED ON ONE TON (2000 LBS) PER DAY AS THE TDS FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMIT NUMBER
DISCHARGE NUMBER

MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
FROM 03 08 01 TO 03 08 31

MINOR

F - FINAL
SED POND TO CHANDALL CANYON

NO DISCHARGE
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL, EFFLUENT GROSS VALUE.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
JOHNNY PAPPAS
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE DATE
435 472 4741 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING FURFLOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS TAKEN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMIT NUMBER
DISCHARGE NUMBER

MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
FROM 03 08 01 TO 03 08 31

MINOR

F - FINAL
SED POND TO CHANDALL CANYON

NO DISCHARGE
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED, and multiple empty rows.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
JOHNNY PAPPAS
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE DATE
435 472 4741 03 09 17

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS TAKEN FROM ALL OUTFALLS.