

0021

**PLATEAU  
MINING  
CORPORATION**

RECEIVED  
NOV 21 2003  
DIV. OF OIL, GAS & MINING

Willow Creek Mine  
PO Box 30  
847 NW Hwy 191  
Helper, Utah 84526  
(435) 472-0475  
Fax: (435) 472-4782

An affiliate of **RAG**

November 20, 2003

*Uncomming  
C/007/0004*

Mr. Michael Herkimer  
State of Utah  
Department of Environmental Quality  
Division of Water Quality  
P.O. Box 144870  
Salt Lake City, Utah 84114-4870

**Re: UPDES Report, October 2003 - Permit No. UTG040012**

Dear Mr. Herkimer:

Discharge Monitoring Reports are enclosed. The potential to discharge from the permitted outfalls 014 and 015 no longer exist. If you have any questions, please do not hesitate to contact me at (435) 472-4741.

Sincerely,



Johnny Pappas  
Sr. Environmental Engineer

Enclosures

cc: UDOGM

File: Env: 2.5.2.1.2.1  
Chrono: JP031105.ltr

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME PLATEAU MINING CORP  
ADDRESS WILLOW CREEK MINE  
P.O. BOX 30  
HELPER UT 84526  
FACILITY PLATEAU MINING CORP  
LOCATION HELPER UT 84526  
ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

UTG040012  
PERMIT NUMBER

SUM A  
DISCHARGE NUMBER

MINOR

F - FINAL  
SUM OF ALL OUTFALLS

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
03	10	01		03	10	31

FROM

TO

\*\*\* NO DISCHARGE  \*\*\*

NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW		*****		( 26 )	*****	*****	*****				
		*****	2000 DAILY MX	LBS/DY	*****	*****	*****	*****		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
JOHNNY PAPPAS  
Sr. Env. Engineer  
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-4741  
DATE 03 11 20  
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)  
IF TDS IS 500 MG/L OR LESS AT EACH OUTFALL ENTER N.A. FOR SUM A.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
001 A DISCHARGE NUMBER

MINOR
P - FINAL
WILLOW CREEK DISCHARGE

MONITORING PERIOD
YEAR MO DAY
FROM 03 10 01 TO 03 10 31

\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, EFFLUENT GROSS VALUE, IRON, TOTAL (AS FE), EFFLUENT GROSS VALUE, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL, EFFLUENT GROSS VALUE.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision...
TELEPHONE: 435 472-4741
DATE: 03 11 20

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT...
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
001 A DISCHARGE NUMBER

MINOR
P - FINAL
WILLOW CREEK DISCHARGE

MONITORING PERIOD
YEAR MO DAY
FROM 03 10 01 TO 03 10 31

\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, EFFLUENT GROSS VALUE, SOLIDS, TOTAL DISSOLVED, SEE COMMENTS BELOW.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision...
TELEPHONE: 435 472-4741
DATE: 03 11 20

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT...
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
002 A DISCHARGE NUMBER
MONITORING PERIOD
YEAR MO DAY FROM 03 10 01 TO 03 10 31

MINOR
F - FINAL
WILLOW CREEK DISCHARGE
\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, EFFLUENT GROSS VALUE, IRON, TOTAL (AS FE), EFFLUENT GROSS VALUE, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer. Includes signature and date 03/11/20.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 1 OF 1

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
002 A DISCHARGE NUMBER
MONITORING PERIOD
YEAR MO DAY FROM 03 10 01 TO 03 10 31

MINOR
F - FINAL
WILLOW CREEK DISCHARGE
\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, EFFLUENT GROSS VALUE, SOLIDS, TOTAL DISSOLVED, SEE COMMENTS BELOW.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer. Includes signature and date 03/11/20.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 2 OF 2

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER

011 A DISCHARGE NUMBER

MINOR

F - FINAL

DISCHARGE TO PRICE RIVER

MONITORING PERIOD FROM 03 10 01 TO 03 10 31

\*\*\* NO DISCHARGE \*\*\*

NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, EFFLUENT GROSS VALUE, IRON, TOTAL (AS FE), EFFLUENT GROSS VALUE, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL, EFFLUENT GROSS VALUE.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: 435 472-4741, DATE: 03 11 20

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER

011 A DISCHARGE NUMBER

MINOR

F - FINAL

DISCHARGE TO PRICE RIVER

MONITORING PERIOD FROM 03 10 01 TO 03 10 31

\*\*\* NO DISCHARGE \*\*\*

NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, EFFLUENT GROSS VALUE, SOLIDS, TOTAL DISSOLVED, and multiple empty rows.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: 435 472-4741, DATE: 03 11 20

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP  
 ADDRESS WILLOW CREEK MINE  
 P.O. BOX 30  
 HELPER UT 84526  
 FACILITY PLATEAU MINING CORP  
 LOCATION HELPER UT 84526  
 ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER  
 012 A DISCHARGE NUMBER

MINOR  
 F - FINAL  
 DISCHARGE TO PRICE RIVER

MONITORING PERIOD  
 FROM 03 10 01 TO 03 10 31

\*\*\* NO DISCHARGE [X] \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE				( 07 )	*****	*****	*****				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT							ONCE/ MONTH	BASED
PH		*****	*****					( 12 )			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****		0.5	*****	9.0			ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED		*****	*****					( 19 )			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****		25	35	70			ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE		*****	*****					( 25 )			
00545 Q 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****				0.5			ONCE/ MONTH	GRAB
OIL & GREASE		*****	*****					( 19 )			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****				10			ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)		*****	*****					( 19 )			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****				1.0			ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL		*****	*****	( 94 )							
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	ES=1 NO=0						ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer  
 I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.  
 TELEPHONE: 435 472 4741  
 DATE: 03 11 20  
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT: [Signature]

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)  
 SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.  
 EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 1 OF 1

NAME PLATEAU MINING CORP  
 ADDRESS WILLOW CREEK MINE  
 P.O. BOX 30  
 HELPER UT 84526  
 FACILITY PLATEAU MINING CORP  
 LOCATION HELPER UT 84526  
 ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER  
 012 A DISCHARGE NUMBER

MINOR  
 F - FINAL  
 DISCHARGE TO PRICE RIVER

MONITORING PERIOD  
 FROM 03 10 01 TO 03 10 31

\*\*\* NO DISCHARGE [X] \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMNT		*****		( 94 )	*****	*****	*****				
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	ES=1 NO=0						ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED		*****	*****					( 19 )			
70295 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****			REPORT	*****			ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer  
 I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.  
 TELEPHONE: 435 472 4741  
 DATE: 03 11 20  
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT: [Signature]

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)  
 SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.  
 EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 2 OF 2

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30  
HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

UTG040012

PERMIT NUMBER

013 A

DISCHARGE NUMBER

MINOR

F - FINAL

SED POND DISCHARGE TO PRICE RIV

NO DISCHARGE

NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE				( 0 )							
00056 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD							
PH	SAMPLE MEASUREMENT							( 12 )			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT				6.5 MINIMUM		9.0 MAXIMUM	SU			
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT							( 19 )			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 DAILY MX	70	MG/L			
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT							( 25 )			
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5	DAILY MX			
OIL & GREASE	SAMPLE MEASUREMENT							( 19 )			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						10	DAILY MX			
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT							( 19 )			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						1.0	DAILY MX			
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT			( 94 )							
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			ES=1 NO=0							

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

JOHNNY PAPPAS

Sr. Env. Engineer

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

435 472-4741

DATE

03 11 20

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 RR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MB/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30  
HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

UTG040012

PERMIT NUMBER

013 A

DISCHARGE NUMBER

MINOR

F - FINAL

SED POND DISCHARGE TO PRICE RIV

NO DISCHARGE

NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT				( 94 )							
45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT			ES=1 NO=0							
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT							( 19 )			
70295 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT					REPORT					
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT					30DA AVG		MG/L			
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

JOHNNY PAPPAS

Sr. Env. Engineer

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

435 472-4741

DATE

03 11 20

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 RR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MB/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)  
 NAME PLATEAU MINING CORP  
 ADDRESS WILLOW CREEK MINE  
 P.O. BOX 30  
 HELPER UT 84526  
 FACILITY PLATEAU MINING CORP  
 LOCATION HELPER UT 84526  
 ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
 DISCHARGE MONITORING REPORT (DMR)

Form Approved  
 OMB No. 2040-0004

UTG040012  
 PERMIT NUMBER

014 A  
 DISCHARGE NUMBER

MINOR  
 F - FINAL  
 SED POND TO CRANDALL CANYON

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
03	10	01	03	10	31

\*\*\* NO DISCHARGE \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE				( 07 )							
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD							INCE/ MONTH
PH	SAMPLE MEASUREMENT							( 12 )			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT				0.5 MINIMUM		9.0 MAXIMUM	SD			INCE/ MONTH
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT							( 19 )			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 MX 7D AV	70 DAILY MX	MG/L			INCE/ MONTH
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT							( 25 )			
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5 DAILY MX	ML/L			INCE/ MONTH
OIL & GREASE	SAMPLE MEASUREMENT							( 19 )			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						10 DAILY MX	MG/L			INCE/ MONTH
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT							( 19 )			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						1.0 DAILY MX	MG/L			INCE/ MONTH
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT			( 94 )							
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			ES=1 NC=0							INCE/ MONTH

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
 JOHNNY PAPPAS  
 Sr. Env. Engineer  
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-4741  
 DATE 03 11 20

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)  
 SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED ON ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.  
 EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 1 OF 1

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)  
 NAME PLATEAU MINING CORP  
 ADDRESS WILLOW CREEK MINE  
 P.O. BOX 30  
 HELPER UT 84526  
 FACILITY PLATEAU MINING CORP  
 LOCATION HELPER UT 84526  
 ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
 DISCHARGE MONITORING REPORT (DMR)

Form Approved  
 OMB No. 2040-0004

UTG040012  
 PERMIT NUMBER

014 A  
 DISCHARGE NUMBER

MINOR  
 F - FINAL  
 SED POND TO CRANDALL CANYON

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
03	10	01	03	10	31

\*\*\* NO DISCHARGE \*\*\*  
 NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT				( 94 )							
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			ES=1 NO=0							INCE/ MONTH
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT							( 19 )			
70295 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						30DA AVG	MG/L			INCE/ MONTH
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
 JOHNNY PAPPAS  
 Sr. Env. Engineer  
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-4741  
 DATE 03 11 20

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)  
 SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED ON ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.  
 EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 2 OF 2

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
015 A DISCHARGE NUMBER

MINOR

F - FINAL
SED POND TO CRANDALL CANYON

MONITORING PERIOD
YEAR MO DAY FROM 03 10 01 TO 03 10 31

\*\*\* NO DISCHARGE \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, EFFLUENT GROSS VALUE, IRON, TOTAL (AS FE), EFFLUENT GROSS VALUE, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL, EFFLUENT GROSS VALUE.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision...
TELEPHONE: 435 472-4741
DATE: 03 11 20

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTED IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.
This is a 4-part form. PAGE 1 OF 1

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)
NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
015 A DISCHARGE NUMBER

MINOR

F - FINAL
SED POND TO CRANDALL CANYON

MONITORING PERIOD
YEAR MO DAY FROM 03 10 01 TO 03 10 31

\*\*\* NO DISCHARGE \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, EFFLUENT GROSS VALUE, SOLIDS, TOTAL DISSOLVED, SEE COMMENTS BELOW.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision...
TELEPHONE: 435 472-4741
DATE: 03 11 20

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTED IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.
This is a 4-part form. PAGE 2 OF 2