

0037

File Act/007/005 #7



Coastal States Energy Company

a subsidiary of The Coastal Corporation

175 E. 400 S. • #3 • Suite 800 • Salt Lake City, UT 84111

April 21, 1989

RECEIVED
APR 24 1989

Mr. Harold Thompson
U.S. Environmental Protection Agency
Water Management Division (8WM-C)
1 Denver Place, Suite 500
999 - 18th Street
Denver, Colorado 80202-2413

DIVISION OF
OIL, GAS & MINING

Dear Mr. Thompson:

In accordance with the conditions of NPDES Discharge Permit UT-0023540, Part II - A-2 and Utah Mining Code Section 817.52(b)(i)(ii), Utah Fuel Company is herewith providing the required written notification of a failure to comply with the maximum effluent limitation for total dissolved solids at the 001 discharge point.

The problem occurred with the sample taken April 5, 1989 which had a TDS concentration of 755 mg/l. The TDS limitation for this discharge is 700 mg/l. Previous TDS problems have occurred with samples taken August 20, 1987, November 6, 1987, November 18, 1987, December 2, 1987, January 13, 1988, January 29, 1988, March 23, 1988, April 27, 1988, May 4, 1988, June 28, 1988, September 19, 1988, November 18, 1988, December 6, 1988, January 12, 1989, January 25, 1989, February 8, 1989, February 27, 1989, March 14, 1989, and March 21, 1989.

Fluctuations in water quality are routinely experienced and are a normal part of the mining process. Based on this understanding, an increase in the TDS limitation has been requested to cover these excursions. Action on this request is pending EPA approval.

Sincerely,

Keith W. Welch

Keith W. Welch
Environmental Coordinator

KWW/ak/2400A

xc: Division of Oil, Gas & Mining
Division of Environmental Health
Glen A. Zumwalt