

0060

Orig: M. Welch
S. Linn



Coastal States Energy Company

a subsidiary of The Coastal Corporation
175 E. 400 S. • #3 • Suite 800 • Salt Lake City, UT 84111

RECEIVED
JAN 04 1989

DIVISION OF
OIL, GAS & MINING

January 3, 1989

Mr. Harold Thompson
U.S. Environmental Protection Agency
Water Management Division (8WM-C)
1 Denver Place, Suite 500
999 - 18th Street
Denver, Colorado 80202-2413

ACT 007/005 #7

Dear Mr. Thompson:

In accordance with the conditions of NPDES Discharge Permit UT-0023540, Part II - A-2 and Utah Mining Code Section 817.52(b)(i)(ii), Utah Fuel Company is herewith providing the required written notification of a failure to comply with the maximum effluent limitation for total dissolved solids at the 001 discharge point.

The problem occurred with the sample taken December 6, 1988 which had a TDS concentration of 756 mg/l. The TDS limitation for this discharge is 700 mg/l. Previous TDS problems have occurred with samples taken August 20, 1987, November 6, 1987, November 18, 1987, December 2, 1987, January 13, 1988, January 29, 1988, March 23, 1988, April 27, 1988, May 4, 1988, June 28, 1988, September 19, 1988 and November 18, 1988.

The cause of the high TDS concentration is still being investigated. Fluctuations in water quality are routinely experienced and are a normal part of the mining process. Based on this understanding, an increase in the TDS limitation has been requested to cover these excursions. Action on this request is pending.

Sincerely,

Keith W. Welch

Keith W. Welch
Environmental Coordinator

KWW/ak

xc: Division of Oil, Gas & Mining
Division of Environmental Health
Glen A. Zumwalt

2400A