



**Coastal States
Energy Company**
A SUBSIDIARY OF THE COASTAL CORPORATION

Pick - Route to file
The Energy People

0027

April 26, 1991

Mr. Michael Reed
U.S. Environmental Protection Agency
Water Management Division (8WM-C)
1 Denver Place, Suite 500
999 - 18th Street
Denver, Colorado 80202-2413

RE: NPDES PERMIT UT-0023540

Dear Mr. Reed:

In accordance with the conditions of NPDES Discharge Permit UT-0023540, Part II - A-2 and Utah Mining Code Section 817.52(b)(i)(ii), Utah Fuel Company is herewith providing the required written notification of a failure to comply with the maximum effluent limitation for TDS and Sulfate at the 001 discharge point.

The problem occurred with the sample taken March 28, 1991, which had a TDS concentration of 1431 mg/l and a Sulfate concentration of 590 mg/l. These concentrations exceed the 1000 mg/l maximum limitation for TDS and the 500 mg/l limitation for Sulfate established in the current NPDES discharge permit. The laboratory report was received on April 26, 1991.

Sincerely,

Keith W. Welch

Keith W. Welch
Environmental Coordinator

KWW/ak/2400

xc: Division of Oil, Gas & Mining
Division of Environmental Health
Glen A. Zumwalt
Keith Zobell
Ken May

RECEIVED

APR 29 1991

DIVISION OF
OIL GAS & MINING