



Coastal
The Energy People

0039

Priscilla
Action: route to file
ACT 007/005
FOLDER #2

RECEIVED

JUL 22 1991

DIVISION OF
OIL GAS & MINING

July 19, 1991

Mr. Michael Reed
U.S. Environmental Protection Agency
Water Management Division (8WM-C)
1 Denver Place, Suite 500
999 - 18th Street
Denver, Colorado 80202-2413

RE: NPDES PERMIT UT-0023540

Dear Mr. Reed:

In accordance with the conditions of NPDES Discharge Permit UT-0023540, Part II - A-2 and Utah Mining Code Section 817.52(b)(i)(ii), Utah Fuel Company is herewith providing the required written notification of a failure to comply with the maximum effluent limitation for TDS at the 001 discharge point.

The problem occurred with the sample taken June 6, 1991, which had a TDS concentration of 1074 mg/l. This concentration exceeds the 1000 mg/l maximum limitation for TDS established in the current NPDES discharge permit. The laboratory report was received on July 18, 1991.

Sincerely,

Keith W. Welch
Environmental Coordinator

KWW/ak/2400

xc: Division of Oil, Gas & Mining
Glen A. Zumwalt
Keith Zobell

Division of Environmental Health
Ken May

Coastal States Energy Company

A SUBSIDIARY OF THE COASTAL CORPORATION
175 E. 400 SOUTH, SUITE 800 • SALT LAKE CITY • UTAH 84111