



Coastal
The Energy People

*Over Rock
needs to file
ACT/007/005 #7*

0081

August 18, 1992

RECEIVED

AUG 21 1992

DIVISION OF
OIL GAS & MINING

Mr. Don Ostler, Bureau Director
State of Utah
Division of Water Quality
Department of Environmental Quality
Salt Lake City, Utah 84114-4870

Dear Mr. Ostler:

RE: NPDES PERMIT UT-0023540

In accordance with conditions of NPDES Discharge Permit UT-0023540, Part II - I-3 and Utah Coal Mining Rules R645-301-731.223, Utah Fuel Company is herewith providing the required written notification of a failure to comply with the maximum effluent limitations for TDS at the 001 discharge point.

The problem occurred with the sample taken August 11, 1992, which had a TDS concentration of 1089 mg/l. This concentration exceeds the 1000 mg/l maximum limitation for TDS established in the current NPDES discharge permit. The laboratory report was received on August 18 1992.

Sincerely,

Keith W. Welch

Keith W. Welch
Environmental Coordinator

KWW/gb/423

cc: Division of Oil, Gas & Mining ✓
Glen A. Zumwalt
Keith Zobell
Michael Reed, EPA
Ken May

Utah Fuel Company

A SUBSIDIARY OF THE COASTAL CORPORATION
P O BOX 719 • HELPER UT 84526 • 801 637-7925 • FAX 801 637-7929
SALT LAKE 801 596-7111