



*Act 1007/1005  
#7*

0109

October 27, 1992

Mr. Don Ostler, Bureau Director  
State of Utah  
Division of Water Quality  
Department of Environmental Quality  
Salt Lake City, Utah 84114-4870

Dear Mr. Ostler:

**RE: NPDES PERMIT UT-0023540**

In accordance with conditions of NPDES Discharge Permit UT-0023540, Part II - I-3 and Utah Coal Mining Rules R645-301-731.223, Utah Fuel Company is herewith providing the required written notification of a failure to comply with the maximum effluent limitations for TDS at the 001 discharge point.

The problem occurred with the sample taken October 6, 1992, which had a TDS concentration of 1108 mg/l. This concentration exceeds the 1000 mg/l maximum limitation for TDS established in the current NPDES discharge permit. The laboratory report was received on October 27, 1992.

Sincerely,

*Keith W. Welch*

Keith W. Welch  
Environmental Coordinator

KWW/gb/423

cc: ~~Division of Oil, Gas & Mining~~

Glen A. Zumwalt  
Keith Zobell  
Michael Reed, EPA  
Ken May  
Craig Hilton

**Utah Fuel Company**

A SUBSIDIARY OF THE COASTAL CORPORATION  
P O BOX 719 • HELPER UT 84526 • 801 637-7925 • FAX 801 637-7929  
SALT LAKE 801 596-7111