



November 14, 2003

Coal Regulatory Program  
Attn.: Pam Grubaugh-Littig  
Division of Oil, Gas and Mining  
1594 West North Temple, Suite 1210  
Box 145801  
Salt Lake City, Utah 84114-5801

RE: JC-3 DMR for September 2003, Canyon Fuel Company, Skyline Mine,  
C/007/005

Dear Ms. Grubaugh-Littig:

Please find enclosed with this letter a copy of the DMR for the JC-3 well as prepared by PacifiCorp. I have requested that PacifiCorp send me their laboratory data sheets used to create their DMRs so that I can upload the data to the EDI. However, to date, the data sheets have not yet been forth coming.

If you have any questions regarding this report, please give me a call.

Sincerely:



Chris D. Hansen  
Environmental Coordinator  
Canyon Fuel Company, LLC

enclosures

RECEIVED

NOV 14 2003

DIV. OF OIL, GAS & MINING

NAME **James Canyon Well System**  
ADDRESS **P.O.Box 680**  
**Huntington, Utah 84528**

UT0025534  
PERMIT NUMBER

001 A  
DISCHARGE NUMBER

MINOR

FACILITY **James Canyon Well System**  
LOCATION **Huntington, Utah 84528**

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
0 3	0 9	0 1	0 3	0 9	3 0

F-FINAL  
JC-3 PUMPING PLATFORM TO LAKE

ATTN: Darce Guymon ( PROJECT REPRESENTATIVE)

\*\*\* NO DISCHARGE  \*\*\*

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE (AS AG) 00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	4000	6100	( 78 )	*****	*****	*****	****		Continuous	VISUAL
PH 00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	7.27	*****	8.02	****	( 12 )	3/30	GRAB
OIL AND GREASE, HEXANE EXTR METHOD 00552 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	5.98	****	( 19 )	1/30	GRAB
NITROGEN, AMMONIA TOTAL (AS N) 00610 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	0.63	****	( 19 )	2/30	GRAB
NITRITE PLUS NITRATE TOTAL 1 DET (AS N) 00630 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	<3.5	****	( 19 )	1/30	GRAB
PHOSPHORUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	<0.05	****	( 19 )	1/30	GRAB
PHOSPHORUS, DISSOLVED 00666 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	<0.05	****	( 19 )	1/30	GRAB

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER  
**DAVE SHARP**  
MANAGING DIRECTOR, PLANT  
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

*[Signature]*  
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  
TELEPHONE 435 687-4306  
DATE 9/24/2003  
AREA CODE NUMBER YR MO DA

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NAME James Canyon Well System  
ADDRESS P.O.Box 680  
Huntington, Utah 84528

UT0025534  
PERMIT NUMBER

001 A  
DISCHARGE NUMBER

MINOR

F-FINAL  
JC-3 PUMPING PLATFORM TO LAKE

FACILITY James Canyon Well System  
LOCATION Huntington, Utah 84528

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
0	3	0	9	0	1
0	3	0	9	3	0

\*\*\* NO DISCHARGE  \*\*\*

ATTN: Darce Guymon ( PROJECT REPRESENTATIVE)

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE			
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS						
ARSENIC, DISSOLVED (AS AS) 01000 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.005	(19)		1/30	GRAB			
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
ARSENIC, TOTAL (AS AS) 01002 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.005	(19)		1/30	GRAB			
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
CADMIUM, DISSOLVED (AS CD) 01025 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.003	(19)		1/30	GRAB			
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
CADMIUM, TOTAL (AS CD) 01027 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.005	(19)		1/30	GRAB			
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
CHROMIUM, DISSOLVED (AS CR) 01030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.005	(19)		1/30	GRAB			
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
CHROMIUM, TOTAL (AS CR) 01034 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.005	(19)		1/30	GRAB			
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
COPPER, DISSOLVED (AS CU) 01040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.010	(19)		1/30	GRAB			
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
NAME/TITLE PRINCIPLE EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.						TELEPHONE		DATE				
DAVE SHARP MANAGING DIRECTOR, PLANT								435		687-4306		9/24/2003		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						AREA CODE		NUMBER		YR	MO	DA

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NAME James Canyon Well System  
ADDRESS P.O.Box 680  
Huntington, Utah 84528

UT0025534  
PERMIT NUMBER

001 A  
DISCHARGE NUMBER

MINOR

F-FINAL  
JC-3 PUMPING PLATFORM TO LAKE

FACILITY James Canyon Well System  
LOCATION Huntington, Utah 84528

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
0	3	0	9	0	1
0	3	0	9	3	0

\*\*\* NO DISCHARGE  \*\*\*

ATTN: Darce Guymon ( PROJECT REPRESENTATIVE)

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE			
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS						
COPPER, TOTAL (AS CU) 01042 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	<0.010	(19)		1/30	GRAB			
		*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	0.192	(19)		1/30	GRAB			
		*****	*****	****	*****	*****	0.5	MG/L		ONCE/MONTH	GRAB			
IRON, DISSOLVED (AS FE) 01046 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	<0.005	(19)		1/30	GRAB			
		*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
LEAD, DISSOLVED (AS PB) 01049 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	<0.005	(19)		1/30	GRAB			
		*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
LEAD, TOTAL (AS PB) 01051 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	<0.005	(19)		1/30	GRAB			
		*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
NICKEL, DISSOLVED (AS NI) 01065 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	0.006	(19)		1/30	GRAB			
		*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
NICKEL, TOTAL (AS NI) 01067 1 0 0 EFFLUENT GROSS VALUE		*****	*****	****	*****	*****	0.006	(19)		1/30	GRAB			
		*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB			
NAME/TITLE PRINCIPLE EXECUTIVE OFFICER		I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.						TELEPHONE		DATE				
DAVE SHARP MANAGING DIRECTOR, PLANT								435		687-4306		9/24/2003		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						AREA CODE		NUMBER		YR	MO	DA

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NAME **James Canyon Well System**  
ADDRESS **P.O.Box 680**  
**Huntington, Utah 84528**

UT0025534  
PERMIT NUMBER

001 A  
DISCHARGE NUMBER

MINOR

F-FINAL  
JC-3 PUMPING PLATFORM TO LAKE

FACILITY **James Canyon Well System**  
LOCATION **Huntington, Utah 84528**

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
0 3	0 9	0 1	0 3	0 9	3 0

\*\*\* NO DISCHARGE  \*\*\*

ATTN: Darce Guymon ( PROJECT REPRESENTATIVE)

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SILVER, DISSOLVED (AS AG) 01075 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.01	(19)		1/30	GRAB
	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
SILVER, TOTAL (AS AG) 01077 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.01	(19)		1/30	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
ZINC, DISSOLVED (AS ZN) 01090 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.05	(19)		1/30	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
ZINC, TOTAL (AS ZN) 01092 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.05	(19)		1/30	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
SELENIUM, DISSOLVED (AS SE) 01145 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	<0.1	(19)		1/30	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
SELENIUM, TOTAL (AS SE) 01147 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	****	*****	*****	0.029	(19)		1/30	GRAB
	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 45613 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	( 94)	*****	*****	*****	*****		1/30	VISUAL
	PERMIT REQUIREMENT	*****	0	YES = 1 NO = 0	*****	*****	*****	*****		ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER  <b>DAVE SHARP</b> MANAGING DIRECTOR, PLANT  TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE
			435	687-4306	9/24/2003
			AREA CODE	NUMBER	YR MO DA

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

NAME **James Canyon Well System**  
ADDRESS **P.O.Box 680**  
**Huntington, Utah 84528**

UT0025534  
PERMIT NUMBER

001 A  
DISCHARGE NUMBER

MINOR

F-FINAL  
JC-3 PUMPING PLATFORM TO LAKE

FACILITY **James Canyon Well System**  
LOCATION **Huntington, Utah 84528**

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
0 3	0 9	0 1	0 3	0 9	3 0

\*\*\* NO DISCHARGE  \*\*\*

ATTN: Darce Guymon ( PROJECT REPRESENTATIVE)

PARAMETER	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0	SAMPLE MEASUREMENT	*****	0	(94)	*****	*****	*****			1/30	VISUAL
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	YES = 1 NO = 0	*****	*****	*****	****		ONCE/MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 1 0 0	SAMPLE MEASUREMENT	*****	*****		*****	*****	307	(19)	2	2/30	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	*****	255	MG/L		ONCE/MONTH	GRAB
MERCURY, DISSOLVED (AS HG) 71890 1 0 0	SAMPLE MEASUREMENT	*****	*****		*****	*****	<0.200	(19)		1/30	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
MERCURY, TOTAL (AS HG) 71900 1 0 0	SAMPLE MEASUREMENT	*****	*****		*****	*****	<0.200	(19)		1/30	GRAB
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	****	*****	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
NAME/TITLE PRINCIPLE EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.								TELEPHONE		DATE
DAVE SHARP MANAGING DIRECTOR, PLANT									435	687-4306	9/24/2003
TYPED OR PRINTED									AREA CODE	NUMBER	YR MO DA

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)