0015

C/007/005 Incoming

ARCH WESTERN
BITUMINOUS GROUP, LLC.
A Subsidary of Arch Western Resources, LLC.

225 N. 5th Street, Suite 900
Grand Junction, CO 81501
Phone: (970) 263-5130
Fax (970) 263-5162

March 26, 2009

Coal Regulatory Program
Attn.: Daron Haddock
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

RE: PacifiCorp's February 2009 JC-3 DMRs

Dear Daron:

Please find included with this letter the February 2009 PacifiCorp DMRs for the JC-3 well. PacifiCorp did not operate the well in February. Skyline Mine is unaware of any plans by PacifiCorp to restart and continue pumping water from JC-3 in the near future. If you have any questions regarding this information, please call me at (435) 448-2669.

Sincerely:

Chris D. Hansen
Environmental Coordinator
Arch Western Bituminous Group, LLC.

attachments

RECEIVED
MAR 30 2009
DIV. OF OIL, GAS & MINING

PACIFICORP ENERGY
A DIVISION OF PACIFICORP

Huntington Plant
P.O. Box 680
Huntington, UT 84528

March 24, 2009

Department of Environmental Quality
Division of Water Quality
Attn: Mike Herkimer, Director
288 North 1460 West
P.O. Box 144870
Salt Lake City, Utah 84114-4870

Re: **Huntington Plant – James Canyon Well System UPDES Permit #UT0025534**
DMR for February 2009

Dear Mr. Herkimer:

In accordance with the James Canyon Well System UPDES permit (#UT0025534), Section II.D.; Reporting of Monitoring Results, PacifiCorp is hereby submitting a Daily Monitoring Report (DMR) for the period February 1, 2009 to February 28, 2009.

This DMR is being submitted with the following certification:

> *I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

During the month of February, there was no discharge from JC-3. If you have any questions and/or need additional information, please contact Darce Guymon at (435) 687-4305.

Sincerely,

Darrell J. Cunningham
Managing Director

Enclosure
cc: Chris Hansen, Canyon Fuels Skyline Mine

RECEIVED
MAR 30 2009
DIV. OF OIL, GAS & MINING

PERMITEE NAME/ADDRESS

NAME James Canyon Well System
ADDRESS P.O.Box 680
Huntington, Utah 84528

FACILITY James Canyon Well System
LOCATION Huntington, Utah 84528

ATTN: Darce Guymon (PROJECT REPRESENTATIVE)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

UT0025534
PERMIT NUMBER

001 A
DISCHARGE NUMBER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
0 9	0 2	0 1	0 9	0 2	2 8

Form Approved
OMB No. 2040-0004

MINOR

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

*** NO DISCHARGE [X] ***

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	QUALITY OR CONCENTRATION MINIMUM	QUALITY OR CONCENTRATION AVERAGE	QUALITY OR CONCENTRATION MAXIMUM	QUALITY OR CONCENTRATION UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
FLOW RATE (AS AG) 00056 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT			(78)	******	******	******		0	Continuous	
	PERMIT REQUIREMENT	REPORT DAILY AVG	REPORT DAILY MX	GPM	REPORT DAILY MN	REPORT DAILY AVG	REPORT DAILY MX	**** ****		CONCENTRATION	INSTANT
PH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****			******		(12)	0		
	PERMIT REQUIREMENT	REPORT DAILY AVG	REPORT DAILY MX	**** ****	REPORT DAILY MN	REPORT DAILY AVG	REPORT DAILY MX	SU		CONCENTRATION	GRAB
OIL AND GREASE, HEXANE EXTR METHOD 00552 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******	******		(19)	0		
	PERMIT REQUIREMENT	REPORT DAILY AVG	REPORT DAILY MX	**** ****	REPORT DAILY MN	REPORT DAILY AVG	REPORT DAILY MX	MG/L		CONCENTRATION	GRAB
NITROGEN, AMMONIA TOTAL (AS N) 00610 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT	REPORT DAILY AVG	REPORT DAILY MX	**** ****	REPORT DAILY MN	REPORT DAILY AVG	REPORT DAILY MX	MG/L		CONCENTRATION	GRAB
NITRITE PLUS NITRATE TOTAL 1 DET (AS N) 00630 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT	REPORT DAILY AVG	REPORT DAILY MX	**** ****	REPORT DAILY MN	REPORT DAILY AVG	REPORT DAILY MX	MG/L		CONCENTRATION	GRAB
PHOSPHORUS, TOTAL (AS P) 00665 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT	REPORT DAILY AVG	REPORT DAILY MX	**** ****	REPORT DAILY MN	REPORT DAILY AVG	REPORT DAILY MX	MG/L		CONCENTRATION	GRAB
PHOSPHORUS, DISSOLVED 00666 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT	REPORT DAILY AVG	REPORT DAILY MX	**** ****	REPORT DAILY MN	REPORT DAILY AVG	REPORT DAILY MX	MG/L		CONCENTRATION	GRAB

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER			TELEPHONE		DATE		
DARRELL J. CUNNINGHAM MANAGING DIRECTOR	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	435	687-4305	3/24/2009		
TYPED OR PRINTED			AREA CODE	NUMBER	MO	DA	YR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITEE NAME/ADDRESS

NAME James Canyon Well System
ADDRESS P.O.Box 680
Huntington, Utah 84528

FACILITY James Canyon Well System
LOCATION Huntington, Utah 84528

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

Form Approved
OMB No. 2040-0004

MINOR

UT0025534
PERMIT NUMBER

001 A
DISCHARGE NUMBER

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
0 9	0 2	0 1	0 9	0 2	2 8

*** NO DISCHARGE [X] ***

ATTN: Darce Guymon (PROJECT REPRESENTATIVE)

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
ARSENIC, DISSOLVED (AS AS) 01000 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT			**** ****				MG/L			
ARSENIC, TOTAL (AS AS) 01002 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT			**** ****				MG/L			
CADMIUM, DISSOLVED (AS CD) 01025 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT			**** ****				MG/L			
CADMIUM, TOTAL (AS CD) 01027 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT			**** ****				MG/L			
CHROMIUM, DISSOLVED (AS CR) 01030 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT			**** ****				MG/L			
CHROMIUM, TOTAL (AS CR) 01034 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT			**** ****				MG/L			
COPPER, DISSOLVED (AS CU) 01040 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT			**** ****				MG/L			

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER			TELEPHONE		DATE		
DARRELL J. CUNNINGHAM MANAGING DIRECTOR	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	435	687-4305	3/24/2009		
TYPED OR PRINTED			AREA CODE	NUMBER	MO	DA	YR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITEE NAME/ADDRESS

NAME James Canyon Well System
ADDRESS P.O.Box 680
Huntington, Utah 84528

FACILITY James Canyon Well System
LOCATION Huntington, Utah 84528

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

MINOR

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

PERMIT NUMBER	DISCHARGE NUMBER
UT0025534	001 A

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
0 9	0 2	0 1	0 9	0 2	2 8

*** NO DISCHARGE [X] ***

ATTN: Darre Guymon (PROJECT REPRESENTATIVE)

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
COPPER, TOTAL (AS CU) 01042 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19) MG/L	0		
	PERMIT REQUIREMENT			**** ****						ONCE/MONTH	GRAB
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******	******		(19) MG/L	0		
	PERMIT REQUIREMENT			**** ****						ONCE/MONTH	GRAB
IRON, DISSOLVED (AS FE) 01046 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19) MG/L	0		
	PERMIT REQUIREMENT			**** ****						ONCE/MONTH	GRAB
LEAD, DISSOLVED (AS PB) 01049 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19) MG/L	0		
	PERMIT REQUIREMENT			**** ****						ONCE/MONTH	GRAB
LEAD, TOTAL (AS PB) 01051 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19) MG/L	0		
	PERMIT REQUIREMENT			**** ****						ONCE/MONTH	GRAB
NICKEL, DISSOLVED (AS NI) 01065 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19) MG/L	0		
	PERMIT REQUIREMENT			**** ****						ONCE/MONTH	GRAB
NICKEL, TOTAL (AS NI) 01067 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19) MG/L	0		
	PERMIT REQUIREMENT			**** ****						ONCE/MONTH	GRAB

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER		TELEPHONE		DATE
DARRELL J. CUNNINGHAM MANAGING DIRECTOR	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	435	687-4305	3/24/2009
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE / NUMBER	MO DA YR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITEE NAME/ADDRESS

NAME James Canyon Well System
ADDRESS P.O.Box 680
Huntington, Utah 84528

FACILITY James Canyon Well System
LOCATION Huntington, Utah 84528

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

MINOR

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

UT0025534	001 A
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
0 9	0 2	0 1	0 9	0 2	2 8

*** NO DISCHARGE [X] ***

ATTN: Darce Guymon (PROJECT REPRESENTATIVE)

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SILVER, DISSOLVED (AS AG) 01075 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT	*****	*****	**** ****	*****	REPORT 30DAYAVG	REPORT DAILYMX	MG/L	*****	ONCE/MONTH	GRAB
SILVER, TOTAL (AS AG) 01077 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT	*****	*****	**** ****	*****	REPORT 30DAYAVG	REPORT DAILYMX	MG/L	*****	ONCE/MONTH	GRAB
ZINC, DISSOLVED (AS ZN) 01090 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT	*****	*****	**** ****	*****	REPORT 30DAYAVG	REPORT DAILYMX	MG/L	*****	ONCE/MONTH	GRAB
ZINC, TOTAL (AS ZN) 01092 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT	*****	*****	**** ****	*****	REPORT 30DAYAVG	REPORT DAILYMX	MG/L	*****	ONCE/MONTH	GRAB
SELENIUM, DISSOLVED (AS SE) 01145 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT	*****	*****	**** ****	*****	REPORT 30DAYAVG	REPORT DAILYMX	MG/L	*****	ONCE/MONTH	GRAB
SELENIUM, TOTAL (AS SE) 01147 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
	PERMIT REQUIREMENT	*****	*****	**** ****	*****	REPORT 30DAYAVG	REPORT DAILYMX	MG/L	*****	ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 45613 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	(94)	******	*****	*****		0		
	PERMIT REQUIREMENT	*****	DAILY MX	YES = 1 NO = 0	*****	*****	*****	**** ****	*****	ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER		TELEPHONE		DATE		
DARRELL J. CUNNINGHAM MANAGING DIRECTOR	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	435	687-4305	3/24/2009		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	MO	DA YR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITEE NAME/ADDRESS

NAME James Canyon Well System
ADDRESS P.O.Box 680
Huntington, Utah 84528

FACILITY James Canyon Well System
LOCATION Huntington, Utah 84528

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UT0025534
PERMIT NUMBER

001 A
DISCHARGE NUMBER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
0 9	0 2	0 1	0 9	0 2	2 8

Form Approved
OMB No. 2040-0004

MINOR

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

*** NO DISCHARGE [X] ***

ATTN: Darce Guymon (PROJECT REPRESENTATIVE)

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	(94) YES = 1 NO = 0	******	******	******	**** ****	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	******				
SOLIDS, TOTAL DISSOLVED 70295 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	**** ****	******	******		(19) MG/L	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	******	REPORT DAILY MX				
MERCURY, DISSOLVED (AS HG) 71890 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	**** ****	******			(19) MG/L	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	REPORT DAILY AV	REPORT DAILY MX				
MERCURY, TOTAL (AS HG) 71900 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	**** ****	******			(19) MG/L	0	ONCE/MONTH	GRAB
	PERMIT REQUIREMENT	******	******		******	REPORT DAILY AV	REPORT DAILY MX				
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER			TELEPHONE		DATE
DARRELL J. CUNNINGHAM MANAGING DIRECTOR	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations	Darrell Cunningham	435	687-4305	3/24/2009
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	MO DA YR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)