

0040

C/007/005 Incoming
cc: Jim



225 N. 5th Street, Suite 900
Grand Junction, CO 81501
Phone: (970) 263-5130
Fax (970) 263-5162

July 29, 2009

Coal Regulatory Program
Attn.: Daron Haddock
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

RE: PacifiCorp's June 2009 JC-3 DMRs

Dear Daron:

Please find included with this letter the June 2009 PacifiCorp DMRs for the JC-3 well. PacifiCorp did not operate the well in June. Skyline Mine is unaware of any plans by PacifiCorp to restart and continue pumping water from JC-3 in the near future. If you have any questions regarding this information, please call me at (435) 448-2669.

Sincerely:

Chris D. Hansen
Environmental Coordinator
Arch Western Bituminous Group, LLC.

attachments

RECEIVED

AUG 03 2009

DIV. OF OIL, GAS & MINING



Huntington Plant
P.O. Box 680
Huntington, UT 84528

July 27, 2009

Department of Environmental Quality
Division of Water Quality
Attn: Mike Herkimer, Director
288 North 1460 West
P.O. Box 144870
Salt Lake City, Utah 84114-4870

Re: **Huntington Plant – James Canyon Well System UPDES Permit #UT0025534
DMR for June 2009**

Dear Mr. Herkimer:

In accordance with the James Canyon Well System UPDES permit (#UT0025534), Section II.D.; Reporting of Monitoring Results, PacifiCorp is hereby submitting a Daily Monitoring Report (DMR) for the period June 1, 2009 to June 30, 2009.

This DMR is being submitted with the following certification:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

During the month of June, there was no discharge from JC-3. If you have any questions and/or need additional information, please contact Darce Guymon at (435) 687-4305.

Sincerely,


Darrell J. Cunningham
Managing Director

Enclosure
cc: Chris Hansen, Canyon Fuels Skyline Mine

RECEIVED

AUG 03 2009

DIR. OF OIL, GAS & MINING

PERMITTEE NAME/ADDRESS

James Canyon Well System
P.O. Box 680
Huntington, Utah 84528

FACILITY
James Canyon Well System
LOCATION
Huntington, Utah 84528

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTWISSES
PERMIT NUMBER

001 A
DISCHARGE NUMBER

MINOR
F-FINAL
IC-3 PUMPING PLATFORM TO LAKE

Form Approved
OMB No. 2040-0034

MONITORING PERIOD		
YEAR	MO	DAY
0 9	0 6	0 1

*** NO DISCHARGE ***

ATTN: Darce Gayman (PROJECT REPRESENTATIVE)

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	MINIMUM	AVERAGE	MAXIMUM	MINIMUM				
00040 FLOW RATE (AS AG)	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	CONTINUOUS	INSTANT	
00056 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	CONTINUOUS	INSTANT	
00060 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	CONTINUOUS	INSTANT	
00065 OIL AND GREASE MEASUREMENT	MEASUREMENT	*****	*****	*****	*****	*****	SU	0	ONCE/MONTH	GRAB	
00052 HEXANE EXTR METHOD	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
00062 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
00060 NITROGEN AMMONIA	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
000610 TOTAL (AS N)	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
000610 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
000630 NITRITE PLUS NITRATE TOTAL (AS N)	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
000630 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
00065 PHOSPHORUS (AS P)	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
00065 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
00066 DISSOLVED	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
00066 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	MGL (19)	0	ONCE/MONTH	GRAB	
<p>NAME/TITLE PRINCIPLE EXECUTIVE OFFICER DARRELL J. CUNNINGHAM MANAGING DIRECTOR</p> <p>TTTED OR PRINTED</p> <p>COMMENT AND EXPLANATION OF ANY VIOLATIONS (reference all attachments here)</p> <p>I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.</p> <p>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER: <i>[Signature]</i></p> <p>DATE: 7/27/2009</p> <p>AREA CODE: 435 NUMBER: 687-4305</p>											

PERMITTEE NAME/ADDRESS

NAME: James Canyon Well System
ADDRESS: P.O. Box 680
Huntington, Utah 84528

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UT002534 PERMIT NUMBER
001 A DISCHARGE NUMBER

MINOR

F-FINAL
IC-3 PUMPING PLATFORM TO LAKE

Form Approved
OMB No. 2040-0044

FACILITY: James Canyon Well System
LOCATION: Huntington, Utah 84528

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
09	06	01	09	06	03


*** NO DISCHARGE ***

ATTN: Darce Guyman (PROJECT REPRESENTATIVE)

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			UNITS	NO. EX.	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
ARSENIC, DISSOLVED (AS AS)	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
ARSENIC, TOTAL (AS AS)	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
CADMIUM, DISSOLVED (AS CD)	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
CADMIUM, TOTAL (AS CD)	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
CHROMIUM, DISSOLVED (AS CR)	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
CHROMIUM, TOTAL (AS CR)	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
COPPER, DISSOLVED (AS CU)	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
COPPER, TOTAL (AS CU)	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB
EFFLUENT GROSS VALUE	MEASUREMENT PERMIT	*****	*****	*****	*****	REPORT 30 DAY AVG	REPORT DAILY MAX	(19)	0	ONCE MONTHLY	GRAB

COMMENT AND EXPLANATION OF ANY VIOLATIONS (reference all standards here)

I hereby make primary of the fact that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER: 
TITLE: PROJECT REPRESENTATIVE
ARBA CODE: 433
TELEPHONE: 687-4305
DATE: 7/27/2009

PERMITTEE NAME/ADDRESS

James Canyon Well System
P.O. Box 680
Huntington, Utah 84528

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UT002534
PERMIT NUMBER
01 A
DISCHARGE NUMBER

MINOR

FINAL
AC-3 PUMPING PLATFORM TO LAKE

Form Approved
OMB No. 2040-0044

FACILITY
James Canyon Well System
LOCATION
Huntington, Utah 84528

MONITORING PERIOD		
YEAR	MO	DAY
09	06	01
MONITORING PERIOD		
YEAR	MO	DAY
09	06	03

*** NO DISCHARGE ***

ATTN: Dave Guyman (PROJECT REPRESENTATIVE)

PARAMETER	MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
01045 COPPER, TOTAL (AS CU)	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01042 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01046 IRON, DISSOLVED (AS FE)	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01046 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01049 LEAD, DISSOLVED (AS PB)	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01049 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01051 NICKEL, DISSOLVED (AS NI)	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01065 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01067 NICKEL, TOTAL (AS NI)	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01067 EFFLUENT GROSS VALUE	MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

DARRELL J. CUNNINGHAM
MANAGING DIRECTOR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all measurement days)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I also swear that there are no significant violations for submitting this information, including the possibility of law and improvement for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

AREA CODE 435
PHONE NUMBER 687-4305
DATE 7/27/2009

PERMITTEE NAME/ADDRESS

NAME James Canyon Well System
ADDRESS P.O. Box 680
Huntington, Utah 84528

FACILITY James Canyon Well System
LOCATION Huntington, Utah 84528

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MINOR

Form Approved
OMB No. 2040-0044

UTW02524
PERMIT NUMBER

001 A
DISCHARGE NUMBER

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

MONITORING PERIOD			DISCHARGE PERIOD		
YEAR	MO	DAY	YEAR	MO	DAY
0	9	0	0	9	0
6	0	1	0	9	0
0	0	1	6	3	0

*** NO DISCHARGE ***

ATTN: Darce Crigman (PROJECT REPRESENTATIVE)

PARAMETER	MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SILVER, DISSOLVED (AS AG)	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01075	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
SILVER, TOTAL (AS AG)	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01077	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
ZINC, DISSOLVED (AS ZN)	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01090	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
ZINC, TOTAL (AS ZN)	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01092	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
SELENIUM, DISSOLVED (AS SE)	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01145	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
SELENIUM, TOTAL (AS SE)	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
01147	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	GRAB
FLLOATING SOLIDS OR VISIBLE FOAM-VISUAL	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	VISUAL
43613	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	VISUAL
EFFLUENT GROSS VALUE	PERMIT MEASUREMENT	*****	*****	*****	*****	*****	*****	0	ONCE/MONTH	VISUAL
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER										
DARRELL J. CUNNINGHAM MANAGING DIRECTOR										
COMMENT AND EXPLANATION OF ANY VIOLATIONS (reference all attachments here)										
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.										
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER 										
TITLE MANAGING DIRECTOR										
AREA CODE 435										
PHONE NUMBER 687-4305										
DATE 7/27/2009										

