

**OGMCOAL - Skyline 1st Qtr 2011 Water Monitoring**

---

**From:** "Galecki, Gregg" <GGalecki@archcoal.com>  
**To:** Jim Smith <jimsmith@utah.gov>, "OGMCOAL@utah.gov" <OGMCOAL@utah.gov>, K...  
**Date:** 4/26/2011 1:48 PM  
**Subject:** Skyline 1st Qtr 2011 Water Monitoring  
**CC:** "Belcher, Austin" <ABelcher2@archcoal.com>, "Galecki, Gregg" <GGalecki@a...

---

Jim,

The 1<sup>st</sup> Quarter 2011 Water Monitoring data for Skyline Mine has been uploaded into the pipeline.

All data is approved with the exception of the following errors that the Division will have to correct.

- UPDES-001 has an error requesting T-Fe and it is not required on the following dates: 1/4/11, 1/18/11, 2/2/11, 2/14/11, and 3/3/11 (this error didn't seem to come up until a few quarters ago)
- UPDES-001 3/15/11 has (2) errors; asking for T-Fe (not required) and it will not accept unit of measure for settleable solids
- UPDES-001 3/29/11 has an error, but I cannot open the file to see what error it is requesting. I anticipate it is the same errors as listed in 3/15/11
- UPDES-002 3/15/11 has error asking for O&G that is not required (only if sheen exists); and it will not accept unit of measure for settleable solids
- UPDES-002 3/29/11 same errors as UPDES-002 on 3/15/11
- VC-6 3/9/11 O&G missing (bottle broke) – collected on 3/11/11
- VC-6 3/11/11 O&G data all other parameters were collected on 3/9/11

Let me know if you have any questions or you find any data I did not submit,

**Gregg A. Galecki**  
Environmental Engineer  
Canyon Fuel Company, LLC  
Skyline Mine  
(435)448-2636

---

\*\*\*Email Disclaimer: The information contained in this e-mail, and in any accompanying documents, may constitute confidential and/or legally privileged information. The information is intended only for use by the designated recipient. If you are not the intended recipient (or responsible for delivery of the message to the intended recipient), you are hereby notified that any dissemination, distribution, copying, or other use of, or taking of any action in reliance on this e-mail is strictly prohibited. If you have received this e-mail communication in error, please notify the sender immediately and delete the message from your system.