

OGMCOAL - Mine-Well-Discharge June 2011

From: "Belcher, Austin" <ABelcher2@archcoal.com>
To: "OGMCOAL@utah.gov" <OGMCOAL@utah.gov>
Date: 7/1/2011 11:07 AM
Subject: Mine-Well-Discharge June 2011
CC: Jim Smith <JIMDSMITH@utah.gov>, Karl Houskeeper <karlhouskeeper@utah.gov...>
Attachments: Mine-James- Discharge.xls

Jim / Karl,

Per Permit Condition #2, attached is the cumulative monthly flow data for discharges into both Electric Lake and Eccles Creek – updated through June 2011.

Let me know if you have any questions,

Austin R. Belcher

Environmental Engineer
Canyon Fuel Company, LLC
Skyline Mine
(435)448-2668

***Email Disclaimer: The information contained in this e-mail, and in any accompanying documents, may constitute confidential and/or legally privileged information. The information is intended only for use by the designated recipient. If you are not the intended recipient (or responsible for delivery of the message to the intended recipient), you are hereby notified that any dissemination, distribution, copying, or other use of, or taking of any action in reliance on this e-mail is strictly prohibited. If you have received this e-mail communication in error, please notify the sender immediately and delete the message from your system.

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
7/23/2003	10	5,100	11.4	3,060,000	3,060,000	9.4	9
7/24/2003	24	5,100	11.4	7,344,000	10,404,000	22.5	32
7/25/2003	15	5,100	11.4	4,590,000	14,994,000	14.1	46
7/26/2003	15	5,100	11.4	4,590,000	19,584,000	14.1	60
7/27/2003			-	-	19,584,000	-	60
7/28/2003			-	-	19,584,000	-	60
7/29/2003			-	-	19,584,000	-	60
7/30/2003			-	-	19,584,000	-	60
7/31/2003	18	4,700	10.5	5,076,000	24,660,000	15.6	76
8/1/2003	19	4,595	10.2	5,238,300	29,898,300	16.1	92
8/2/2003	24	5,100	11.4	7,344,000	37,242,300	22.5	114
8/3/2003	24	5,100	11.4	7,344,000	44,586,300	22.5	137
8/4/2003	24	5,100	11.4	7,344,000	51,930,300	22.5	159
8/5/2003	24	5,100	11.4	7,344,000	59,274,300	22.5	182
8/6/2003	24	5,100	11.4	7,344,000	66,618,300	22.5	204
8/7/2003	24	5,100	11.4	7,344,000	73,962,300	22.5	227
8/8/2003	24	5,100	11.4	7,344,000	81,306,300	22.5	250
8/9/2003	24	5,100	11.4	7,344,000	88,650,300	22.5	272
8/10/2003	24	5,100	11.4	7,344,000	95,994,300	22.5	295
8/11/2003	24	5,100	11.4	7,344,000	103,338,300	22.5	317
8/12/2003	24	5,100	11.4	7,344,000	110,682,300	22.5	340
8/13/2003	24	5,100	11.4	7,344,000	118,026,300	22.5	362
8/14/2003	24	5,100	11.4	7,344,000	125,370,300	22.5	385
8/15/2003	24	5,100	11.4	7,344,000	132,714,300	22.5	407
8/16/2003	24	5,100	11.4	7,344,000	140,058,300	22.5	430
8/17/2003	24	5,100	11.4	7,344,000	147,402,300	22.5	452
8/18/2003	24	5,100	11.4	7,344,000	154,746,300	22.5	475
8/19/2003	24	5,100	11.4	7,344,000	162,090,300	22.5	498
8/20/2003	14	5,100	11.4	4,284,000	166,374,300	13.1	511
8/21/2003	24	5,100	11.4	7,344,000	173,718,300	22.5	533
8/22/2003	24	5,100	11.4	7,344,000	181,062,300	22.5	556
8/23/2003	24	5,100	11.4	7,344,000	188,406,300	22.5	578
8/24/2003	24	5,100	11.4	7,344,000	195,750,300	22.5	601
8/25/2003	24	5,100	11.4	7,344,000	203,094,300	22.5	623
8/26/2003	24	5,100	11.4	7,344,000	210,438,300	22.5	646
8/27/2003	24	5,100	11.4	7,344,000	217,782,300	22.5	668
8/28/2003	24	5,100	11.4	7,344,000	225,126,300	22.5	691
8/29/2003	23	5,100	11.4	7,038,000	232,164,300	21.6	713
8/30/2003	24	5,100	11.4	7,344,000	239,508,300	22.5	735
8/31/2003	24	5,100	11.4	7,344,000	246,852,300	22.5	758
9/1/2003	24	5,100	11.4	7,344,000	254,196,300	22.5	780
9/2/2003	24	5,100	11.4	7,344,000	261,540,300	22.5	803
9/3/2003	24	5,100	11.4	7,344,000	268,884,300	22.5	825
9/4/2003	24	5,032	11.2	7,246,080	276,130,380	22.2	848
9/5/2003	24	5,032	11.2	7,246,080	283,376,460	22.2	870
9/6/2003	24	5,032	11.2	7,246,080	290,622,540	22.2	892

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/7/2003	24	5,032	11.2	7,246,080	297,868,620	22.2	914
9/8/2003	24	5,032	11.2	7,246,080	305,114,700	22.2	936
9/9/2003	24	5,032	11.2	7,246,080	312,360,780	22.2	959
9/10/2003	24	5,032	11.2	7,246,080	319,606,860	22.2	981
9/11/2003	24	5,032	11.2	7,246,080	326,852,940	22.2	1,003
9/12/2003	24	5,032	11.2	7,246,080	334,099,020	22.2	1,025
9/13/2003	24	5,032	11.2	7,246,080	341,345,100	22.2	1,048
9/14/2003	24	5,032	11.2	7,246,080	348,591,180	22.2	1,070
9/15/2003	24	5,032	11.2	7,246,080	355,837,260	22.2	1,092
9/16/2003	24	6,184	13.8	8,904,960	364,742,220	27.3	1,120
9/17/2003	24	5,951	13.3	8,569,596	373,311,816	26.3	1,146
9/18/2003	24	5,478	12.2	7,887,709	381,199,525	24.2	1,170
9/19/2003	24	4,480	10.0	6,451,526	387,651,051	19.8	1,190
9/20/2003	24	4,361	9.7	6,279,283	393,930,334	19.3	1,209
9/21/2003	24	4,373	9.7	6,297,297	400,227,631	19.3	1,228
9/22/2003	24	4,365	9.7	6,285,600	406,513,231	19.3	1,248
9/23/2003	24	2,895	6.5	4,168,782	410,682,012	12.8	1,261
9/24/2003	24	3,930	8.8	5,658,711	416,340,723	17.4	1,278
9/25/2003	24	3,915	8.7	5,638,238	421,978,962	17.3	1,295
9/26/2003	24	3,896	8.7	5,610,715	427,589,677	17.2	1,312
9/27/2003	24	3,896	8.7	5,610,471	433,200,148	17.2	1,330
9/28/2003	24	3,898	8.7	5,612,549	438,812,698	17.2	1,347
9/29/2003	24	3,573	8.0	5,144,875	443,957,573	15.8	1,363
9/30/2003	24	2,896	6.5	4,170,038	448,127,611	12.8	1,375
10/1/2003	24	2,973	6.6	4,281,419	452,409,030	13.1	1,389
10/2/2003	24	2,985	6.7	4,298,400	456,707,430	13.2	1,402
10/3/2003	24	2,975	6.6	4,284,000	460,991,430	13.1	1,415
10/4/2003	5.5	2,279	5.1	752,070	461,743,500	2.3	1,417
10/5/2003	24	-	-	-	461,743,500	-	1,417
10/6/2003	24	-	-	-	461,743,500	-	1,417
10/7/2003	24	-	-	-	461,743,500	-	1,417
10/8/2003	24	-	-	-	461,743,500	-	1,417
10/9/2003	24	-	-	-	461,743,500	-	1,417
10/10/2003	19.5	3,054	6.8	3,573,180	465,316,680	11.0	1,428
10/11/2003	24	2,984	6.6	4,296,960	469,613,640	13.2	1,441
10/12/2003	24	2,962	6.6	4,265,280	473,878,920	13.1	1,454
10/13/2003	24	2,968	6.6	4,273,920	478,152,840	13.1	1,468
10/14/2003	24	2,943	6.6	4,237,920	482,390,760	13.0	1,481
10/15/2003	24	2,938	6.5	4,230,720	486,621,480	13.0	1,494
10/16/2003	24	2,933	6.5	4,223,520	490,845,000	13.0	1,507
10/17/2003	24	2,903	6.5	4,180,320	495,025,320	12.8	1,519
10/18/2003	24	2,912	6.5	4,193,280	499,218,600	12.9	1,532
10/19/2003	24	2,889	6.4	4,160,160	503,378,760	12.8	1,545
10/20/2003	24	2,887	6.4	4,157,280	507,536,040	12.8	1,558
10/21/2003	24	2,929	6.5	4,217,760	511,753,800	12.9	1,571
10/22/2003	18.5	2,941	6.6	3,264,510	515,018,310	10.0	1,581

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
10/23/2003	18.75	3,074	6.8	3,458,250	518,476,560	10.6	1,591
10/24/2003	24	3,060	6.8	4,406,400	522,882,960	13.5	1,605
10/25/2003	24	3,056	6.8	4,400,640	527,283,600	13.5	1,618
10/26/2003	24	3,052	6.8	4,394,880	531,678,480	13.5	1,632
10/27/2003	22.25	3,040	6.8	4,058,400	535,736,880	12.5	1,644
10/28/2003	21.75	3,324	7.4	4,337,820	540,074,700	13.3	1,658
10/29/2003	13.5	3,928	8.8	3,181,680	543,256,380	9.8	1,667
10/30/2003	24	5,346	11.9	7,698,240	550,954,620	23.6	1,691
10/31/2003	24	4,223	9.4	6,081,120	557,035,740	18.7	1,710
11/1/2003	24	3,271	7.3	4,709,625	561,745,365	14.5	1,724
11/2/2003	24	3,244	7.2	4,671,525	566,416,890	14.3	1,739
11/3/2003	24	3,206	7.1	4,616,145	571,033,035	14.2	1,753
11/4/2003	24	3,167	7.1	4,559,880	575,592,915	14.0	1,767
11/5/2003	24	3,131	7.0	4,507,995	580,100,910	13.8	1,781
11/6/2003	24	3,112	6.9	4,481,535	584,582,445	13.8	1,794
11/7/2003	24	3,091	6.9	4,451,115	589,033,560	13.7	1,808
11/8/2003	24	3,068	6.8	4,418,430	593,451,990	13.6	1,821
11/9/2003	24	3,046	6.8	4,386,225	597,838,215	13.5	1,835
11/10/2003	24	3,024	6.7	4,354,485	602,192,700	13.4	1,848
11/11/2003	24	3,010	6.7	4,334,565	606,527,265	13.3	1,862
11/12/2003	24	2,989	6.7	4,303,530	610,830,795	13.2	1,875
11/13/2003	24	2,948	6.6	4,244,685	615,075,480	13.0	1,888
11/14/2003	24	2,929	6.5	4,217,220	619,292,700	12.9	1,901
11/15/2003	24	2,918	6.5	4,201,950	623,494,650	12.9	1,914
11/16/2003	24	2,901	6.5	4,177,695	627,672,345	12.8	1,927
11/17/2003	24	2,881	6.4	4,148,520	631,820,865	12.7	1,939
11/18/2003	2.1	2,876	6.4	362,436	632,183,301	1.1	1,940
11/19/2003	24	-	-	-	632,183,301	-	1,940
11/20/2003	24	-	-	-	632,183,301	-	1,940
11/21/2003	24	-	-	-	632,183,301	-	1,940
11/22/2003	24	-	-	-	632,183,301	-	1,940
11/23/2003	24	-	-	-	632,183,301	-	1,940
11/24/2003	24	-	-	-	632,183,301	-	1,940
11/25/2003	24	-	-	-	632,183,301	-	1,940
11/26/2003	24	-	-	-	632,183,301	-	1,940
11/27/2003	24	-	-	-	632,183,301	-	1,940
11/28/2003	24	-	-	-	632,183,301	-	1,940
11/29/2003	24	-	-	-	632,183,301	-	1,940
11/30/2003	11.75	3,337	7.4	2,352,585	634,535,886	7.2	1,948
12/1/2003	12	3,345	7.5	2,408,400	636,944,286	7.4	1,955
12/2/2003	12	3,359	7.5	2,418,480	639,362,766	7.4	1,962
12/3/2003	24	3,355	7.5	4,831,200	644,193,966	14.8	1,977
12/4/2003	24	3,369	7.5	4,851,360	649,045,326	14.9	1,992
12/5/2003	24	3,370	7.5	4,852,800	653,898,126	14.9	2,007
12/6/2003	24	3,368	7.5	4,849,920	658,748,046	14.9	2,022
12/7/2003	24	0	-	-	658,748,046	-	2,022

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/8/2003	24	0	-	-	658,748,046	-	2,022
12/9/2003	24	0	-	-	658,748,046	-	2,022
12/10/2003	24	0	-	-	658,748,046	-	2,022
12/11/2003	24	0	-	-	658,748,046	-	2,022
12/12/2003	24	0	-	-	658,748,046	-	2,022
12/13/2003	24	5,146	11.5	7,410,240	666,158,286	22.7	2,045
12/14/2003	24	5,146	11.5	7,410,240	673,568,526	22.7	2,067
12/15/2003	24	5,146	11.5	7,410,240	680,978,766	22.7	2,090
12/16/2003	24	5,146	11.5	7,410,240	688,389,006	22.7	2,113
12/17/2003	24	5,146	11.5	7,410,240	695,799,246	22.7	2,136
12/18/2003	24	5,146	11.5	7,410,240	703,209,486	22.7	2,158
12/19/2003	24	5,146	11.5	7,410,240	710,619,726	22.7	2,181
12/20/2003	24	5,146	11.5	7,410,240	718,029,966	22.7	2,204
12/21/2003	24	5,146	11.5	7,410,240	725,440,206	22.7	2,227
12/22/2003	24	5,146	11.5	7,410,240	732,850,446	22.7	2,249
12/23/2003	24	5,146	11.5	7,410,240	740,260,686	22.7	2,272
12/24/2003	24	5,146	11.5	7,410,240	747,670,926	22.7	2,295
12/25/2003	24	5,146	11.5	7,410,240	755,081,166	22.7	2,318
12/26/2003	24	0	-	-	755,081,166	-	2,318
12/27/2003	24	0	-	-	755,081,166	-	2,318
12/28/2003	24	0	-	-	755,081,166	-	2,318
12/29/2003	24	0	-	-	755,081,166	-	2,318
12/30/2003	24	0	-	-	755,081,166	-	2,318
12/31/2003	24	0	-	-	755,081,166	-	2,318
1/1/2004	24	5,106	11.4	7,352,640	762,433,806	22.6	2,340
1/2/2004	24	5,106	11.4	7,352,640	769,786,446	22.6	2,363
1/3/2004	24	5,106	11.4	7,352,640	777,139,086	22.6	2,385
1/4/2004	24	5,106	11.4	7,352,640	784,491,726	22.6	2,408
1/5/2004	24	5,106	11.4	7,352,640	791,844,366	22.6	2,430
1/6/2004	24	5,101	11.4	7,345,543	799,189,909	22.5	2,453
1/7/2004	24	5,084	11.3	7,320,750	806,510,659	22.5	2,475
1/8/2004	24	5,071	11.3	7,301,970	813,812,629	22.4	2,498
1/9/2004	24	5,055	11.3	7,279,095	821,091,724	22.3	2,520
1/10/2004	24	5,038	11.2	7,254,450	828,346,174	22.3	2,542
1/11/2004	24	5,026	11.2	7,237,635	835,583,809	22.2	2,565
1/12/2004	24	5,009	11.2	7,212,990	842,796,799	22.1	2,587
1/13/2004	24	4,994	11.1	7,191,735	849,988,534	22.1	2,609
1/14/2004	24	4,967	11.1	7,151,970	857,140,504	22.0	2,631
1/15/2004	24	4,939	11.0	7,112,340	864,252,844	21.8	2,653
1/16/2004	24	4,973	11.1	7,160,595	871,413,439	22.0	2,675
1/17/2004	24	4,964	11.1	7,147,530	878,560,969	21.9	2,697
1/18/2004	24	4,948	11.0	7,125,540	885,686,509	21.9	2,718
1/19/2004	24	4,911	10.9	7,071,255	892,757,764	21.7	2,740
1/20/2004	24	4,904	10.9	7,061,730	899,819,494	21.7	2,762
1/21/2004	24	4,899	10.9	7,054,455	906,873,949	21.7	2,783
1/22/2004	24	4,869	10.8	7,011,120	913,885,069	21.5	2,805

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
1/23/2004	24	4,838	10.8	6,966,900	920,851,969	21.4	2,826
1/24/2004	24	4,811	10.7	6,927,285	927,779,254	21.3	2,848
1/25/2004	24	4,818	10.7	6,937,935	934,717,189	21.3	2,869
1/26/2004	24	4,801	10.7	6,913,650	941,630,839	21.2	2,890
1/27/2004	24	4,768	10.6	6,865,515	948,496,354	21.1	2,911
1/28/2004	24	4,312	9.6	6,209,175	954,705,529	19.1	2,930
1/29/2004	24	3,017	6.7	4,344,495	959,050,024	13.3	2,944
1/30/2004	24	3,014	6.7	4,340,520	963,390,544	13.3	2,957
1/31/2004	24	3,011	6.7	4,335,330	967,725,874	13.3	2,970
2/1/2004	24	3,002	6.7	4,322,880	972,048,754	13.3	2,984
2/2/2004	24	2,991	6.7	4,307,040	976,355,794	13.2	2,997
2/3/2004	24	2,978	6.6	4,288,320	980,644,114	13.2	3,010
2/4/2004	24	2,967	6.6	4,272,480	984,916,594	13.1	3,023
2/5/2004	24	2,954	6.6	4,253,760	989,170,354	13.1	3,036
2/6/2004	24	2,950	6.6	4,248,000	993,418,354	13.0	3,049
2/7/2004	24	2,949	6.6	4,246,560	997,664,914	13.0	3,062
2/8/2004	24	2,955	6.6	4,255,200	1,001,920,114	13.1	3,075
2/9/2004	24	2,957	6.6	4,258,080	1,006,178,194	13.1	3,088
2/10/2004	24	2,963	6.6	4,266,720	1,010,444,914	13.1	3,101
2/11/2004	24	2,958	6.6	4,259,520	1,014,704,434	13.1	3,114
2/12/2004	24	2,965	6.6	4,269,600	1,018,974,034	13.1	3,128
2/13/2004	24	2,965	6.6	4,269,600	1,023,243,634	13.1	3,141
2/14/2004	24	1,076	2.4	1,549,440	1,024,793,074	4.8	3,145
2/15/2004	24	-	-	-	1,024,793,074	-	3,145
2/16/2004	24	-	-	-	1,024,793,074	-	3,145
2/17/2004	24	1,285	2.9	1,850,400	1,026,643,474	5.7	3,151
2/18/2004	24	3,050	6.8	4,392,000	1,031,035,474	13.5	3,165
2/19/2004	24	3,050	6.8	4,392,000	1,035,427,474	13.5	3,178
2/20/2004	24	3,041	6.8	4,379,040	1,039,806,514	13.4	3,192
2/21/2004	24	3,030	6.8	4,363,200	1,044,169,714	13.4	3,205
2/22/2004	24	3,027	6.7	4,358,880	1,048,528,594	13.4	3,218
2/23/2004	24	3,017	6.7	4,344,480	1,052,873,074	13.3	3,232
2/24/2004	24	3,006	6.7	4,328,640	1,057,201,714	13.3	3,245
2/25/2004	24	2,996	6.7	4,314,240	1,061,515,954	13.2	3,258
2/26/2004	24	2,987	6.7	4,301,280	1,065,817,234	13.2	3,271
2/27/2004	24	2,983	6.6	4,295,520	1,070,112,754	13.2	3,285
2/28/2004	24	2,975	6.6	4,284,000	1,074,396,754	13.1	3,298
2/29/2004	24	2,976	6.6	4,284,825	1,078,681,579	13.2	3,311
3/1/2004	24	2,979	6.6	4,290,270	1,082,971,849	13.2	3,324
3/2/2004	24	2,979	6.6	4,289,535	1,087,261,384	13.2	3,337
3/3/2004	24	2,977	6.6	4,287,435	1,091,548,819	13.2	3,350
3/4/2004	24	3,189	7.1	4,592,385	1,096,141,204	14.1	3,364
3/5/2004	24	3,552	7.9	5,114,910	1,101,256,114	15.7	3,380
3/6/2004	24	3,552	7.9	5,115,135	1,106,371,249	15.7	3,396
3/7/2004	24	3,543	7.9	5,101,590	1,111,472,839	15.7	3,411
3/8/2004	24	3,530	7.9	5,083,110	1,116,555,949	15.6	3,427

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/9/2004	24	3,518	7.8	5,065,965	1,121,621,914	15.5	3,443
3/10/2004	24	3,510	7.8	5,055,045	1,126,676,959	15.5	3,458
3/11/2004	24	3,511	7.8	5,056,020	1,131,732,979	15.5	3,474
3/12/2004	24	3,506	7.8	5,048,175	1,136,781,154	15.5	3,489
3/13/2004	24	3,500	7.8	5,040,030	1,141,821,184	15.5	3,505
3/14/2004	24	3,498	7.8	5,037,495	1,146,858,679	15.5	3,520
3/15/2004	24	3,512	7.8	5,057,190	1,151,915,869	15.5	3,536
3/16/2004	24	3,516	7.8	5,062,965	1,156,978,834	15.5	3,551
3/17/2004	24	2,909	6.5	4,189,250	1,161,168,085	12.9	3,564
3/18/2004	24	-	-	-	1,161,168,085	-	3,564
3/19/2004	24	-	-	-	1,161,168,085	-	3,564
3/20/2004	24	-	-	-	1,161,168,085	-	3,564
3/21/2004	24	-	-	-	1,161,168,085	-	3,564
3/22/2004	24	-	-	-	1,161,168,085	-	3,564
3/23/2004	24	-	-	-	1,161,168,085	-	3,564
3/24/2004	24	-	-	-	1,161,168,085	-	3,564
3/25/2004	24	-	-	-	1,161,168,085	-	3,564
3/26/2004	24	-	-	-	1,161,168,085	-	3,564
3/27/2004	24	-	-	-	1,161,168,085	-	3,564
3/28/2004	24	-	-	-	1,161,168,085	-	3,564
3/29/2004	24	-	-	-	1,161,168,085	-	3,564
3/30/2004	24	-	-	-	1,161,168,085	-	3,564
3/31/2004	16.25	3,787	8.4	3,692,325	1,164,860,410	11.3	3,575
4/1/2004	14.25	3,879	8.6	3,316,545	1,168,176,955	10.2	3,586
4/2/2004	9	3,527	7.9	1,904,580	1,170,081,535	5.8	3,591
4/3/2004	24	3,560	7.9	5,126,582	1,175,208,116	15.7	3,607
4/4/2004	24	3,571	8.0	5,141,619	1,180,349,735	15.8	3,623
4/5/2004	24	3,576	8.0	5,149,849	1,185,499,584	15.8	3,639
4/6/2004	24	3,322	7.4	4,783,862	1,190,283,446	14.7	3,653
4/7/2004	24	3,107	6.9	4,473,883	1,194,757,329	13.7	3,667
4/8/2004	24	3,092	6.9	4,451,980	1,199,209,309	13.7	3,681
4/9/2004	24	3,078	6.9	4,432,350	1,203,641,659	13.6	3,694
4/10/2004	24	3,069	6.8	4,419,163	1,208,060,822	13.6	3,708
4/11/2004	24	3,059	6.8	4,404,460	1,212,465,282	13.5	3,721
4/12/2004	24	3,053	6.8	4,396,699	1,216,861,981	13.5	3,735
4/13/2004	24	3,050	6.8	4,391,363	1,221,253,344	13.5	3,748
4/14/2004	24	3,048	6.8	4,389,817	1,225,643,162	13.5	3,762
4/15/2004	24	3,051	6.8	4,392,743	1,230,035,904	13.5	3,775
4/16/2004	24	3,054	6.8	4,397,442	1,234,433,346	13.5	3,789
4/17/2004	24	3,060	6.8	4,406,294	1,238,839,640	13.5	3,802
4/18/2004	24	3,067	6.8	4,416,071	1,243,255,711	13.6	3,816
4/19/2004	24	3,074	6.8	4,426,666	1,247,682,377	13.6	3,830
4/20/2004	24	3,081	6.9	4,436,443	1,252,118,820	13.6	3,843
4/21/2004	24	3,091	6.9	4,450,555	1,256,569,375	13.7	3,857
4/22/2004	24	3,096	6.9	4,458,589	1,261,027,963	13.7	3,871
4/23/2004	24	2,733	6.1	3,935,838	1,264,963,802	12.1	3,883

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
4/24/2004	24	2,530	5.6	3,643,185	1,268,606,986	11.2	3,894
4/25/2004	24	2,540	5.7	3,658,009	1,272,264,996	11.2	3,905
4/26/2004	24	2,554	5.7	3,677,563	1,275,942,559	11.3	3,916
4/27/2004	24	2,564	5.7	3,691,887	1,279,634,446	11.3	3,928
4/28/2004	24	2,576	5.7	3,709,213	1,283,343,658	11.4	3,939
4/29/2004	24	2,588	5.8	3,726,144	1,287,069,802	11.4	3,950
4/30/2004	24	2,598	5.8	3,740,968	1,290,810,771	11.5	3,962
5/1/2004	24	2,598	5.8	3,740,895	1,294,551,666	11.5	3,973
5/2/2004	24	2,608	5.8	3,755,730	1,298,307,396	11.5	3,985
5/3/2004	24	2,618	5.8	3,770,505	1,302,077,901	11.6	3,997
5/4/2004	24	2,629	5.9	3,785,203	1,305,863,103	11.6	4,008
5/5/2004	24	2,638	5.9	3,798,570	1,309,661,673	11.7	4,020
5/6/2004	24	2,646	5.9	3,810,825	1,313,472,498	11.7	4,031
5/7/2004	24	1,238	2.8	1,783,259	1,315,255,757	5.5	4,037
5/8/2004	24	2,217	4.9	3,193,147	1,318,448,904	9.8	4,047
5/9/2004	24	4,078	9.1	5,872,110	1,324,321,014	18.0	4,065
5/10/2004	24	4,082	9.1	5,877,615	1,330,198,629	18.0	4,083
5/11/2004	24	4,086	9.1	5,883,315	1,336,081,944	18.1	4,101
5/12/2004	24	4,088	9.1	5,886,015	1,341,967,959	18.1	4,119
5/13/2004	24	4,089	9.1	5,887,680	1,347,855,639	18.1	4,137
5/14/2004	24	4,087	9.1	5,885,550	1,353,741,189	18.1	4,155
5/15/2004	24	4,087	9.1	5,884,725	1,359,625,914	18.1	4,173
5/16/2004	24	4,086	9.1	5,884,170	1,365,510,084	18.1	4,191
5/17/2004	24	4,086	9.1	5,883,915	1,371,393,999	18.1	4,209
5/18/2004	24	4,085	9.1	5,883,015	1,377,277,014	18.1	4,227
5/19/2004	24	4,085	9.1	5,881,995	1,383,159,009	18.1	4,245
5/20/2004	24	4,084	9.1	5,881,605	1,389,040,614	18.1	4,263
5/21/2004	24	2,717	6.1	3,912,360	1,392,952,974	12.0	4,275
5/22/2004	24	1,558	3.5	2,243,070	1,395,196,044	6.9	4,282
5/23/2004	7.5	1,566	3.5	704,700	1,395,900,744	2.2	4,284
5/24/2004	24	-	-	-	1,395,900,744	-	4,284
5/25/2004	24	-	-	-	1,395,900,744	-	4,284
5/26/2004	24	-	-	-	1,395,900,744	-	4,284
5/27/2004	24	-	-	-	1,395,900,744	-	4,284
5/28/2004	24	-	-	-	1,395,900,744	-	4,284
5/29/2004	24	-	-	-	1,395,900,744	-	4,284
5/30/2004	24	-	-	-	1,395,900,744	-	4,284
5/31/2004	24	-	-	-	1,395,900,744	-	4,284
6/1/2004	24	-	-	-	1,395,900,744	-	4,284
6/2/2004	24	-	-	-	1,395,900,744	-	4,284
6/3/2004	24	-	-	-	1,395,900,744	-	4,284
6/4/2004	24	-	-	-	1,395,900,744	-	4,284
6/5/2004	24	-	-	-	1,395,900,744	-	4,284
6/6/2004	24	-	-	-	1,395,900,744	-	4,284
6/7/2004	24	-	-	-	1,395,900,744	-	4,284
6/8/2004	24	796	1.8	1,146,153	1,397,046,897	3.5	4,288

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/9/2004	24	1,667	3.7	2,401,095	1,399,447,992	7.4	4,295
6/10/2004	24	1,026	2.3	1,477,875	1,400,925,867	4.5	4,300
6/11/2004	24	1,687	3.8	2,429,520	1,403,355,387	7.5	4,307
6/12/2004	24	1,695	3.8	2,441,430	1,405,796,817	7.5	4,315
6/13/2004	24	1,703	3.8	2,452,215	1,408,249,032	7.5	4,322
6/14/2004	24	1,709	3.8	2,460,315	1,410,709,347	7.6	4,330
6/15/2004	24	1,708	3.8	2,459,385	1,413,168,732	7.5	4,337
6/16/2004	24	1,719	3.8	2,474,670	1,415,643,402	7.6	4,345
6/17/2004	24	1,724	3.8	2,482,470	1,418,125,872	7.6	4,353
6/18/2004	24	1,731	3.9	2,493,135	1,420,619,007	7.7	4,360
6/19/2004	24	1,738	3.9	2,502,060	1,423,121,067	7.7	4,368
6/20/2004	24	1,744	3.9	2,511,195	1,425,632,262	7.7	4,376
6/21/2004	24	1,748	3.9	2,517,705	1,428,149,967	7.7	4,383
6/22/2004	24	1,663	3.7	2,394,510	1,430,544,477	7.3	4,391
6/23/2004	24	1,547	3.4	2,226,975	1,432,771,452	6.8	4,398
6/24/2004	24	889	2.0	1,280,310	1,434,051,762	3.9	4,402
6/25/2004	24	-	-	-	1,434,051,762	-	4,402
6/26/2004	24	956	2.1	1,376,400	1,435,428,162	4.2	4,406
6/27/2004	24	1,578	3.5	2,272,620	1,437,700,782	7.0	4,413
6/28/2004	24	1,582	3.5	2,278,680	1,439,979,462	7.0	4,420
6/29/2004	24	1,587	3.5	2,285,595	1,442,265,057	7.0	4,427
6/30/2004	24	1,594	3.6	2,294,925	1,444,559,982	7.0	4,434
7/1/2004	24	1,429	3.2	2,057,448	1,446,617,430	6.3	4,440
7/2/2004	24	548	1.2	789,585	1,447,407,016	2.4	4,443
7/3/2004	24	1,623	3.6	2,337,300	1,449,744,316	7.2	4,450
7/4/2004	24	1,626	3.6	2,342,130	1,452,086,446	7.2	4,457
7/5/2004	24	1,630	3.6	2,347,485	1,454,433,931	7.2	4,464
7/6/2004	24	1,570	3.5	2,260,686	1,456,694,617	6.9	4,471
7/7/2004	24	-	-	-	1,456,694,617	-	4,471
7/8/2004	24	-	-	-	1,456,694,617	-	4,471
7/9/2004	24	-	-	-	1,456,694,617	-	4,471
7/10/2004	24	-	-	-	1,456,694,617	-	4,471
7/11/2004	24	-	-	-	1,456,694,617	-	4,471
7/12/2004	24	-	-	-	1,456,694,617	-	4,471
7/13/2004	24	-	-	-	1,456,694,617	-	4,471
7/14/2004	24	-	-	-	1,456,694,617	-	4,471
7/15/2004	24	-	-	-	1,456,694,617	-	4,471
7/16/2004	24	-	-	-	1,456,694,617	-	4,471
7/17/2004	24	-	-	-	1,456,694,617	-	4,471
7/18/2004	24	-	-	-	1,456,694,617	-	4,471
7/19/2004	24	-	-	-	1,456,694,617	-	4,471
7/20/2004	24	-	-	-	1,456,694,617	-	4,471
7/21/2004	24	-	-	-	1,456,694,617	-	4,471
7/22/2004	24	-	-	-	1,456,694,617	-	4,471
7/23/2004	24	-	-	-	1,456,694,617	-	4,471
7/24/2004	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
7/25/2004	24	-	-	-	1,456,694,617	-	4,471
7/26/2004	24	-	-	-	1,456,694,617	-	4,471
7/27/2004	24	-	-	-	1,456,694,617	-	4,471
7/28/2004	24	-	-	-	1,456,694,617	-	4,471
7/29/2004	24	-	-	-	1,456,694,617	-	4,471
7/30/2004	24	-	-	-	1,456,694,617	-	4,471
7/31/2004	24	-	-	-	1,456,694,617	-	4,471
8/1/2004	24	-	-	-	1,456,694,617	-	4,471
8/2/2004	24	-	-	-	1,456,694,617	-	4,471
8/3/2004	24	-	-	-	1,456,694,617	-	4,471
8/4/2004	24	-	-	-	1,456,694,617	-	4,471
8/5/2004	24	-	-	-	1,456,694,617	-	4,471
8/6/2004	24	-	-	-	1,456,694,617	-	4,471
8/7/2004	24	-	-	-	1,456,694,617	-	4,471
8/8/2004	24	-	-	-	1,456,694,617	-	4,471
8/9/2004	24	-	-	-	1,456,694,617	-	4,471
8/10/2004	24	-	-	-	1,456,694,617	-	4,471
8/11/2004	24	-	-	-	1,456,694,617	-	4,471
8/12/2004	24	-	-	-	1,456,694,617	-	4,471
8/13/2004	24	-	-	-	1,456,694,617	-	4,471
8/14/2004	24	-	-	-	1,456,694,617	-	4,471
8/15/2004	24	-	-	-	1,456,694,617	-	4,471
8/16/2004	24	-	-	-	1,456,694,617	-	4,471
8/17/2004	24	-	-	-	1,456,694,617	-	4,471
8/18/2004	24	-	-	-	1,456,694,617	-	4,471
8/19/2004	24	-	-	-	1,456,694,617	-	4,471
8/20/2004	24	-	-	-	1,456,694,617	-	4,471
8/21/2004	24	-	-	-	1,456,694,617	-	4,471
8/22/2004	24	-	-	-	1,456,694,617	-	4,471
8/23/2004	24	-	-	-	1,456,694,617	-	4,471
8/24/2004	24	-	-	-	1,456,694,617	-	4,471
8/25/2004	24	-	-	-	1,456,694,617	-	4,471
8/26/2004	24	-	-	-	1,456,694,617	-	4,471
8/27/2004	24	-	-	-	1,456,694,617	-	4,471
8/28/2004	24	-	-	-	1,456,694,617	-	4,471
8/29/2004	24	-	-	-	1,456,694,617	-	4,471
8/30/2004	24	-	-	-	1,456,694,617	-	4,471
8/31/2004	24	-	-	-	1,456,694,617	-	4,471
9/1/2004	24	-	-	-	1,456,694,617	-	4,471
9/2/2004	24	-	-	-	1,456,694,617	-	4,471
9/3/2004	24	-	-	-	1,456,694,617	-	4,471
9/4/2004	24	-	-	-	1,456,694,617	-	4,471
9/5/2004	24	-	-	-	1,456,694,617	-	4,471
9/6/2004	24	-	-	-	1,456,694,617	-	4,471
9/7/2004	24	-	-	-	1,456,694,617	-	4,471
9/8/2004	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/9/2004	24	-	-	-	1,456,694,617	-	4,471
9/10/2004	24	-	-	-	1,456,694,617	-	4,471
9/11/2004	24	-	-	-	1,456,694,617	-	4,471
9/12/2004	24	-	-	-	1,456,694,617	-	4,471
9/13/2004	24	-	-	-	1,456,694,617	-	4,471
9/14/2004	24	-	-	-	1,456,694,617	-	4,471
9/15/2004	24	-	-	-	1,456,694,617	-	4,471
9/16/2004	24	-	-	-	1,456,694,617	-	4,471
9/17/2004	24	-	-	-	1,456,694,617	-	4,471
9/18/2004	24	-	-	-	1,456,694,617	-	4,471
9/19/2004	24	-	-	-	1,456,694,617	-	4,471
9/20/2004	24	-	-	-	1,456,694,617	-	4,471
9/21/2004	24	-	-	-	1,456,694,617	-	4,471
9/22/2004	24	-	-	-	1,456,694,617	-	4,471
9/23/2004	24	-	-	-	1,456,694,617	-	4,471
9/24/2004	24	-	-	-	1,456,694,617	-	4,471
9/25/2004	24	-	-	-	1,456,694,617	-	4,471
9/26/2004	24	-	-	-	1,456,694,617	-	4,471
9/27/2004	24	-	-	-	1,456,694,617	-	4,471
9/28/2004	24	-	-	-	1,456,694,617	-	4,471
9/29/2004	24	-	-	-	1,456,694,617	-	4,471
9/30/2004	24	-	-	-	1,456,694,617	-	4,471
10/1/2004	24	-	-	-	1,456,694,617	-	4,471
10/2/2004	24	-	-	-	1,456,694,617	-	4,471
10/3/2004	24	-	-	-	1,456,694,617	-	4,471
10/4/2004	24	-	-	-	1,456,694,617	-	4,471
10/5/2004	24	-	-	-	1,456,694,617	-	4,471
10/6/2004	24	-	-	-	1,456,694,617	-	4,471
10/7/2004	24	-	-	-	1,456,694,617	-	4,471
10/8/2004	24	-	-	-	1,456,694,617	-	4,471
10/9/2004	24	-	-	-	1,456,694,617	-	4,471
10/10/2004	24	-	-	-	1,456,694,617	-	4,471
10/11/2004	24	-	-	-	1,456,694,617	-	4,471
10/12/2004	24	-	-	-	1,456,694,617	-	4,471
10/13/2004	24	-	-	-	1,456,694,617	-	4,471
10/14/2004	24	-	-	-	1,456,694,617	-	4,471
10/15/2004	24	-	-	-	1,456,694,617	-	4,471
10/16/2004	24	-	-	-	1,456,694,617	-	4,471
10/17/2004	24	-	-	-	1,456,694,617	-	4,471
10/18/2004	24	-	-	-	1,456,694,617	-	4,471
10/19/2004	24	-	-	-	1,456,694,617	-	4,471
10/20/2004	24	-	-	-	1,456,694,617	-	4,471
10/21/2004	24	-	-	-	1,456,694,617	-	4,471
10/22/2004	24	-	-	-	1,456,694,617	-	4,471
10/23/2004	24	-	-	-	1,456,694,617	-	4,471
10/24/2004	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
10/25/2004	24	-	-	-	1,456,694,617	-	4,471
10/26/2004	24	-	-	-	1,456,694,617	-	4,471
10/27/2004	24	-	-	-	1,456,694,617	-	4,471
10/28/2004	24	-	-	-	1,456,694,617	-	4,471
10/29/2004	24	-	-	-	1,456,694,617	-	4,471
10/30/2004	24	-	-	-	1,456,694,617	-	4,471
10/31/2004	24	-	-	-	1,456,694,617	-	4,471
11/1/2004	24	-	-	-	1,456,694,617	-	4,471
11/2/2004	24	-	-	-	1,456,694,617	-	4,471
11/3/2004	24	-	-	-	1,456,694,617	-	4,471
11/4/2004	24	-	-	-	1,456,694,617	-	4,471
11/5/2004	24	-	-	-	1,456,694,617	-	4,471
11/6/2004	24	-	-	-	1,456,694,617	-	4,471
11/7/2004	24	-	-	-	1,456,694,617	-	4,471
11/8/2004	24	-	-	-	1,456,694,617	-	4,471
11/9/2004	24	-	-	-	1,456,694,617	-	4,471
11/10/2004	24	-	-	-	1,456,694,617	-	4,471
11/11/2004	24	-	-	-	1,456,694,617	-	4,471
11/12/2004	24	-	-	-	1,456,694,617	-	4,471
11/13/2004	24	-	-	-	1,456,694,617	-	4,471
11/14/2004	24	-	-	-	1,456,694,617	-	4,471
11/15/2004	24	-	-	-	1,456,694,617	-	4,471
11/16/2004	24	-	-	-	1,456,694,617	-	4,471
11/17/2004	24	-	-	-	1,456,694,617	-	4,471
11/18/2004	24	-	-	-	1,456,694,617	-	4,471
11/19/2004	24	-	-	-	1,456,694,617	-	4,471
11/20/2004	24	-	-	-	1,456,694,617	-	4,471
11/21/2004	24	-	-	-	1,456,694,617	-	4,471
11/22/2004	24	-	-	-	1,456,694,617	-	4,471
11/23/2004	24	-	-	-	1,456,694,617	-	4,471
11/24/2004	24	-	-	-	1,456,694,617	-	4,471
11/25/2004	24	-	-	-	1,456,694,617	-	4,471
11/26/2004	24	-	-	-	1,456,694,617	-	4,471
11/27/2004	24	-	-	-	1,456,694,617	-	4,471
11/28/2004	24	-	-	-	1,456,694,617	-	4,471
11/29/2004	24	-	-	-	1,456,694,617	-	4,471
11/30/2004	24	-	-	-	1,456,694,617	-	4,471
12/1/2004	24	-	-	-	1,456,694,617	-	4,471
12/2/2004	24	-	-	-	1,456,694,617	-	4,471
12/3/2004	24	-	-	-	1,456,694,617	-	4,471
12/4/2004	24	-	-	-	1,456,694,617	-	4,471
12/5/2004	24	-	-	-	1,456,694,617	-	4,471
12/6/2004	24	-	-	-	1,456,694,617	-	4,471
12/7/2004	24	-	-	-	1,456,694,617	-	4,471
12/8/2004	24	-	-	-	1,456,694,617	-	4,471
12/9/2004	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/10/2004	24	-	-	-	1,456,694,617	-	4,471
12/11/2004	24	-	-	-	1,456,694,617	-	4,471
12/12/2004	24	-	-	-	1,456,694,617	-	4,471
12/13/2004	24	-	-	-	1,456,694,617	-	4,471
12/14/2004	24	-	-	-	1,456,694,617	-	4,471
12/15/2004	24	-	-	-	1,456,694,617	-	4,471
12/16/2004	24	-	-	-	1,456,694,617	-	4,471
12/17/2004	24	-	-	-	1,456,694,617	-	4,471
12/18/2004	24	-	-	-	1,456,694,617	-	4,471
12/19/2004	24	-	-	-	1,456,694,617	-	4,471
12/20/2004	24	-	-	-	1,456,694,617	-	4,471
12/21/2004	24	-	-	-	1,456,694,617	-	4,471
12/22/2004	24	-	-	-	1,456,694,617	-	4,471
12/23/2004	24	-	-	-	1,456,694,617	-	4,471
12/24/2004	24	-	-	-	1,456,694,617	-	4,471
12/25/2004	24	-	-	-	1,456,694,617	-	4,471
12/26/2004	24	-	-	-	1,456,694,617	-	4,471
12/27/2004	24	-	-	-	1,456,694,617	-	4,471
12/28/2004	24	-	-	-	1,456,694,617	-	4,471
12/29/2004	24	-	-	-	1,456,694,617	-	4,471
12/30/2004	24	-	-	-	1,456,694,617	-	4,471
12/31/2004	24	-	-	-	1,456,694,617	-	4,471
1/1/2005	24	-	-	-	1,456,694,617	-	4,471
1/2/2005	24	-	-	-	1,456,694,617	-	4,471
1/3/2005	24	-	-	-	1,456,694,617	-	4,471
1/4/2005	24	-	-	-	1,456,694,617	-	4,471
1/5/2005	24	-	-	-	1,456,694,617	-	4,471
1/6/2005	24	-	-	-	1,456,694,617	-	4,471
1/7/2005	24	-	-	-	1,456,694,617	-	4,471
1/8/2005	24	-	-	-	1,456,694,617	-	4,471
1/9/2005	24	-	-	-	1,456,694,617	-	4,471
1/10/2005	24	-	-	-	1,456,694,617	-	4,471
1/11/2005	24	-	-	-	1,456,694,617	-	4,471
1/12/2005	24	-	-	-	1,456,694,617	-	4,471
1/13/2005	24	-	-	-	1,456,694,617	-	4,471
1/14/2005	24	-	-	-	1,456,694,617	-	4,471
1/15/2005	24	-	-	-	1,456,694,617	-	4,471
1/16/2005	24	-	-	-	1,456,694,617	-	4,471
1/17/2005	24	-	-	-	1,456,694,617	-	4,471
1/18/2005	24	-	-	-	1,456,694,617	-	4,471
1/19/2005	24	-	-	-	1,456,694,617	-	4,471
1/20/2005	24	-	-	-	1,456,694,617	-	4,471
1/21/2005	24	-	-	-	1,456,694,617	-	4,471
1/22/2005	24	-	-	-	1,456,694,617	-	4,471
1/23/2005	24	-	-	-	1,456,694,617	-	4,471
1/24/2005	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
1/25/2005	24	-	-	-	1,456,694,617	-	4,471
1/26/2005	24	-	-	-	1,456,694,617	-	4,471
1/27/2005	24	-	-	-	1,456,694,617	-	4,471
1/28/2005	24	-	-	-	1,456,694,617	-	4,471
1/29/2005	24	-	-	-	1,456,694,617	-	4,471
1/30/2005	24	-	-	-	1,456,694,617	-	4,471
1/31/2005	24	-	-	-	1,456,694,617	-	4,471
2/1/2005	24	-	-	-	1,456,694,617	-	4,471
2/2/2005	24	-	-	-	1,456,694,617	-	4,471
2/3/2005	24	-	-	-	1,456,694,617	-	4,471
2/4/2005	24	-	-	-	1,456,694,617	-	4,471
2/5/2005	24	-	-	-	1,456,694,617	-	4,471
2/6/2005	24	-	-	-	1,456,694,617	-	4,471
2/7/2005	24	-	-	-	1,456,694,617	-	4,471
2/8/2005	24	-	-	-	1,456,694,617	-	4,471
2/9/2005	24	-	-	-	1,456,694,617	-	4,471
2/10/2005	24	-	-	-	1,456,694,617	-	4,471
2/11/2005	24	-	-	-	1,456,694,617	-	4,471
2/12/2005	24	-	-	-	1,456,694,617	-	4,471
2/13/2005	24	-	-	-	1,456,694,617	-	4,471
2/14/2005	24	-	-	-	1,456,694,617	-	4,471
2/15/2005	24	-	-	-	1,456,694,617	-	4,471
2/16/2005	24	-	-	-	1,456,694,617	-	4,471
2/17/2005	24	-	-	-	1,456,694,617	-	4,471
2/18/2005	24	-	-	-	1,456,694,617	-	4,471
2/19/2005	24	-	-	-	1,456,694,617	-	4,471
2/20/2005	24	-	-	-	1,456,694,617	-	4,471
2/21/2005	24	-	-	-	1,456,694,617	-	4,471
2/22/2005	24	-	-	-	1,456,694,617	-	4,471
2/23/2005	24	-	-	-	1,456,694,617	-	4,471
2/24/2005	24	-	-	-	1,456,694,617	-	4,471
2/25/2005	24	-	-	-	1,456,694,617	-	4,471
2/26/2005	24	-	-	-	1,456,694,617	-	4,471
2/27/2005	24	-	-	-	1,456,694,617	-	4,471
2/28/2005	24	-	-	-	1,456,694,617	-	4,471
3/1/2005	24	-	-	-	1,456,694,617	-	4,471
3/2/2005	24	-	-	-	1,456,694,617	-	4,471
3/3/2005	24	-	-	-	1,456,694,617	-	4,471
3/4/2005	24	-	-	-	1,456,694,617	-	4,471
3/5/2005	24	-	-	-	1,456,694,617	-	4,471
3/6/2005	24	-	-	-	1,456,694,617	-	4,471
3/7/2005	24	-	-	-	1,456,694,617	-	4,471
3/8/2005	24	-	-	-	1,456,694,617	-	4,471
3/9/2005	24	-	-	-	1,456,694,617	-	4,471
3/10/2005	24	-	-	-	1,456,694,617	-	4,471
3/11/2005	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/12/2005	24	-	-	-	1,456,694,617	-	4,471
3/13/2005	24	-	-	-	1,456,694,617	-	4,471
3/14/2005	24	-	-	-	1,456,694,617	-	4,471
3/15/2005	24	-	-	-	1,456,694,617	-	4,471
3/16/2005	24	-	-	-	1,456,694,617	-	4,471
3/17/2005	24	-	-	-	1,456,694,617	-	4,471
3/18/2005	24	-	-	-	1,456,694,617	-	4,471
3/19/2005	24	-	-	-	1,456,694,617	-	4,471
3/20/2005	24	-	-	-	1,456,694,617	-	4,471
3/21/2005	24	-	-	-	1,456,694,617	-	4,471
3/22/2005	24	-	-	-	1,456,694,617	-	4,471
3/23/2005	24	-	-	-	1,456,694,617	-	4,471
3/24/2005	24	-	-	-	1,456,694,617	-	4,471
3/25/2005	24	-	-	-	1,456,694,617	-	4,471
3/26/2005	24	-	-	-	1,456,694,617	-	4,471
3/27/2005	24	-	-	-	1,456,694,617	-	4,471
3/28/2005	24	-	-	-	1,456,694,617	-	4,471
3/29/2005	24	-	-	-	1,456,694,617	-	4,471
3/30/2005	24	-	-	-	1,456,694,617	-	4,471
3/31/2005	24	-	-	-	1,456,694,617	-	4,471
4/1/2005	24	-	-	-	1,456,694,617	-	4,471
4/2/2005	24	-	-	-	1,456,694,617	-	4,471
4/3/2005	24	-	-	-	1,456,694,617	-	4,471
4/4/2005	24	-	-	-	1,456,694,617	-	4,471
4/5/2005	24	-	-	-	1,456,694,617	-	4,471
4/6/2005	24	-	-	-	1,456,694,617	-	4,471
4/7/2005	24	-	-	-	1,456,694,617	-	4,471
4/8/2005	24	-	-	-	1,456,694,617	-	4,471
4/9/2005	24	-	-	-	1,456,694,617	-	4,471
4/10/2005	24	-	-	-	1,456,694,617	-	4,471
4/11/2005	24	-	-	-	1,456,694,617	-	4,471
4/12/2005	24	-	-	-	1,456,694,617	-	4,471
4/13/2005	24	-	-	-	1,456,694,617	-	4,471
4/14/2005	24	-	-	-	1,456,694,617	-	4,471
4/15/2005	24	-	-	-	1,456,694,617	-	4,471
4/16/2005	24	-	-	-	1,456,694,617	-	4,471
4/17/2005	24	-	-	-	1,456,694,617	-	4,471
4/18/2005	24	-	-	-	1,456,694,617	-	4,471
4/19/2005	24	-	-	-	1,456,694,617	-	4,471
4/20/2005	24	-	-	-	1,456,694,617	-	4,471
4/21/2005	24	-	-	-	1,456,694,617	-	4,471
4/22/2005	24	-	-	-	1,456,694,617	-	4,471
4/23/2005	24	-	-	-	1,456,694,617	-	4,471
4/24/2005	24	-	-	-	1,456,694,617	-	4,471
4/25/2005	24	-	-	-	1,456,694,617	-	4,471
4/26/2005	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
4/27/2005	24	-	-	-	1,456,694,617	-	4,471
4/28/2005	24	-	-	-	1,456,694,617	-	4,471
4/29/2005	24	-	-	-	1,456,694,617	-	4,471
4/30/2005	24	-	-	-	1,456,694,617	-	4,471
5/1/2005	24	-	-	-	1,456,694,617	-	4,471
5/2/2005	24	-	-	-	1,456,694,617	-	4,471
5/3/2005	24	-	-	-	1,456,694,617	-	4,471
5/4/2005	24	-	-	-	1,456,694,617	-	4,471
5/5/2005	24	-	-	-	1,456,694,617	-	4,471
5/6/2005	24	-	-	-	1,456,694,617	-	4,471
5/7/2005	24	-	-	-	1,456,694,617	-	4,471
5/8/2005	24	-	-	-	1,456,694,617	-	4,471
5/9/2005	24	-	-	-	1,456,694,617	-	4,471
5/10/2005	24	-	-	-	1,456,694,617	-	4,471
5/11/2005	24	-	-	-	1,456,694,617	-	4,471
5/12/2005	24	-	-	-	1,456,694,617	-	4,471
5/13/2005	24	-	-	-	1,456,694,617	-	4,471
5/14/2005	24	-	-	-	1,456,694,617	-	4,471
5/15/2005	24	-	-	-	1,456,694,617	-	4,471
5/16/2005	24	-	-	-	1,456,694,617	-	4,471
5/17/2005	24	-	-	-	1,456,694,617	-	4,471
5/18/2005	24	-	-	-	1,456,694,617	-	4,471
5/19/2005	24	-	-	-	1,456,694,617	-	4,471
5/20/2005	24	-	-	-	1,456,694,617	-	4,471
5/21/2005	24	-	-	-	1,456,694,617	-	4,471
5/22/2005	24	-	-	-	1,456,694,617	-	4,471
5/23/2005	24	-	-	-	1,456,694,617	-	4,471
5/24/2005	24	-	-	-	1,456,694,617	-	4,471
5/25/2005	24	-	-	-	1,456,694,617	-	4,471
5/26/2005	24	-	-	-	1,456,694,617	-	4,471
5/27/2005	24	-	-	-	1,456,694,617	-	4,471
5/28/2005	24	-	-	-	1,456,694,617	-	4,471
5/29/2005	24	-	-	-	1,456,694,617	-	4,471
5/30/2005	24	-	-	-	1,456,694,617	-	4,471
5/31/2005	24	-	-	-	1,456,694,617	-	4,471
6/1/2005	24	-	-	-	1,456,694,617	-	4,471
6/2/2005	24	-	-	-	1,456,694,617	-	4,471
6/3/2005	24	-	-	-	1,456,694,617	-	4,471
6/4/2005	24	-	-	-	1,456,694,617	-	4,471
6/5/2005	24	-	-	-	1,456,694,617	-	4,471
6/6/2005	24	-	-	-	1,456,694,617	-	4,471
6/7/2005	24	-	-	-	1,456,694,617	-	4,471
6/8/2005	24	-	-	-	1,456,694,617	-	4,471
6/9/2005	24	-	-	-	1,456,694,617	-	4,471
6/10/2005	24	-	-	-	1,456,694,617	-	4,471
6/11/2005	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/12/2005	24	-	-	-	1,456,694,617	-	4,471
6/13/2005	24	-	-	-	1,456,694,617	-	4,471
6/14/2005	24	-	-	-	1,456,694,617	-	4,471
6/15/2005	24	-	-	-	1,456,694,617	-	4,471
6/16/2005	24	-	-	-	1,456,694,617	-	4,471
6/17/2005	24	-	-	-	1,456,694,617	-	4,471
6/18/2005	24	-	-	-	1,456,694,617	-	4,471
6/19/2005	24	-	-	-	1,456,694,617	-	4,471
6/20/2005	24	-	-	-	1,456,694,617	-	4,471
6/21/2005	24	-	-	-	1,456,694,617	-	4,471
6/22/2005	24	-	-	-	1,456,694,617	-	4,471
6/23/2005	24	-	-	-	1,456,694,617	-	4,471
6/24/2005	24	-	-	-	1,456,694,617	-	4,471
6/25/2005	24	-	-	-	1,456,694,617	-	4,471
6/26/2005	24	-	-	-	1,456,694,617	-	4,471
6/27/2005	24	-	-	-	1,456,694,617	-	4,471
6/28/2005	24	-	-	-	1,456,694,617	-	4,471
6/29/2005	24	-	-	-	1,456,694,617	-	4,471
6/30/2005	24	-	-	-	1,456,694,617	-	4,471
7/1/2005	24	-	-	-	1,456,694,617	-	4,471
7/2/2005	24	-	-	-	1,456,694,617	-	4,471
7/3/2005	24	-	-	-	1,456,694,617	-	4,471
7/4/2005	24	-	-	-	1,456,694,617	-	4,471
7/5/2005	24	-	-	-	1,456,694,617	-	4,471
7/6/2005	24	-	-	-	1,456,694,617	-	4,471
7/7/2005	24	-	-	-	1,456,694,617	-	4,471
7/8/2005	24	-	-	-	1,456,694,617	-	4,471
7/9/2005	24	-	-	-	1,456,694,617	-	4,471
7/10/2005	24	-	-	-	1,456,694,617	-	4,471
7/11/2005	24	-	-	-	1,456,694,617	-	4,471
7/12/2005	24	-	-	-	1,456,694,617	-	4,471
7/13/2005	24	-	-	-	1,456,694,617	-	4,471
7/14/2005	24	-	-	-	1,456,694,617	-	4,471
7/15/2005	24	-	-	-	1,456,694,617	-	4,471
7/16/2005	24	-	-	-	1,456,694,617	-	4,471
7/17/2005	24	-	-	-	1,456,694,617	-	4,471
7/18/2005	24	-	-	-	1,456,694,617	-	4,471
7/19/2005	24	-	-	-	1,456,694,617	-	4,471
7/20/2005	24	-	-	-	1,456,694,617	-	4,471
7/21/2005	24	-	-	-	1,456,694,617	-	4,471
7/22/2005	24	-	-	-	1,456,694,617	-	4,471
7/23/2005	24	-	-	-	1,456,694,617	-	4,471
7/24/2005	24	-	-	-	1,456,694,617	-	4,471
7/25/2005	24	-	-	-	1,456,694,617	-	4,471
7/26/2005	24	-	-	-	1,456,694,617	-	4,471
7/27/2005	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
7/28/2005	24	-	-	-	1,456,694,617	-	4,471
7/29/2005	24	-	-	-	1,456,694,617	-	4,471
7/30/2005	24	-	-	-	1,456,694,617	-	4,471
7/31/2005	24	-	-	-	1,456,694,617	-	4,471
8/1/2005	24	-	-	-	1,456,694,617	-	4,471
8/2/2005	24	-	-	-	1,456,694,617	-	4,471
8/3/2005	24	-	-	-	1,456,694,617	-	4,471
8/4/2005	24	-	-	-	1,456,694,617	-	4,471
8/5/2005	24	-	-	-	1,456,694,617	-	4,471
8/6/2005	24	-	-	-	1,456,694,617	-	4,471
8/7/2005	24	-	-	-	1,456,694,617	-	4,471
8/8/2005	24	-	-	-	1,456,694,617	-	4,471
8/9/2005	24	-	-	-	1,456,694,617	-	4,471
8/10/2005	24	-	-	-	1,456,694,617	-	4,471
8/11/2005	24	-	-	-	1,456,694,617	-	4,471
8/12/2005	24	-	-	-	1,456,694,617	-	4,471
8/13/2005	24	-	-	-	1,456,694,617	-	4,471
8/14/2005	24	-	-	-	1,456,694,617	-	4,471
8/15/2005	24	-	-	-	1,456,694,617	-	4,471
8/16/2005	24	-	-	-	1,456,694,617	-	4,471
8/17/2005	24	-	-	-	1,456,694,617	-	4,471
8/18/2005	24	-	-	-	1,456,694,617	-	4,471
8/19/2005	24	-	-	-	1,456,694,617	-	4,471
8/20/2005	24	-	-	-	1,456,694,617	-	4,471
8/21/2005	24	-	-	-	1,456,694,617	-	4,471
8/22/2005	24	-	-	-	1,456,694,617	-	4,471
8/23/2005	24	-	-	-	1,456,694,617	-	4,471
8/24/2005	24	-	-	-	1,456,694,617	-	4,471
8/25/2005	24	-	-	-	1,456,694,617	-	4,471
8/26/2005	24	-	-	-	1,456,694,617	-	4,471
8/27/2005	24	-	-	-	1,456,694,617	-	4,471
8/28/2005	24	-	-	-	1,456,694,617	-	4,471
8/29/2005	24	-	-	-	1,456,694,617	-	4,471
8/30/2005	24	-	-	-	1,456,694,617	-	4,471
8/31/2005	24	-	-	-	1,456,694,617	-	4,471
9/1/2005	24	-	-	-	1,456,694,617	-	4,471
9/2/2005	24	-	-	-	1,456,694,617	-	4,471
9/3/2005	24	-	-	-	1,456,694,617	-	4,471
9/4/2005	24	-	-	-	1,456,694,617	-	4,471
9/5/2005	24	-	-	-	1,456,694,617	-	4,471
9/6/2005	24	-	-	-	1,456,694,617	-	4,471
9/7/2005	24	-	-	-	1,456,694,617	-	4,471
9/8/2005	24	-	-	-	1,456,694,617	-	4,471
9/9/2005	24	-	-	-	1,456,694,617	-	4,471
9/10/2005	24	-	-	-	1,456,694,617	-	4,471
9/11/2005	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/12/2005	24	-	-	-	1,456,694,617	-	4,471
9/13/2005	24	-	-	-	1,456,694,617	-	4,471
9/14/2005	24	-	-	-	1,456,694,617	-	4,471
9/15/2005	24	-	-	-	1,456,694,617	-	4,471
9/16/2005	24	-	-	-	1,456,694,617	-	4,471
9/17/2005	24	-	-	-	1,456,694,617	-	4,471
9/18/2005	24	-	-	-	1,456,694,617	-	4,471
9/19/2005	24	-	-	-	1,456,694,617	-	4,471
9/20/2005	24	-	-	-	1,456,694,617	-	4,471
9/21/2005	24	-	-	-	1,456,694,617	-	4,471
9/22/2005	24	-	-	-	1,456,694,617	-	4,471
9/23/2005	24	-	-	-	1,456,694,617	-	4,471
9/24/2005	24	-	-	-	1,456,694,617	-	4,471
9/25/2005	24	-	-	-	1,456,694,617	-	4,471
9/26/2005	24	-	-	-	1,456,694,617	-	4,471
9/27/2005	24	-	-	-	1,456,694,617	-	4,471
9/28/2005	24	-	-	-	1,456,694,617	-	4,471
9/29/2005	24	-	-	-	1,456,694,617	-	4,471
9/30/2005	24	-	-	-	1,456,694,617	-	4,471
10/1/2005	24	-	-	-	1,456,694,617	-	4,471
10/2/2005	24	-	-	-	1,456,694,617	-	4,471
10/3/2005	24	-	-	-	1,456,694,617	-	4,471
10/4/2005	24	-	-	-	1,456,694,617	-	4,471
10/5/2005	24	-	-	-	1,456,694,617	-	4,471
10/6/2005	24	-	-	-	1,456,694,617	-	4,471
10/7/2005	24	-	-	-	1,456,694,617	-	4,471
10/8/2005	24	-	-	-	1,456,694,617	-	4,471
10/9/2005	24	-	-	-	1,456,694,617	-	4,471
10/10/2005	24	-	-	-	1,456,694,617	-	4,471
10/11/2005	24	-	-	-	1,456,694,617	-	4,471
10/12/2005	24	-	-	-	1,456,694,617	-	4,471
10/13/2005	24	-	-	-	1,456,694,617	-	4,471
10/14/2005	24	-	-	-	1,456,694,617	-	4,471
10/15/2005	24	-	-	-	1,456,694,617	-	4,471
10/16/2005	24	-	-	-	1,456,694,617	-	4,471
10/17/2005	24	-	-	-	1,456,694,617	-	4,471
10/18/2005	24	-	-	-	1,456,694,617	-	4,471
10/19/2005	24	-	-	-	1,456,694,617	-	4,471
10/20/2005	24	-	-	-	1,456,694,617	-	4,471
10/21/2005	24	-	-	-	1,456,694,617	-	4,471
10/22/2005	24	-	-	-	1,456,694,617	-	4,471
10/23/2005	24	-	-	-	1,456,694,617	-	4,471
10/24/2005	24	-	-	-	1,456,694,617	-	4,471
10/25/2005	24	-	-	-	1,456,694,617	-	4,471
10/26/2005	24	-	-	-	1,456,694,617	-	4,471
10/27/2005	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
10/28/2005	24	-	-	-	1,456,694,617	-	4,471
10/29/2005	24	-	-	-	1,456,694,617	-	4,471
10/30/2005	24	-	-	-	1,456,694,617	-	4,471
10/31/2005	24	-	-	-	1,456,694,617	-	4,471
11/1/2005	24	-	-	-	1,456,694,617	-	4,471
11/2/2005	24	-	-	-	1,456,694,617	-	4,471
11/3/2005	24	-	-	-	1,456,694,617	-	4,471
11/4/2005	24	-	-	-	1,456,694,617	-	4,471
11/5/2005	24	-	-	-	1,456,694,617	-	4,471
11/6/2005	24	-	-	-	1,456,694,617	-	4,471
11/7/2005	24	-	-	-	1,456,694,617	-	4,471
11/8/2005	24	-	-	-	1,456,694,617	-	4,471
11/9/2005	24	-	-	-	1,456,694,617	-	4,471
11/10/2005	24	-	-	-	1,456,694,617	-	4,471
11/11/2005	24	-	-	-	1,456,694,617	-	4,471
11/12/2005	24	-	-	-	1,456,694,617	-	4,471
11/13/2005	24	-	-	-	1,456,694,617	-	4,471
11/14/2005	24	-	-	-	1,456,694,617	-	4,471
11/15/2005	24	-	-	-	1,456,694,617	-	4,471
11/16/2005	24	-	-	-	1,456,694,617	-	4,471
11/17/2005	24	-	-	-	1,456,694,617	-	4,471
11/18/2005	24	-	-	-	1,456,694,617	-	4,471
11/19/2005	24	-	-	-	1,456,694,617	-	4,471
11/20/2005	24	-	-	-	1,456,694,617	-	4,471
11/21/2005	24	-	-	-	1,456,694,617	-	4,471
11/22/2005	24	-	-	-	1,456,694,617	-	4,471
11/23/2005	24	-	-	-	1,456,694,617	-	4,471
11/24/2005	24	-	-	-	1,456,694,617	-	4,471
11/25/2005	24	-	-	-	1,456,694,617	-	4,471
11/26/2005	24	-	-	-	1,456,694,617	-	4,471
11/27/2005	24	-	-	-	1,456,694,617	-	4,471
11/28/2005	24	-	-	-	1,456,694,617	-	4,471
11/29/2005	24	-	-	-	1,456,694,617	-	4,471
11/30/2005	24	-	-	-	1,456,694,617	-	4,471
12/1/2005	24	-	-	-	1,456,694,617	-	4,471
12/2/2005	24	-	-	-	1,456,694,617	-	4,471
12/3/2005	24	-	-	-	1,456,694,617	-	4,471
12/4/2005	24	-	-	-	1,456,694,617	-	4,471
12/5/2005	24	-	-	-	1,456,694,617	-	4,471
12/6/2005	24	-	-	-	1,456,694,617	-	4,471
12/7/2005	24	-	-	-	1,456,694,617	-	4,471
12/8/2005	24	-	-	-	1,456,694,617	-	4,471
12/9/2005	24	-	-	-	1,456,694,617	-	4,471
12/10/2005	24	-	-	-	1,456,694,617	-	4,471
12/11/2005	24	-	-	-	1,456,694,617	-	4,471
12/12/2005	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/13/2005	24	-	-	-	1,456,694,617	-	4,471
12/14/2005	24	-	-	-	1,456,694,617	-	4,471
12/15/2005	24	-	-	-	1,456,694,617	-	4,471
12/16/2005	24	-	-	-	1,456,694,617	-	4,471
12/17/2005	24	-	-	-	1,456,694,617	-	4,471
12/18/2005	24	-	-	-	1,456,694,617	-	4,471
12/19/2005	24	-	-	-	1,456,694,617	-	4,471
12/20/2005	24	-	-	-	1,456,694,617	-	4,471
12/21/2005	24	-	-	-	1,456,694,617	-	4,471
12/22/2005	24	-	-	-	1,456,694,617	-	4,471
12/23/2005	24	-	-	-	1,456,694,617	-	4,471
12/24/2005	24	-	-	-	1,456,694,617	-	4,471
12/25/2005	24	-	-	-	1,456,694,617	-	4,471
12/26/2005	24	-	-	-	1,456,694,617	-	4,471
12/27/2005	24	-	-	-	1,456,694,617	-	4,471
12/28/2005	24	-	-	-	1,456,694,617	-	4,471
12/29/2005	24	-	-	-	1,456,694,617	-	4,471
12/30/2005	24	-	-	-	1,456,694,617	-	4,471
12/31/2005	24	-	-	-	1,456,694,617	-	4,471
1/1/2006	24	-	-	-	1,456,694,617	-	4,471
1/2/2006	24	-	-	-	1,456,694,617	-	4,471
1/3/2006	24	-	-	-	1,456,694,617	-	4,471
1/4/2006	24	-	-	-	1,456,694,617	-	4,471
1/5/2006	24	-	-	-	1,456,694,617	-	4,471
1/6/2006	24	-	-	-	1,456,694,617	-	4,471
1/7/2006	24	-	-	-	1,456,694,617	-	4,471
1/8/2006	24	-	-	-	1,456,694,617	-	4,471
1/9/2006	24	-	-	-	1,456,694,617	-	4,471
1/10/2006	24	-	-	-	1,456,694,617	-	4,471
1/11/2006	24	-	-	-	1,456,694,617	-	4,471
1/12/2006	24	-	-	-	1,456,694,617	-	4,471
1/13/2006	24	-	-	-	1,456,694,617	-	4,471
1/14/2006	24	-	-	-	1,456,694,617	-	4,471
1/15/2006	24	-	-	-	1,456,694,617	-	4,471
1/16/2006	24	-	-	-	1,456,694,617	-	4,471
1/17/2006	24	-	-	-	1,456,694,617	-	4,471
1/18/2006	24	-	-	-	1,456,694,617	-	4,471
1/19/2006	24	-	-	-	1,456,694,617	-	4,471
1/20/2006	24	-	-	-	1,456,694,617	-	4,471
1/21/2006	24	-	-	-	1,456,694,617	-	4,471
1/22/2006	24	-	-	-	1,456,694,617	-	4,471
1/23/2006	24	-	-	-	1,456,694,617	-	4,471
1/24/2006	24	-	-	-	1,456,694,617	-	4,471
1/25/2006	24	-	-	-	1,456,694,617	-	4,471
1/26/2006	24	-	-	-	1,456,694,617	-	4,471
1/27/2006	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
1/28/2006	24	-	-	-	1,456,694,617	-	4,471
1/29/2006	24	-	-	-	1,456,694,617	-	4,471
1/30/2006	24	-	-	-	1,456,694,617	-	4,471
1/31/2006	24	-	-	-	1,456,694,617	-	4,471
2/1/2006	24	-	-	-	1,456,694,617	-	4,471
2/2/2006	24	-	-	-	1,456,694,617	-	4,471
2/3/2006	24	-	-	-	1,456,694,617	-	4,471
2/4/2006	24	-	-	-	1,456,694,617	-	4,471
2/5/2006	24	-	-	-	1,456,694,617	-	4,471
2/6/2006	24	-	-	-	1,456,694,617	-	4,471
2/7/2006	24	-	-	-	1,456,694,617	-	4,471
2/8/2006	24	-	-	-	1,456,694,617	-	4,471
2/9/2006	24	-	-	-	1,456,694,617	-	4,471
2/10/2006	24	-	-	-	1,456,694,617	-	4,471
2/11/2006	24	-	-	-	1,456,694,617	-	4,471
2/12/2006	24	-	-	-	1,456,694,617	-	4,471
2/13/2006	24	-	-	-	1,456,694,617	-	4,471
2/14/2006	24	-	-	-	1,456,694,617	-	4,471
2/15/2006	24	-	-	-	1,456,694,617	-	4,471
2/16/2006	24	-	-	-	1,456,694,617	-	4,471
2/17/2006	24	-	-	-	1,456,694,617	-	4,471
2/18/2006	24	-	-	-	1,456,694,617	-	4,471
2/19/2006	24	-	-	-	1,456,694,617	-	4,471
2/20/2006	24	-	-	-	1,456,694,617	-	4,471
2/21/2006	24	-	-	-	1,456,694,617	-	4,471
2/22/2006	24	-	-	-	1,456,694,617	-	4,471
2/23/2006	24	-	-	-	1,456,694,617	-	4,471
2/24/2006	24	-	-	-	1,456,694,617	-	4,471
2/25/2006	24	-	-	-	1,456,694,617	-	4,471
2/26/2006	24	-	-	-	1,456,694,617	-	4,471
2/27/2006	24	-	-	-	1,456,694,617	-	4,471
2/28/2006	24	-	-	-	1,456,694,617	-	4,471
3/1/2006	24	-	-	-	1,456,694,617	-	4,471
3/2/2006	24	-	-	-	1,456,694,617	-	4,471
3/3/2006	24	-	-	-	1,456,694,617	-	4,471
3/4/2006	24	-	-	-	1,456,694,617	-	4,471
3/5/2006	24	-	-	-	1,456,694,617	-	4,471
3/6/2006	24	-	-	-	1,456,694,617	-	4,471
3/7/2006	24	-	-	-	1,456,694,617	-	4,471
3/8/2006	24	-	-	-	1,456,694,617	-	4,471
3/9/2006	24	-	-	-	1,456,694,617	-	4,471
3/10/2006	24	-	-	-	1,456,694,617	-	4,471
3/11/2006	24	-	-	-	1,456,694,617	-	4,471
3/12/2006	24	-	-	-	1,456,694,617	-	4,471
3/13/2006	24	-	-	-	1,456,694,617	-	4,471
3/14/2006	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/15/2006	24	-	-	-	1,456,694,617	-	4,471
3/16/2006	24	-	-	-	1,456,694,617	-	4,471
3/17/2006	24	-	-	-	1,456,694,617	-	4,471
3/18/2006	24	-	-	-	1,456,694,617	-	4,471
3/19/2006	24	-	-	-	1,456,694,617	-	4,471
3/20/2006	24	-	-	-	1,456,694,617	-	4,471
3/21/2006	24	-	-	-	1,456,694,617	-	4,471
3/22/2006	24	-	-	-	1,456,694,617	-	4,471
3/23/2006	24	-	-	-	1,456,694,617	-	4,471
3/24/2006	24	-	-	-	1,456,694,617	-	4,471
3/25/2006	24	-	-	-	1,456,694,617	-	4,471
3/26/2006	24	-	-	-	1,456,694,617	-	4,471
3/27/2006	24	-	-	-	1,456,694,617	-	4,471
3/28/2006	24	-	-	-	1,456,694,617	-	4,471
3/29/2006	24	-	-	-	1,456,694,617	-	4,471
3/30/2006	24	-	-	-	1,456,694,617	-	4,471
3/31/2006	24	-	-	-	1,456,694,617	-	4,471
4/1/2006	24	-	-	-	1,456,694,617	-	4,471
4/2/2006	24	-	-	-	1,456,694,617	-	4,471
4/3/2006	24	-	-	-	1,456,694,617	-	4,471
4/4/2006	24	-	-	-	1,456,694,617	-	4,471
4/5/2006	24	-	-	-	1,456,694,617	-	4,471
4/6/2006	24	-	-	-	1,456,694,617	-	4,471
4/7/2006	24	-	-	-	1,456,694,617	-	4,471
4/8/2006	24	-	-	-	1,456,694,617	-	4,471
4/9/2006	24	-	-	-	1,456,694,617	-	4,471
4/10/2006	24	-	-	-	1,456,694,617	-	4,471
4/11/2006	24	-	-	-	1,456,694,617	-	4,471
4/12/2006	24	-	-	-	1,456,694,617	-	4,471
4/13/2006	24	-	-	-	1,456,694,617	-	4,471
4/14/2006	24	-	-	-	1,456,694,617	-	4,471
4/15/2006	24	-	-	-	1,456,694,617	-	4,471
4/16/2006	24	-	-	-	1,456,694,617	-	4,471
4/17/2006	24	-	-	-	1,456,694,617	-	4,471
4/18/2006	24	-	-	-	1,456,694,617	-	4,471
4/19/2006	24	-	-	-	1,456,694,617	-	4,471
4/20/2006	24	-	-	-	1,456,694,617	-	4,471
4/21/2006	24	-	-	-	1,456,694,617	-	4,471
4/22/2006	24	-	-	-	1,456,694,617	-	4,471
4/23/2006	24	-	-	-	1,456,694,617	-	4,471
4/24/2006	24	-	-	-	1,456,694,617	-	4,471
4/25/2006	24	-	-	-	1,456,694,617	-	4,471
4/26/2006	24	-	-	-	1,456,694,617	-	4,471
4/27/2006	24	-	-	-	1,456,694,617	-	4,471
4/28/2006	24	-	-	-	1,456,694,617	-	4,471
4/29/2006	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
4/30/2006	24	-	-	-	1,456,694,617	-	4,471
5/1/2006	24	-	-	-	1,456,694,617	-	4,471
5/2/2006	24	-	-	-	1,456,694,617	-	4,471
5/3/2006	24	-	-	-	1,456,694,617	-	4,471
5/4/2006	24	-	-	-	1,456,694,617	-	4,471
5/5/2006	24	-	-	-	1,456,694,617	-	4,471
5/6/2006	24	-	-	-	1,456,694,617	-	4,471
5/7/2006	24	-	-	-	1,456,694,617	-	4,471
5/8/2006	24	-	-	-	1,456,694,617	-	4,471
5/9/2006	24	-	-	-	1,456,694,617	-	4,471
5/10/2006	24	-	-	-	1,456,694,617	-	4,471
5/11/2006	24	-	-	-	1,456,694,617	-	4,471
5/12/2006	24	-	-	-	1,456,694,617	-	4,471
5/13/2006	24	-	-	-	1,456,694,617	-	4,471
5/14/2006	24	-	-	-	1,456,694,617	-	4,471
5/15/2006	24	-	-	-	1,456,694,617	-	4,471
5/16/2006	24	-	-	-	1,456,694,617	-	4,471
5/17/2006	24	-	-	-	1,456,694,617	-	4,471
5/18/2006	24	-	-	-	1,456,694,617	-	4,471
5/19/2006	24	-	-	-	1,456,694,617	-	4,471
5/20/2006	24	-	-	-	1,456,694,617	-	4,471
5/21/2006	24	-	-	-	1,456,694,617	-	4,471
5/22/2006	24	-	-	-	1,456,694,617	-	4,471
5/23/2006	24	-	-	-	1,456,694,617	-	4,471
5/24/2006	24	-	-	-	1,456,694,617	-	4,471
5/25/2006	24	-	-	-	1,456,694,617	-	4,471
5/26/2006	24	-	-	-	1,456,694,617	-	4,471
5/27/2006	24	-	-	-	1,456,694,617	-	4,471
5/28/2006	24	-	-	-	1,456,694,617	-	4,471
5/29/2006	24	-	-	-	1,456,694,617	-	4,471
5/30/2006	24	-	-	-	1,456,694,617	-	4,471
5/31/2006	24	-	-	-	1,456,694,617	-	4,471
6/1/2006	24	-	-	-	1,456,694,617	-	4,471
6/2/2006	24	-	-	-	1,456,694,617	-	4,471
6/3/2006	24	-	-	-	1,456,694,617	-	4,471
6/4/2006	24	-	-	-	1,456,694,617	-	4,471
6/5/2006	24	-	-	-	1,456,694,617	-	4,471
6/6/2006	24	-	-	-	1,456,694,617	-	4,471
6/7/2006	24	-	-	-	1,456,694,617	-	4,471
6/8/2006	24	-	-	-	1,456,694,617	-	4,471
6/9/2006	24	-	-	-	1,456,694,617	-	4,471
6/10/2006	24	-	-	-	1,456,694,617	-	4,471
6/11/2006	24	-	-	-	1,456,694,617	-	4,471
6/12/2006	24	-	-	-	1,456,694,617	-	4,471
6/13/2006	24	-	-	-	1,456,694,617	-	4,471
6/14/2006	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/15/2006	24	-	-	-	1,456,694,617	-	4,471
6/16/2006	24	-	-	-	1,456,694,617	-	4,471
6/17/2006	24	-	-	-	1,456,694,617	-	4,471
6/18/2006	24	-	-	-	1,456,694,617	-	4,471
6/19/2006	24	-	-	-	1,456,694,617	-	4,471
6/20/2006	24	-	-	-	1,456,694,617	-	4,471
6/21/2006	24	-	-	-	1,456,694,617	-	4,471
6/22/2006	24	-	-	-	1,456,694,617	-	4,471
6/23/2006	24	-	-	-	1,456,694,617	-	4,471
6/24/2006	24	-	-	-	1,456,694,617	-	4,471
6/25/2006	24	-	-	-	1,456,694,617	-	4,471
6/26/2006	24	-	-	-	1,456,694,617	-	4,471
6/27/2006	24	-	-	-	1,456,694,617	-	4,471
6/28/2006	24	-	-	-	1,456,694,617	-	4,471
6/29/2006	24	-	-	-	1,456,694,617	-	4,471
6/30/2006	24	-	-	-	1,456,694,617	-	4,471
7/1/2006	24	-	-	-	1,456,694,617	-	4,471
7/2/2006	24	-	-	-	1,456,694,617	-	4,471
7/3/2006	24	-	-	-	1,456,694,617	-	4,471
7/4/2006	24	-	-	-	1,456,694,617	-	4,471
7/5/2006	24	-	-	-	1,456,694,617	-	4,471
7/6/2006	24	-	-	-	1,456,694,617	-	4,471
7/7/2006	24	-	-	-	1,456,694,617	-	4,471
7/8/2006	24	-	-	-	1,456,694,617	-	4,471
7/9/2006	24	-	-	-	1,456,694,617	-	4,471
7/10/2006	24	-	-	-	1,456,694,617	-	4,471
7/11/2006	24	-	-	-	1,456,694,617	-	4,471
7/12/2006	24	-	-	-	1,456,694,617	-	4,471
7/13/2006	24	-	-	-	1,456,694,617	-	4,471
7/14/2006	24	-	-	-	1,456,694,617	-	4,471
7/15/2006	24	-	-	-	1,456,694,617	-	4,471
7/16/2006	24	-	-	-	1,456,694,617	-	4,471
7/17/2006	24	-	-	-	1,456,694,617	-	4,471
7/18/2006	24	-	-	-	1,456,694,617	-	4,471
7/19/2006	24	-	-	-	1,456,694,617	-	4,471
7/20/2006	24	-	-	-	1,456,694,617	-	4,471
7/21/2006	24	-	-	-	1,456,694,617	-	4,471
7/22/2006	24	-	-	-	1,456,694,617	-	4,471
7/23/2006	24	-	-	-	1,456,694,617	-	4,471
7/24/2006	24	-	-	-	1,456,694,617	-	4,471
7/25/2006	24	-	-	-	1,456,694,617	-	4,471
7/26/2006	24	-	-	-	1,456,694,617	-	4,471
7/27/2006	24	-	-	-	1,456,694,617	-	4,471
7/28/2006	24	-	-	-	1,456,694,617	-	4,471
7/29/2006	24	-	-	-	1,456,694,617	-	4,471
7/30/2006	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
7/31/2006	24	-	-	-	1,456,694,617	-	4,471
8/1/2006	24	-	-	-	1,456,694,617	-	4,471
8/2/2006	24	-	-	-	1,456,694,617	-	4,471
8/3/2006	24	-	-	-	1,456,694,617	-	4,471
8/4/2006	24	-	-	-	1,456,694,617	-	4,471
8/5/2006	24	-	-	-	1,456,694,617	-	4,471
8/6/2006	24	-	-	-	1,456,694,617	-	4,471
8/7/2006	24	-	-	-	1,456,694,617	-	4,471
8/8/2006	24	-	-	-	1,456,694,617	-	4,471
8/9/2006	24	-	-	-	1,456,694,617	-	4,471
8/10/2006	24	-	-	-	1,456,694,617	-	4,471
8/11/2006	24	-	-	-	1,456,694,617	-	4,471
8/12/2006	24	-	-	-	1,456,694,617	-	4,471
8/13/2006	24	-	-	-	1,456,694,617	-	4,471
8/14/2006	24	-	-	-	1,456,694,617	-	4,471
8/15/2006	24	-	-	-	1,456,694,617	-	4,471
8/16/2006	24	-	-	-	1,456,694,617	-	4,471
8/17/2006	24	-	-	-	1,456,694,617	-	4,471
8/18/2006	24	-	-	-	1,456,694,617	-	4,471
8/19/2006	24	-	-	-	1,456,694,617	-	4,471
8/20/2006	24	-	-	-	1,456,694,617	-	4,471
8/21/2006	24	-	-	-	1,456,694,617	-	4,471
8/22/2006	24	-	-	-	1,456,694,617	-	4,471
8/23/2006	24	-	-	-	1,456,694,617	-	4,471
8/24/2006	24	-	-	-	1,456,694,617	-	4,471
8/25/2006	24	-	-	-	1,456,694,617	-	4,471
8/26/2006	24	-	-	-	1,456,694,617	-	4,471
8/27/2006	24	-	-	-	1,456,694,617	-	4,471
8/28/2006	24	-	-	-	1,456,694,617	-	4,471
8/29/2006	24	-	-	-	1,456,694,617	-	4,471
8/30/2006	24	-	-	-	1,456,694,617	-	4,471
8/31/2006	24	-	-	-	1,456,694,617	-	4,471
9/1/2006	24	-	-	-	1,456,694,617	-	4,471
9/2/2006	24	-	-	-	1,456,694,617	-	4,471
9/3/2006	24	-	-	-	1,456,694,617	-	4,471
9/4/2006	24	-	-	-	1,456,694,617	-	4,471
9/5/2006	24	-	-	-	1,456,694,617	-	4,471
9/6/2006	24	-	-	-	1,456,694,617	-	4,471
9/7/2006	24	-	-	-	1,456,694,617	-	4,471
9/8/2006	24	-	-	-	1,456,694,617	-	4,471
9/9/2006	24	-	-	-	1,456,694,617	-	4,471
9/10/2006	24	-	-	-	1,456,694,617	-	4,471
9/11/2006	24	-	-	-	1,456,694,617	-	4,471
9/12/2006	24	-	-	-	1,456,694,617	-	4,471
9/13/2006	24	-	-	-	1,456,694,617	-	4,471
9/14/2006	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/15/2006	24	-	-	-	1,456,694,617	-	4,471
9/16/2006	24	-	-	-	1,456,694,617	-	4,471
9/17/2006	24	-	-	-	1,456,694,617	-	4,471
9/18/2006	24	-	-	-	1,456,694,617	-	4,471
9/19/2006	24	-	-	-	1,456,694,617	-	4,471
9/20/2006	24	-	-	-	1,456,694,617	-	4,471
9/21/2006	24	-	-	-	1,456,694,617	-	4,471
9/22/2006	24	-	-	-	1,456,694,617	-	4,471
9/23/2006	24	-	-	-	1,456,694,617	-	4,471
9/24/2006	24	-	-	-	1,456,694,617	-	4,471
9/25/2006	24	-	-	-	1,456,694,617	-	4,471
9/26/2006	24	-	-	-	1,456,694,617	-	4,471
9/27/2006	24	-	-	-	1,456,694,617	-	4,471
9/28/2006	24	-	-	-	1,456,694,617	-	4,471
9/29/2006	24	-	-	-	1,456,694,617	-	4,471
9/30/2006	24	-	-	-	1,456,694,617	-	4,471
10/1/2006	24	-	-	-	1,456,694,617	-	4,471
10/2/2006	24	-	-	-	1,456,694,617	-	4,471
10/3/2006	24	-	-	-	1,456,694,617	-	4,471
10/4/2006	24	-	-	-	1,456,694,617	-	4,471
10/5/2006	24	-	-	-	1,456,694,617	-	4,471
10/6/2006	24	-	-	-	1,456,694,617	-	4,471
10/7/2006	24	-	-	-	1,456,694,617	-	4,471
10/8/2006	24	-	-	-	1,456,694,617	-	4,471
10/9/2006	24	-	-	-	1,456,694,617	-	4,471
10/10/2006	24	-	-	-	1,456,694,617	-	4,471
10/11/2006	24	-	-	-	1,456,694,617	-	4,471
10/12/2006	24	-	-	-	1,456,694,617	-	4,471
10/13/2006	24	-	-	-	1,456,694,617	-	4,471
10/14/2006	24	-	-	-	1,456,694,617	-	4,471
10/15/2006	24	-	-	-	1,456,694,617	-	4,471
10/16/2006	24	-	-	-	1,456,694,617	-	4,471
10/17/2006	24	-	-	-	1,456,694,617	-	4,471
10/18/2006	24	-	-	-	1,456,694,617	-	4,471
10/19/2006	24	-	-	-	1,456,694,617	-	4,471
10/20/2006	24	-	-	-	1,456,694,617	-	4,471
10/21/2006	24	-	-	-	1,456,694,617	-	4,471
10/22/2006	24	-	-	-	1,456,694,617	-	4,471
10/23/2006	24	-	-	-	1,456,694,617	-	4,471
10/24/2006	24	-	-	-	1,456,694,617	-	4,471
10/25/2006	24	-	-	-	1,456,694,617	-	4,471
10/26/2006	24	-	-	-	1,456,694,617	-	4,471
10/27/2006	24	-	-	-	1,456,694,617	-	4,471
10/28/2006	24	-	-	-	1,456,694,617	-	4,471
10/29/2006	24	-	-	-	1,456,694,617	-	4,471
10/30/2006	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
10/31/2006	24	-	-	-	1,456,694,617	-	4,471
11/1/2006	24	-	-	-	1,456,694,617	-	4,471
11/2/2006	24	-	-	-	1,456,694,617	-	4,471
11/3/2006	24	-	-	-	1,456,694,617	-	4,471
11/4/2006	24	-	-	-	1,456,694,617	-	4,471
11/5/2006	24	-	-	-	1,456,694,617	-	4,471
11/6/2006	24	-	-	-	1,456,694,617	-	4,471
11/7/2006	24	-	-	-	1,456,694,617	-	4,471
11/8/2006	24	-	-	-	1,456,694,617	-	4,471
11/9/2006	24	-	-	-	1,456,694,617	-	4,471
11/10/2006	24	-	-	-	1,456,694,617	-	4,471
11/11/2006	24	-	-	-	1,456,694,617	-	4,471
11/12/2006	24	-	-	-	1,456,694,617	-	4,471
11/13/2006	24	-	-	-	1,456,694,617	-	4,471
11/14/2006	24	-	-	-	1,456,694,617	-	4,471
11/15/2006	24	-	-	-	1,456,694,617	-	4,471
11/16/2006	24	-	-	-	1,456,694,617	-	4,471
11/17/2006	24	-	-	-	1,456,694,617	-	4,471
11/18/2006	24	-	-	-	1,456,694,617	-	4,471
11/19/2006	24	-	-	-	1,456,694,617	-	4,471
11/20/2006	24	-	-	-	1,456,694,617	-	4,471
11/21/2006	24	-	-	-	1,456,694,617	-	4,471
11/22/2006	24	-	-	-	1,456,694,617	-	4,471
11/23/2006	24	-	-	-	1,456,694,617	-	4,471
11/24/2006	24	-	-	-	1,456,694,617	-	4,471
11/25/2006	24	-	-	-	1,456,694,617	-	4,471
11/26/2006	24	-	-	-	1,456,694,617	-	4,471
11/27/2006	24	-	-	-	1,456,694,617	-	4,471
11/28/2006	24	-	-	-	1,456,694,617	-	4,471
11/29/2006	24	-	-	-	1,456,694,617	-	4,471
11/30/2006	24	-	-	-	1,456,694,617	-	4,471
12/1/2006	24	-	-	-	1,456,694,617	-	4,471
12/2/2006	24	-	-	-	1,456,694,617	-	4,471
12/3/2006	24	-	-	-	1,456,694,617	-	4,471
12/4/2006	24	-	-	-	1,456,694,617	-	4,471
12/5/2006	24	-	-	-	1,456,694,617	-	4,471
12/6/2006	24	-	-	-	1,456,694,617	-	4,471
12/7/2006	24	-	-	-	1,456,694,617	-	4,471
12/8/2006	24	-	-	-	1,456,694,617	-	4,471
12/9/2006	24	-	-	-	1,456,694,617	-	4,471
12/10/2006	24	-	-	-	1,456,694,617	-	4,471
12/11/2006	24	-	-	-	1,456,694,617	-	4,471
12/12/2006	24	-	-	-	1,456,694,617	-	4,471
12/13/2006	24	-	-	-	1,456,694,617	-	4,471
12/14/2006	24	-	-	-	1,456,694,617	-	4,471
12/15/2006	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/16/2006	24	-	-	-	1,456,694,617	-	4,471
12/17/2006	24	-	-	-	1,456,694,617	-	4,471
12/18/2006	24	-	-	-	1,456,694,617	-	4,471
12/19/2006	24	-	-	-	1,456,694,617	-	4,471
12/20/2006	24	-	-	-	1,456,694,617	-	4,471
12/21/2006	24	-	-	-	1,456,694,617	-	4,471
12/22/2006	24	-	-	-	1,456,694,617	-	4,471
12/23/2006	24	-	-	-	1,456,694,617	-	4,471
12/24/2006	24	-	-	-	1,456,694,617	-	4,471
12/25/2006	24	-	-	-	1,456,694,617	-	4,471
12/26/2006	24	-	-	-	1,456,694,617	-	4,471
12/27/2006	24	-	-	-	1,456,694,617	-	4,471
12/28/2006	24	-	-	-	1,456,694,617	-	4,471
12/29/2006	24	-	-	-	1,456,694,617	-	4,471
12/30/2006	24	-	-	-	1,456,694,617	-	4,471
12/31/2006	24	-	-	-	1,456,694,617	-	4,471
1/1/2007	24	-	-	-	1,456,694,617	-	4,471
1/2/2007	24	-	-	-	1,456,694,617	-	4,471
1/3/2007	24	-	-	-	1,456,694,617	-	4,471
1/4/2007	24	-	-	-	1,456,694,617	-	4,471
1/5/2007	24	-	-	-	1,456,694,617	-	4,471
1/6/2007	24	-	-	-	1,456,694,617	-	4,471
1/7/2007	24	-	-	-	1,456,694,617	-	4,471
1/8/2007	24	-	-	-	1,456,694,617	-	4,471
1/9/2007	24	-	-	-	1,456,694,617	-	4,471
1/10/2007	24	-	-	-	1,456,694,617	-	4,471
1/11/2007	24	-	-	-	1,456,694,617	-	4,471
1/12/2007	24	-	-	-	1,456,694,617	-	4,471
1/13/2007	24	-	-	-	1,456,694,617	-	4,471
1/14/2007	24	-	-	-	1,456,694,617	-	4,471
1/15/2007	24	-	-	-	1,456,694,617	-	4,471
1/16/2007	24	-	-	-	1,456,694,617	-	4,471
1/17/2007	24	-	-	-	1,456,694,617	-	4,471
1/18/2007	24	-	-	-	1,456,694,617	-	4,471
1/19/2007	24	-	-	-	1,456,694,617	-	4,471
1/20/2007	24	-	-	-	1,456,694,617	-	4,471
1/21/2007	24	-	-	-	1,456,694,617	-	4,471
1/22/2007	24	-	-	-	1,456,694,617	-	4,471
1/23/2007	24	-	-	-	1,456,694,617	-	4,471
1/24/2007	24	-	-	-	1,456,694,617	-	4,471
1/25/2007	24	-	-	-	1,456,694,617	-	4,471
1/26/2007	24	-	-	-	1,456,694,617	-	4,471
1/27/2007	24	-	-	-	1,456,694,617	-	4,471
1/28/2007	24	-	-	-	1,456,694,617	-	4,471
1/29/2007	24	-	-	-	1,456,694,617	-	4,471
1/30/2007	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
1/31/2007	24	-	-	-	1,456,694,617	-	4,471
2/1/2007	24	-	-	-	1,456,694,617	-	4,471
2/2/2007	24	-	-	-	1,456,694,617	-	4,471
2/3/2007	24	-	-	-	1,456,694,617	-	4,471
2/4/2007	24	-	-	-	1,456,694,617	-	4,471
2/5/2007	24	-	-	-	1,456,694,617	-	4,471
2/6/2007	24	-	-	-	1,456,694,617	-	4,471
2/7/2007	24	-	-	-	1,456,694,617	-	4,471
2/8/2007	24	-	-	-	1,456,694,617	-	4,471
2/9/2007	24	-	-	-	1,456,694,617	-	4,471
2/10/2007	24	-	-	-	1,456,694,617	-	4,471
2/11/2007	24	-	-	-	1,456,694,617	-	4,471
2/12/2007	24	-	-	-	1,456,694,617	-	4,471
2/13/2007	24	-	-	-	1,456,694,617	-	4,471
2/14/2007	24	-	-	-	1,456,694,617	-	4,471
2/15/2007	24	-	-	-	1,456,694,617	-	4,471
2/16/2007	24	-	-	-	1,456,694,617	-	4,471
2/17/2007	24	-	-	-	1,456,694,617	-	4,471
2/18/2007	24	-	-	-	1,456,694,617	-	4,471
2/19/2007	24	-	-	-	1,456,694,617	-	4,471
2/20/2007	24	-	-	-	1,456,694,617	-	4,471
2/21/2007	24	-	-	-	1,456,694,617	-	4,471
2/22/2007	24	-	-	-	1,456,694,617	-	4,471
2/23/2007	24	-	-	-	1,456,694,617	-	4,471
2/24/2007	24	-	-	-	1,456,694,617	-	4,471
2/25/2007	24	-	-	-	1,456,694,617	-	4,471
2/26/2007	24	-	-	-	1,456,694,617	-	4,471
2/27/2007	24	-	-	-	1,456,694,617	-	4,471
2/28/2007	24	-	-	-	1,456,694,617	-	4,471
3/1/2007	24	-	-	-	1,456,694,617	-	4,471
3/2/2007	24	-	-	-	1,456,694,617	-	4,471
3/3/2007	24	-	-	-	1,456,694,617	-	4,471
3/4/2007	24	-	-	-	1,456,694,617	-	4,471
3/5/2007	24	-	-	-	1,456,694,617	-	4,471
3/6/2007	24	-	-	-	1,456,694,617	-	4,471
3/7/2007	24	-	-	-	1,456,694,617	-	4,471
3/8/2007	24	-	-	-	1,456,694,617	-	4,471
3/9/2007	24	-	-	-	1,456,694,617	-	4,471
3/10/2007	24	-	-	-	1,456,694,617	-	4,471
3/11/2007	24	-	-	-	1,456,694,617	-	4,471
3/12/2007	24	-	-	-	1,456,694,617	-	4,471
3/13/2007	24	-	-	-	1,456,694,617	-	4,471
3/14/2007	24	-	-	-	1,456,694,617	-	4,471
3/15/2007	24	-	-	-	1,456,694,617	-	4,471
3/16/2007	24	-	-	-	1,456,694,617	-	4,471
3/17/2007	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/18/2007	24	-	-	-	1,456,694,617	-	4,471
3/19/2007	24	-	-	-	1,456,694,617	-	4,471
3/20/2007	24	-	-	-	1,456,694,617	-	4,471
3/21/2007	24	-	-	-	1,456,694,617	-	4,471
3/22/2007	24	-	-	-	1,456,694,617	-	4,471
3/23/2007	24	-	-	-	1,456,694,617	-	4,471
3/24/2007	24	-	-	-	1,456,694,617	-	4,471
3/25/2007	24	-	-	-	1,456,694,617	-	4,471
3/26/2007	24	-	-	-	1,456,694,617	-	4,471
3/27/2007	24	-	-	-	1,456,694,617	-	4,471
3/28/2007	24	-	-	-	1,456,694,617	-	4,471
3/29/2007	24	-	-	-	1,456,694,617	-	4,471
3/30/2007	24	-	-	-	1,456,694,617	-	4,471
3/31/2007	24	-	-	-	1,456,694,617	-	4,471
4/1/2007	24	-	-	-	1,456,694,617	-	4,471
4/2/2007	24	-	-	-	1,456,694,617	-	4,471
4/3/2007	24	-	-	-	1,456,694,617	-	4,471
4/4/2007	24	-	-	-	1,456,694,617	-	4,471
4/5/2007	24	-	-	-	1,456,694,617	-	4,471
4/6/2007	24	-	-	-	1,456,694,617	-	4,471
4/7/2007	24	-	-	-	1,456,694,617	-	4,471
4/8/2007	24	-	-	-	1,456,694,617	-	4,471
4/9/2007	24	-	-	-	1,456,694,617	-	4,471
4/10/2007	24	-	-	-	1,456,694,617	-	4,471
4/11/2007	24	-	-	-	1,456,694,617	-	4,471
4/12/2007	24	-	-	-	1,456,694,617	-	4,471
4/13/2007	24	-	-	-	1,456,694,617	-	4,471
4/14/2007	24	-	-	-	1,456,694,617	-	4,471
4/15/2007	24	-	-	-	1,456,694,617	-	4,471
4/16/2007	24	-	-	-	1,456,694,617	-	4,471
4/17/2007	24	-	-	-	1,456,694,617	-	4,471
4/18/2007	24	-	-	-	1,456,694,617	-	4,471
4/19/2007	24	-	-	-	1,456,694,617	-	4,471
4/20/2007	24	-	-	-	1,456,694,617	-	4,471
4/21/2007	24	-	-	-	1,456,694,617	-	4,471
4/22/2007	24	-	-	-	1,456,694,617	-	4,471
4/23/2007	24	-	-	-	1,456,694,617	-	4,471
4/24/2007	24	-	-	-	1,456,694,617	-	4,471
4/25/2007	24	-	-	-	1,456,694,617	-	4,471
4/26/2007	24	-	-	-	1,456,694,617	-	4,471
4/27/2007	24	-	-	-	1,456,694,617	-	4,471
4/28/2007	24	-	-	-	1,456,694,617	-	4,471
4/29/2007	24	-	-	-	1,456,694,617	-	4,471
4/30/2007	24	-	-	-	1,456,694,617	-	4,471
5/1/2007	24	-	-	-	1,456,694,617	-	4,471
5/2/2007	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/3/2007	24	-	-	-	1,456,694,617	-	4,471
5/4/2007	24	-	-	-	1,456,694,617	-	4,471
5/5/2007	24	-	-	-	1,456,694,617	-	4,471
5/6/2007	24	-	-	-	1,456,694,617	-	4,471
5/7/2007	24	-	-	-	1,456,694,617	-	4,471
5/8/2007	24	-	-	-	1,456,694,617	-	4,471
5/9/2007	24	-	-	-	1,456,694,617	-	4,471
5/10/2007	24	-	-	-	1,456,694,617	-	4,471
5/11/2007	24	-	-	-	1,456,694,617	-	4,471
5/12/2007	24	-	-	-	1,456,694,617	-	4,471
5/13/2007	24	-	-	-	1,456,694,617	-	4,471
5/14/2007	24	-	-	-	1,456,694,617	-	4,471
5/15/2007	24	-	-	-	1,456,694,617	-	4,471
5/16/2007	24	-	-	-	1,456,694,617	-	4,471
5/17/2007	24	-	-	-	1,456,694,617	-	4,471
5/18/2007	24	-	-	-	1,456,694,617	-	4,471
5/19/2007	24	-	-	-	1,456,694,617	-	4,471
5/20/2007	24	-	-	-	1,456,694,617	-	4,471
5/21/2007	24	-	-	-	1,456,694,617	-	4,471
5/22/2007	24	-	-	-	1,456,694,617	-	4,471
5/23/2007	24	-	-	-	1,456,694,617	-	4,471
5/24/2007	24	-	-	-	1,456,694,617	-	4,471
5/25/2007	24	-	-	-	1,456,694,617	-	4,471
5/26/2007	24	-	-	-	1,456,694,617	-	4,471
5/27/2007	24	-	-	-	1,456,694,617	-	4,471
5/28/2007	24	-	-	-	1,456,694,617	-	4,471
5/29/2007	24	-	-	-	1,456,694,617	-	4,471
5/30/2007	24	-	-	-	1,456,694,617	-	4,471
5/31/2007	24	-	-	-	1,456,694,617	-	4,471
6/1/2007	24	-	-	-	1,456,694,617	-	4,471
6/2/2007	24	-	-	-	1,456,694,617	-	4,471
6/3/2007	24	-	-	-	1,456,694,617	-	4,471
6/4/2007	24	-	-	-	1,456,694,617	-	4,471
6/5/2007	24	-	-	-	1,456,694,617	-	4,471
6/6/2007	24	-	-	-	1,456,694,617	-	4,471
6/7/2007	24	-	-	-	1,456,694,617	-	4,471
6/8/2007	24	-	-	-	1,456,694,617	-	4,471
6/9/2007	24	-	-	-	1,456,694,617	-	4,471
6/10/2007	24	-	-	-	1,456,694,617	-	4,471
6/11/2007	24	-	-	-	1,456,694,617	-	4,471
6/12/2007	24	-	-	-	1,456,694,617	-	4,471
6/13/2007	24	-	-	-	1,456,694,617	-	4,471
6/14/2007	24	-	-	-	1,456,694,617	-	4,471
6/15/2007	24	-	-	-	1,456,694,617	-	4,471
6/16/2007	24	-	-	-	1,456,694,617	-	4,471
6/17/2007	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/18/2007	24	-	-	-	1,456,694,617	-	4,471
6/19/2007	24	-	-	-	1,456,694,617	-	4,471
6/20/2007	24	-	-	-	1,456,694,617	-	4,471
6/21/2007	24	-	-	-	1,456,694,617	-	4,471
6/22/2007	24	-	-	-	1,456,694,617	-	4,471
6/23/2007	24	-	-	-	1,456,694,617	-	4,471
6/24/2007	24	-	-	-	1,456,694,617	-	4,471
6/25/2007	24	-	-	-	1,456,694,617	-	4,471
6/26/2007	24	-	-	-	1,456,694,617	-	4,471
6/27/2007	24	-	-	-	1,456,694,617	-	4,471
6/28/2007	24	-	-	-	1,456,694,617	-	4,471
6/29/2007	24	-	-	-	1,456,694,617	-	4,471
6/30/2007	24	-	-	-	1,456,694,617	-	4,471
7/1/2007	24	-	-	-	1,456,694,617	-	4,471
7/2/2007	24	-	-	-	1,456,694,617	-	4,471
7/3/2007	24	-	-	-	1,456,694,617	-	4,471
7/4/2007	24	-	-	-	1,456,694,617	-	4,471
7/5/2007	24	-	-	-	1,456,694,617	-	4,471
7/6/2007	24	-	-	-	1,456,694,617	-	4,471
7/7/2007	24	-	-	-	1,456,694,617	-	4,471
7/8/2007	24	-	-	-	1,456,694,617	-	4,471
7/9/2007	24	-	-	-	1,456,694,617	-	4,471
7/10/2007	24	-	-	-	1,456,694,617	-	4,471
7/11/2007	24	-	-	-	1,456,694,617	-	4,471
7/12/2007	24	-	-	-	1,456,694,617	-	4,471
7/13/2007	24	-	-	-	1,456,694,617	-	4,471
7/14/2007	24	-	-	-	1,456,694,617	-	4,471
7/15/2007	24	-	-	-	1,456,694,617	-	4,471
7/16/2007	24	-	-	-	1,456,694,617	-	4,471
7/17/2007	24	-	-	-	1,456,694,617	-	4,471
7/18/2007	24	-	-	-	1,456,694,617	-	4,471
7/19/2007	24	-	-	-	1,456,694,617	-	4,471
7/20/2007	24	-	-	-	1,456,694,617	-	4,471
7/21/2007	24	-	-	-	1,456,694,617	-	4,471
7/22/2007	24	-	-	-	1,456,694,617	-	4,471
7/23/2007	24	-	-	-	1,456,694,617	-	4,471
7/24/2007	24	-	-	-	1,456,694,617	-	4,471
7/25/2007	24	-	-	-	1,456,694,617	-	4,471
7/26/2007	24	-	-	-	1,456,694,617	-	4,471
7/27/2007	24	-	-	-	1,456,694,617	-	4,471
7/28/2007	24	-	-	-	1,456,694,617	-	4,471
7/29/2007	24	-	-	-	1,456,694,617	-	4,471
7/30/2007	24	-	-	-	1,456,694,617	-	4,471
7/31/2007	24	-	-	-	1,456,694,617	-	4,471
8/1/2007	24	-	-	-	1,456,694,617	-	4,471
8/2/2007	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/3/2007	24	-	-	-	1,456,694,617	-	4,471
8/4/2007	24	-	-	-	1,456,694,617	-	4,471
8/5/2007	24	-	-	-	1,456,694,617	-	4,471
8/6/2007	24	-	-	-	1,456,694,617	-	4,471
8/7/2007	24	-	-	-	1,456,694,617	-	4,471
8/8/2007	24	-	-	-	1,456,694,617	-	4,471
8/9/2007	24	-	-	-	1,456,694,617	-	4,471
8/10/2007	24	-	-	-	1,456,694,617	-	4,471
8/11/2007	24	-	-	-	1,456,694,617	-	4,471
8/12/2007	24	-	-	-	1,456,694,617	-	4,471
8/13/2007	24	-	-	-	1,456,694,617	-	4,471
8/14/2007	24	-	-	-	1,456,694,617	-	4,471
8/15/2007	24	-	-	-	1,456,694,617	-	4,471
8/16/2007	24	-	-	-	1,456,694,617	-	4,471
8/17/2007	24	-	-	-	1,456,694,617	-	4,471
8/18/2007	24	-	-	-	1,456,694,617	-	4,471
8/19/2007	24	-	-	-	1,456,694,617	-	4,471
8/20/2007	24	-	-	-	1,456,694,617	-	4,471
8/21/2007	24	-	-	-	1,456,694,617	-	4,471
8/22/2007	24	-	-	-	1,456,694,617	-	4,471
8/23/2007	24	-	-	-	1,456,694,617	-	4,471
8/24/2007	24	-	-	-	1,456,694,617	-	4,471
8/25/2007	24	-	-	-	1,456,694,617	-	4,471
8/26/2007	24	-	-	-	1,456,694,617	-	4,471
8/27/2007	24	-	-	-	1,456,694,617	-	4,471
8/28/2007	24	-	-	-	1,456,694,617	-	4,471
8/29/2007	24	-	-	-	1,456,694,617	-	4,471
8/30/2007	24	-	-	-	1,456,694,617	-	4,471
8/31/2007	24	-	-	-	1,456,694,617	-	4,471
9/1/2007	24	-	-	-	1,456,694,617	-	4,471
9/2/2007	24	-	-	-	1,456,694,617	-	4,471
9/3/2007	24	-	-	-	1,456,694,617	-	4,471
9/4/2007	24	-	-	-	1,456,694,617	-	4,471
9/5/2007	24	-	-	-	1,456,694,617	-	4,471
9/6/2007	24	-	-	-	1,456,694,617	-	4,471
9/7/2007	24	-	-	-	1,456,694,617	-	4,471
9/8/2007	24	-	-	-	1,456,694,617	-	4,471
9/9/2007	24	-	-	-	1,456,694,617	-	4,471
9/10/2007	24	-	-	-	1,456,694,617	-	4,471
9/11/2007	24	-	-	-	1,456,694,617	-	4,471
9/12/2007	24	-	-	-	1,456,694,617	-	4,471
9/13/2007	24	-	-	-	1,456,694,617	-	4,471
9/14/2007	24	-	-	-	1,456,694,617	-	4,471
9/15/2007	24	-	-	-	1,456,694,617	-	4,471
9/16/2007	24	-	-	-	1,456,694,617	-	4,471
9/17/2007	24	-	-	-	1,456,694,617	-	4,471

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/18/2007	24	-	-	-	1,456,694,617	-	4,471
9/19/2007	24	-	-	-	1,456,694,617	-	4,471
9/20/2007	24	-	-	-	1,456,694,617	-	4,471
9/21/2007	24	-	-	-	1,456,694,617	-	4,471
9/22/2007	24	-	-	-	1,456,694,617	-	4,471
9/23/2007	24	-	-	-	1,456,694,617	-	4,471
9/24/2007	24	-	-	-	1,456,694,617	-	4,471
9/25/2007	24	-	-	-	1,456,694,617	-	4,471
9/26/2007	24	-	-	-	1,456,694,617	-	4,471
9/27/2007	24	-	-	-	1,456,694,617	-	4,471
9/28/2007	24	-	-	-	1,456,694,617	-	4,471
9/29/2007	24	-	-	-	1,456,694,617	-	4,471
9/30/2007	24	-	-	-	1,456,694,617	-	4,471
10/1/2007	24	20	0.0	28,800	1,456,723,417	0.1	4,471
10/2/2007	24	22	0.0	31,680	1,456,755,097	0.1	4,471
10/3/2007	24	1,144	2.5	1,647,360	1,458,402,457	5.1	4,476
10/4/2007	24	2,130	4.7	3,067,200	1,461,469,657	9.4	4,486
10/5/2007	24	2,120	4.7	3,052,800	1,464,522,457	9.4	4,495
10/6/2007	24	2,116	4.7	3,047,040	1,467,569,497	9.4	4,504
10/7/2007	24	2,113	4.7	3,042,720	1,470,612,217	9.3	4,514
10/8/2007	24	2,112	4.7	3,041,280	1,473,653,497	9.3	4,523
10/9/2007	24	2,088	4.7	3,006,720	1,476,660,217	9.2	4,532
10/10/2007	24	2,081	4.6	2,996,640	1,479,656,857	9.2	4,542
10/11/2007	24	2,079	4.6	2,993,760	1,482,650,617	9.2	4,551
10/12/2007	24	2,080	4.6	2,995,200	1,485,645,817	9.2	4,560
10/13/2007	24	2,079	4.6	2,993,760	1,488,639,577	9.2	4,569
10/14/2007	24	2,076	4.6	2,989,440	1,491,629,017	9.2	4,578
10/15/2007	24	963	2.1	1,386,720	1,493,015,737	4.3	4,583
10/16/2007	24	1,192	2.7	1,716,480	1,494,732,217	5.3	4,588
10/17/2007	24	2,287	5.1	3,293,280	1,498,025,497	10.1	4,598
10/18/2007	24	2,287	5.1	3,293,280	1,501,318,777	10.1	4,608
10/19/2007	24	2,287	5.1	3,293,280	1,504,612,057	10.1	4,618
10/20/2007	24	2,287	5.1	3,293,280	1,507,905,337	10.1	4,628
10/21/2007	24	1,884	4.2	2,712,960	1,510,618,297	8.3	4,637
10/22/2007	24	1,031	2.3	1,484,640	1,512,102,937	4.6	4,641
10/23/2007	24	2,287	5.1	3,293,280	1,515,396,217	10.1	4,651
10/24/2007	24	2,512	5.6	3,617,280	1,519,013,497	11.1	4,662
10/25/2007	24	1,944	4.3	2,799,360	1,521,812,857	8.6	4,671
10/26/2007	24	1,066	2.4	1,535,040	1,523,347,897	4.7	4,676
10/27/2007	24	2,337	5.2	3,365,280	1,526,713,177	10.3	4,686
10/28/2007	24	3,807	8.5	5,482,080	1,532,195,257	16.8	4,703
10/29/2007	24	2,904	6.5	4,181,760	1,536,377,017	12.8	4,716
10/30/2007	24	3,673	8.2	5,289,120	1,541,666,137	16.2	4,732
10/31/2007	24	1,578	3.5	2,272,320	1,543,938,457	7.0	4,739
11/1/2007	24	-	-	-	1,543,938,457	-	4,739
11/2/2007	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/3/2007	24	-	-	-	1,543,938,457	-	4,739
11/4/2007	24	-	-	-	1,543,938,457	-	4,739
11/5/2007	24	-	-	-	1,543,938,457	-	4,739
11/6/2007	24	-	-	-	1,543,938,457	-	4,739
11/7/2007	24	-	-	-	1,543,938,457	-	4,739
11/8/2007	24	-	-	-	1,543,938,457	-	4,739
11/9/2007	24	-	-	-	1,543,938,457	-	4,739
11/10/2007	24	-	-	-	1,543,938,457	-	4,739
11/11/2007	24	-	-	-	1,543,938,457	-	4,739
11/12/2007	24	-	-	-	1,543,938,457	-	4,739
11/13/2007	24	-	-	-	1,543,938,457	-	4,739
11/14/2007	24	-	-	-	1,543,938,457	-	4,739
11/15/2007	24	-	-	-	1,543,938,457	-	4,739
11/16/2007	24	-	-	-	1,543,938,457	-	4,739
11/17/2007	24	-	-	-	1,543,938,457	-	4,739
11/18/2007	24	-	-	-	1,543,938,457	-	4,739
11/19/2007	24	-	-	-	1,543,938,457	-	4,739
11/20/2007	24	-	-	-	1,543,938,457	-	4,739
11/21/2007	24	-	-	-	1,543,938,457	-	4,739
11/22/2007	24	-	-	-	1,543,938,457	-	4,739
11/23/2007	24	-	-	-	1,543,938,457	-	4,739
11/24/2007	24	-	-	-	1,543,938,457	-	4,739
11/25/2007	24	-	-	-	1,543,938,457	-	4,739
11/26/2007	24	-	-	-	1,543,938,457	-	4,739
11/27/2007	24	-	-	-	1,543,938,457	-	4,739
11/28/2007	24	-	-	-	1,543,938,457	-	4,739
11/29/2007	24	-	-	-	1,543,938,457	-	4,739
11/30/2007	24	-	-	-	1,543,938,457	-	4,739
12/1/2007	24	-	-	-	1,543,938,457	-	4,739
12/2/2007	24	-	-	-	1,543,938,457	-	4,739
12/3/2007	24	-	-	-	1,543,938,457	-	4,739
12/4/2007	24	-	-	-	1,543,938,457	-	4,739
12/5/2007	24	-	-	-	1,543,938,457	-	4,739
12/6/2007	24	-	-	-	1,543,938,457	-	4,739
12/7/2007	24	-	-	-	1,543,938,457	-	4,739
12/8/2007	24	-	-	-	1,543,938,457	-	4,739
12/9/2007	24	-	-	-	1,543,938,457	-	4,739
12/10/2007	24	-	-	-	1,543,938,457	-	4,739
12/11/2007	24	-	-	-	1,543,938,457	-	4,739
12/12/2007	24	-	-	-	1,543,938,457	-	4,739
12/13/2007	24	-	-	-	1,543,938,457	-	4,739
12/14/2007	24	-	-	-	1,543,938,457	-	4,739
12/15/2007	24	-	-	-	1,543,938,457	-	4,739
12/16/2007	24	-	-	-	1,543,938,457	-	4,739
12/17/2007	24	-	-	-	1,543,938,457	-	4,739
12/18/2007	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/19/2007	24	-	-	-	1,543,938,457	-	4,739
12/20/2007	24	-	-	-	1,543,938,457	-	4,739
12/21/2007	24	-	-	-	1,543,938,457	-	4,739
12/22/2007	24	-	-	-	1,543,938,457	-	4,739
12/23/2007	24	-	-	-	1,543,938,457	-	4,739
12/24/2007	24	-	-	-	1,543,938,457	-	4,739
12/25/2007	24	-	-	-	1,543,938,457	-	4,739
12/26/2007	24	-	-	-	1,543,938,457	-	4,739
12/27/2007	24	-	-	-	1,543,938,457	-	4,739
12/28/2007	24	-	-	-	1,543,938,457	-	4,739
12/29/2007	24	-	-	-	1,543,938,457	-	4,739
12/30/2007	24	-	-	-	1,543,938,457	-	4,739
12/31/2007	24	-	-	-	1,543,938,457	-	4,739
1/1/2008	24	-	-	-	1,543,938,457	-	4,739
1/2/2008	24	-	-	-	1,543,938,457	-	4,739
1/3/2008	24	-	-	-	1,543,938,457	-	4,739
1/4/2008	24	-	-	-	1,543,938,457	-	4,739
1/5/2008	24	-	-	-	1,543,938,457	-	4,739
1/6/2008	24	-	-	-	1,543,938,457	-	4,739
1/7/2008	24	-	-	-	1,543,938,457	-	4,739
1/8/2008	24	-	-	-	1,543,938,457	-	4,739
1/9/2008	24	-	-	-	1,543,938,457	-	4,739
1/10/2008	24	-	-	-	1,543,938,457	-	4,739
1/11/2008	24	-	-	-	1,543,938,457	-	4,739
1/12/2008	24	-	-	-	1,543,938,457	-	4,739
1/13/2008	24	-	-	-	1,543,938,457	-	4,739
1/14/2008	24	-	-	-	1,543,938,457	-	4,739
1/15/2008	24	-	-	-	1,543,938,457	-	4,739
1/16/2008	24	-	-	-	1,543,938,457	-	4,739
1/17/2008	24	-	-	-	1,543,938,457	-	4,739
1/18/2008	24	-	-	-	1,543,938,457	-	4,739
1/19/2008	24	-	-	-	1,543,938,457	-	4,739
1/20/2008	24	-	-	-	1,543,938,457	-	4,739
1/21/2008	24	-	-	-	1,543,938,457	-	4,739
1/22/2008	24	-	-	-	1,543,938,457	-	4,739
1/23/2008	24	-	-	-	1,543,938,457	-	4,739
1/24/2008	24	-	-	-	1,543,938,457	-	4,739
1/25/2008	24	-	-	-	1,543,938,457	-	4,739
1/26/2008	24	-	-	-	1,543,938,457	-	4,739
1/27/2008	24	-	-	-	1,543,938,457	-	4,739
1/28/2008	24	-	-	-	1,543,938,457	-	4,739
1/29/2008	24	-	-	-	1,543,938,457	-	4,739
1/30/2008	24	-	-	-	1,543,938,457	-	4,739
1/31/2008	24	-	-	-	1,543,938,457	-	4,739
2/1/2008	24	-	-	-	1,543,938,457	-	4,739
2/2/2008	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/3/2008	24	-	-	-	1,543,938,457	-	4,739
2/4/2008	24	-	-	-	1,543,938,457	-	4,739
2/5/2008	24	-	-	-	1,543,938,457	-	4,739
2/6/2008	24	-	-	-	1,543,938,457	-	4,739
2/7/2008	24	-	-	-	1,543,938,457	-	4,739
2/8/2008	24	-	-	-	1,543,938,457	-	4,739
2/9/2008	24	-	-	-	1,543,938,457	-	4,739
2/10/2008	24	-	-	-	1,543,938,457	-	4,739
2/11/2008	24	-	-	-	1,543,938,457	-	4,739
2/12/2008	24	-	-	-	1,543,938,457	-	4,739
2/13/2008	24	-	-	-	1,543,938,457	-	4,739
2/14/2008	24	-	-	-	1,543,938,457	-	4,739
2/15/2008	24	-	-	-	1,543,938,457	-	4,739
2/16/2008	24	-	-	-	1,543,938,457	-	4,739
2/17/2008	24	-	-	-	1,543,938,457	-	4,739
2/18/2008	24	-	-	-	1,543,938,457	-	4,739
2/19/2008	24	-	-	-	1,543,938,457	-	4,739
2/20/2008	24	-	-	-	1,543,938,457	-	4,739
2/21/2008	24	-	-	-	1,543,938,457	-	4,739
2/22/2008	24	-	-	-	1,543,938,457	-	4,739
2/23/2008	24	-	-	-	1,543,938,457	-	4,739
2/24/2008	24	-	-	-	1,543,938,457	-	4,739
2/25/2008	24	-	-	-	1,543,938,457	-	4,739
2/26/2008	24	-	-	-	1,543,938,457	-	4,739
2/27/2008	24	-	-	-	1,543,938,457	-	4,739
2/28/2008	24	-	-	-	1,543,938,457	-	4,739
2/29/2008	24	-	-	-	1,543,938,457	-	4,739
3/1/2008	24	-	-	-	1,543,938,457	-	4,739
3/2/2008	24	-	-	-	1,543,938,457	-	4,739
3/3/2008	24	-	-	-	1,543,938,457	-	4,739
3/4/2008	24	-	-	-	1,543,938,457	-	4,739
3/5/2008	24	-	-	-	1,543,938,457	-	4,739
3/6/2008	24	-	-	-	1,543,938,457	-	4,739
3/7/2008	24	-	-	-	1,543,938,457	-	4,739
3/8/2008	24	-	-	-	1,543,938,457	-	4,739
3/9/2008	24	-	-	-	1,543,938,457	-	4,739
3/10/2008	24	-	-	-	1,543,938,457	-	4,739
3/11/2008	24	-	-	-	1,543,938,457	-	4,739
3/12/2008	24	-	-	-	1,543,938,457	-	4,739
3/13/2008	24	-	-	-	1,543,938,457	-	4,739
3/14/2008	24	-	-	-	1,543,938,457	-	4,739
3/15/2008	24	-	-	-	1,543,938,457	-	4,739
3/16/2008	24	-	-	-	1,543,938,457	-	4,739
3/17/2008	24	-	-	-	1,543,938,457	-	4,739
3/18/2008	24	-	-	-	1,543,938,457	-	4,739
3/19/2008	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/20/2008	24	-	-	-	1,543,938,457	-	4,739
3/21/2008	24	-	-	-	1,543,938,457	-	4,739
3/22/2008	24	-	-	-	1,543,938,457	-	4,739
3/23/2008	24	-	-	-	1,543,938,457	-	4,739
3/24/2008	24	-	-	-	1,543,938,457	-	4,739
3/25/2008	24	-	-	-	1,543,938,457	-	4,739
3/26/2008	24	-	-	-	1,543,938,457	-	4,739
3/27/2008	24	-	-	-	1,543,938,457	-	4,739
3/28/2008	24	-	-	-	1,543,938,457	-	4,739
3/29/2008	24	-	-	-	1,543,938,457	-	4,739
3/30/2008	24	-	-	-	1,543,938,457	-	4,739
3/31/2008	24	-	-	-	1,543,938,457	-	4,739
4/1/2008	24	-	-	-	1,543,938,457	-	4,739
4/2/2008	24	-	-	-	1,543,938,457	-	4,739
4/3/2008	24	-	-	-	1,543,938,457	-	4,739
4/4/2008	24	-	-	-	1,543,938,457	-	4,739
4/5/2008	24	-	-	-	1,543,938,457	-	4,739
4/6/2008	24	-	-	-	1,543,938,457	-	4,739
4/7/2008	24	-	-	-	1,543,938,457	-	4,739
4/8/2008	24	-	-	-	1,543,938,457	-	4,739
4/9/2008	24	-	-	-	1,543,938,457	-	4,739
4/10/2008	24	-	-	-	1,543,938,457	-	4,739
4/11/2008	24	-	-	-	1,543,938,457	-	4,739
4/12/2008	24	-	-	-	1,543,938,457	-	4,739
4/13/2008	24	-	-	-	1,543,938,457	-	4,739
4/14/2008	24	-	-	-	1,543,938,457	-	4,739
4/15/2008	24	-	-	-	1,543,938,457	-	4,739
4/16/2008	24	-	-	-	1,543,938,457	-	4,739
4/17/2008	24	-	-	-	1,543,938,457	-	4,739
4/18/2008	24	-	-	-	1,543,938,457	-	4,739
4/19/2008	24	-	-	-	1,543,938,457	-	4,739
4/20/2008	24	-	-	-	1,543,938,457	-	4,739
4/21/2008	24	-	-	-	1,543,938,457	-	4,739
4/22/2008	24	-	-	-	1,543,938,457	-	4,739
4/23/2008	24	-	-	-	1,543,938,457	-	4,739
4/24/2008	24	-	-	-	1,543,938,457	-	4,739
4/25/2008	24	-	-	-	1,543,938,457	-	4,739
4/26/2008	24	-	-	-	1,543,938,457	-	4,739
4/27/2008	24	-	-	-	1,543,938,457	-	4,739
4/28/2008	24	-	-	-	1,543,938,457	-	4,739
4/29/2008	24	-	-	-	1,543,938,457	-	4,739
4/30/2008	24	-	-	-	1,543,938,457	-	4,739
5/1/2008	24	-	-	-	1,543,938,457	-	4,739
5/2/2008	24	-	-	-	1,543,938,457	-	4,739
5/3/2008	24	-	-	-	1,543,938,457	-	4,739
5/4/2008	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/5/2008	24	-	-	-	1,543,938,457	-	4,739
5/6/2008	24	-	-	-	1,543,938,457	-	4,739
5/7/2008	24	-	-	-	1,543,938,457	-	4,739
5/8/2008	24	-	-	-	1,543,938,457	-	4,739
5/9/2008	24	-	-	-	1,543,938,457	-	4,739
5/10/2008	24	-	-	-	1,543,938,457	-	4,739
5/11/2008	24	-	-	-	1,543,938,457	-	4,739
5/12/2008	24	-	-	-	1,543,938,457	-	4,739
5/13/2008	24	-	-	-	1,543,938,457	-	4,739
5/14/2008	24	-	-	-	1,543,938,457	-	4,739
5/15/2008	24	-	-	-	1,543,938,457	-	4,739
5/16/2008	24	-	-	-	1,543,938,457	-	4,739
5/17/2008	24	-	-	-	1,543,938,457	-	4,739
5/18/2008	24	-	-	-	1,543,938,457	-	4,739
5/19/2008	24	-	-	-	1,543,938,457	-	4,739
5/20/2008	24	-	-	-	1,543,938,457	-	4,739
5/21/2008	24	-	-	-	1,543,938,457	-	4,739
5/22/2008	24	-	-	-	1,543,938,457	-	4,739
5/23/2008	24	-	-	-	1,543,938,457	-	4,739
5/24/2008	24	-	-	-	1,543,938,457	-	4,739
5/25/2008	24	-	-	-	1,543,938,457	-	4,739
5/26/2008	24	-	-	-	1,543,938,457	-	4,739
5/27/2008	24	-	-	-	1,543,938,457	-	4,739
5/28/2008	24	-	-	-	1,543,938,457	-	4,739
5/29/2008	24	-	-	-	1,543,938,457	-	4,739
5/30/2008	24	-	-	-	1,543,938,457	-	4,739
5/31/2008	24	-	-	-	1,543,938,457	-	4,739
6/1/2008	24	-	-	-	1,543,938,457	-	4,739
6/2/2008	24	-	-	-	1,543,938,457	-	4,739
6/3/2008	24	-	-	-	1,543,938,457	-	4,739
6/4/2008	24	-	-	-	1,543,938,457	-	4,739
6/5/2008	24	-	-	-	1,543,938,457	-	4,739
6/6/2008	24	-	-	-	1,543,938,457	-	4,739
6/7/2008	24	-	-	-	1,543,938,457	-	4,739
6/8/2008	24	-	-	-	1,543,938,457	-	4,739
6/9/2008	24	-	-	-	1,543,938,457	-	4,739
6/10/2008	24	-	-	-	1,543,938,457	-	4,739
6/11/2008	24	-	-	-	1,543,938,457	-	4,739
6/12/2008	24	-	-	-	1,543,938,457	-	4,739
6/13/2008	24	-	-	-	1,543,938,457	-	4,739
6/14/2008	24	-	-	-	1,543,938,457	-	4,739
6/15/2008	24	-	-	-	1,543,938,457	-	4,739
6/16/2008	24	-	-	-	1,543,938,457	-	4,739
6/17/2008	24	-	-	-	1,543,938,457	-	4,739
6/18/2008	24	-	-	-	1,543,938,457	-	4,739
6/19/2008	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/20/2008	24	-	-	-	1,543,938,457	-	4,739
6/21/2008	24	-	-	-	1,543,938,457	-	4,739
6/22/2008	24	-	-	-	1,543,938,457	-	4,739
6/23/2008	24	-	-	-	1,543,938,457	-	4,739
6/24/2008	24	-	-	-	1,543,938,457	-	4,739
6/25/2008	24	-	-	-	1,543,938,457	-	4,739
6/26/2008	24	-	-	-	1,543,938,457	-	4,739
6/27/2008	24	-	-	-	1,543,938,457	-	4,739
6/28/2008	24	-	-	-	1,543,938,457	-	4,739
6/29/2008	24	-	-	-	1,543,938,457	-	4,739
6/30/2008	24	-	-	-	1,543,938,457	-	4,739
7/1/2008	24	-	-	-	1,543,938,457	-	4,739
7/2/2008	24	-	-	-	1,543,938,457	-	4,739
7/3/2008	24	-	-	-	1,543,938,457	-	4,739
7/4/2008	24	-	-	-	1,543,938,457	-	4,739
7/5/2008	24	-	-	-	1,543,938,457	-	4,739
7/6/2008	24	-	-	-	1,543,938,457	-	4,739
7/7/2008	24	-	-	-	1,543,938,457	-	4,739
7/8/2008	24	-	-	-	1,543,938,457	-	4,739
7/9/2008	24	-	-	-	1,543,938,457	-	4,739
7/10/2008	24	-	-	-	1,543,938,457	-	4,739
7/11/2008	24	-	-	-	1,543,938,457	-	4,739
7/12/2008	24	-	-	-	1,543,938,457	-	4,739
7/13/2008	24	-	-	-	1,543,938,457	-	4,739
7/14/2008	24	-	-	-	1,543,938,457	-	4,739
7/15/2008	24	-	-	-	1,543,938,457	-	4,739
7/16/2008	24	-	-	-	1,543,938,457	-	4,739
7/17/2008	24	-	-	-	1,543,938,457	-	4,739
7/18/2008	24	-	-	-	1,543,938,457	-	4,739
7/19/2008	24	-	-	-	1,543,938,457	-	4,739
7/20/2008	24	-	-	-	1,543,938,457	-	4,739
7/21/2008	24	-	-	-	1,543,938,457	-	4,739
7/22/2008	24	-	-	-	1,543,938,457	-	4,739
7/23/2008	24	-	-	-	1,543,938,457	-	4,739
7/24/2008	24	-	-	-	1,543,938,457	-	4,739
7/25/2008	24	-	-	-	1,543,938,457	-	4,739
7/26/2008	24	-	-	-	1,543,938,457	-	4,739
7/27/2008	24	-	-	-	1,543,938,457	-	4,739
7/28/2008	24	-	-	-	1,543,938,457	-	4,739
7/29/2008	24	-	-	-	1,543,938,457	-	4,739
7/30/2008	24	-	-	-	1,543,938,457	-	4,739
7/31/2008	24	-	-	-	1,543,938,457	-	4,739
8/1/2008	24	-	-	-	1,543,938,457	-	4,739
8/2/2008	24	-	-	-	1,543,938,457	-	4,739
8/3/2008	24	-	-	-	1,543,938,457	-	4,739
8/4/2008	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/5/2008	24	-	-	-	1,543,938,457	-	4,739
8/6/2008	24	-	-	-	1,543,938,457	-	4,739
8/7/2008	24	-	-	-	1,543,938,457	-	4,739
8/8/2008	24	-	-	-	1,543,938,457	-	4,739
8/9/2008	24	-	-	-	1,543,938,457	-	4,739
8/10/2008	24	-	-	-	1,543,938,457	-	4,739
8/11/2008	24	-	-	-	1,543,938,457	-	4,739
8/12/2008	24	-	-	-	1,543,938,457	-	4,739
8/13/2008	24	-	-	-	1,543,938,457	-	4,739
8/14/2008	24	-	-	-	1,543,938,457	-	4,739
8/15/2008	24	-	-	-	1,543,938,457	-	4,739
8/16/2008	24	-	-	-	1,543,938,457	-	4,739
8/17/2008	24	-	-	-	1,543,938,457	-	4,739
8/18/2008	24	-	-	-	1,543,938,457	-	4,739
8/19/2008	24	-	-	-	1,543,938,457	-	4,739
8/20/2008	24	-	-	-	1,543,938,457	-	4,739
8/21/2008	24	-	-	-	1,543,938,457	-	4,739
8/22/2008	24	-	-	-	1,543,938,457	-	4,739
8/23/2008	24	-	-	-	1,543,938,457	-	4,739
8/24/2008	24	-	-	-	1,543,938,457	-	4,739
8/25/2008	24	-	-	-	1,543,938,457	-	4,739
8/26/2008	24	-	-	-	1,543,938,457	-	4,739
8/27/2008	24	-	-	-	1,543,938,457	-	4,739
8/28/2008	24	-	-	-	1,543,938,457	-	4,739
8/29/2008	24	-	-	-	1,543,938,457	-	4,739
8/30/2008	24	-	-	-	1,543,938,457	-	4,739
8/31/2008	24	-	-	-	1,543,938,457	-	4,739
9/1/2008	24	-	-	-	1,543,938,457	-	4,739
9/2/2008	24	-	-	-	1,543,938,457	-	4,739
9/3/2008	24	-	-	-	1,543,938,457	-	4,739
9/4/2008	24	-	-	-	1,543,938,457	-	4,739
9/5/2008	24	-	-	-	1,543,938,457	-	4,739
9/6/2008	24	-	-	-	1,543,938,457	-	4,739
9/7/2008	24	-	-	-	1,543,938,457	-	4,739
9/8/2008	24	-	-	-	1,543,938,457	-	4,739
9/9/2008	24	-	-	-	1,543,938,457	-	4,739
9/10/2008	24	-	-	-	1,543,938,457	-	4,739
9/11/2008	24	-	-	-	1,543,938,457	-	4,739
9/12/2008	24	-	-	-	1,543,938,457	-	4,739
9/13/2008	24	-	-	-	1,543,938,457	-	4,739
9/14/2008	24	-	-	-	1,543,938,457	-	4,739
9/15/2008	24	-	-	-	1,543,938,457	-	4,739
9/16/2008	24	-	-	-	1,543,938,457	-	4,739
9/17/2008	24	-	-	-	1,543,938,457	-	4,739
9/18/2008	24	-	-	-	1,543,938,457	-	4,739
9/19/2008	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/20/2008	24	-	-	-	1,543,938,457	-	4,739
9/21/2008	24	-	-	-	1,543,938,457	-	4,739
9/22/2008	24	-	-	-	1,543,938,457	-	4,739
9/23/2008	24	-	-	-	1,543,938,457	-	4,739
9/24/2008	24	-	-	-	1,543,938,457	-	4,739
9/25/2008	24	-	-	-	1,543,938,457	-	4,739
9/26/2008	24	-	-	-	1,543,938,457	-	4,739
9/27/2008	24	-	-	-	1,543,938,457	-	4,739
9/28/2008	24	-	-	-	1,543,938,457	-	4,739
9/29/2008	24	-	-	-	1,543,938,457	-	4,739
9/30/2008	24	-	-	-	1,543,938,457	-	4,739
10/1/2008	24	-	-	-	1,543,938,457	-	4,739
10/2/2008	24	-	-	-	1,543,938,457	-	4,739
10/3/2008	24	-	-	-	1,543,938,457	-	4,739
10/4/2008	24	-	-	-	1,543,938,457	-	4,739
10/5/2008	24	-	-	-	1,543,938,457	-	4,739
10/6/2008	24	-	-	-	1,543,938,457	-	4,739
10/7/2008	24	-	-	-	1,543,938,457	-	4,739
10/8/2008	24	-	-	-	1,543,938,457	-	4,739
10/9/2008	24	-	-	-	1,543,938,457	-	4,739
10/10/2008	24	-	-	-	1,543,938,457	-	4,739
10/11/2008	24	-	-	-	1,543,938,457	-	4,739
10/12/2008	24	-	-	-	1,543,938,457	-	4,739
10/13/2008	24	-	-	-	1,543,938,457	-	4,739
10/14/2008	24	-	-	-	1,543,938,457	-	4,739
10/15/2008	24	-	-	-	1,543,938,457	-	4,739
10/16/2008	24	-	-	-	1,543,938,457	-	4,739
10/17/2008	24	-	-	-	1,543,938,457	-	4,739
10/18/2008	24	-	-	-	1,543,938,457	-	4,739
10/19/2008	24	-	-	-	1,543,938,457	-	4,739
10/20/2008	24	-	-	-	1,543,938,457	-	4,739
10/21/2008	24	-	-	-	1,543,938,457	-	4,739
10/22/2008	24	-	-	-	1,543,938,457	-	4,739
10/23/2008	24	-	-	-	1,543,938,457	-	4,739
10/24/2008	24	-	-	-	1,543,938,457	-	4,739
10/25/2008	24	-	-	-	1,543,938,457	-	4,739
10/26/2008	24	-	-	-	1,543,938,457	-	4,739
10/27/2008	24	-	-	-	1,543,938,457	-	4,739
10/28/2008	24	-	-	-	1,543,938,457	-	4,739
10/29/2008	24	-	-	-	1,543,938,457	-	4,739
10/30/2008	24	-	-	-	1,543,938,457	-	4,739
10/31/2008	24	-	-	-	1,543,938,457	-	4,739
11/1/2008	24	-	-	-	1,543,938,457	-	4,739
11/2/2008	24	-	-	-	1,543,938,457	-	4,739
11/3/2008	24	-	-	-	1,543,938,457	-	4,739
11/4/2008	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/5/2008	24	-	-	-	1,543,938,457	-	4,739
11/6/2008	24	-	-	-	1,543,938,457	-	4,739
11/7/2008	24	-	-	-	1,543,938,457	-	4,739
11/8/2008	24	-	-	-	1,543,938,457	-	4,739
11/9/2008	24	-	-	-	1,543,938,457	-	4,739
11/10/2008	24	-	-	-	1,543,938,457	-	4,739
11/11/2008	24	-	-	-	1,543,938,457	-	4,739
11/12/2008	24	-	-	-	1,543,938,457	-	4,739
11/13/2008	24	-	-	-	1,543,938,457	-	4,739
11/14/2008	24	-	-	-	1,543,938,457	-	4,739
11/15/2008	24	-	-	-	1,543,938,457	-	4,739
11/16/2008	24	-	-	-	1,543,938,457	-	4,739
11/17/2008	24	-	-	-	1,543,938,457	-	4,739
11/18/2008	24	-	-	-	1,543,938,457	-	4,739
11/19/2008	24	-	-	-	1,543,938,457	-	4,739
11/20/2008	24	-	-	-	1,543,938,457	-	4,739
11/21/2008	24	-	-	-	1,543,938,457	-	4,739
11/22/2008	24	-	-	-	1,543,938,457	-	4,739
11/23/2008	24	-	-	-	1,543,938,457	-	4,739
11/24/2008	24	-	-	-	1,543,938,457	-	4,739
11/25/2008	24	-	-	-	1,543,938,457	-	4,739
11/26/2008	24	-	-	-	1,543,938,457	-	4,739
11/27/2008	24	-	-	-	1,543,938,457	-	4,739
11/28/2008	24	-	-	-	1,543,938,457	-	4,739
11/29/2008	24	-	-	-	1,543,938,457	-	4,739
11/30/2008	24	-	-	-	1,543,938,457	-	4,739
12/1/2008	24	-	-	-	1,543,938,457	-	4,739
12/2/2008	24	-	-	-	1,543,938,457	-	4,739
12/3/2008	24	-	-	-	1,543,938,457	-	4,739
12/4/2008	24	-	-	-	1,543,938,457	-	4,739
12/5/2008	24	-	-	-	1,543,938,457	-	4,739
12/6/2008	24	-	-	-	1,543,938,457	-	4,739
12/7/2008	24	-	-	-	1,543,938,457	-	4,739
12/8/2008	24	-	-	-	1,543,938,457	-	4,739
12/9/2008	24	-	-	-	1,543,938,457	-	4,739
12/10/2008	24	-	-	-	1,543,938,457	-	4,739
12/11/2008	24	-	-	-	1,543,938,457	-	4,739
12/12/2008	24	-	-	-	1,543,938,457	-	4,739
12/13/2008	24	-	-	-	1,543,938,457	-	4,739
12/14/2008	24	-	-	-	1,543,938,457	-	4,739
12/15/2008	24	-	-	-	1,543,938,457	-	4,739
12/16/2008	24	-	-	-	1,543,938,457	-	4,739
12/17/2008	24	-	-	-	1,543,938,457	-	4,739
12/18/2008	24	-	-	-	1,543,938,457	-	4,739
12/19/2008	24	-	-	-	1,543,938,457	-	4,739
12/20/2008	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/21/2008	24	-	-	-	1,543,938,457	-	4,739
12/22/2008	24	-	-	-	1,543,938,457	-	4,739
12/23/2008	24	-	-	-	1,543,938,457	-	4,739
12/24/2008	24	-	-	-	1,543,938,457	-	4,739
12/25/2008	24	-	-	-	1,543,938,457	-	4,739
12/26/2008	24	-	-	-	1,543,938,457	-	4,739
12/27/2008	24	-	-	-	1,543,938,457	-	4,739
12/28/2008	24	-	-	-	1,543,938,457	-	4,739
12/29/2008	24	-	-	-	1,543,938,457	-	4,739
12/30/2008	24	-	-	-	1,543,938,457	-	4,739
12/31/2008	24	-	-	-	1,543,938,457	-	4,739
1/1/2009	24	-	-	-	1,543,938,457	-	4,739
1/2/2009	24	-	-	-	1,543,938,457	-	4,739
1/3/2009	24	-	-	-	1,543,938,457	-	4,739
1/4/2009	24	-	-	-	1,543,938,457	-	4,739
1/5/2009	24	-	-	-	1,543,938,457	-	4,739
1/6/2009	24	-	-	-	1,543,938,457	-	4,739
1/7/2009	24	-	-	-	1,543,938,457	-	4,739
1/8/2009	24	-	-	-	1,543,938,457	-	4,739
1/9/2009	24	-	-	-	1,543,938,457	-	4,739
1/10/2009	24	-	-	-	1,543,938,457	-	4,739
1/11/2009	24	-	-	-	1,543,938,457	-	4,739
1/12/2009	24	-	-	-	1,543,938,457	-	4,739
1/13/2009	24	-	-	-	1,543,938,457	-	4,739
1/14/2009	24	-	-	-	1,543,938,457	-	4,739
1/15/2009	24	-	-	-	1,543,938,457	-	4,739
1/16/2009	24	-	-	-	1,543,938,457	-	4,739
1/17/2009	24	-	-	-	1,543,938,457	-	4,739
1/18/2009	24	-	-	-	1,543,938,457	-	4,739
1/19/2009	24	-	-	-	1,543,938,457	-	4,739
1/20/2009	24	-	-	-	1,543,938,457	-	4,739
1/21/2009	24	-	-	-	1,543,938,457	-	4,739
1/22/2009	24	-	-	-	1,543,938,457	-	4,739
1/23/2009	24	-	-	-	1,543,938,457	-	4,739
1/24/2009	24	-	-	-	1,543,938,457	-	4,739
1/25/2009	24	-	-	-	1,543,938,457	-	4,739
1/26/2009	24	-	-	-	1,543,938,457	-	4,739
1/27/2009	24	-	-	-	1,543,938,457	-	4,739
1/28/2009	24	-	-	-	1,543,938,457	-	4,739
1/29/2009	24	-	-	-	1,543,938,457	-	4,739
1/30/2009	24	-	-	-	1,543,938,457	-	4,739
1/31/2009	24	-	-	-	1,543,938,457	-	4,739
2/1/2009	24	-	-	-	1,543,938,457	-	4,739
2/2/2009	24	-	-	-	1,543,938,457	-	4,739
2/3/2009	24	-	-	-	1,543,938,457	-	4,739
2/4/2009	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/5/2009	24	-	-	-	1,543,938,457	-	4,739
2/6/2009	24	-	-	-	1,543,938,457	-	4,739
2/7/2009	24	-	-	-	1,543,938,457	-	4,739
2/8/2009	24	-	-	-	1,543,938,457	-	4,739
2/9/2009	24	-	-	-	1,543,938,457	-	4,739
2/10/2009	24	-	-	-	1,543,938,457	-	4,739
2/11/2009	24	-	-	-	1,543,938,457	-	4,739
2/12/2009	24	-	-	-	1,543,938,457	-	4,739
2/13/2009	24	-	-	-	1,543,938,457	-	4,739
2/14/2009	24	-	-	-	1,543,938,457	-	4,739
2/15/2009	24	-	-	-	1,543,938,457	-	4,739
2/16/2009	24	-	-	-	1,543,938,457	-	4,739
2/17/2009	24	-	-	-	1,543,938,457	-	4,739
2/18/2009	24	-	-	-	1,543,938,457	-	4,739
2/19/2009	24	-	-	-	1,543,938,457	-	4,739
2/20/2009	24	-	-	-	1,543,938,457	-	4,739
2/21/2009	24	-	-	-	1,543,938,457	-	4,739
2/22/2009	24	-	-	-	1,543,938,457	-	4,739
2/23/2009	24	-	-	-	1,543,938,457	-	4,739
2/24/2009	24	-	-	-	1,543,938,457	-	4,739
2/25/2009	24	-	-	-	1,543,938,457	-	4,739
2/26/2009	24	-	-	-	1,543,938,457	-	4,739
2/27/2009	24	-	-	-	1,543,938,457	-	4,739
2/28/2009	24	-	-	-	1,543,938,457	-	4,739
3/1/2009	24	-	-	-	1,543,938,457	-	4,739
3/2/2009	24	-	-	-	1,543,938,457	-	4,739
3/3/2009	24	-	-	-	1,543,938,457	-	4,739
3/4/2009	24	-	-	-	1,543,938,457	-	4,739
3/5/2009	24	-	-	-	1,543,938,457	-	4,739
3/6/2009	24	-	-	-	1,543,938,457	-	4,739
3/7/2009	24	-	-	-	1,543,938,457	-	4,739
3/8/2009	24	-	-	-	1,543,938,457	-	4,739
3/9/2009	24	-	-	-	1,543,938,457	-	4,739
3/10/2009	24	-	-	-	1,543,938,457	-	4,739
3/11/2009	24	-	-	-	1,543,938,457	-	4,739
3/12/2009	24	-	-	-	1,543,938,457	-	4,739
3/13/2009	24	-	-	-	1,543,938,457	-	4,739
3/14/2009	24	-	-	-	1,543,938,457	-	4,739
3/15/2009	24	-	-	-	1,543,938,457	-	4,739
3/16/2009	24	-	-	-	1,543,938,457	-	4,739
3/17/2009	24	-	-	-	1,543,938,457	-	4,739
3/18/2009	24	-	-	-	1,543,938,457	-	4,739
3/19/2009	24	-	-	-	1,543,938,457	-	4,739
3/20/2009	24	-	-	-	1,543,938,457	-	4,739
3/21/2009	24	-	-	-	1,543,938,457	-	4,739
3/22/2009	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/23/2009	24	-	-	-	1,543,938,457	-	4,739
3/24/2009	24	-	-	-	1,543,938,457	-	4,739
3/25/2009	24	-	-	-	1,543,938,457	-	4,739
3/26/2009	24	-	-	-	1,543,938,457	-	4,739
3/27/2009	24	-	-	-	1,543,938,457	-	4,739
3/28/2009	24	-	-	-	1,543,938,457	-	4,739
3/29/2009	24	-	-	-	1,543,938,457	-	4,739
3/30/2009	24	-	-	-	1,543,938,457	-	4,739
3/31/2009	24	-	-	-	1,543,938,457	-	4,739
4/1/2009	24	-	-	-	1,543,938,457	-	4,739
4/2/2009	24	-	-	-	1,543,938,457	-	4,739
4/3/2009	24	-	-	-	1,543,938,457	-	4,739
4/4/2009	24	-	-	-	1,543,938,457	-	4,739
4/5/2009	24	-	-	-	1,543,938,457	-	4,739
4/6/2009	24	-	-	-	1,543,938,457	-	4,739
4/7/2009	24	-	-	-	1,543,938,457	-	4,739
4/8/2009	24	-	-	-	1,543,938,457	-	4,739
4/9/2009	24	-	-	-	1,543,938,457	-	4,739
4/10/2009	24	-	-	-	1,543,938,457	-	4,739
4/11/2009	24	-	-	-	1,543,938,457	-	4,739
4/12/2009	24	-	-	-	1,543,938,457	-	4,739
4/13/2009	24	-	-	-	1,543,938,457	-	4,739
4/14/2009	24	-	-	-	1,543,938,457	-	4,739
4/15/2009	24	-	-	-	1,543,938,457	-	4,739
4/16/2009	24	-	-	-	1,543,938,457	-	4,739
4/17/2009	24	-	-	-	1,543,938,457	-	4,739
4/18/2009	24	-	-	-	1,543,938,457	-	4,739
4/19/2009	24	-	-	-	1,543,938,457	-	4,739
4/20/2009	24	-	-	-	1,543,938,457	-	4,739
4/21/2009	24	-	-	-	1,543,938,457	-	4,739
4/22/2009	24	-	-	-	1,543,938,457	-	4,739
4/23/2009	24	-	-	-	1,543,938,457	-	4,739
4/24/2009	24	-	-	-	1,543,938,457	-	4,739
4/25/2009	24	-	-	-	1,543,938,457	-	4,739
4/26/2009	24	-	-	-	1,543,938,457	-	4,739
4/27/2009	24	-	-	-	1,543,938,457	-	4,739
4/28/2009	24	-	-	-	1,543,938,457	-	4,739
4/29/2009	24	-	-	-	1,543,938,457	-	4,739
4/30/2009	24	-	-	-	1,543,938,457	-	4,739
5/1/2009	24	-	-	-	1,543,938,457	-	4,739
5/2/2009	24	-	-	-	1,543,938,457	-	4,739
5/3/2009	24	-	-	-	1,543,938,457	-	4,739
5/4/2009	24	-	-	-	1,543,938,457	-	4,739
5/5/2009	24	-	-	-	1,543,938,457	-	4,739
5/6/2009	24	-	-	-	1,543,938,457	-	4,739
5/7/2009	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/8/2009	24	-	-	-	1,543,938,457	-	4,739
5/9/2009	24	-	-	-	1,543,938,457	-	4,739
5/10/2009	24	-	-	-	1,543,938,457	-	4,739
5/11/2009	24	-	-	-	1,543,938,457	-	4,739
5/12/2009	24	-	-	-	1,543,938,457	-	4,739
5/13/2009	24	-	-	-	1,543,938,457	-	4,739
5/14/2009	24	-	-	-	1,543,938,457	-	4,739
5/15/2009	24	-	-	-	1,543,938,457	-	4,739
5/16/2009	24	-	-	-	1,543,938,457	-	4,739
5/17/2009	24	-	-	-	1,543,938,457	-	4,739
5/18/2009	24	-	-	-	1,543,938,457	-	4,739
5/19/2009	24	-	-	-	1,543,938,457	-	4,739
5/20/2009	24	-	-	-	1,543,938,457	-	4,739
5/21/2009	24	-	-	-	1,543,938,457	-	4,739
5/22/2009	24	-	-	-	1,543,938,457	-	4,739
5/23/2009	24	-	-	-	1,543,938,457	-	4,739
5/24/2009	24	-	-	-	1,543,938,457	-	4,739
5/25/2009	24	-	-	-	1,543,938,457	-	4,739
5/26/2009	24	-	-	-	1,543,938,457	-	4,739
5/27/2009	24	-	-	-	1,543,938,457	-	4,739
5/28/2009	24	-	-	-	1,543,938,457	-	4,739
5/29/2009	24	-	-	-	1,543,938,457	-	4,739
5/30/2009	24	-	-	-	1,543,938,457	-	4,739
5/31/2009	24	-	-	-	1,543,938,457	-	4,739
6/1/2009	24	-	-	-	1,543,938,457	-	4,739
6/2/2009	24	-	-	-	1,543,938,457	-	4,739
6/3/2009	24	-	-	-	1,543,938,457	-	4,739
6/4/2009	24	-	-	-	1,543,938,457	-	4,739
6/5/2009	24	-	-	-	1,543,938,457	-	4,739
6/6/2009	24	-	-	-	1,543,938,457	-	4,739
6/7/2009	24	-	-	-	1,543,938,457	-	4,739
6/8/2009	24	-	-	-	1,543,938,457	-	4,739
6/9/2009	24	-	-	-	1,543,938,457	-	4,739
6/10/2009	24	-	-	-	1,543,938,457	-	4,739
6/11/2009	24	-	-	-	1,543,938,457	-	4,739
6/12/2009	24	-	-	-	1,543,938,457	-	4,739
6/13/2009	24	-	-	-	1,543,938,457	-	4,739
6/14/2009	24	-	-	-	1,543,938,457	-	4,739
6/15/2009	24	-	-	-	1,543,938,457	-	4,739
6/16/2009	24	-	-	-	1,543,938,457	-	4,739
6/17/2009	24	-	-	-	1,543,938,457	-	4,739
6/18/2009	24	-	-	-	1,543,938,457	-	4,739
6/19/2009	24	-	-	-	1,543,938,457	-	4,739
6/20/2009	24	-	-	-	1,543,938,457	-	4,739
6/21/2009	24	-	-	-	1,543,938,457	-	4,739
6/22/2009	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/23/2009	24	-	-	-	1,543,938,457	-	4,739
6/24/2009	24	-	-	-	1,543,938,457	-	4,739
6/25/2009	24	-	-	-	1,543,938,457	-	4,739
6/26/2009	24	-	-	-	1,543,938,457	-	4,739
6/27/2009	24	-	-	-	1,543,938,457	-	4,739
6/28/2009	24	-	-	-	1,543,938,457	-	4,739
6/29/2009	24	-	-	-	1,543,938,457	-	4,739
6/30/2009	24	-	-	-	1,543,938,457	-	4,739
7/1/2009	24	-	-	-	1,543,938,457	-	4,739
7/2/2009	24	-	-	-	1,543,938,457	-	4,739
7/3/2009	24	-	-	-	1,543,938,457	-	4,739
7/4/2009	24	-	-	-	1,543,938,457	-	4,739
7/5/2009	24	-	-	-	1,543,938,457	-	4,739
7/6/2009	24	-	-	-	1,543,938,457	-	4,739
7/7/2009	24	-	-	-	1,543,938,457	-	4,739
7/8/2009	24	-	-	-	1,543,938,457	-	4,739
7/9/2009	24	-	-	-	1,543,938,457	-	4,739
7/10/2009	24	-	-	-	1,543,938,457	-	4,739
7/11/2009	24	-	-	-	1,543,938,457	-	4,739
7/12/2009	24	-	-	-	1,543,938,457	-	4,739
7/13/2009	24	-	-	-	1,543,938,457	-	4,739
7/14/2009	24	-	-	-	1,543,938,457	-	4,739
7/15/2009	24	-	-	-	1,543,938,457	-	4,739
7/16/2009	24	-	-	-	1,543,938,457	-	4,739
7/17/2009	24	-	-	-	1,543,938,457	-	4,739
7/18/2009	24	-	-	-	1,543,938,457	-	4,739
7/19/2009	24	-	-	-	1,543,938,457	-	4,739
7/20/2009	24	-	-	-	1,543,938,457	-	4,739
7/21/2009	24	-	-	-	1,543,938,457	-	4,739
7/22/2009	24	-	-	-	1,543,938,457	-	4,739
7/23/2009	24	-	-	-	1,543,938,457	-	4,739
7/24/2009	24	-	-	-	1,543,938,457	-	4,739
7/25/2009	24	-	-	-	1,543,938,457	-	4,739
7/26/2009	24	-	-	-	1,543,938,457	-	4,739
7/27/2009	24	-	-	-	1,543,938,457	-	4,739
7/28/2009	24	-	-	-	1,543,938,457	-	4,739
7/29/2009	24	-	-	-	1,543,938,457	-	4,739
7/30/2009	24	-	-	-	1,543,938,457	-	4,739
7/31/2009	24	-	-	-	1,543,938,457	-	4,739
8/1/2009	24	-	-	-	1,543,938,457	-	4,739
8/2/2009	24	-	-	-	1,543,938,457	-	4,739
8/3/2009	24	-	-	-	1,543,938,457	-	4,739
8/4/2009	24	-	-	-	1,543,938,457	-	4,739
8/5/2009	24	-	-	-	1,543,938,457	-	4,739
8/6/2009	24	-	-	-	1,543,938,457	-	4,739
8/7/2009	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/8/2009	24	-	-	-	1,543,938,457	-	4,739
8/9/2009	24	-	-	-	1,543,938,457	-	4,739
8/10/2009	24	-	-	-	1,543,938,457	-	4,739
8/11/2009	24	-	-	-	1,543,938,457	-	4,739
8/12/2009	24	-	-	-	1,543,938,457	-	4,739
8/13/2009	24	-	-	-	1,543,938,457	-	4,739
8/14/2009	24	-	-	-	1,543,938,457	-	4,739
8/15/2009	24	-	-	-	1,543,938,457	-	4,739
8/16/2009	24	-	-	-	1,543,938,457	-	4,739
8/17/2009	24	-	-	-	1,543,938,457	-	4,739
8/18/2009	24	-	-	-	1,543,938,457	-	4,739
8/19/2009	24	-	-	-	1,543,938,457	-	4,739
8/20/2009	24	-	-	-	1,543,938,457	-	4,739
8/21/2009	24	-	-	-	1,543,938,457	-	4,739
8/22/2009	24	-	-	-	1,543,938,457	-	4,739
8/23/2009	24	-	-	-	1,543,938,457	-	4,739
8/24/2009	24	-	-	-	1,543,938,457	-	4,739
8/25/2009	24	-	-	-	1,543,938,457	-	4,739
8/26/2009	24	-	-	-	1,543,938,457	-	4,739
8/27/2009	24	-	-	-	1,543,938,457	-	4,739
8/28/2009	24	-	-	-	1,543,938,457	-	4,739
8/29/2009	24	-	-	-	1,543,938,457	-	4,739
8/30/2009	24	-	-	-	1,543,938,457	-	4,739
8/31/2009	24	-	-	-	1,543,938,457	-	4,739
9/1/2009	24	-	-	-	1,543,938,457	-	4,739
9/2/2009	24	-	-	-	1,543,938,457	-	4,739
9/3/2009	24	-	-	-	1,543,938,457	-	4,739
9/4/2009	24	-	-	-	1,543,938,457	-	4,739
9/5/2009	24	-	-	-	1,543,938,457	-	4,739
9/6/2009	24	-	-	-	1,543,938,457	-	4,739
9/7/2009	24	-	-	-	1,543,938,457	-	4,739
9/8/2009	24	-	-	-	1,543,938,457	-	4,739
9/9/2009	24	-	-	-	1,543,938,457	-	4,739
9/10/2009	24	-	-	-	1,543,938,457	-	4,739
9/11/2009	24	-	-	-	1,543,938,457	-	4,739
9/12/2009	24	-	-	-	1,543,938,457	-	4,739
9/13/2009	24	-	-	-	1,543,938,457	-	4,739
9/14/2009	24	-	-	-	1,543,938,457	-	4,739
9/15/2009	24	-	-	-	1,543,938,457	-	4,739
9/16/2009	24	-	-	-	1,543,938,457	-	4,739
9/17/2009	24	-	-	-	1,543,938,457	-	4,739
9/18/2009	24	-	-	-	1,543,938,457	-	4,739
9/19/2009	24	-	-	-	1,543,938,457	-	4,739
9/20/2009	24	-	-	-	1,543,938,457	-	4,739
9/21/2009	24	-	-	-	1,543,938,457	-	4,739
9/22/2009	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/23/2009	24	-	-	-	1,543,938,457	-	4,739
9/24/2009	24	-	-	-	1,543,938,457	-	4,739
9/25/2009	24	-	-	-	1,543,938,457	-	4,739
9/26/2009	24	-	-	-	1,543,938,457	-	4,739
9/27/2009	24	-	-	-	1,543,938,457	-	4,739
9/28/2009	24	-	-	-	1,543,938,457	-	4,739
9/29/2009	24	-	-	-	1,543,938,457	-	4,739
9/30/2009	24	-	-	-	1,543,938,457	-	4,739
10/1/2009	24	-	-	-	1,543,938,457	-	4,739
10/2/2009	24	-	-	-	1,543,938,457	-	4,739
10/3/2009	24	-	-	-	1,543,938,457	-	4,739
10/4/2009	24	-	-	-	1,543,938,457	-	4,739
10/5/2009	24	-	-	-	1,543,938,457	-	4,739
10/6/2009	24	-	-	-	1,543,938,457	-	4,739
10/7/2009	24	-	-	-	1,543,938,457	-	4,739
10/8/2009	24	-	-	-	1,543,938,457	-	4,739
10/9/2009	24	-	-	-	1,543,938,457	-	4,739
10/10/2009	24	-	-	-	1,543,938,457	-	4,739
10/11/2009	24	-	-	-	1,543,938,457	-	4,739
10/12/2009	24	-	-	-	1,543,938,457	-	4,739
10/13/2009	24	-	-	-	1,543,938,457	-	4,739
10/14/2009	24	-	-	-	1,543,938,457	-	4,739
10/15/2009	24	-	-	-	1,543,938,457	-	4,739
10/16/2009	24	-	-	-	1,543,938,457	-	4,739
10/17/2009	24	-	-	-	1,543,938,457	-	4,739
10/18/2009	24	-	-	-	1,543,938,457	-	4,739
10/19/2009	24	-	-	-	1,543,938,457	-	4,739
10/20/2009	24	-	-	-	1,543,938,457	-	4,739
10/21/2009	24	-	-	-	1,543,938,457	-	4,739
10/22/2009	24	-	-	-	1,543,938,457	-	4,739
10/23/2009	24	-	-	-	1,543,938,457	-	4,739
10/24/2009	24	-	-	-	1,543,938,457	-	4,739
10/25/2009	24	-	-	-	1,543,938,457	-	4,739
10/26/2009	24	-	-	-	1,543,938,457	-	4,739
10/27/2009	24	-	-	-	1,543,938,457	-	4,739
10/28/2009	24	-	-	-	1,543,938,457	-	4,739
10/29/2009	24	-	-	-	1,543,938,457	-	4,739
10/30/2009	24	-	-	-	1,543,938,457	-	4,739
10/31/2009	24	-	-	-	1,543,938,457	-	4,739
11/1/2009	24	-	-	-	1,543,938,457	-	4,739
11/2/2009	24	-	-	-	1,543,938,457	-	4,739
11/3/2009	24	-	-	-	1,543,938,457	-	4,739
11/4/2009	24	-	-	-	1,543,938,457	-	4,739
11/5/2009	24	-	-	-	1,543,938,457	-	4,739
11/6/2009	24	-	-	-	1,543,938,457	-	4,739
11/7/2009	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/8/2009	24	-	-	-	1,543,938,457	-	4,739
11/9/2009	24	-	-	-	1,543,938,457	-	4,739
11/10/2009	24	-	-	-	1,543,938,457	-	4,739
11/11/2009	24	-	-	-	1,543,938,457	-	4,739
11/12/2009	24	-	-	-	1,543,938,457	-	4,739
11/13/2009	24	-	-	-	1,543,938,457	-	4,739
11/14/2009	24	-	-	-	1,543,938,457	-	4,739
11/15/2009	24	-	-	-	1,543,938,457	-	4,739
11/16/2009	24	-	-	-	1,543,938,457	-	4,739
11/17/2009	24	-	-	-	1,543,938,457	-	4,739
11/18/2009	24	-	-	-	1,543,938,457	-	4,739
11/19/2009	24	-	-	-	1,543,938,457	-	4,739
11/20/2009	24	-	-	-	1,543,938,457	-	4,739
11/21/2009	24	-	-	-	1,543,938,457	-	4,739
11/22/2009	24	-	-	-	1,543,938,457	-	4,739
11/23/2009	24	-	-	-	1,543,938,457	-	4,739
11/24/2009	24	-	-	-	1,543,938,457	-	4,739
11/25/2009	24	-	-	-	1,543,938,457	-	4,739
11/26/2009	24	-	-	-	1,543,938,457	-	4,739
11/27/2009	24	-	-	-	1,543,938,457	-	4,739
11/28/2009	24	-	-	-	1,543,938,457	-	4,739
11/29/2009	24	-	-	-	1,543,938,457	-	4,739
11/30/2009	24	-	-	-	1,543,938,457	-	4,739
12/1/2009	24	-	-	-	1,543,938,457	-	4,739
12/2/2009	24	-	-	-	1,543,938,457	-	4,739
12/3/2009	24	-	-	-	1,543,938,457	-	4,739
12/4/2009	24	-	-	-	1,543,938,457	-	4,739
12/5/2009	24	-	-	-	1,543,938,457	-	4,739
12/6/2009	24	-	-	-	1,543,938,457	-	4,739
12/7/2009	24	-	-	-	1,543,938,457	-	4,739
12/8/2009	24	-	-	-	1,543,938,457	-	4,739
12/9/2009	24	-	-	-	1,543,938,457	-	4,739
12/10/2009	24	-	-	-	1,543,938,457	-	4,739
12/11/2009	24	-	-	-	1,543,938,457	-	4,739
12/12/2009	24	-	-	-	1,543,938,457	-	4,739
12/13/2009	24	-	-	-	1,543,938,457	-	4,739
12/14/2009	24	-	-	-	1,543,938,457	-	4,739
12/15/2009	24	-	-	-	1,543,938,457	-	4,739
12/16/2009	24	-	-	-	1,543,938,457	-	4,739
12/17/2009	24	-	-	-	1,543,938,457	-	4,739
12/18/2009	24	-	-	-	1,543,938,457	-	4,739
12/19/2009	24	-	-	-	1,543,938,457	-	4,739
12/20/2009	24	-	-	-	1,543,938,457	-	4,739
12/21/2009	24	-	-	-	1,543,938,457	-	4,739
12/22/2009	24	-	-	-	1,543,938,457	-	4,739
12/23/2009	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/24/2009	24	-	-	-	1,543,938,457	-	4,739
12/25/2009	24	-	-	-	1,543,938,457	-	4,739
12/26/2009	24	-	-	-	1,543,938,457	-	4,739
12/27/2009	24	-	-	-	1,543,938,457	-	4,739
12/28/2009	24	-	-	-	1,543,938,457	-	4,739
12/29/2009	24	-	-	-	1,543,938,457	-	4,739
12/30/2009	24	-	-	-	1,543,938,457	-	4,739
12/31/2009	24	-	-	-	1,543,938,457	-	4,739
1/1/2010	24	-	-	-	1,543,938,457	-	4,739
1/2/2010	24	-	-	-	1,543,938,457	-	4,739
1/3/2010	24	-	-	-	1,543,938,457	-	4,739
1/4/2010	24	-	-	-	1,543,938,457	-	4,739
1/5/2010	24	-	-	-	1,543,938,457	-	4,739
1/6/2010	24	-	-	-	1,543,938,457	-	4,739
1/7/2010	24	-	-	-	1,543,938,457	-	4,739
1/8/2010	24	-	-	-	1,543,938,457	-	4,739
1/9/2010	24	-	-	-	1,543,938,457	-	4,739
1/10/2010	24	-	-	-	1,543,938,457	-	4,739
1/11/2010	24	-	-	-	1,543,938,457	-	4,739
1/12/2010	24	-	-	-	1,543,938,457	-	4,739
1/13/2010	24	-	-	-	1,543,938,457	-	4,739
1/14/2010	24	-	-	-	1,543,938,457	-	4,739
1/15/2010	24	-	-	-	1,543,938,457	-	4,739
1/16/2010	24	-	-	-	1,543,938,457	-	4,739
1/17/2010	24	-	-	-	1,543,938,457	-	4,739
1/18/2010	24	-	-	-	1,543,938,457	-	4,739
1/19/2010	24	-	-	-	1,543,938,457	-	4,739
1/20/2010	24	-	-	-	1,543,938,457	-	4,739
1/21/2010	24	-	-	-	1,543,938,457	-	4,739
1/22/2010	24	-	-	-	1,543,938,457	-	4,739
1/23/2010	24	-	-	-	1,543,938,457	-	4,739
1/24/2010	24	-	-	-	1,543,938,457	-	4,739
1/25/2010	24	-	-	-	1,543,938,457	-	4,739
1/26/2010	24	-	-	-	1,543,938,457	-	4,739
1/27/2010	24	-	-	-	1,543,938,457	-	4,739
1/28/2010	24	-	-	-	1,543,938,457	-	4,739
1/29/2010	24	-	-	-	1,543,938,457	-	4,739
1/30/2010	24	-	-	-	1,543,938,457	-	4,739
1/31/2010	24	-	-	-	1,543,938,457	-	4,739
2/1/2010	24	-	-	-	1,543,938,457	-	4,739
2/2/2010	24	-	-	-	1,543,938,457	-	4,739
2/3/2010	24	-	-	-	1,543,938,457	-	4,739
2/4/2010	24	-	-	-	1,543,938,457	-	4,739
2/5/2010	24	-	-	-	1,543,938,457	-	4,739
2/6/2010	24	-	-	-	1,543,938,457	-	4,739
2/7/2010	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/8/2010	24	-	-	-	1,543,938,457	-	4,739
2/9/2010	24	-	-	-	1,543,938,457	-	4,739
2/10/2010	24	-	-	-	1,543,938,457	-	4,739
2/11/2010	24	-	-	-	1,543,938,457	-	4,739
2/12/2010	24	-	-	-	1,543,938,457	-	4,739
2/13/2010	24	-	-	-	1,543,938,457	-	4,739
2/14/2010	24	-	-	-	1,543,938,457	-	4,739
2/15/2010	24	-	-	-	1,543,938,457	-	4,739
2/16/2010	24	-	-	-	1,543,938,457	-	4,739
2/17/2010	24	-	-	-	1,543,938,457	-	4,739
2/18/2010	24	-	-	-	1,543,938,457	-	4,739
2/19/2010	24	-	-	-	1,543,938,457	-	4,739
2/20/2010	24	-	-	-	1,543,938,457	-	4,739
2/21/2010	24	-	-	-	1,543,938,457	-	4,739
2/22/2010	24	-	-	-	1,543,938,457	-	4,739
2/23/2010	24	-	-	-	1,543,938,457	-	4,739
2/24/2010	24	-	-	-	1,543,938,457	-	4,739
2/25/2010	24	-	-	-	1,543,938,457	-	4,739
2/26/2010	24	-	-	-	1,543,938,457	-	4,739
2/27/2010	24	-	-	-	1,543,938,457	-	4,739
2/28/2010	24	-	-	-	1,543,938,457	-	4,739
3/1/2010	24	-	-	-	1,543,938,457	-	4,739
3/2/2010	24	-	-	-	1,543,938,457	-	4,739
3/3/2010	24	-	-	-	1,543,938,457	-	4,739
3/4/2010	24	-	-	-	1,543,938,457	-	4,739
3/5/2010	24	-	-	-	1,543,938,457	-	4,739
3/6/2010	24	-	-	-	1,543,938,457	-	4,739
3/7/2010	24	-	-	-	1,543,938,457	-	4,739
3/8/2010	24	-	-	-	1,543,938,457	-	4,739
3/9/2010	24	-	-	-	1,543,938,457	-	4,739
3/10/2010	24	-	-	-	1,543,938,457	-	4,739
3/11/2010	24	-	-	-	1,543,938,457	-	4,739
3/12/2010	24	-	-	-	1,543,938,457	-	4,739
3/13/2010	24	-	-	-	1,543,938,457	-	4,739
3/14/2010	24	-	-	-	1,543,938,457	-	4,739
3/15/2010	24	-	-	-	1,543,938,457	-	4,739
3/16/2010	24	-	-	-	1,543,938,457	-	4,739
3/17/2010	24	-	-	-	1,543,938,457	-	4,739
3/18/2010	24	-	-	-	1,543,938,457	-	4,739
3/19/2010	24	-	-	-	1,543,938,457	-	4,739
3/20/2010	24	-	-	-	1,543,938,457	-	4,739
3/21/2010	24	-	-	-	1,543,938,457	-	4,739
3/22/2010	24	-	-	-	1,543,938,457	-	4,739
3/23/2010	24	-	-	-	1,543,938,457	-	4,739
3/24/2010	24	-	-	-	1,543,938,457	-	4,739
3/25/2010	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/26/2010	24	-	-	-	1,543,938,457	-	4,739
3/27/2010	24	-	-	-	1,543,938,457	-	4,739
3/28/2010	24	-	-	-	1,543,938,457	-	4,739
3/29/2010	24	-	-	-	1,543,938,457	-	4,739
3/30/2010	24	-	-	-	1,543,938,457	-	4,739
3/31/2010	24	-	-	-	1,543,938,457	-	4,739
4/1/2010	24	-	-	-	1,543,938,457	-	4,739
4/2/2010	24	-	-	-	1,543,938,457	-	4,739
4/3/2010	24	-	-	-	1,543,938,457	-	4,739
4/4/2010	24	-	-	-	1,543,938,457	-	4,739
4/5/2010	24	-	-	-	1,543,938,457	-	4,739
4/6/2010	24	-	-	-	1,543,938,457	-	4,739
4/7/2010	24	-	-	-	1,543,938,457	-	4,739
4/8/2010	24	-	-	-	1,543,938,457	-	4,739
4/9/2010	24	-	-	-	1,543,938,457	-	4,739
4/10/2010	24	-	-	-	1,543,938,457	-	4,739
4/11/2010	24	-	-	-	1,543,938,457	-	4,739
4/12/2010	24	-	-	-	1,543,938,457	-	4,739
4/13/2010	24	-	-	-	1,543,938,457	-	4,739
4/14/2010	24	-	-	-	1,543,938,457	-	4,739
4/15/2010	24	-	-	-	1,543,938,457	-	4,739
4/16/2010	24	-	-	-	1,543,938,457	-	4,739
4/17/2010	24	-	-	-	1,543,938,457	-	4,739
4/18/2010	24	-	-	-	1,543,938,457	-	4,739
4/19/2010	24	-	-	-	1,543,938,457	-	4,739
4/20/2010	24	-	-	-	1,543,938,457	-	4,739
4/21/2010	24	-	-	-	1,543,938,457	-	4,739
4/22/2010	24	-	-	-	1,543,938,457	-	4,739
4/23/2010	24	-	-	-	1,543,938,457	-	4,739
4/24/2010	24	-	-	-	1,543,938,457	-	4,739
4/25/2010	24	-	-	-	1,543,938,457	-	4,739
4/26/2010	24	-	-	-	1,543,938,457	-	4,739
4/27/2010	24	-	-	-	1,543,938,457	-	4,739
4/28/2010	24	-	-	-	1,543,938,457	-	4,739
4/29/2010	24	-	-	-	1,543,938,457	-	4,739
4/30/2010	24	-	-	-	1,543,938,457	-	4,739
5/1/2010	24	-	-	-	1,543,938,457	-	4,739
5/2/2010	24	-	-	-	1,543,938,457	-	4,739
5/3/2010	24	-	-	-	1,543,938,457	-	4,739
5/4/2010	24	-	-	-	1,543,938,457	-	4,739
5/5/2010	24	-	-	-	1,543,938,457	-	4,739
5/6/2010	24	-	-	-	1,543,938,457	-	4,739
5/7/2010	24	-	-	-	1,543,938,457	-	4,739
5/8/2010	24	-	-	-	1,543,938,457	-	4,739
5/9/2010	24	-	-	-	1,543,938,457	-	4,739
5/10/2010	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/11/2010	24	-	-	-	1,543,938,457	-	4,739
5/12/2010	24	-	-	-	1,543,938,457	-	4,739
5/13/2010	24	-	-	-	1,543,938,457	-	4,739
5/14/2010	24	-	-	-	1,543,938,457	-	4,739
5/15/2010	24	-	-	-	1,543,938,457	-	4,739
5/16/2010	24	-	-	-	1,543,938,457	-	4,739
5/17/2010	24	-	-	-	1,543,938,457	-	4,739
5/18/2010	24	-	-	-	1,543,938,457	-	4,739
5/19/2010	24	-	-	-	1,543,938,457	-	4,739
5/20/2010	24	-	-	-	1,543,938,457	-	4,739
5/21/2010	24	-	-	-	1,543,938,457	-	4,739
5/22/2010	24	-	-	-	1,543,938,457	-	4,739
5/23/2010	24	-	-	-	1,543,938,457	-	4,739
5/24/2010	24	-	-	-	1,543,938,457	-	4,739
5/25/2010	24	-	-	-	1,543,938,457	-	4,739
5/26/2010	24	-	-	-	1,543,938,457	-	4,739
5/27/2010	24	-	-	-	1,543,938,457	-	4,739
5/28/2010	24	-	-	-	1,543,938,457	-	4,739
5/29/2010	24	-	-	-	1,543,938,457	-	4,739
5/30/2010	24	-	-	-	1,543,938,457	-	4,739
5/31/2010	24	-	-	-	1,543,938,457	-	4,739
6/1/2010	24	-	-	-	1,543,938,457	-	4,739
6/2/2010	24	-	-	-	1,543,938,457	-	4,739
6/3/2010	24	-	-	-	1,543,938,457	-	4,739
6/4/2010	24	-	-	-	1,543,938,457	-	4,739
6/5/2010	24	-	-	-	1,543,938,457	-	4,739
6/6/2010	24	-	-	-	1,543,938,457	-	4,739
6/7/2010	24	-	-	-	1,543,938,457	-	4,739
6/8/2010	24	-	-	-	1,543,938,457	-	4,739
6/9/2010	24	-	-	-	1,543,938,457	-	4,739
6/10/2010	24	-	-	-	1,543,938,457	-	4,739
6/11/2010	24	-	-	-	1,543,938,457	-	4,739
6/12/2010	24	-	-	-	1,543,938,457	-	4,739
6/13/2010	24	-	-	-	1,543,938,457	-	4,739
6/14/2010	24	-	-	-	1,543,938,457	-	4,739
6/15/2010	24	-	-	-	1,543,938,457	-	4,739
6/16/2010	24	-	-	-	1,543,938,457	-	4,739
6/17/2010	24	-	-	-	1,543,938,457	-	4,739
6/18/2010	24	-	-	-	1,543,938,457	-	4,739
6/19/2010	24	-	-	-	1,543,938,457	-	4,739
6/20/2010	24	-	-	-	1,543,938,457	-	4,739
6/21/2010	24	-	-	-	1,543,938,457	-	4,739
6/22/2010	24	-	-	-	1,543,938,457	-	4,739
6/23/2010	24	-	-	-	1,543,938,457	-	4,739
6/24/2010	24	-	-	-	1,543,938,457	-	4,739
6/25/2010	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/26/2010	24	-	-	-	1,543,938,457	-	4,739
6/27/2010	24	-	-	-	1,543,938,457	-	4,739
6/28/2010	24	-	-	-	1,543,938,457	-	4,739
6/29/2010	24	-	-	-	1,543,938,457	-	4,739
6/30/2010	24	-	-	-	1,543,938,457	-	4,739
7/1/2010	24	-	-	-	1,543,938,457	-	4,739
7/2/2010	24	-	-	-	1,543,938,457	-	4,739
7/3/2010	24	-	-	-	1,543,938,457	-	4,739
7/4/2010	24	-	-	-	1,543,938,457	-	4,739
7/5/2010	24	-	-	-	1,543,938,457	-	4,739
7/6/2010	24	-	-	-	1,543,938,457	-	4,739
7/7/2010	24	-	-	-	1,543,938,457	-	4,739
7/8/2010	24	-	-	-	1,543,938,457	-	4,739
7/9/2010	24	-	-	-	1,543,938,457	-	4,739
7/10/2010	24	-	-	-	1,543,938,457	-	4,739
7/11/2010	24	-	-	-	1,543,938,457	-	4,739
7/12/2010	24	-	-	-	1,543,938,457	-	4,739
7/13/2010	24	-	-	-	1,543,938,457	-	4,739
7/14/2010	24	-	-	-	1,543,938,457	-	4,739
7/15/2010	24	-	-	-	1,543,938,457	-	4,739
7/16/2010	24	-	-	-	1,543,938,457	-	4,739
7/17/2010	24	-	-	-	1,543,938,457	-	4,739
7/18/2010	24	-	-	-	1,543,938,457	-	4,739
7/19/2010	24	-	-	-	1,543,938,457	-	4,739
7/20/2010	24	-	-	-	1,543,938,457	-	4,739
7/21/2010	24	-	-	-	1,543,938,457	-	4,739
7/22/2010	24	-	-	-	1,543,938,457	-	4,739
7/23/2010	24	-	-	-	1,543,938,457	-	4,739
7/24/2010	24	-	-	-	1,543,938,457	-	4,739
7/25/2010	24	-	-	-	1,543,938,457	-	4,739
7/26/2010	24	-	-	-	1,543,938,457	-	4,739
7/27/2010	24	-	-	-	1,543,938,457	-	4,739
7/28/2010	24	-	-	-	1,543,938,457	-	4,739
7/29/2010	24	-	-	-	1,543,938,457	-	4,739
7/30/2010	24	-	-	-	1,543,938,457	-	4,739
7/31/2010	24	-	-	-	1,543,938,457	-	4,739
8/1/2010	24	-	-	-	1,543,938,457	-	4,739
8/2/2010	24	-	-	-	1,543,938,457	-	4,739
8/3/2010	24	-	-	-	1,543,938,457	-	4,739
8/4/2010	24	-	-	-	1,543,938,457	-	4,739
8/5/2010	24	-	-	-	1,543,938,457	-	4,739
8/6/2010	24	-	-	-	1,543,938,457	-	4,739
8/7/2010	24	-	-	-	1,543,938,457	-	4,739
8/8/2010	24	-	-	-	1,543,938,457	-	4,739
8/9/2010	24	-	-	-	1,543,938,457	-	4,739
8/10/2010	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/11/2010	24	-	-	-	1,543,938,457	-	4,739
8/12/2010	24	-	-	-	1,543,938,457	-	4,739
8/13/2010	24	-	-	-	1,543,938,457	-	4,739
8/14/2010	24	-	-	-	1,543,938,457	-	4,739
8/15/2010	24	-	-	-	1,543,938,457	-	4,739
8/16/2010	24	-	-	-	1,543,938,457	-	4,739
8/17/2010	24	-	-	-	1,543,938,457	-	4,739
8/18/2010	24	-	-	-	1,543,938,457	-	4,739
8/19/2010	24	-	-	-	1,543,938,457	-	4,739
8/20/2010	24	-	-	-	1,543,938,457	-	4,739
8/21/2010	24	-	-	-	1,543,938,457	-	4,739
8/22/2010	24	-	-	-	1,543,938,457	-	4,739
8/23/2010	24	-	-	-	1,543,938,457	-	4,739
8/24/2010	24	-	-	-	1,543,938,457	-	4,739
8/25/2010	24	-	-	-	1,543,938,457	-	4,739
8/26/2010	24	-	-	-	1,543,938,457	-	4,739
8/27/2010	24	-	-	-	1,543,938,457	-	4,739
8/28/2010	24	-	-	-	1,543,938,457	-	4,739
8/29/2010	24	-	-	-	1,543,938,457	-	4,739
8/30/2010	24	-	-	-	1,543,938,457	-	4,739
8/31/2010	24	-	-	-	1,543,938,457	-	4,739
9/1/2010	24	-	-	-	1,543,938,457	-	4,739
9/2/2010	24	-	-	-	1,543,938,457	-	4,739
9/3/2010	24	-	-	-	1,543,938,457	-	4,739
9/4/2010	24	-	-	-	1,543,938,457	-	4,739
9/5/2010	24	-	-	-	1,543,938,457	-	4,739
9/6/2010	24	-	-	-	1,543,938,457	-	4,739
9/7/2010	24	-	-	-	1,543,938,457	-	4,739
9/8/2010	24	-	-	-	1,543,938,457	-	4,739
9/9/2010	24	-	-	-	1,543,938,457	-	4,739
9/10/2010	24	-	-	-	1,543,938,457	-	4,739
9/11/2010	24	-	-	-	1,543,938,457	-	4,739
9/12/2010	24	-	-	-	1,543,938,457	-	4,739
9/13/2010	24	-	-	-	1,543,938,457	-	4,739
9/14/2010	24	-	-	-	1,543,938,457	-	4,739
9/15/2010	24	-	-	-	1,543,938,457	-	4,739
9/16/2010	24	-	-	-	1,543,938,457	-	4,739
9/17/2010	24	-	-	-	1,543,938,457	-	4,739
9/18/2010	24	-	-	-	1,543,938,457	-	4,739
9/19/2010	24	-	-	-	1,543,938,457	-	4,739
9/20/2010	24	-	-	-	1,543,938,457	-	4,739
9/21/2010	24	-	-	-	1,543,938,457	-	4,739
9/22/2010	24	-	-	-	1,543,938,457	-	4,739
9/23/2010	24	-	-	-	1,543,938,457	-	4,739
9/24/2010	24	-	-	-	1,543,938,457	-	4,739
9/25/2010	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/26/2010	24	-	-	-	1,543,938,457	-	4,739
9/27/2010	24	-	-	-	1,543,938,457	-	4,739
9/28/2010	24	-	-	-	1,543,938,457	-	4,739
9/29/2010	24	-	-	-	1,543,938,457	-	4,739
9/30/2010	24	-	-	-	1,543,938,457	-	4,739
10/1/2010	24	-	-	-	1,543,938,457	-	4,739
10/2/2010	24	-	-	-	1,543,938,457	-	4,739
10/3/2010	24	-	-	-	1,543,938,457	-	4,739
10/4/2010	24	-	-	-	1,543,938,457	-	4,739
10/5/2010	24	-	-	-	1,543,938,457	-	4,739
10/6/2010	24	-	-	-	1,543,938,457	-	4,739
10/7/2010	24	-	-	-	1,543,938,457	-	4,739
10/8/2010	24	-	-	-	1,543,938,457	-	4,739
10/9/2010	24	-	-	-	1,543,938,457	-	4,739
10/10/2010	24	-	-	-	1,543,938,457	-	4,739
10/11/2010	24	-	-	-	1,543,938,457	-	4,739
10/12/2010	24	-	-	-	1,543,938,457	-	4,739
10/13/2010	24	-	-	-	1,543,938,457	-	4,739
10/14/2010	24	-	-	-	1,543,938,457	-	4,739
10/15/2010	24	-	-	-	1,543,938,457	-	4,739
10/16/2010	24	-	-	-	1,543,938,457	-	4,739
10/17/2010	24	-	-	-	1,543,938,457	-	4,739
10/18/2010	24	-	-	-	1,543,938,457	-	4,739
10/19/2010	24	-	-	-	1,543,938,457	-	4,739
10/20/2010	24	-	-	-	1,543,938,457	-	4,739
10/21/2010	24	-	-	-	1,543,938,457	-	4,739
10/22/2010	24	-	-	-	1,543,938,457	-	4,739
10/23/2010	24	-	-	-	1,543,938,457	-	4,739
10/24/2010	24	-	-	-	1,543,938,457	-	4,739
10/25/2010	24	-	-	-	1,543,938,457	-	4,739
10/26/2010	24	-	-	-	1,543,938,457	-	4,739
10/27/2010	24	-	-	-	1,543,938,457	-	4,739
10/28/2010	24	-	-	-	1,543,938,457	-	4,739
10/29/2010	24	-	-	-	1,543,938,457	-	4,739
10/30/2010	24	-	-	-	1,543,938,457	-	4,739
10/31/2010	24	-	-	-	1,543,938,457	-	4,739
11/1/2010	24	-	-	-	1,543,938,457	-	4,739
11/2/2010	24	-	-	-	1,543,938,457	-	4,739
11/3/2010	24	-	-	-	1,543,938,457	-	4,739
11/4/2010	24	-	-	-	1,543,938,457	-	4,739
11/5/2010	24	-	-	-	1,543,938,457	-	4,739
11/6/2010	24	-	-	-	1,543,938,457	-	4,739
11/7/2010	24	-	-	-	1,543,938,457	-	4,739
11/8/2010	24	-	-	-	1,543,938,457	-	4,739
11/9/2010	24	-	-	-	1,543,938,457	-	4,739
11/10/2010	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/11/2010	24	-	-	-	1,543,938,457	-	4,739
11/12/2010	24	-	-	-	1,543,938,457	-	4,739
11/13/2010	24	-	-	-	1,543,938,457	-	4,739
11/14/2010	24	-	-	-	1,543,938,457	-	4,739
11/15/2010	24	-	-	-	1,543,938,457	-	4,739
11/16/2010	24	-	-	-	1,543,938,457	-	4,739
11/17/2010	24	-	-	-	1,543,938,457	-	4,739
11/18/2010	24	-	-	-	1,543,938,457	-	4,739
11/19/2010	24	-	-	-	1,543,938,457	-	4,739
11/20/2010	24	-	-	-	1,543,938,457	-	4,739
11/21/2010	24	-	-	-	1,543,938,457	-	4,739
11/22/2010	24	-	-	-	1,543,938,457	-	4,739
11/23/2010	24	-	-	-	1,543,938,457	-	4,739
11/24/2010	24	-	-	-	1,543,938,457	-	4,739
11/25/2010	24	-	-	-	1,543,938,457	-	4,739
11/26/2010	24	-	-	-	1,543,938,457	-	4,739
11/27/2010	24	-	-	-	1,543,938,457	-	4,739
11/28/2010	24	-	-	-	1,543,938,457	-	4,739
11/29/2010	24	-	-	-	1,543,938,457	-	4,739
11/30/2010	24	-	-	-	1,543,938,457	-	4,739
12/1/2010	24	-	-	-	1,543,938,457	-	4,739
12/2/2010	24	-	-	-	1,543,938,457	-	4,739
12/3/2010	24	-	-	-	1,543,938,457	-	4,739
12/4/2010	24	-	-	-	1,543,938,457	-	4,739
12/5/2010	24	-	-	-	1,543,938,457	-	4,739
12/6/2010	24	-	-	-	1,543,938,457	-	4,739
12/7/2010	24	-	-	-	1,543,938,457	-	4,739
12/8/2010	24	-	-	-	1,543,938,457	-	4,739
12/9/2010	24	-	-	-	1,543,938,457	-	4,739
12/10/2010	24	-	-	-	1,543,938,457	-	4,739
12/11/2010	24	-	-	-	1,543,938,457	-	4,739
12/12/2010	24	-	-	-	1,543,938,457	-	4,739
12/13/2010	24	-	-	-	1,543,938,457	-	4,739
12/14/2010	24	-	-	-	1,543,938,457	-	4,739
12/15/2010	24	-	-	-	1,543,938,457	-	4,739
12/16/2010	24	-	-	-	1,543,938,457	-	4,739
12/17/2010	24	-	-	-	1,543,938,457	-	4,739
12/18/2010	24	-	-	-	1,543,938,457	-	4,739
12/19/2010	24	-	-	-	1,543,938,457	-	4,739
12/20/2010	24	-	-	-	1,543,938,457	-	4,739
12/21/2010	24	-	-	-	1,543,938,457	-	4,739
12/22/2010	24	-	-	-	1,543,938,457	-	4,739
12/23/2010	24	-	-	-	1,543,938,457	-	4,739
12/24/2010	24	-	-	-	1,543,938,457	-	4,739
12/25/2010	24	-	-	-	1,543,938,457	-	4,739
12/26/2010	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/27/2010	24	-	-	-	1,543,938,457	-	4,739
12/28/2010	24	-	-	-	1,543,938,457	-	4,739
12/29/2010	24	-	-	-	1,543,938,457	-	4,739
12/30/2010	24	-	-	-	1,543,938,457	-	4,739
12/31/2010	24	-	-	-	1,543,938,457	-	4,739
1/1/2011	24	-	-	-	1,543,938,457	-	4,739
1/2/2011	24	-	-	-	1,543,938,457	-	4,739
1/3/2011	24	-	-	-	1,543,938,457	-	4,739
1/4/2011	24	-	-	-	1,543,938,457	-	4,739
1/5/2011	24	-	-	-	1,543,938,457	-	4,739
1/6/2011	24	-	-	-	1,543,938,457	-	4,739
1/7/2011	24	-	-	-	1,543,938,457	-	4,739
1/8/2011	24	-	-	-	1,543,938,457	-	4,739
1/9/2011	24	-	-	-	1,543,938,457	-	4,739
1/10/2011	24	-	-	-	1,543,938,457	-	4,739
1/11/2011	24	-	-	-	1,543,938,457	-	4,739
1/12/2011	24	-	-	-	1,543,938,457	-	4,739
1/13/2011	24	-	-	-	1,543,938,457	-	4,739
1/14/2011	24	-	-	-	1,543,938,457	-	4,739
1/15/2011	24	-	-	-	1,543,938,457	-	4,739
1/16/2011	24	-	-	-	1,543,938,457	-	4,739
1/17/2011	24	-	-	-	1,543,938,457	-	4,739
1/18/2011	24	-	-	-	1,543,938,457	-	4,739
1/19/2011	24	-	-	-	1,543,938,457	-	4,739
1/20/2011	24	-	-	-	1,543,938,457	-	4,739
1/21/2011	24	-	-	-	1,543,938,457	-	4,739
1/22/2011	24	-	-	-	1,543,938,457	-	4,739
1/23/2011	24	-	-	-	1,543,938,457	-	4,739
1/24/2011	24	-	-	-	1,543,938,457	-	4,739
1/25/2011	24	-	-	-	1,543,938,457	-	4,739
1/26/2011	24	-	-	-	1,543,938,457	-	4,739
1/27/2011	24	-	-	-	1,543,938,457	-	4,739
1/28/2011	24	-	-	-	1,543,938,457	-	4,739
1/29/2011	24	-	-	-	1,543,938,457	-	4,739
1/30/2011	24	-	-	-	1,543,938,457	-	4,739
1/31/2011	24	-	-	-	1,543,938,457	-	4,739
2/1/2011	24	-	-	-	1,543,938,457	-	4,739
2/2/2011	24	-	-	-	1,543,938,457	-	4,739
2/3/2011	24	-	-	-	1,543,938,457	-	4,739
2/4/2011	24	-	-	-	1,543,938,457	-	4,739
2/5/2011	24	-	-	-	1,543,938,457	-	4,739
2/6/2011	24	-	-	-	1,543,938,457	-	4,739
2/7/2011	24	-	-	-	1,543,938,457	-	4,739
2/8/2011	24	-	-	-	1,543,938,457	-	4,739
2/9/2011	24	-	-	-	1,543,938,457	-	4,739
2/10/2011	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/11/2011	24	-	-	-	1,543,938,457	-	4,739
2/12/2011	24	-	-	-	1,543,938,457	-	4,739
2/13/2011	24	-	-	-	1,543,938,457	-	4,739
2/14/2011	24	-	-	-	1,543,938,457	-	4,739
2/15/2011	24	-	-	-	1,543,938,457	-	4,739
2/16/2011	24	-	-	-	1,543,938,457	-	4,739
2/17/2011	24	-	-	-	1,543,938,457	-	4,739
2/18/2011	24	-	-	-	1,543,938,457	-	4,739
2/19/2011	24	-	-	-	1,543,938,457	-	4,739
2/20/2011	24	-	-	-	1,543,938,457	-	4,739
2/21/2011	24	-	-	-	1,543,938,457	-	4,739
2/22/2011	24	-	-	-	1,543,938,457	-	4,739
2/23/2011	24	-	-	-	1,543,938,457	-	4,739
2/24/2011	24	-	-	-	1,543,938,457	-	4,739
2/25/2011	24	-	-	-	1,543,938,457	-	4,739
2/26/2011	24	-	-	-	1,543,938,457	-	4,739
2/27/2011	24	-	-	-	1,543,938,457	-	4,739
2/28/2011	24	-	-	-	1,543,938,457	-	4,739
3/1/2011	24	-	-	-	1,543,938,457	-	4,739
3/2/2011	24	-	-	-	1,543,938,457	-	4,739
3/3/2011	24	-	-	-	1,543,938,457	-	4,739
3/4/2011	24	-	-	-	1,543,938,457	-	4,739
3/5/2011	24	-	-	-	1,543,938,457	-	4,739
3/6/2011	24	-	-	-	1,543,938,457	-	4,739
3/7/2011	24	-	-	-	1,543,938,457	-	4,739
3/8/2011	24	-	-	-	1,543,938,457	-	4,739
3/9/2011	24	-	-	-	1,543,938,457	-	4,739
3/10/2011	24	-	-	-	1,543,938,457	-	4,739
3/11/2011	24	-	-	-	1,543,938,457	-	4,739
3/12/2011	24	-	-	-	1,543,938,457	-	4,739
3/13/2011	24	-	-	-	1,543,938,457	-	4,739
3/14/2011	24	-	-	-	1,543,938,457	-	4,739
3/15/2011	24	-	-	-	1,543,938,457	-	4,739
3/16/2011	24	-	-	-	1,543,938,457	-	4,739
3/17/2011	24	-	-	-	1,543,938,457	-	4,739
3/18/2011	24	-	-	-	1,543,938,457	-	4,739
3/19/2011	24	-	-	-	1,543,938,457	-	4,739
3/20/2011	24	-	-	-	1,543,938,457	-	4,739
3/21/2011	24	-	-	-	1,543,938,457	-	4,739
3/22/2011	24	-	-	-	1,543,938,457	-	4,739
3/23/2011	24	-	-	-	1,543,938,457	-	4,739
3/24/2011	24	-	-	-	1,543,938,457	-	4,739
3/25/2011	24	-	-	-	1,543,938,457	-	4,739
3/26/2011	24	-	-	-	1,543,938,457	-	4,739
3/27/2011	24	-	-	-	1,543,938,457	-	4,739
3/28/2011	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/29/2011	24	-	-	-	1,543,938,457	-	4,739
3/30/2011	24	-	-	-	1,543,938,457	-	4,739
3/31/2011	24	-	-	-	1,543,938,457	-	4,739
4/1/2011	24	-	-	-	1,543,938,457	-	4,739
4/2/2011	24	-	-	-	1,543,938,457	-	4,739
4/3/2011	24	-	-	-	1,543,938,457	-	4,739
4/4/2011	24	-	-	-	1,543,938,457	-	4,739
4/5/2011	24	-	-	-	1,543,938,457	-	4,739
4/6/2011	24	-	-	-	1,543,938,457	-	4,739
4/7/2011	24	-	-	-	1,543,938,457	-	4,739
4/8/2011	24	-	-	-	1,543,938,457	-	4,739
4/9/2011	24	-	-	-	1,543,938,457	-	4,739
4/10/2011	24	-	-	-	1,543,938,457	-	4,739
4/11/2011	24	-	-	-	1,543,938,457	-	4,739
4/12/2011	24	-	-	-	1,543,938,457	-	4,739
4/13/2011	24	-	-	-	1,543,938,457	-	4,739
4/14/2011	24	-	-	-	1,543,938,457	-	4,739
4/15/2011	24	-	-	-	1,543,938,457	-	4,739
4/16/2011	24	-	-	-	1,543,938,457	-	4,739
4/17/2011	24	-	-	-	1,543,938,457	-	4,739
4/18/2011	24	-	-	-	1,543,938,457	-	4,739
4/19/2011	24	-	-	-	1,543,938,457	-	4,739
4/20/2011	24	-	-	-	1,543,938,457	-	4,739
4/21/2011	24	-	-	-	1,543,938,457	-	4,739
4/22/2011	24	-	-	-	1,543,938,457	-	4,739
4/23/2011	24	-	-	-	1,543,938,457	-	4,739
4/24/2011	24	-	-	-	1,543,938,457	-	4,739
4/25/2011	24	-	-	-	1,543,938,457	-	4,739
4/26/2011	24	-	-	-	1,543,938,457	-	4,739
4/27/2011	24	-	-	-	1,543,938,457	-	4,739
4/28/2011	24	-	-	-	1,543,938,457	-	4,739
4/29/2011	24	-	-	-	1,543,938,457	-	4,739
4/30/2011	24	-	-	-	1,543,938,457	-	4,739
5/1/2011	24	-	-	-	1,543,938,457	-	4,739
5/2/2011	24	-	-	-	1,543,938,457	-	4,739
5/3/2011	24	-	-	-	1,543,938,457	-	4,739
5/4/2011	24	-	-	-	1,543,938,457	-	4,739
5/5/2011	24	-	-	-	1,543,938,457	-	4,739
5/6/2011	24	-	-	-	1,543,938,457	-	4,739
5/7/2011	24	-	-	-	1,543,938,457	-	4,739
5/8/2011	24	-	-	-	1,543,938,457	-	4,739
5/9/2011	24	-	-	-	1,543,938,457	-	4,739
5/10/2011	24	-	-	-	1,543,938,457	-	4,739
5/11/2011	24	-	-	-	1,543,938,457	-	4,739
5/12/2011	24	-	-	-	1,543,938,457	-	4,739
5/13/2011	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/14/2011	24	-	-	-	1,543,938,457	-	4,739
5/15/2011	24	-	-	-	1,543,938,457	-	4,739
5/16/2011	24	-	-	-	1,543,938,457	-	4,739
5/17/2011	24	-	-	-	1,543,938,457	-	4,739
5/18/2011	24	-	-	-	1,543,938,457	-	4,739
5/19/2011	24	-	-	-	1,543,938,457	-	4,739
5/20/2011	24	-	-	-	1,543,938,457	-	4,739
5/21/2011	24	-	-	-	1,543,938,457	-	4,739
5/22/2011	24	-	-	-	1,543,938,457	-	4,739
5/23/2011	24	-	-	-	1,543,938,457	-	4,739
5/24/2011	24	-	-	-	1,543,938,457	-	4,739
5/25/2011	24	-	-	-	1,543,938,457	-	4,739
5/26/2011	24	-	-	-	1,543,938,457	-	4,739
5/27/2011	24	-	-	-	1,543,938,457	-	4,739
5/28/2011	24	-	-	-	1,543,938,457	-	4,739
5/29/2011	24	-	-	-	1,543,938,457	-	4,739
5/30/2011	24	-	-	-	1,543,938,457	-	4,739
5/31/2011	24	-	-	-	1,543,938,457	-	4,739
6/1/2011	24	-	-	-	1,543,938,457	-	4,739
6/2/2011	24	-	-	-	1,543,938,457	-	4,739
6/3/2011	24	-	-	-	1,543,938,457	-	4,739
6/4/2011	24	-	-	-	1,543,938,457	-	4,739
6/5/2011	24	-	-	-	1,543,938,457	-	4,739
6/6/2011	24	-	-	-	1,543,938,457	-	4,739
6/7/2011	24	-	-	-	1,543,938,457	-	4,739
6/8/2011	24	-	-	-	1,543,938,457	-	4,739
6/9/2011	24	-	-	-	1,543,938,457	-	4,739
6/10/2011	24	-	-	-	1,543,938,457	-	4,739
6/11/2011	24	-	-	-	1,543,938,457	-	4,739
6/12/2011	24	-	-	-	1,543,938,457	-	4,739
6/13/2011	24	-	-	-	1,543,938,457	-	4,739
6/14/2011	24	-	-	-	1,543,938,457	-	4,739
6/15/2011	24	-	-	-	1,543,938,457	-	4,739
6/16/2011	24	-	-	-	1,543,938,457	-	4,739
6/17/2011	24	-	-	-	1,543,938,457	-	4,739
6/18/2011	24	-	-	-	1,543,938,457	-	4,739
6/19/2011	24	-	-	-	1,543,938,457	-	4,739
6/20/2011	24	-	-	-	1,543,938,457	-	4,739
6/21/2011	24	-	-	-	1,543,938,457	-	4,739
6/22/2011	24	-	-	-	1,543,938,457	-	4,739
6/23/2011	24	-	-	-	1,543,938,457	-	4,739
6/24/2011	24	-	-	-	1,543,938,457	-	4,739
6/25/2011	24	-	-	-	1,543,938,457	-	4,739
6/26/2011	24	-	-	-	1,543,938,457	-	4,739
6/27/2011	24	-	-	-	1,543,938,457	-	4,739
6/28/2011	24	-	-	-	1,543,938,457	-	4,739

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-3 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/29/2011	24	-	-	-	1,543,938,457	-	4,739
6/30/2011	24	-	-	-	1,543,938,457	-	4,739

Pump shut off due to problems with VFD

Pump shut off due to problems with VFD

Pump off - VFD problems

Pump off - VFD problems

Pump off - VFD problems

Pump off - VFD problems

Mine 3 discharge was generally limited to ~ 100 gpm after this date.

Pump shutoff at about 0530

JC-3 went down today

JC-3 restarted today, bad fuses.

power outage at both wells
power outage at both wells

JC-3 Transformer burned up

1,404

Equipment failure and Water Quality issues resulted in shut down of pump.

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/16/2001	12.5	2,150	4.8	1,612,500	1,612,500	4.9	5
9/17/2001	24	2,150	4.8	3,096,000	4,708,500	9.5	14
9/18/2001	24	2,150	4.8	3,096,000	7,804,500	9.5	24
9/19/2001	24	2,150	4.8	3,096,000	10,900,500	9.5	33
9/20/2001	24	2,150	4.8	3,096,000	13,996,500	9.5	43
9/21/2001	24	2,150	4.8	3,096,000	17,092,500	9.5	52
9/22/2001	24	2,150	4.8	3,096,000	20,188,500	9.5	62
9/23/2001	24	2,150	4.8	3,096,000	23,284,500	9.5	71
9/24/2001	24	2,150	4.8	3,096,000	26,380,500	9.5	81
9/25/2001	24	2,150	4.8	3,096,000	29,476,500	9.5	90
9/26/2001	24	2,150	4.8	3,096,000	32,572,500	9.5	100
9/27/2001	0	2,150	4.8	-	32,572,500	-	100
9/28/2001	24	2,150	4.8	3,096,000	35,668,500	9.5	109
9/29/2001	24	2,150	4.8	3,096,000	38,764,500	9.5	119
9/30/2001	24	2,150	4.8	3,096,000	41,860,500	9.5	128
10/1/2001	24	2,150	4.8	3,096,000	44,956,500	9.5	138
10/2/2001	24	2,150	4.8	3,096,000	48,052,500	9.5	147
10/3/2001	24	2,150	4.8	3,096,000	51,148,500	9.5	157
10/4/2001	24	2,150	4.8	3,096,000	54,244,500	9.5	166
10/5/2001	24	2,150	4.8	3,096,000	57,340,500	9.5	176
10/6/2001	24	2,150	4.8	3,096,000	60,436,500	9.5	185
10/7/2001	24	2,150	4.8	3,096,000	63,532,500	9.5	195
10/8/2001	24	2,150	4.8	3,096,000	66,628,500	9.5	205
10/9/2001	24	2,150	4.8	3,096,000	69,724,500	9.5	214
10/10/2001	24	2,150	4.8	3,096,000	72,820,500	9.5	224
10/11/2001	24	2,150	4.8	3,096,000	75,916,500	9.5	233
10/12/2001	24	2,150	4.8	3,096,000	79,012,500	9.5	243
10/13/2001	24	2,150	4.8	3,096,000	82,108,500	9.5	252
10/14/2001	24	2,150	4.8	3,096,000	85,204,500	9.5	262
10/15/2001	24	2,150	4.8	3,096,000	88,300,500	9.5	271
10/16/2001	24	2,150	4.8	3,096,000	91,396,500	9.5	281
10/17/2001	24	2,150	4.8	3,096,000	94,492,500	9.5	290
10/18/2001	24	2,150	4.8	3,096,000	97,588,500	9.5	300
10/19/2001	24	2,150	4.8	3,096,000	100,684,500	9.5	309
10/20/2001	24	2,150	4.8	3,096,000	103,780,500	9.5	319
10/21/2001	24	2,150	4.8	3,096,000	106,876,500	9.5	328
10/22/2001	24	2,150	4.8	3,096,000	109,972,500	9.5	338
10/23/2001	24	2,150	4.8	3,096,000	113,068,500	9.5	347
10/24/2001	24	2,150	4.8	3,096,000	116,164,500	9.5	357
10/25/2001	24	-	-	-	116,164,500	-	357
10/26/2001	16	2,150	4.8	2,064,000	118,228,500	6.3	363
10/26/2001	8	2,470	5.5	1,185,600	119,414,100	3.6	367
10/27/2001	24	2,470	5.5	3,556,800	122,970,900	10.9	377
10/28/2001	24	2,470	5.5	3,556,800	126,527,700	10.9	388
10/29/2001	24	2,470	5.5	3,556,800	130,084,500	10.9	399
10/30/2001	24	2,470	5.5	3,556,800	133,641,300	10.9	410

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
10/31/2001	24	2,470	5.5	3,556,800	137,198,100	10.9	421
11/1/2001	24	2,470	5.5	3,556,800	140,754,900	10.9	432
11/2/2001	24	2,470	5.5	3,556,800	144,311,700	10.9	443
11/3/2001	24	2,470	5.5	3,556,800	147,868,500	10.9	454
11/4/2001	24	2,470	5.5	3,556,800	151,425,300	10.9	465
11/5/2001	24	2,470	5.5	3,556,800	154,982,100	10.9	476
11/6/2001	24	2,470	5.5	3,556,800	158,538,900	10.9	487
11/7/2001	24	2,470	5.5	3,556,800	162,095,700	10.9	498
11/8/2001	24	2,470	5.5	3,556,800	165,652,500	10.9	508
11/9/2001	24	2,470	5.5	3,556,800	169,209,300	10.9	519
11/10/2001	24	2,470	5.5	3,556,800	172,766,100	10.9	530
11/11/2001	24	2,470	5.5	3,556,800	176,322,900	10.9	541
11/12/2001	24	2,470	5.5	3,556,800	179,879,700	10.9	552
11/13/2001	24	2,470	5.5	3,556,800	183,436,500	10.9	563
11/14/2001	24	2,470	5.5	3,556,800	186,993,300	10.9	574
11/15/2001	24	2,470	5.5	3,556,800	190,550,100	10.9	585
11/16/2001	24	2,470	5.5	3,556,800	194,106,900	10.9	596
11/17/2001	24	2,470	5.5	3,556,800	197,663,700	10.9	607
11/18/2001	8	2,470	5.5	1,185,600	198,849,300	3.6	610
11/19/2001	16	2,470	5.5	2,371,200	201,220,500	7.3	618
11/20/2001	8	2,470	5.5	1,185,600	202,406,100	3.6	621
11/21/2001	0		-	-	202,406,100	-	621
11/22/2001	0		-	-	202,406,100	-	621
11/23/2001	0		-	-	202,406,100	-	621
11/24/2001	0		-	-	202,406,100	-	621
11/25/2001	0		-	-	202,406,100	-	621
11/26/2001	0		-	-	202,406,100	-	621
11/27/2001	0		-	-	202,406,100	-	621
11/28/2001	0		-	-	202,406,100	-	621
11/29/2001	0		-	-	202,406,100	-	621
11/30/2001	0		-	-	202,406,100	-	621
12/1/2001	0		-	-	202,406,100	-	621
12/2/2001	0		-	-	202,406,100	-	621
12/3/2001	0		-	-	202,406,100	-	621
12/4/2001	0		-	-	202,406,100	-	621
12/5/2001	0		-	-	202,406,100	-	621
12/6/2001	0		-	-	202,406,100	-	621
12/7/2001	0		-	-	202,406,100	-	621
12/8/2001	0		-	-	202,406,100	-	621
12/9/2001	0		-	-	202,406,100	-	621
12/10/2001	0		-	-	202,406,100	-	621
12/11/2001	0		-	-	202,406,100	-	621
12/12/2001	0		-	-	202,406,100	-	621
12/13/2001	0		-	-	202,406,100	-	621
12/14/2001	12	2,250	5.0	1,620,000	204,026,100	5.0	626
12/15/2001	24	2,250	5.0	3,240,000	207,266,100	9.9	636

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/16/2001	24	2,250	5.0	3,240,000	210,506,100	9.9	646
12/17/2001	24	2,250	5.0	3,240,000	213,746,100	9.9	656
12/18/2001	24	2,250	5.0	3,240,000	216,986,100	9.9	666
12/19/2001	24	2,250	5.0	3,240,000	220,226,100	9.9	676
12/20/2001	24	2,250	5.0	3,240,000	223,466,100	9.9	686
12/21/2001	24	2,250	5.0	3,240,000	226,706,100	9.9	696
12/22/2001	24	2,250	5.0	3,240,000	229,946,100	9.9	706
12/23/2001	24	2,250	5.0	3,240,000	233,186,100	9.9	716
12/24/2001	24	2,250	5.0	3,240,000	236,426,100	9.9	726
12/25/2001	24	2,250	5.0	3,240,000	239,666,100	9.9	736
12/26/2001	24	2,250	5.0	3,240,000	242,906,100	9.9	746
12/27/2001	24	2,250	5.0	3,240,000	246,146,100	9.9	756
12/28/2001	24	2,250	5.0	3,240,000	249,386,100	9.9	765
12/29/2001	24	2,250	5.0	3,240,000	252,626,100	9.9	775
12/30/2001	24	2,250	5.0	3,240,000	255,866,100	9.9	785
12/31/2001	24	2,250	5.0	3,240,000	259,106,100	9.9	795
1/1/2002	24	2,250	5.0	3,240,000	262,346,100	9.9	805
1/2/2002	24	2,250	5.0	3,240,000	265,586,100	9.9	815
1/3/2002	24	2,250	5.0	3,240,000	268,826,100	9.9	825
1/4/2002	24	2,250	5.0	3,240,000	272,066,100	9.9	835
1/5/2002	24	2,250	5.0	3,240,000	275,306,100	9.9	845
1/6/2002	24	2,250	5.0	3,240,000	278,546,100	9.9	855
1/7/2002	24	2,250	5.0	3,240,000	281,786,100	9.9	865
1/8/2002	24	2,250	5.0	3,240,000	285,026,100	9.9	875
1/9/2002	24	2,250	5.0	3,240,000	288,266,100	9.9	885
1/10/2002	24	2,250	5.0	3,240,000	291,506,100	9.9	895
1/11/2002	24	2,250	5.0	3,240,000	294,746,100	9.9	905
1/12/2002	24	2,250	5.0	3,240,000	297,986,100	9.9	915
1/13/2002	24	2,250	5.0	3,240,000	301,226,100	9.9	925
1/14/2002	24	2,250	5.0	3,240,000	304,466,100	9.9	935
1/15/2002	24	2,250	5.0	3,240,000	307,706,100	9.9	944
1/16/2002	24	2,250	5.0	3,240,000	310,946,100	9.9	954
1/17/2002	24	2,250	5.0	3,240,000	314,186,100	9.9	964
1/18/2002	24	2,250	5.0	3,240,000	317,426,100	9.9	974
1/19/2002	24	2,250	5.0	3,240,000	320,666,100	9.9	984
1/20/2002	24	2,250	5.0	3,240,000	323,906,100	9.9	994
1/21/2002	24	2,250	5.0	3,240,000	327,146,100	9.9	1,004
1/22/2002	24	2,250	5.0	3,240,000	330,386,100	9.9	1,014
1/23/2002	24	2,250	5.0	3,240,000	333,626,100	9.9	1,024
1/24/2002	24	2,250	5.0	3,240,000	336,866,100	9.9	1,034
1/25/2002	24	2,250	5.0	3,240,000	340,106,100	9.9	1,044
1/26/2002	24	2,250	5.0	3,240,000	343,346,100	9.9	1,054
1/27/2002	24	2,250	5.0	3,240,000	346,586,100	9.9	1,064
1/28/2002	24	2,250	5.0	3,240,000	349,826,100	9.9	1,074
1/29/2002	24	2,250	5.0	3,240,000	353,066,100	9.9	1,084
1/30/2002	24	2,250	5.0	3,240,000	356,306,100	9.9	1,094

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
1/31/2002	24	2,250	5.0	3,240,000	359,546,100	9.9	1,104
2/1/2002	24	2,250	5.0	3,240,000	362,786,100	9.9	1,114
2/2/2002	24	2,250	5.0	3,240,000	366,026,100	9.9	1,123
2/3/2002	24	2,250	5.0	3,240,000	369,266,100	9.9	1,133
2/4/2002	24	2,250	5.0	3,240,000	372,506,100	9.9	1,143
2/5/2002	24	2,250	5.0	3,240,000	375,746,100	9.9	1,153
2/6/2002	24	2,250	5.0	3,240,000	378,986,100	9.9	1,163
2/7/2002	24	2,250	5.0	3,240,000	382,226,100	9.9	1,173
2/8/2002	24	2,250	5.0	3,240,000	385,466,100	9.9	1,183
2/9/2002	24	2,250	5.0	3,240,000	388,706,100	9.9	1,193
2/10/2002	24	2,250	5.0	3,240,000	391,946,100	9.9	1,203
2/11/2002	24	2,250	5.0	3,240,000	395,186,100	9.9	1,213
2/12/2002	24	2,250	5.0	3,240,000	398,426,100	9.9	1,223
2/13/2002	24	2,250	5.0	3,240,000	401,666,100	9.9	1,233
2/14/2002	24	2,250	5.0	3,240,000	404,906,100	9.9	1,243
2/15/2002	24	2,250	5.0	3,240,000	408,146,100	9.9	1,253
2/16/2002	24	2,250	5.0	3,240,000	411,386,100	9.9	1,263
2/17/2002	24	2,250	5.0	3,240,000	414,626,100	9.9	1,273
2/18/2002	24	2,250	5.0	3,240,000	417,866,100	9.9	1,283
2/19/2002	24	2,250	5.0	3,240,000	421,106,100	9.9	1,293
2/20/2002	24	2,250	5.0	3,240,000	424,346,100	9.9	1,302
2/21/2002	24	2,250	5.0	3,240,000	427,586,100	9.9	1,312
2/22/2002	24	2,250	5.0	3,240,000	430,826,100	9.9	1,322
2/23/2002	24	2,250	5.0	3,240,000	434,066,100	9.9	1,332
2/24/2002	24	2,250	5.0	3,240,000	437,306,100	9.9	1,342
2/25/2002	24	2,250	5.0	3,240,000	440,546,100	9.9	1,352
2/26/2002	24	2,250	5.0	3,240,000	443,786,100	9.9	1,362
2/27/2002	24	2,250	5.0	3,240,000	447,026,100	9.9	1,372
2/28/2002	24	2,250	5.0	3,240,000	450,266,100	9.9	1,382
3/1/2002	24	2,250	5.0	3,240,000	453,506,100	9.9	1,392
3/2/2002	24	2,250	5.0	3,240,000	456,746,100	9.9	1,402
3/3/2002	24	2,250	5.0	3,240,000	459,986,100	9.9	1,412
3/4/2002	24	2,250	5.0	3,240,000	463,226,100	9.9	1,422
3/5/2002	24	2,250	5.0	3,240,000	466,466,100	9.9	1,432
3/6/2002	24	2,250	5.0	3,240,000	469,706,100	9.9	1,442
3/7/2002	24	2,250	5.0	3,240,000	472,946,100	9.9	1,452
3/8/2002	24	2,250	5.0	3,240,000	476,186,100	9.9	1,462
3/9/2002	24	2,250	5.0	3,240,000	479,426,100	9.9	1,472
3/10/2002	24	2,250	5.0	3,240,000	482,666,100	9.9	1,481
3/11/2002	16	2,250	5.0	2,160,000	484,826,100	6.6	1,488
3/12/2002	0	2,250	5.0	-	484,826,100	-	1,488
3/13/2002	0	2,250	5.0	-	484,826,100	-	1,488
3/14/2002	12	2,250	5.0	1,620,000	486,446,100	5.0	1,493
3/15/2002	24	2,250	5.0	3,240,000	489,686,100	9.9	1,503
3/16/2002	24	2,250	5.0	3,240,000	492,926,100	9.9	1,513
3/17/2002	24	2,250	5.0	3,240,000	496,166,100	9.9	1,523

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/18/2002	24	2,250	5.0	3,240,000	499,406,100	9.9	1,533
3/19/2002	24	2,250	5.0	3,240,000	502,646,100	9.9	1,543
3/20/2002	24	2,250	5.0	3,240,000	505,886,100	9.9	1,553
3/21/2002	24	2,250	5.0	3,240,000	509,126,100	9.9	1,563
3/22/2002	24	2,250	5.0	3,240,000	512,366,100	9.9	1,573
3/23/2002	24	2,250	5.0	3,240,000	515,606,100	9.9	1,583
3/24/2002	24	2,250	5.0	3,240,000	518,846,100	9.9	1,593
3/25/2002	24	2,250	5.0	3,240,000	522,086,100	9.9	1,602
3/26/2002	24	2,250	5.0	3,240,000	525,326,100	9.9	1,612
3/27/2002	24	2,250	5.0	3,240,000	528,566,100	9.9	1,622
3/28/2002	24	2,250	5.0	3,240,000	531,806,100	9.9	1,632
3/29/2002	24	2,250	5.0	3,240,000	535,046,100	9.9	1,642
3/30/2002	24	2,250	5.0	3,240,000	538,286,100	9.9	1,652
3/31/2002	24	2,250	5.0	3,240,000	541,526,100	9.9	1,662
4/1/2002	24	2,250	5.0	3,240,000	544,766,100	9.9	1,672
4/2/2002	24	2,250	5.0	3,240,000	548,006,100	9.9	1,682
4/3/2002	24	2,250	5.0	3,240,000	551,246,100	9.9	1,692
4/4/2002	24	2,250	5.0	3,240,000	554,486,100	9.9	1,702
4/5/2002	24	2,250	5.0	3,240,000	557,726,100	9.9	1,712
4/6/2002	24	2,250	5.0	3,240,000	560,966,100	9.9	1,722
4/7/2002	24	2,250	5.0	3,240,000	564,206,100	9.9	1,732
4/8/2002	24	2,250	5.0	3,240,000	567,446,100	9.9	1,742
4/9/2002	24	2,250	5.0	3,240,000	570,686,100	9.9	1,752
4/10/2002	24	2,250	5.0	3,240,000	573,926,100	9.9	1,762
4/11/2002	24	2,250	5.0	3,240,000	577,166,100	9.9	1,772
4/12/2002	24	2,250	5.0	3,240,000	580,406,100	9.9	1,781
4/13/2002	24	2,250	5.0	3,240,000	583,646,100	9.9	1,791
4/14/2002	24	2,250	5.0	3,240,000	586,886,100	9.9	1,801
4/15/2002	24	2,250	5.0	3,240,000	590,126,100	9.9	1,811
4/16/2002	24	2,250	5.0	3,240,000	593,366,100	9.9	1,821
4/17/2002	24	2,250	5.0	3,240,000	596,606,100	9.9	1,831
4/18/2002	24	2,250	5.0	3,240,000	599,846,100	9.9	1,841
4/19/2002	24	2,250	5.0	3,240,000	603,086,100	9.9	1,851
4/20/2002	24	2,250	5.0	3,240,000	606,326,100	9.9	1,861
4/21/2002	24	2,250	5.0	3,240,000	609,566,100	9.9	1,871
4/22/2002	24	2,250	5.0	3,240,000	612,806,100	9.9	1,881
4/23/2002	24	2,250	5.0	3,240,000	616,046,100	9.9	1,891
4/24/2002	24	2,250	5.0	3,240,000	619,286,100	9.9	1,901
4/25/2002	24	2,250	5.0	3,240,000	622,526,100	9.9	1,911
4/26/2002	24	2,250	5.0	3,240,000	625,766,100	9.9	1,921
4/27/2002	24	2,250	5.0	3,240,000	629,006,100	9.9	1,931
4/28/2002	24	2,250	5.0	3,240,000	632,246,100	9.9	1,941
4/29/2002	24	2,250	5.0	3,240,000	635,486,100	9.9	1,951
4/30/2002	24	2,250	5.0	3,240,000	638,726,100	9.9	1,960
5/1/2002	24	2,250	5.0	3,240,000	641,966,100	9.9	1,970
5/2/2002	24	2,250	5.0	3,240,000	645,206,100	9.9	1,980

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/3/2002	24	2,250	5.0	3,240,000	648,446,100	9.9	1,990
5/4/2002	24	2,250	5.0	3,240,000	651,686,100	9.9	2,000
5/5/2002	24	2,250	5.0	3,240,000	654,926,100	9.9	2,010
5/6/2002	24	2,250	5.0	3,240,000	658,166,100	9.9	2,020
5/7/2002	24	2,250	5.0	3,240,000	661,406,100	9.9	2,030
5/8/2002	24	2,250	5.0	3,240,000	664,646,100	9.9	2,040
5/9/2002	24	2,250	5.0	3,240,000	667,886,100	9.9	2,050
5/10/2002	24	2,250	5.0	3,240,000	671,126,100	9.9	2,060
5/11/2002	24	2,250	5.0	3,240,000	674,366,100	9.9	2,070
5/12/2002	24	2,100	4.7	3,024,000	677,390,100	9.3	2,079
5/13/2002	24	2,100	4.7	3,024,000	680,414,100	9.3	2,088
5/14/2002	24	2,100	4.7	3,024,000	683,438,100	9.3	2,098
5/15/2002	24	2,100	4.7	3,024,000	686,462,100	9.3	2,107
5/16/2002	24	2,100	4.7	3,024,000	689,486,100	9.3	2,116
5/17/2002	24	2,100	4.7	3,024,000	692,510,100	9.3	2,126
5/18/2002	24	2,100	4.7	3,024,000	695,534,100	9.3	2,135
5/19/2002	24	2,100	4.7	3,024,000	698,558,100	9.3	2,144
5/20/2002	24	2,100	4.7	3,024,000	701,582,100	9.3	2,153
5/21/2002	24	2,100	4.7	3,024,000	704,606,100	9.3	2,163
5/22/2002	24	2,100	4.7	3,024,000	707,630,100	9.3	2,172
5/23/2002	24	2,100	4.7	3,024,000	710,654,100	9.3	2,181
5/24/2002	24	2,100	4.7	3,024,000	713,678,100	9.3	2,191
5/25/2002	24	2,100	4.7	3,024,000	716,702,100	9.3	2,200
5/26/2002	24	2,100	4.7	3,024,000	719,726,100	9.3	2,209
5/27/2002	24	2,100	4.7	3,024,000	722,750,100	9.3	2,218
5/28/2002	24	2,100	4.7	3,024,000	725,774,100	9.3	2,228
5/29/2002	21	2,100	4.7	2,646,000	728,420,100	8.1	2,236
5/30/2002	24	2,100	4.7	3,024,000	731,444,100	9.3	2,245
5/31/2002	24	2,100	4.7	3,024,000	734,468,100	9.3	2,254
6/1/2002	24	2,080	4.6	2,995,200	737,463,300	9.2	2,264
6/2/2002	24	2,080	4.6	2,995,200	740,458,500	9.2	2,273
6/3/2002	24	2,080	4.6	2,995,200	743,453,700	9.2	2,282
6/4/2002	24	2,080	4.6	2,995,200	746,448,900	9.2	2,291
6/5/2002	24	2,080	4.6	2,995,200	749,444,100	9.2	2,300
6/6/2002	24	2,080	4.6	2,995,200	752,439,300	9.2	2,309
6/7/2002	24	2,080	4.6	2,995,200	755,434,500	9.2	2,319
6/8/2002	24	2,080	4.6	2,995,200	758,429,700	9.2	2,328
6/9/2002	24	2,080	4.6	2,995,200	761,424,900	9.2	2,337
6/10/2002	24	2,080	4.6	2,995,200	764,420,100	9.2	2,346
6/11/2002	24	2,080	4.6	2,995,200	767,415,300	9.2	2,355
6/12/2002	24	2,080	4.6	2,995,200	770,410,500	9.2	2,365
6/13/2002	24	2,080	4.6	2,995,200	773,405,700	9.2	2,374
6/14/2002	24	2,080	4.6	2,995,200	776,400,900	9.2	2,383
6/15/2002	24	2,080	4.6	2,995,200	779,396,100	9.2	2,392
6/16/2002	24	2,080	4.6	2,995,200	782,391,300	9.2	2,401
6/17/2002	24	2,080	4.6	2,995,200	785,386,500	9.2	2,411

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/18/2002	24	2,080	4.6	2,995,200	788,381,700	9.2	2,420
6/19/2002	24	2,080	4.6	2,995,200	791,376,900	9.2	2,429
6/20/2002	24	2,080	4.6	2,995,200	794,372,100	9.2	2,438
6/21/2002	24	2,080	4.6	2,995,200	797,367,300	9.2	2,447
6/22/2002	24	2,080	4.6	2,995,200	800,362,500	9.2	2,457
6/23/2002	24	2,080	4.6	2,995,200	803,357,700	9.2	2,466
6/24/2002	24	2,080	4.6	2,995,200	806,352,900	9.2	2,475
6/25/2002	24	2,080	4.6	2,995,200	809,348,100	9.2	2,484
6/26/2002	24	2,080	4.6	2,995,200	812,343,300	9.2	2,493
6/27/2002	24	2,080	4.6	2,995,200	815,338,500	9.2	2,503
6/28/2002	24	2,080	4.6	2,995,200	818,333,700	9.2	2,512
6/29/2002	24	2,080	4.6	2,995,200	821,328,900	9.2	2,521
6/30/2002	24	2,080	4.6	2,995,200	824,324,100	9.2	2,530
7/1/2002	24	2,080	4.6	2,995,200	827,319,300	9.2	2,539
7/2/2002	24	2,080	4.6	2,995,200	830,314,500	9.2	2,549
7/3/2002	24	2,080	4.6	2,995,200	833,309,700	9.2	2,558
7/4/2002	24	2,080	4.6	2,995,200	836,304,900	9.2	2,567
7/5/2002	24	2,080	4.6	2,995,200	839,300,100	9.2	2,576
7/6/2002	24	2,080	4.6	2,995,200	842,295,300	9.2	2,585
7/7/2002	24	2,080	4.6	2,995,200	845,290,500	9.2	2,594
7/8/2002	24	2,080	4.6	2,995,200	848,285,700	9.2	2,604
7/9/2002	24	2,080	4.6	2,995,200	851,280,900	9.2	2,613
7/10/2002	24	2,080	4.6	2,995,200	854,276,100	9.2	2,622
7/11/2002	24	2,080	4.6	2,995,200	857,271,300	9.2	2,631
7/12/2002	24	2,080	4.6	2,995,200	860,266,500	9.2	2,640
7/13/2002	24	2,080	4.6	2,995,200	863,261,700	9.2	2,650
7/14/2002	24	2,080	4.6	2,995,200	866,256,900	9.2	2,659
7/15/2002	24	2,080	4.6	2,995,200	869,252,100	9.2	2,668
7/16/2002	24	2,080	4.6	2,995,200	872,247,300	9.2	2,677
7/17/2002	24	2,080	4.6	2,995,200	875,242,500	9.2	2,686
7/18/2002	24	2,080	4.6	2,995,200	878,237,700	9.2	2,696
7/19/2002	24	2,080	4.6	2,995,200	881,232,900	9.2	2,705
7/20/2002	24	2,080	4.6	2,995,200	884,228,100	9.2	2,714
7/21/2002	24	2,080	4.6	2,995,200	887,223,300	9.2	2,723
7/22/2002	24	2,080	4.6	2,995,200	890,218,500	9.2	2,732
7/23/2002	24	2,080	4.6	2,995,200	893,213,700	9.2	2,742
7/24/2002	24	2,080	4.6	2,995,200	896,208,900	9.2	2,751
7/25/2002	24	2,080	4.6	2,995,200	899,204,100	9.2	2,760
7/26/2002	24	2,080	4.6	2,995,200	902,199,300	9.2	2,769
7/27/2002	24	2,080	4.6	2,995,200	905,194,500	9.2	2,778
7/28/2002	24	2,080	4.6	2,995,200	908,189,700	9.2	2,788
7/29/2002	24	2,080	4.6	2,995,200	911,184,900	9.2	2,797
7/30/2002	24	2,080	4.6	2,995,200	914,180,100	9.2	2,806
7/31/2002	24	2,080	4.6	2,995,200	917,175,300	9.2	2,815
8/1/2002	24	2,080	4.6	2,995,200	920,170,500	9.2	2,824
8/2/2002	24	2,080	4.6	2,995,200	923,165,700	9.2	2,833

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/3/2002	24	2,080	4.6	2,995,200	926,160,900	9.2	2,843
8/4/2002	24	2,080	4.6	2,995,200	929,156,100	9.2	2,852
8/5/2002	24	2,080	4.6	2,995,200	932,151,300	9.2	2,861
8/6/2002	24	2,080	4.6	2,995,200	935,146,500	9.2	2,870
8/7/2002	24	2,080	4.6	2,995,200	938,141,700	9.2	2,879
8/8/2002	24	2,080	4.6	2,995,200	941,136,900	9.2	2,889
8/9/2002	24	2,080	4.6	2,995,200	944,132,100	9.2	2,898
8/10/2002	24	2,080	4.6	2,995,200	947,127,300	9.2	2,907
8/11/2002	24	2,080	4.6	2,995,200	950,122,500	9.2	2,916
8/12/2002	9	2,080	4.6	1,123,200	951,245,700	3.4	2,920
8/13/2002	0	-	-	-	951,245,700	-	2,920
8/14/2002	0	-	-	-	951,245,700	-	2,920
8/15/2002	0	-	-	-	951,245,700	-	2,920
8/16/2002	0	-	-	-	951,245,700	-	2,920
8/17/2002	0	-	-	-	951,245,700	-	2,920
8/18/2002	0	-	-	-	951,245,700	-	2,920
8/19/2002	0	-	-	-	951,245,700	-	2,920
8/20/2002	0	-	-	-	951,245,700	-	2,920
8/21/2002	0	-	-	-	951,245,700	-	2,920
8/22/2002	0	-	-	-	951,245,700	-	2,920
8/23/2002	8.7	2,100	4.7	1,092,420	952,338,120	3.4	2,923
8/24/2002	24	2,100	4.7	3,024,000	955,362,120	9.3	2,932
8/25/2002	24	2,100	4.7	3,024,000	958,386,120	9.3	2,942
8/26/2002	24	2,100	4.7	3,024,000	961,410,120	9.3	2,951
8/27/2002	12.5	2,100	4.7	1,575,000	962,985,120	4.8	2,956
8/28/2002	0	-	-	-	962,985,120	-	2,956
8/29/2002	7.7	2,100	4.7	968,100	963,953,220	3.0	2,959
8/30/2002	24	2,100	4.7	3,024,000	966,977,220	9.3	2,968
8/31/2002	24	2,100	4.7	3,024,000	970,001,220	9.3	2,977
9/1/2002	24	2,100	4.7	3,024,000	973,025,220	9.3	2,987
9/2/2002	24	2,100	4.7	3,024,000	976,049,220	9.3	2,996
9/3/2002	24	2,100	4.7	3,024,000	979,073,220	9.3	3,005
9/4/2002	24	2,100	4.7	3,024,000	982,097,220	9.3	3,014
9/5/2002	24	2,100	4.7	3,024,000	985,121,220	9.3	3,024
9/6/2002	24	2,100	4.7	3,024,000	988,145,220	9.3	3,033
9/7/2002	24	2,100	4.7	3,024,000	991,169,220	9.3	3,042
9/8/2002	24	2,100	4.7	3,024,000	994,193,220	9.3	3,052
9/9/2002	24	2,100	4.7	3,024,000	997,217,220	9.3	3,061
9/10/2002	24	2,100	4.7	3,024,000	1,000,241,220	9.3	3,070
9/11/2002	24	2,100	4.7	3,024,000	1,003,265,220	9.3	3,079
9/12/2002	24	2,100	4.7	3,024,000	1,006,289,220	9.3	3,089
9/13/2002	24	2,100	4.7	3,024,000	1,009,313,220	9.3	3,098
9/14/2002	24	2,100	4.7	3,024,000	1,012,337,220	9.3	3,107
9/15/2002	24	2,100	4.7	3,024,000	1,015,361,220	9.3	3,116
9/16/2002	24	2,100	4.7	3,024,000	1,018,385,220	9.3	3,126
9/17/2002	24	2,100	4.7	3,024,000	1,021,409,220	9.3	3,135

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/18/2002	24	2,100	4.7	3,024,000	1,024,433,220	9.3	3,144
9/19/2002	24	2,100	4.7	3,024,000	1,027,457,220	9.3	3,154
9/20/2002	24	2,100	4.7	3,024,000	1,030,481,220	9.3	3,163
9/21/2002	24	2,100	4.7	3,024,000	1,033,505,220	9.3	3,172
9/22/2002	24	2,100	4.7	3,024,000	1,036,529,220	9.3	3,181
9/23/2002	24	2,100	4.7	3,024,000	1,039,553,220	9.3	3,191
9/24/2002	24	2,100	4.7	3,024,000	1,042,577,220	9.3	3,200
9/25/2002	24	2,100	4.7	3,024,000	1,045,601,220	9.3	3,209
9/26/2002	24	2,100	4.7	3,024,000	1,048,625,220	9.3	3,219
9/27/2002	24	2,100	4.7	3,024,000	1,051,649,220	9.3	3,228
9/28/2002	24	2,100	4.7	3,024,000	1,054,673,220	9.3	3,237
9/29/2002	24	2,100	4.7	3,024,000	1,057,697,220	9.3	3,246
9/30/2002	24	2,100	4.7	3,024,000	1,060,721,220	9.3	3,256
10/1/2002	24	2,100	4.7	3,024,000	1,063,745,220	9.3	3,265
10/2/2002	10	2,100	4.7	1,260,000	1,065,005,220	3.9	3,269
10/3/2002	0		-	-	1,065,005,220	-	3,269
10/4/2002	0		-	-	1,065,005,220	-	3,269
10/5/2002	0		-	-	1,065,005,220	-	3,269
10/6/2002	0		-	-	1,065,005,220	-	3,269
10/7/2002	0		-	-	1,065,005,220	-	3,269
10/8/2002	0		-	-	1,065,005,220	-	3,269
10/9/2002	0		-	-	1,065,005,220	-	3,269
10/10/2002	0		-	-	1,065,005,220	-	3,269
10/11/2002	0		-	-	1,065,005,220	-	3,269
10/12/2002	0		-	-	1,065,005,220	-	3,269
10/13/2002	0		-	-	1,065,005,220	-	3,269
10/14/2002	11	4,200	9.4	2,772,000	1,067,777,220	8.5	3,277
10/15/2002	24	4,200	9.4	6,048,000	1,073,825,220	18.6	3,296
10/16/2002	24	4,200	9.4	6,048,000	1,079,873,220	18.6	3,314
10/17/2002	24	4,200	9.4	6,048,000	1,085,921,220	18.6	3,333
10/18/2002	24	4,200	9.4	6,048,000	1,091,969,220	18.6	3,352
10/19/2002	24	4,200	9.4	6,048,000	1,098,017,220	18.6	3,370
10/20/2002	24	4,200	9.4	6,048,000	1,104,065,220	18.6	3,389
10/21/2002	24	4,200	9.4	6,048,000	1,110,113,220	18.6	3,407
10/22/2002	24	4,200	9.4	6,048,000	1,116,161,220	18.6	3,426
10/23/2002	24	4,200	9.4	6,048,000	1,122,209,220	18.6	3,444
10/24/2002	24	4,200	9.4	6,048,000	1,128,257,220	18.6	3,463
10/25/2002	24	4,200	9.4	6,048,000	1,134,305,220	18.6	3,482
10/26/2002	24	4,200	9.4	6,048,000	1,140,353,220	18.6	3,500
10/27/2002	24	4,200	9.4	6,048,000	1,146,401,220	18.6	3,519
10/28/2002	24	4,200	9.4	6,048,000	1,152,449,220	18.6	3,537
10/29/2002	24	4,200	9.4	6,048,000	1,158,497,220	18.6	3,556
10/30/2002	24	4,200	9.4	6,048,000	1,164,545,220	18.6	3,574
10/31/2002	10	4,200	9.4	2,520,000	1,167,065,220	7.7	3,582
11/1/2002	0	4,200	9.4	-	1,167,065,220	-	3,582
11/2/2002	0	4,200	9.4	-	1,167,065,220	-	3,582

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/3/2002	0	4,200	9.4	-	1,167,065,220	-	3,582
11/4/2002	0	4,200	9.4	-	1,167,065,220	-	3,582
11/5/2002	0	4,200	9.4	-	1,167,065,220	-	3,582
11/6/2002	0		-	-	1,167,065,220	-	3,582
11/7/2002	0		-	-	1,167,065,220	-	3,582
11/8/2002	0		-	-	1,167,065,220	-	3,582
11/9/2002	0		-	-	1,167,065,220	-	3,582
11/10/2002	0		-	-	1,167,065,220	-	3,582
11/11/2002	0		-	-	1,167,065,220	-	3,582
11/12/2002	14	4,100	9.1	3,444,000	1,170,509,220	10.6	3,593
11/13/2002	24	4,100	9.1	5,904,000	1,176,413,220	18.1	3,611
11/14/2002	24	4,100	9.1	5,904,000	1,182,317,220	18.1	3,629
11/15/2002	24	4,100	9.1	5,904,000	1,188,221,220	18.1	3,647
11/16/2002	24	4,100	9.1	5,904,000	1,194,125,220	18.1	3,665
11/17/2002	24	4,100	9.1	5,904,000	1,200,029,220	18.1	3,683
11/18/2002	24	4,100	9.1	5,904,000	1,205,933,220	18.1	3,701
11/19/2002	24	4,100	9.1	5,904,000	1,211,837,220	18.1	3,720
11/20/2002	24	4,100	9.1	5,904,000	1,217,741,220	18.1	3,738
11/21/2002	24	4,100	9.1	5,904,000	1,223,645,220	18.1	3,756
11/22/2002	24	4,100	9.1	5,904,000	1,229,549,220	18.1	3,774
11/23/2002	24	4,100	9.1	5,904,000	1,235,453,220	18.1	3,792
11/24/2002	24	4,100	9.1	5,904,000	1,241,357,220	18.1	3,810
11/25/2002	24	4,100	9.1	5,904,000	1,247,261,220	18.1	3,828
11/26/2002	24	4,100	9.1	5,904,000	1,253,165,220	18.1	3,846
11/27/2002	24	4,100	9.1	5,904,000	1,259,069,220	18.1	3,864
11/28/2002	24	4,100	9.1	5,904,000	1,264,973,220	18.1	3,883
11/29/2002	24	4,100	9.1	5,904,000	1,270,877,220	18.1	3,901
11/30/2002	24	4,100	9.1	5,904,000	1,276,781,220	18.1	3,919
12/1/2002	24	4,100	9.1	5,904,000	1,282,685,220	18.1	3,937
12/2/2002	24	4,100	9.1	5,904,000	1,288,589,220	18.1	3,955
12/3/2002	24	4,100	9.1	5,904,000	1,294,493,220	18.1	3,973
12/4/2002	24	4,100	9.1	5,904,000	1,300,397,220	18.1	3,991
12/5/2002	24	4,100	9.1	5,904,000	1,306,301,220	18.1	4,009
12/6/2002	24	4,100	9.1	5,904,000	1,312,205,220	18.1	4,028
12/7/2002	24	4,100	9.1	5,904,000	1,318,109,220	18.1	4,046
12/8/2002	24	4,100	9.1	5,904,000	1,324,013,220	18.1	4,064
12/9/2002	24	4,100	9.1	5,904,000	1,329,917,220	18.1	4,082
12/10/2002	24	4,100	9.1	5,904,000	1,335,821,220	18.1	4,100
12/11/2002	24	4,100	9.1	5,904,000	1,341,725,220	18.1	4,118
12/12/2002	24	4,100	9.1	5,904,000	1,347,629,220	18.1	4,136
12/13/2002	24	4,100	9.1	5,904,000	1,353,533,220	18.1	4,154
12/14/2002	24	4,100	9.1	5,904,000	1,359,437,220	18.1	4,173
12/15/2002	24	4,100	9.1	5,904,000	1,365,341,220	18.1	4,191
12/16/2002	24	4,100	9.1	5,904,000	1,371,245,220	18.1	4,209
12/17/2002	24	4,100	9.1	5,904,000	1,377,149,220	18.1	4,227
12/18/2002	24	4,100	9.1	5,904,000	1,383,053,220	18.1	4,245

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/19/2002	24	4,100	9.1	5,904,000	1,388,957,220	18.1	4,263
12/20/2002	24	4,100	9.1	5,904,000	1,394,861,220	18.1	4,281
12/21/2002	24	4,100	9.1	5,904,000	1,400,765,220	18.1	4,299
12/22/2002	24	4,100	9.1	5,904,000	1,406,669,220	18.1	4,318
12/23/2002	24	4,100	9.1	5,904,000	1,412,573,220	18.1	4,336
12/24/2002	24	4,100	9.1	5,904,000	1,418,477,220	18.1	4,354
12/25/2002	24	4,100	9.1	5,904,000	1,424,381,220	18.1	4,372
12/26/2002	24	4,100	9.1	5,904,000	1,430,285,220	18.1	4,390
12/27/2002	24	4,100	9.1	5,904,000	1,436,189,220	18.1	4,408
12/28/2002	24	4,100	9.1	5,904,000	1,442,093,220	18.1	4,426
12/29/2002	24	4,100	9.1	5,904,000	1,447,997,220	18.1	4,444
12/30/2002	24	4,100	9.1	5,904,000	1,453,901,220	18.1	4,463
12/31/2002	24	4,100	9.1	5,904,000	1,459,805,220	18.1	4,481
1/1/2003	24	4,100	9.1	5,904,000	1,465,709,220	18.1	4,499
1/2/2003	24	4,100	9.1	5,904,000	1,471,613,220	18.1	4,517
1/3/2003	24	4,100	9.1	5,904,000	1,477,517,220	18.1	4,535
1/4/2003	24	4,100	9.1	5,904,000	1,483,421,220	18.1	4,553
1/5/2003	24	4,100	9.1	5,904,000	1,489,325,220	18.1	4,571
1/6/2003	24	4,100	9.1	5,904,000	1,495,229,220	18.1	4,589
1/7/2003	24	4,100	9.1	5,904,000	1,501,133,220	18.1	4,607
1/8/2003	24	4,100	9.1	5,904,000	1,507,037,220	18.1	4,626
1/9/2003	24	4,100	9.1	5,904,000	1,512,941,220	18.1	4,644
1/10/2003	24	4,100	9.1	5,904,000	1,518,845,220	18.1	4,662
1/11/2003	24	4,100	9.1	5,904,000	1,524,749,220	18.1	4,680
1/12/2003	24	4,100	9.1	5,904,000	1,530,653,220	18.1	4,698
1/13/2003	24	4,100	9.1	5,904,000	1,536,557,220	18.1	4,716
1/14/2003	24	4,100	9.1	5,904,000	1,542,461,220	18.1	4,734
1/15/2003	24	4,100	9.1	5,904,000	1,548,365,220	18.1	4,752
1/16/2003	24	4,100	9.1	5,904,000	1,554,269,220	18.1	4,771
1/17/2003	24	4,100	9.1	5,904,000	1,560,173,220	18.1	4,789
1/18/2003	24	4,100	9.1	5,904,000	1,566,077,220	18.1	4,807
1/19/2003	24	4,100	9.1	5,904,000	1,571,981,220	18.1	4,825
1/20/2003	24	4,100	9.1	5,904,000	1,577,885,220	18.1	4,843
1/21/2003	24	4,100	9.1	5,904,000	1,583,789,220	18.1	4,861
1/22/2003	24	4,100	9.1	5,904,000	1,589,693,220	18.1	4,879
1/23/2003	24	4,100	9.1	5,904,000	1,595,597,220	18.1	4,897
1/24/2003	24	4,100	9.1	5,904,000	1,601,501,220	18.1	4,916
1/25/2003	24	4,100	9.1	5,904,000	1,607,405,220	18.1	4,934
1/26/2003	24	4,100	9.1	5,904,000	1,613,309,220	18.1	4,952
1/27/2003	24	4,100	9.1	5,904,000	1,619,213,220	18.1	4,970
1/28/2003	24	4,100	9.1	5,904,000	1,625,117,220	18.1	4,988
1/29/2003	24	4,100	9.1	5,904,000	1,631,021,220	18.1	5,006
1/30/2003	24	4,100	9.1	5,904,000	1,636,925,220	18.1	5,024
1/31/2003	24	4,100	9.1	5,904,000	1,642,829,220	18.1	5,042
2/1/2003	24	4,100	9.1	5,904,000	1,648,733,220	18.1	5,061
2/2/2003	24	4,100	9.1	5,904,000	1,654,637,220	18.1	5,079

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/3/2003	24	4,100	9.1	5,904,000	1,660,541,220	18.1	5,097
2/4/2003	24	4,100	9.1	5,904,000	1,666,445,220	18.1	5,115
2/5/2003	24	4,100	9.1	5,904,000	1,672,349,220	18.1	5,133
2/6/2003	24	4,100	9.1	5,904,000	1,678,253,220	18.1	5,151
2/7/2003	24	4,100	9.1	5,904,000	1,684,157,220	18.1	5,169
2/8/2003	24	4,100	9.1	5,904,000	1,690,061,220	18.1	5,187
2/9/2003	24	4,100	9.1	5,904,000	1,695,965,220	18.1	5,205
2/10/2003	24	4,100	9.1	5,904,000	1,701,869,220	18.1	5,224
2/11/2003	24	4,100	9.1	5,904,000	1,707,773,220	18.1	5,242
2/12/2003	24	4,100	9.1	5,904,000	1,713,677,220	18.1	5,260
2/13/2003	24	4,100	9.1	5,904,000	1,719,581,220	18.1	5,278
2/14/2003	24	4,100	9.1	5,904,000	1,725,485,220	18.1	5,296
2/15/2003	24	4,100	9.1	5,904,000	1,731,389,220	18.1	5,314
2/16/2003	24	4,100	9.1	5,904,000	1,737,293,220	18.1	5,332
2/17/2003	24	4,100	9.1	5,904,000	1,743,197,220	18.1	5,350
2/18/2003	24	4,100	9.1	5,904,000	1,749,101,220	18.1	5,369
2/19/2003	24	4,100	9.1	5,904,000	1,755,005,220	18.1	5,387
2/20/2003	24	4,100	9.1	5,904,000	1,760,909,220	18.1	5,405
2/21/2003	24	4,100	9.1	5,904,000	1,766,813,220	18.1	5,423
2/22/2003	24	4,100	9.1	5,904,000	1,772,717,220	18.1	5,441
2/23/2003	24	4,100	9.1	5,904,000	1,778,621,220	18.1	5,459
2/24/2003	24	4,000	8.9	5,760,000	1,784,381,220	17.7	5,477
2/25/2003	24	4,000	8.9	5,760,000	1,790,141,220	17.7	5,495
2/26/2003	24	4,000	8.9	5,760,000	1,795,901,220	17.7	5,512
2/27/2003	24	4,000	8.9	5,760,000	1,801,661,220	17.7	5,530
2/28/2003	24	4,000	8.9	5,760,000	1,807,421,220	17.7	5,548
3/1/2003	24	4,000	8.9	5,760,000	1,813,181,220	17.7	5,565
3/2/2003	24	4,000	8.9	5,760,000	1,818,941,220	17.7	5,583
3/3/2003	24	4,000	8.9	5,760,000	1,824,701,220	17.7	5,601
3/4/2003	24	4,000	8.9	5,760,000	1,830,461,220	17.7	5,618
3/5/2003	24	4,000	8.9	5,760,000	1,836,221,220	17.7	5,636
3/6/2003	24	4,000	8.9	5,760,000	1,841,981,220	17.7	5,654
3/7/2003	24	3,900	8.7	5,616,000	1,847,597,220	17.2	5,671
3/8/2003	24	3,900	8.7	5,616,000	1,853,213,220	17.2	5,688
3/9/2003	24	3,900	8.7	5,616,000	1,858,829,220	17.2	5,705
3/10/2003	24	3,900	8.7	5,616,000	1,864,445,220	17.2	5,723
3/11/2003	24	3,900	8.7	5,616,000	1,870,061,220	17.2	5,740
3/12/2003	24	3,900	8.7	5,616,000	1,875,677,220	17.2	5,757
3/13/2003	24	3,900	8.7	5,616,000	1,881,293,220	17.2	5,774
3/14/2003	24	3,900	8.7	5,616,000	1,886,909,220	17.2	5,792
3/15/2003	24	3,900	8.7	5,616,000	1,892,525,220	17.2	5,809
3/16/2003	24	3,900	8.7	5,616,000	1,898,141,220	17.2	5,826
3/17/2003	24	3,900	8.7	5,616,000	1,903,757,220	17.2	5,843
3/18/2003	24	3,900	8.7	5,616,000	1,909,373,220	17.2	5,860
3/19/2003	24	3,900	8.7	5,616,000	1,914,989,220	17.2	5,878
3/20/2003	24	3,900	8.7	5,616,000	1,920,605,220	17.2	5,895

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/21/2003	24	3,900	8.7	5,616,000	1,926,221,220	17.2	5,912
3/22/2003	24	3,900	8.7	5,616,000	1,931,837,220	17.2	5,929
3/23/2003	24	3,900	8.7	5,616,000	1,937,453,220	17.2	5,947
3/24/2003	21	3,900	8.7	4,914,000	1,942,367,220	15.1	5,962
3/25/2003	24	3,900	8.7	5,616,000	1,947,983,220	17.2	5,979
3/26/2003	24	3,900	8.7	5,616,000	1,953,599,220	17.2	5,996
3/27/2003	24	3,900	8.7	5,616,000	1,959,215,220	17.2	6,013
3/28/2003	24	3,900	8.7	5,616,000	1,964,831,220	17.2	6,031
3/29/2003	24	3,900	8.7	5,616,000	1,970,447,220	17.2	6,048
3/30/2003	24	3,900	8.7	5,616,000	1,976,063,220	17.2	6,065
3/31/2003	24	3,900	8.7	5,616,000	1,981,679,220	17.2	6,082
4/1/2003	24	3,900	8.7	5,616,000	1,987,295,220	17.2	6,100
4/2/2003	24	3,900	8.7	5,616,000	1,992,911,220	17.2	6,117
4/3/2003	24	3,900	8.7	5,616,000	1,998,527,220	17.2	6,134
4/4/2003	24	3,900	8.7	5,616,000	2,004,143,220	17.2	6,151
4/5/2003	24	3,900	8.7	5,616,000	2,009,759,220	17.2	6,169
4/6/2003	24	3,900	8.7	5,616,000	2,015,375,220	17.2	6,186
4/7/2003	24	3,900	8.7	5,616,000	2,020,991,220	17.2	6,203
4/8/2003	24	3,900	8.7	5,616,000	2,026,607,220	17.2	6,220
4/9/2003	24	3,900	8.7	5,616,000	2,032,223,220	17.2	6,238
4/10/2003	24	3,900	8.7	5,616,000	2,037,839,220	17.2	6,255
4/11/2003	24	3,900	8.7	5,616,000	2,043,455,220	17.2	6,272
4/12/2003	24	3,900	8.7	5,616,000	2,049,071,220	17.2	6,289
4/13/2003	24	3,900	8.7	5,616,000	2,054,687,220	17.2	6,307
4/14/2003	24	3,900	8.7	5,616,000	2,060,303,220	17.2	6,324
4/15/2003	24	3,900	8.7	5,616,000	2,065,919,220	17.2	6,341
4/16/2003	24	3,900	8.7	5,616,000	2,071,535,220	17.2	6,358
4/17/2003	24	3,900	8.7	5,616,000	2,077,151,220	17.2	6,375
4/18/2003	24	3,900	8.7	5,616,000	2,082,767,220	17.2	6,393
4/19/2003	24	3,900	8.7	5,616,000	2,088,383,220	17.2	6,410
4/20/2003	24	3,900	8.7	5,616,000	2,093,999,220	17.2	6,427
4/21/2003	24	3,900	8.7	5,616,000	2,099,615,220	17.2	6,444
4/22/2003	24	3,900	8.7	5,616,000	2,105,231,220	17.2	6,462
4/23/2003	24	3,900	8.7	5,616,000	2,110,847,220	17.2	6,479
4/24/2003	24	3,900	8.7	5,616,000	2,116,463,220	17.2	6,496
4/25/2003	24	3,800	8.5	5,472,000	2,121,935,220	16.8	6,513
4/26/2003	24	3,800	8.5	5,472,000	2,127,407,220	16.8	6,530
4/27/2003	24	3,800	8.5	5,472,000	2,132,879,220	16.8	6,547
4/28/2003	24	3,800	8.5	5,472,000	2,138,351,220	16.8	6,563
4/29/2003	18	3,800	8.5	4,104,000	2,142,455,220	12.6	6,576
4/30/2003	24	3,800	8.5	5,472,000	2,147,927,220	16.8	6,593
5/1/2003	24	3,800	8.5	5,472,000	2,153,399,220	16.8	6,609
5/2/2003	24	3,800	8.5	5,472,000	2,158,871,220	16.8	6,626
5/3/2003	24	3,800	8.5	5,472,000	2,164,343,220	16.8	6,643
5/4/2003	24	3,800	8.5	5,472,000	2,169,815,220	16.8	6,660
5/5/2003	24	3,800	8.5	5,472,000	2,175,287,220	16.8	6,677

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/6/2003	24	3,800	8.5	5,472,000	2,180,759,220	16.8	6,693
5/7/2003	24	3,800	8.5	5,472,000	2,186,231,220	16.8	6,710
5/8/2003	24	3,800	8.5	5,472,000	2,191,703,220	16.8	6,727
5/9/2003	24	3,800	8.5	5,472,000	2,197,175,220	16.8	6,744
5/10/2003	24	3,800	8.5	5,472,000	2,202,647,220	16.8	6,761
5/11/2003	24	3,800	8.5	5,472,000	2,208,119,220	16.8	6,777
5/12/2003	24	3,800	8.5	5,472,000	2,213,591,220	16.8	6,794
5/13/2003	24	2,950	6.6	4,248,000	2,217,839,220	13.0	6,807
5/14/2003	24	2,950	6.6	4,248,000	2,222,087,220	13.0	6,820
5/15/2003	24	3,666	8.2	5,279,040	2,227,366,260	16.2	6,837
5/16/2003	24	3,800	8.5	5,472,000	2,232,838,260	16.8	6,853
5/17/2003	24	3,800	8.5	5,472,000	2,238,310,260	16.8	6,870
5/18/2003	24	3,800	8.5	5,472,000	2,243,782,260	16.8	6,887
5/19/2003	24	3,800	8.5	5,472,000	2,249,254,260	16.8	6,904
5/20/2003	24	3,800	8.5	5,472,000	2,254,726,260	16.8	6,920
5/21/2003	24	3,800	8.5	5,472,000	2,260,198,260	16.8	6,937
5/22/2003	24	3,800	8.5	5,472,000	2,265,670,260	16.8	6,954
5/23/2003	24	3,800	8.5	5,472,000	2,271,142,260	16.8	6,971
5/24/2003	24	3,800	8.5	5,472,000	2,276,614,260	16.8	6,988
5/25/2003	8	3,800	8.5	1,824,000	2,278,438,260	5.6	6,993
5/26/2003	24	3,920	8.7	5,644,800	2,284,083,060	17.3	7,011
5/27/2003	24	3,920	8.7	5,644,800	2,289,727,860	17.3	7,028
5/28/2003	24	3,920	8.7	5,644,800	2,295,372,660	17.3	7,045
5/29/2003	24	3,920	8.7	5,644,800	2,301,017,460	17.3	7,063
5/30/2003	24	3,920	8.7	5,644,800	2,306,662,260	17.3	7,080
5/31/2003	24	3,920	8.7	5,644,800	2,312,307,060	17.3	7,097
6/1/2003	24	3,920	8.7	5,644,800	2,317,951,860	17.3	7,115
6/2/2003	24	3,920	8.7	5,644,800	2,323,596,660	17.3	7,132
6/3/2003	24	3,920	8.7	5,644,800	2,329,241,460	17.3	7,149
6/4/2003	24	3,920	8.7	5,644,800	2,334,886,260	17.3	7,167
6/5/2003	24	3,920	8.7	5,644,800	2,340,531,060	17.3	7,184
6/6/2003	24	3,920	8.7	5,644,800	2,346,175,860	17.3	7,201
6/7/2003	24	3,920	8.7	5,644,800	2,351,820,660	17.3	7,219
6/8/2003	24	3,920	8.7	5,644,800	2,357,465,460	17.3	7,236
6/9/2003	24	3,920	8.7	5,644,800	2,363,110,260	17.3	7,253
6/10/2003	24	3,920	8.7	5,644,800	2,368,755,060	17.3	7,270
6/11/2003	24	3,920	8.7	5,644,800	2,374,399,860	17.3	7,288
6/12/2003	24	3,920	8.7	5,644,800	2,380,044,660	17.3	7,305
6/13/2003	24	3,920	8.7	5,644,800	2,385,689,460	17.3	7,322
6/14/2003	24	3,920	8.7	5,644,800	2,391,334,260	17.3	7,340
6/15/2003	24	3,920	8.7	5,644,800	2,396,979,060	17.3	7,357
6/16/2003	24	3,920	8.7	5,644,800	2,402,623,860	17.3	7,374
6/17/2003	24	3,920	8.7	5,644,800	2,408,268,660	17.3	7,392
6/18/2003	15	3,860	8.6	3,474,000	2,411,742,660	10.7	7,402
6/19/2003	24	-	-	-	2,411,742,660	-	7,402
6/20/2003	24	-	-	-	2,411,742,660	-	7,402

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/21/2003	24	-	-	-	2,411,742,660	-	7,402
6/22/2003	24	-	-	-	2,411,742,660	-	7,402
6/23/2003	24	-	-	-	2,411,742,660	-	7,402
6/24/2003	16	4,200	9.4	4,032,000	2,415,774,660	12.4	7,415
6/25/2003	24	4,055	9.0	5,839,200	2,421,613,860	17.9	7,433
6/26/2003	24	4,055	9.0	5,839,200	2,427,453,060	17.9	7,451
6/27/2003	24	4,035	9.0	5,810,400	2,433,263,460	17.8	7,468
6/28/2003	24	4,035	9.0	5,810,400	2,439,073,860	17.8	7,486
6/29/2003	24	4,035	9.0	5,810,400	2,444,884,260	17.8	7,504
6/30/2003	24	4,035	9.0	5,810,400	2,450,694,660	17.8	7,522
7/1/2003	24	4,035	9.0	5,810,400	2,456,505,060	17.8	7,540
7/2/2003	24	4,035	9.0	5,810,400	2,462,315,460	17.8	7,558
7/3/2003	24	4,035	9.0	5,810,400	2,468,125,860	17.8	7,575
7/4/2003	24	4,035	9.0	5,810,400	2,473,936,260	17.8	7,593
7/5/2003	24	4,035	9.0	5,810,400	2,479,746,660	17.8	7,611
7/6/2003	24	4,035	9.0	5,810,400	2,485,557,060	17.8	7,629
7/7/2003	24	4,035	9.0	5,810,400	2,491,367,460	17.8	7,647
7/8/2003	24	4,035	9.0	5,810,400	2,497,177,860	17.8	7,665
7/9/2003	24	3,995	8.9	5,752,800	2,502,930,660	17.7	7,682
7/10/2003	24	3,995	8.9	5,752,800	2,508,683,460	17.7	7,700
7/11/2003	24	3,995	8.9	5,752,800	2,514,436,260	17.7	7,718
7/12/2003	24	3,995	8.9	5,752,800	2,520,189,060	17.7	7,735
7/13/2003	24	3,995	8.9	5,752,800	2,525,941,860	17.7	7,753
7/14/2003	24	3,995	8.9	5,752,800	2,531,694,660	17.7	7,771
7/15/2003	24	3,995	8.9	5,752,800	2,537,447,460	17.7	7,788
7/16/2003	24	3,995	8.9	5,752,800	2,543,200,260	17.7	7,806
7/17/2003	24	3,995	8.9	5,752,800	2,548,953,060	17.7	7,824
7/18/2003	24	3,995	8.9	5,752,800	2,554,705,860	17.7	7,841
7/19/2003	24	3,995	8.9	5,752,800	2,560,458,660	17.7	7,859
7/20/2003	24	3,995	8.9	5,752,800	2,566,211,460	17.7	7,877
7/21/2003	24	3,995	8.9	5,752,800	2,571,964,260	17.7	7,894
7/22/2003	24	4,000	8.9	5,760,000	2,577,724,260	17.7	7,912
7/23/2003	24	4,000	8.9	5,760,000	2,583,484,260	17.7	7,930
7/24/2003	24	4,000	8.9	5,760,000	2,589,244,260	17.7	7,947
7/25/2003	24	4,000	8.9	5,760,000	2,595,004,260	17.7	7,965
7/26/2003	24	4,000	8.9	5,760,000	2,600,764,260	17.7	7,983
7/27/2003	24	4,000	8.9	5,760,000	2,606,524,260	17.7	8,000
7/28/2003	24	4,000	8.9	5,760,000	2,612,284,260	17.7	8,018
7/29/2003	24	3,920	8.7	5,644,800	2,617,929,060	17.3	8,035
7/30/2003	24	3,920	8.7	5,644,800	2,623,573,860	17.3	8,053
7/31/2003	24	3,920	8.7	5,644,800	2,629,218,660	17.3	8,070
8/1/2003	24	3,920	8.7	5,644,800	2,634,863,460	17.3	8,087
8/2/2003	24	3,920	8.7	5,644,800	2,640,508,260	17.3	8,105
8/3/2003	24	3,920	8.7	5,644,800	2,646,153,060	17.3	8,122
8/4/2003	24	3,920	8.7	5,644,800	2,651,797,860	17.3	8,139
8/5/2003	24	3,920	8.7	5,644,800	2,657,442,660	17.3	8,157

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/6/2003	24	3,920	8.7	5,644,800	2,663,087,460	17.3	8,174
8/7/2003	24	3,920	8.7	5,644,800	2,668,732,260	17.3	8,191
8/8/2003	24	3,920	8.7	5,644,800	2,674,377,060	17.3	8,209
8/9/2003	24	3,920	8.7	5,644,800	2,680,021,860	17.3	8,226
8/10/2003	24	3,920	8.7	5,644,800	2,685,666,660	17.3	8,243
8/11/2003	24	3,920	8.7	5,644,800	2,691,311,460	17.3	8,261
8/12/2003	24	3,920	8.7	5,644,800	2,696,956,260	17.3	8,278
8/13/2003	24	3,920	8.7	5,644,800	2,702,601,060	17.3	8,295
8/14/2003	24	3,920	8.7	5,644,800	2,708,245,860	17.3	8,312
8/15/2003	24	3,920	8.7	5,644,800	2,713,890,660	17.3	8,330
8/16/2003	24	3,920	8.7	5,644,800	2,719,535,460	17.3	8,347
8/17/2003	24	3,920	8.7	5,644,800	2,725,180,260	17.3	8,364
8/18/2003	24	3,920	8.7	5,644,800	2,730,825,060	17.3	8,382
8/19/2003	24	3,920	8.7	5,644,800	2,736,469,860	17.3	8,399
8/20/2003	13	3,910	8.7	3,049,800	2,739,519,660	9.4	8,408
8/21/2003	21	3,910	8.7	4,926,600	2,744,446,260	15.1	8,424
8/22/2003	24	3,910	8.7	5,630,400	2,750,076,660	17.3	8,441
8/23/2003	24	3,910	8.7	5,630,400	2,755,707,060	17.3	8,458
8/24/2003	24	3,910	8.7	5,630,400	2,761,337,460	17.3	8,475
8/25/2003	24	3,910	8.7	5,630,400	2,766,967,860	17.3	8,493
8/26/2003	24	3,910	8.7	5,630,400	2,772,598,260	17.3	8,510
8/27/2003	24	3,910	8.7	5,630,400	2,778,228,660	17.3	8,527
8/28/2003	24	3,910	8.7	5,630,400	2,783,859,060	17.3	8,545
8/29/2003	24	3,910	8.7	5,630,400	2,789,489,460	17.3	8,562
8/30/2003	24	3,910	8.7	5,630,400	2,795,119,860	17.3	8,579
8/31/2003	24	3,910	8.7	5,630,400	2,800,750,260	17.3	8,596
9/1/2003	24	3,910	8.7	5,630,400	2,806,380,660	17.3	8,614
9/2/2003	24	3,919	8.7	5,643,360	2,812,024,020	17.3	8,631
9/3/2003	24	3,917	8.7	5,640,810	2,817,664,830	17.3	8,648
9/4/2003	24	3,915	8.7	5,637,765	2,823,302,595	17.3	8,666
9/5/2003	24	3,914	8.7	5,635,725	2,828,938,320	17.3	8,683
9/6/2003	24	3,921	8.7	5,646,301	2,834,584,621	17.3	8,700
9/7/2003	24	3,904	8.7	5,621,310	2,840,205,931	17.3	8,718
9/8/2003	24	3,897	8.7	5,611,620	2,845,817,551	17.2	8,735
9/9/2003	24	3,891	8.7	5,602,590	2,851,420,141	17.2	8,752
9/10/2003	24	3,926	8.7	5,653,168	2,857,073,309	17.4	8,769
9/11/2003	24	3,947	8.8	5,683,680	2,862,756,989	17.4	8,787
9/12/2003	24	3,960	8.8	5,701,830	2,868,458,819	17.5	8,804
9/13/2003	24	3,954	8.8	5,694,255	2,874,153,074	17.5	8,822
9/14/2003	24	3,943	8.8	5,678,250	2,879,831,324	17.4	8,839
9/15/2003	24	3,935	8.8	5,666,115	2,885,497,439	17.4	8,857
9/16/2003	5	3,926	8.7	1,177,713	2,886,675,152	3.6	8,860
9/17/2003		0	-	-	2,886,675,152	-	8,860
9/18/2003		0	-	-	2,886,675,152	-	8,860
9/19/2003		0	-	-	2,886,675,152	-	8,860
9/20/2003		0	-	-	2,886,675,152	-	8,860

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/21/2003		0	-	-	2,886,675,152	-	8,860
9/22/2003		0	-	-	2,886,675,152	-	8,860
9/23/2003		0	-	-	2,886,675,152	-	8,860
9/24/2003		0	-	-	2,886,675,152	-	8,860
9/25/2003		0	-	-	2,886,675,152	-	8,860
9/26/2003		0	-	-	2,886,675,152	-	8,860
9/27/2003		0	-	-	2,886,675,152	-	8,860
9/28/2003		0	-	-	2,886,675,152	-	8,860
9/29/2003		0	-	-	2,886,675,152	-	8,860
9/30/2003		0	-	-	2,886,675,152	-	8,860
10/1/2003		0	-	-	2,886,675,152	-	8,860
10/2/2003	24		-	-	2,886,675,152	-	8,860
10/3/2003	24		-	-	2,886,675,152	-	8,860
10/4/2003	24		-	-	2,886,675,152	-	8,860
10/5/2003	24		-	-	2,886,675,152	-	8,860
10/6/2003	24		-	-	2,886,675,152	-	8,860
10/7/2003	24		-	-	2,886,675,152	-	8,860
10/8/2003	24		-	-	2,886,675,152	-	8,860
10/9/2003	24		-	-	2,886,675,152	-	8,860
10/10/2003	24		-	-	2,886,675,152	-	8,860
10/11/2003	24		-	-	2,886,675,152	-	8,860
10/12/2003	24		-	-	2,886,675,152	-	8,860
10/13/2003	24		-	-	2,886,675,152	-	8,860
10/14/2003	24		-	-	2,886,675,152	-	8,860
10/15/2003	24		-	-	2,886,675,152	-	8,860
10/16/2003	24		-	-	2,886,675,152	-	8,860
10/17/2003	24		-	-	2,886,675,152	-	8,860
10/18/2003	24		-	-	2,886,675,152	-	8,860
10/19/2003	24		-	-	2,886,675,152	-	8,860
10/20/2003	24		-	-	2,886,675,152	-	8,860
10/21/2003	24		-	-	2,886,675,152	-	8,860
10/22/2003	24		-	-	2,886,675,152	-	8,860
10/23/2003	24		-	-	2,886,675,152	-	8,860
10/24/2003	24		-	-	2,886,675,152	-	8,860
10/25/2003	24		-	-	2,886,675,152	-	8,860
10/26/2003	24		-	-	2,886,675,152	-	8,860
10/27/2003	8.5	4,223	9.4	2,153,730	2,888,828,882	6.6	8,867
10/28/2003	24	4,157	9.3	5,986,080	2,894,814,962	18.4	8,885
10/29/2003	13.5	4,156	9.3	3,366,360	2,898,181,322	10.3	8,895
10/30/2003	24	4,049	9.0	5,830,560	2,904,011,882	17.9	8,913
10/31/2003	24	4,107	9.2	5,914,080	2,909,925,962	18.2	8,932
11/1/2003	24	4,159	9.3	5,989,650	2,915,915,612	18.4	8,950
11/2/2003	24	4,148	9.2	5,973,495	2,921,889,107	18.3	8,968
11/3/2003	24	4,138	9.2	5,958,120	2,927,847,227	18.3	8,987
11/4/2003	24	4,126	9.2	5,942,010	2,933,789,237	18.2	9,005
11/5/2003	24	4,116	9.2	5,926,935	2,939,716,172	18.2	9,023

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/6/2003	24	4,109	9.2	5,916,585	2,945,632,757	18.2	9,041
11/7/2003	24	4,102	9.1	5,907,060	2,951,539,817	18.1	9,059
11/8/2003	24	4,091	9.1	5,890,560	2,957,430,377	18.1	9,077
11/9/2003	24	4,084	9.1	5,880,510	2,963,310,887	18.0	9,095
11/10/2003	24	4,077	9.1	5,870,535	2,969,181,422	18.0	9,113
11/11/2003	24	4,069	9.1	5,859,165	2,975,040,587	18.0	9,131
11/12/2003	24	4,063	9.1	5,850,675	2,980,891,262	18.0	9,149
11/13/2003	24	4,060	9.0	5,846,505	2,986,737,767	17.9	9,167
11/14/2003	24	4,054	9.0	5,838,180	2,992,575,947	17.9	9,185
11/15/2003	24	4,049	9.0	5,830,290	2,998,406,237	17.9	9,203
11/16/2003	24	4,043	9.0	5,821,515	3,004,227,752	17.9	9,221
11/17/2003	24	4,040	9.0	5,817,705	3,010,045,457	17.9	9,239
11/18/2003	24	4,033	9.0	5,808,225	3,015,853,682	17.8	9,257
11/19/2003	15.3	4,140	9.2	3,788,100	3,019,641,782	11.6	9,268
11/20/2003	24	4,138	9.2	5,958,540	3,025,600,322	18.3	9,287
11/21/2003	24	4,141	9.2	5,962,935	3,031,563,257	18.3	9,305
11/22/2003	24	4,144	9.2	5,967,975	3,037,531,232	18.3	9,323
11/23/2003	24	4,144	9.2	5,967,600	3,043,498,832	18.3	9,342
11/24/2003	24	4,166	9.3	5,999,145	3,049,497,977	18.4	9,360
11/25/2003	24	4,170	9.3	6,004,980	3,055,502,957	18.4	9,378
11/26/2003	24	4,165	9.3	5,998,125	3,061,501,082	18.4	9,397
11/27/2003	24	4,161	9.3	5,992,470	3,067,493,552	18.4	9,415
11/28/2003	24	4,160	9.3	5,990,940	3,073,484,492	18.4	9,434
11/29/2003	24	4,159	9.3	5,988,932	3,079,473,424	18.4	9,452
11/30/2003	24	4,112	9.2	5,921,037	3,085,394,461	18.2	9,470
12/1/2003	12	4,066	9.1	2,927,520	3,088,321,981	9.0	9,479
12/2/2003	12	4,157	9.3	2,993,040	3,091,315,021	9.2	9,488
12/3/2003	24	4,070	9.1	5,860,800	3,097,175,821	18.0	9,506
12/4/2003	24	4,067	9.1	5,856,480	3,103,032,301	18.0	9,524
12/5/2003	24	4,068	9.1	5,857,920	3,108,890,221	18.0	9,542
12/6/2003	24	4,072	9.1	5,863,680	3,114,753,901	18.0	9,560
12/7/2003	24	4,160	9.3	5,990,400	3,120,744,301	18.4	9,579
12/8/2003	24	4,160	9.3	5,990,400	3,126,734,701	18.4	9,597
12/9/2003	24	4,160	9.3	5,990,400	3,132,725,101	18.4	9,615
12/10/2003	24	4,160	9.3	5,990,400	3,138,715,501	18.4	9,634
12/11/2003	24	4,160	9.3	5,990,400	3,144,705,901	18.4	9,652
12/12/2003	24	4,160	9.3	5,990,400	3,150,696,301	18.4	9,671
12/13/2003	24	3,911	8.7	5,631,840	3,156,328,141	17.3	9,688
12/14/2003	24	3,916	8.7	5,639,040	3,161,967,181	17.3	9,705
12/15/2003	24	3,900	8.7	5,616,000	3,167,583,181	17.2	9,722
12/16/2003	24	3,900	8.7	5,616,000	3,173,199,181	17.2	9,740
12/17/2003	24	3,900	8.7	5,616,000	3,178,815,181	17.2	9,757
12/18/2003	24	3,900	8.7	5,616,000	3,184,431,181	17.2	9,774
12/19/2003	24	3,900	8.7	5,616,000	3,190,047,181	17.2	9,791
12/20/2003	24	3,900	8.7	5,616,000	3,195,663,181	17.2	9,809
12/21/2003	24	3,900	8.7	5,616,000	3,201,279,181	17.2	9,826

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/22/2003	24	3,900	8.7	5,616,000	3,206,895,181	17.2	9,843
12/23/2003	24	3,900	8.7	5,616,000	3,212,511,181	17.2	9,860
12/24/2003	24	3,900	8.7	5,616,000	3,218,127,181	17.2	9,877
12/25/2003	24	3,900	8.7	5,616,000	3,223,743,181	17.2	9,895
12/26/2003	24	3,900	8.7	5,616,000	3,229,359,181	17.2	9,912
12/27/2003	24	3,805	8.5	5,479,200	3,234,838,381	16.8	9,929
12/28/2003	24	3,805	8.5	5,479,200	3,240,317,581	16.8	9,946
12/29/2003	24	3,805	8.5	5,479,200	3,245,796,781	16.8	9,962
12/30/2003	24	3,805	8.5	5,479,200	3,251,275,981	16.8	9,979
12/31/2003	24	3,805	8.5	5,479,200	3,256,755,181	16.8	9,996
1/1/2004	24	3,805	8.5	5,479,200	3,262,234,381	16.8	10,013
1/2/2004	24	3,805	8.5	5,479,200	3,267,713,581	16.8	10,030
1/3/2004	24	3,805	8.5	5,479,200	3,273,192,781	16.8	10,047
1/4/2004	24	3,805	8.5	5,479,200	3,278,671,981	16.8	10,063
1/5/2004	24	3,805	8.5	5,479,200	3,284,151,181	16.8	10,080
1/6/2004	24	3,817	8.5	5,495,760	3,289,646,941	16.9	10,097
1/7/2004	24	3,814	8.5	5,492,130	3,295,139,071	16.9	10,114
1/8/2004	24	3,806	8.5	5,480,940	3,300,620,011	16.8	10,131
1/9/2004	24	3,794	8.5	5,463,870	3,306,083,881	16.8	10,147
1/10/2004	24	3,783	8.4	5,447,985	3,311,531,866	16.7	10,164
1/11/2004	24	3,774	8.4	5,435,010	3,316,966,876	16.7	10,181
1/12/2004	24	3,763	8.4	5,419,410	3,322,386,286	16.6	10,197
1/13/2004	24	3,756	8.4	5,409,270	3,327,795,556	16.6	10,214
1/14/2004	24	3,741	8.3	5,387,370	3,333,182,926	16.5	10,231
1/15/2004	24	3,743	8.3	5,389,740	3,338,572,666	16.5	10,247
1/16/2004	24	3,748	8.4	5,397,180	3,343,969,846	16.6	10,264
1/17/2004	24	3,747	8.3	5,396,070	3,349,365,916	16.6	10,280
1/18/2004	24	3,743	8.3	5,389,545	3,354,755,461	16.5	10,297
1/19/2004	24	3,742	8.3	5,388,855	3,360,144,316	16.5	10,313
1/20/2004	24	3,734	8.3	5,376,300	3,365,520,616	16.5	10,330
1/21/2004	24	3,726	8.3	5,365,305	3,370,885,921	16.5	10,346
1/22/2004	24	3,718	8.3	5,353,830	3,376,239,751	16.4	10,363
1/23/2004	24	3,713	8.3	5,346,315	3,381,586,066	16.4	10,379
1/24/2004	24	3,710	8.3	5,342,250	3,386,928,316	16.4	10,396
1/25/2004	24	3,708	8.3	5,340,000	3,392,268,316	16.4	10,412
1/26/2004	24	3,698	8.2	5,325,405	3,397,593,721	16.3	10,428
1/27/2004	24	3,697	8.2	5,323,995	3,402,917,716	16.3	10,445
1/28/2004	24	3,758	8.4	5,411,055	3,408,328,771	16.6	10,461
1/29/2004	24	3,937	8.8	5,668,635	3,413,997,406	17.4	10,479
1/30/2004	24	3,941	8.8	5,675,250	3,419,672,656	17.4	10,496
1/31/2004	24	3,942	8.8	5,676,720	3,425,349,376	17.4	10,514
2/1/2004	24	3,939	8.8	5,672,160	3,431,021,536	17.4	10,531
2/2/2004	24	3,933	8.8	5,663,520	3,436,685,056	17.4	10,548
2/3/2004	24	3,929	8.8	5,657,760	3,442,342,816	17.4	10,566
2/4/2004	24	3,924	8.7	5,650,560	3,447,993,376	17.3	10,583
2/5/2004	24	3,921	8.7	5,646,240	3,453,639,616	17.3	10,600

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/6/2004	24	3,918	8.7	5,641,920	3,459,281,536	17.3	10,618
2/7/2004	24	3,916	8.7	5,639,040	3,464,920,576	17.3	10,635
2/8/2004	24	3,916	8.7	5,640,480	3,470,561,056	17.3	10,652
2/9/2004	24	3,917	8.7	5,641,920	3,476,202,976	17.3	10,670
2/10/2004	24	3,918	8.7	5,644,800	3,481,847,776	17.3	10,687
2/11/2004	24	3,920	8.7	5,647,680	3,487,495,456	17.3	10,704
2/12/2004	24	3,922	8.7	5,644,800	3,493,140,256	17.3	10,722
2/13/2004	24	3,920	9.0	5,798,880	3,498,939,136	17.8	10,739
2/14/2004	24	4,027	9.1	5,892,480	3,504,831,616	18.1	10,757
2/15/2004	24	4,092	9.1	5,892,480	3,510,724,096	18.1	10,776
2/16/2004	24	4,092	9.0	5,803,200	3,516,527,296	17.8	10,793
2/17/2004	24	4,030	8.8	5,688,000	3,522,215,296	17.5	10,811
2/18/2004	24	3,950	8.8	5,690,880	3,527,906,176	17.5	10,828
2/19/2004	24	3,952	8.8	5,690,880	3,533,597,056	17.5	10,846
2/20/2004	24	3,952	8.8	5,693,760	3,539,290,816	17.5	10,863
2/21/2004	24	3,954	8.8	5,690,880	3,544,981,696	17.5	10,881
2/22/2004	24	3,952	8.8	5,683,680	3,550,665,376	17.4	10,898
2/23/2004	24	3,947	8.8	5,683,680	3,556,349,056	17.4	10,916
2/24/2004	24	3,944	8.8	5,679,360	3,562,028,416	17.4	10,933
2/25/2004	24	3,939	8.8	5,672,160	3,567,700,576	17.4	10,950
2/26/2004	24	3,937	8.8	5,669,280	3,573,369,856	17.4	10,968
2/27/2004	24	3,935	8.8	5,666,400	3,579,036,256	17.4	10,985
2/28/2004	24	3,933	8.8	5,663,520	3,584,699,776	17.4	11,003
2/29/2004	24	3,932	8.8	5,662,080	3,590,361,856	17.4	11,020
3/1/2004	24	3,930	8.8	5,659,200	3,596,021,056	17.4	11,037
3/2/2004	24	3,930	8.8	5,659,200	3,601,680,256	17.4	11,055
3/3/2004	24	3,928	8.8	5,656,320	3,607,336,576	17.4	11,072
3/4/2004	24	3,909	8.7	5,628,960	3,612,965,536	17.3	11,089
3/5/2004	24	3,884	8.7	5,592,960	3,618,558,496	17.2	11,107
3/6/2004	24	3,887	8.7	5,597,280	3,624,155,776	17.2	11,124
3/7/2004	24	3,888	8.7	5,598,720	3,629,754,496	17.2	11,141
3/8/2004	24	3,887	8.7	5,597,280	3,635,351,776	17.2	11,158
3/9/2004	24	3,886	8.7	5,595,840	3,640,947,616	17.2	11,175
3/10/2004	24	3,885	8.7	5,594,400	3,646,542,016	17.2	11,192
3/11/2004	24	3,888	8.7	5,598,720	3,652,140,736	17.2	11,210
3/12/2004	24	3,887	8.7	5,597,280	3,657,738,016	17.2	11,227
3/13/2004	24	3,889	8.7	5,600,160	3,663,338,176	17.2	11,244
3/14/2004	24	3,888	8.7	5,598,720	3,668,936,896	17.2	11,261
3/15/2004	24	3,894	8.7	5,607,930	3,674,544,826	17.2	11,278
3/16/2004	24	3,895	8.7	5,608,785	3,680,153,611	17.2	11,296
3/17/2004	24	3,927	8.7	5,654,820	3,685,808,431	17.4	11,313
3/18/2004	24	4,071	9.1	5,862,330	3,691,670,761	18.0	11,331
3/19/2004	24	4,071	9.1	5,862,030	3,697,532,791	18.0	11,349
3/20/2004	24	4,072	9.1	5,864,355	3,703,397,146	18.0	11,367
3/21/2004	24	4,074	9.1	5,866,920	3,709,264,066	18.0	11,385
3/22/2004	24	4,076	9.1	5,869,035	3,715,133,101	18.0	11,403

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/23/2004	24	4,077	9.1	5,871,120	3,721,004,221	18.0	11,421
3/24/2004	24	4,079	9.1	5,873,820	3,726,878,041	18.0	11,439
3/25/2004	24	4,081	9.1	5,876,070	3,732,754,111	18.0	11,457
3/26/2004	24	4,082	9.1	5,878,605	3,738,632,716	18.0	11,475
3/27/2004	24	4,084	9.1	5,881,230	3,744,513,946	18.1	11,493
3/28/2004	24	4,085	9.1	5,882,790	3,750,396,736	18.1	11,511
3/29/2004	24	4,085	9.1	5,882,955	3,756,279,691	18.1	11,529
3/30/2004	24	4,086	9.1	5,883,975	3,762,163,666	18.1	11,547
3/31/2004	24	4,030	9.0	5,802,720	3,767,966,386	17.8	11,565
4/1/2004	16.3	3,960	8.8	3,861,000	3,771,827,386	11.9	11,577
4/2/2004	14.3	4,077	9.1	3,485,835	3,775,313,221	10.7	11,588
4/3/2004	24	4,036	9.0	5,812,310	3,781,125,531	17.8	11,606
4/4/2004	24	4,022	9.0	5,790,968	3,786,916,498	17.8	11,623
4/5/2004	24	4,015	8.9	5,782,312	3,792,698,811	17.7	11,641
4/6/2004	24	4,026	9.0	5,797,683	3,798,496,493	17.8	11,659
4/7/2004	24	4,027	9.0	5,799,259	3,804,295,752	17.8	11,677
4/8/2004	24	4,016	8.9	5,783,616	3,810,079,368	17.8	11,694
4/9/2004	24	4,010	8.9	5,774,976	3,815,854,344	17.7	11,712
4/10/2004	24	4,006	8.9	5,768,413	3,821,622,757	17.7	11,730
4/11/2004	24	4,000	8.9	5,760,227	3,827,382,984	17.7	11,748
4/12/2004	24	3,996	8.9	5,754,134	3,833,137,118	17.7	11,765
4/13/2004	24	3,994	8.9	5,751,633	3,838,888,751	17.7	11,783
4/14/2004	24	3,992	8.9	5,749,162	3,844,637,913	17.6	11,800
4/15/2004	24	3,992	8.9	5,748,768	3,850,386,681	17.6	11,818
4/16/2004	24	3,992	8.9	5,749,162	3,856,135,843	17.6	11,836
4/17/2004	24	3,994	8.9	5,751,117	3,861,886,961	17.7	11,853
4/18/2004	24	3,995	8.9	5,752,588	3,867,639,548	17.7	11,871
4/19/2004	24	3,995	8.9	5,752,376	3,873,391,924	17.7	11,889
4/20/2004	24	3,993	8.9	5,750,481	3,879,142,405	17.7	11,906
4/21/2004	24	3,993	8.9	5,749,677	3,884,892,082	17.6	11,924
4/22/2004	24	3,992	8.9	5,748,253	3,890,640,335	17.6	11,942
4/23/2004	24	4,021	9.0	5,790,846	3,896,431,181	17.8	11,959
4/24/2004	24	4,040	9.0	5,817,039	3,902,248,220	17.9	11,977
4/25/2004	24	4,038	9.0	5,815,251	3,908,063,471	17.8	11,995
4/26/2004	24	4,038	9.0	5,815,129	3,913,878,600	17.8	12,013
4/27/2004	24	4,039	9.0	5,816,600	3,919,695,200	17.9	12,031
4/28/2004	24	4,041	9.0	5,818,509	3,925,513,709	17.9	12,049
4/29/2004	24	4,041	9.0	5,818,858	3,931,332,567	17.9	12,067
4/30/2004	24	4,040	9.0	5,817,024	3,937,149,591	17.9	12,084
5/1/2004	24	4,039	9.0	5,816,175	3,942,965,766	17.9	12,102
5/2/2004	24	4,039	9.0	5,815,605	3,948,781,371	17.9	12,120
5/3/2004	24	4,038	9.0	5,814,250	3,954,595,622	17.8	12,138
5/4/2004	24	4,038	9.0	5,815,047	3,960,410,668	17.8	12,156
5/5/2004	24	4,039	9.0	5,815,759	3,966,226,428	17.9	12,174
5/6/2004	24	4,087	9.1	5,885,696	3,972,112,123	18.1	12,192
5/7/2004	24	4,025	9.0	5,795,673	3,977,907,797	17.8	12,210

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/8/2004	24	3,944	8.8	5,679,568	3,983,587,364	17.4	12,227
5/9/2004	24	3,947	8.8	5,684,348	3,989,271,713	17.4	12,244
5/10/2004	24	3,948	8.8	5,685,744	3,994,957,456	17.5	12,262
5/11/2004	24	3,949	8.8	5,686,352	4,000,643,808	17.5	12,279
5/12/2004	24	3,950	8.8	5,688,045	4,006,331,853	17.5	12,297
5/13/2004	24	3,950	8.8	5,688,163	4,012,020,016	17.5	12,314
5/14/2004	24	3,950	8.8	5,687,302	4,017,707,318	17.5	12,332
5/15/2004	24	3,950	8.8	5,687,866	4,023,395,185	17.5	12,349
5/16/2004	24	3,950	8.8	5,687,659	4,029,082,843	17.5	12,367
5/17/2004	24	3,949	8.8	5,686,679	4,034,769,522	17.5	12,384
5/18/2004	24	3,949	8.8	5,686,605	4,040,456,127	17.5	12,401
5/19/2004	24	3,948	8.8	5,685,833	4,046,141,959	17.5	12,419
5/20/2004	24	4,080	9.1	5,875,482	4,052,017,441	18.0	12,437
5/21/2004	24	4,210	9.4	6,063,098	4,058,080,539	18.6	12,456
5/22/2004	24	4,165	9.3	5,997,318	4,064,077,857	18.4	12,474
5/23/2004	24	4,142	9.2	5,963,946	4,070,041,802	18.3	12,492
5/24/2004	24	4,143	9.2	5,966,208	4,076,008,010	18.3	12,511
5/25/2004	24	4,145	9.2	5,968,725	4,081,976,735	18.3	12,529
5/26/2004	24	4,146	9.2	5,970,090	4,087,946,825	18.3	12,547
5/27/2004	24	4,147	9.2	5,971,275	4,093,918,100	18.3	12,566
5/28/2004	24	4,149	9.2	5,975,220	4,099,893,320	18.3	12,584
5/29/2004	24	4,152	9.3	5,978,700	4,105,872,020	18.4	12,602
5/30/2004	24	4,153	9.3	5,979,630	4,111,851,650	18.4	12,621
5/31/2004	24	4,154	9.3	5,981,070	4,117,832,720	18.4	12,639
6/1/2004	24	4,154	9.3	5,981,910	4,123,814,630	18.4	12,657
6/2/2004	24	4,155	9.3	5,983,620	4,129,798,250	18.4	12,676
6/3/2004	24	4,156	9.3	5,984,955	4,135,783,205	18.4	12,694
6/4/2004	24	4,157	9.3	5,986,020	4,141,769,225	18.4	12,712
6/5/2004	24	4,158	9.3	5,988,105	4,147,757,330	18.4	12,731
6/6/2004	24	4,159	9.3	5,989,245	4,153,746,575	18.4	12,749
6/7/2004	24	4,160	9.3	5,990,250	4,159,736,825	18.4	12,768
6/8/2004	24	4,118	9.2	5,929,710	4,165,666,535	18.2	12,786
6/9/2004	24	4,165	9.3	5,997,690	4,171,664,225	18.4	12,804
6/10/2004	24	2,778	6.2	4,000,575	4,175,664,800	12.3	12,816
6/11/2004	24	4,226	9.4	6,085,455	4,181,750,255	18.7	12,835
6/12/2004	24	4,221	9.4	6,077,760	4,187,828,015	18.7	12,854
6/13/2004	24	4,217	9.4	6,072,810	4,193,900,825	18.6	12,872
6/14/2004	24	4,218	9.4	6,073,980	4,199,974,805	18.6	12,891
6/15/2004	24	4,215	9.4	6,069,945	4,206,044,750	18.6	12,910
6/16/2004	24	4,218	9.4	6,073,605	4,212,118,355	18.6	12,928
6/17/2004	24	4,214	9.4	6,068,595	4,218,186,950	18.6	12,947
6/18/2004	24	4,211	9.4	6,063,645	4,224,250,595	18.6	12,966
6/19/2004	24	4,210	9.4	6,062,670	4,230,313,265	18.6	12,984
6/20/2004	24	4,210	9.4	6,062,805	4,236,376,070	18.6	13,003
6/21/2004	24	4,212	9.4	6,064,635	4,242,440,705	18.6	13,021
6/22/2004	24	4,218	9.4	6,073,395	4,248,514,100	18.6	13,040

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/23/2004	24	4,227	9.4	6,086,250	4,254,600,350	18.7	13,059
6/24/2004	24	4,219	9.4	6,074,880	4,260,675,230	18.6	13,077
6/25/2004	24	4,206	9.4	6,056,970	4,266,732,200	18.6	13,096
6/26/2004	24	4,213	9.4	6,066,525	4,272,798,725	18.6	13,115
6/27/2004	24	4,218	9.4	6,073,320	4,278,872,045	18.6	13,133
6/28/2004	24	4,219	9.4	6,075,000	4,284,947,045	18.6	13,152
6/29/2004	24	4,219	9.4	6,075,615	4,291,022,660	18.6	13,171
6/30/2004	24	4,217	9.4	6,072,465	4,297,095,125	18.6	13,189
7/1/2004	24	4,210	9.4	6,062,205	4,303,157,330	18.6	13,208
7/2/2004	24	4,197	9.4	6,043,965	4,309,201,295	18.6	13,226
7/3/2004	24	4,202	9.4	6,051,285	4,315,252,580	18.6	13,245
7/4/2004	24	4,202	9.4	6,050,550	4,321,303,130	18.6	13,264
7/5/2004	24	4,192	9.3	6,036,015	4,327,339,145	18.5	13,282
7/6/2004	24	4,152	9.3	5,979,225	4,333,318,370	18.4	13,300
7/7/2004	24	4,131	9.2	5,948,775	4,339,267,145	18.3	13,319
7/8/2004	24	4,128	9.2	5,944,035	4,345,211,180	18.2	13,337
7/9/2004	24	4,128	9.2	5,944,620	4,351,155,800	18.2	13,355
7/10/2004	24	4,128	9.2	5,943,660	4,357,099,460	18.2	13,373
7/11/2004	24	4,128	9.2	5,944,920	4,363,044,380	18.2	13,392
7/12/2004	24	4,128	9.2	5,944,470	4,368,988,850	18.2	13,410
7/13/2004	24	4,131	9.2	5,948,910	4,374,937,760	18.3	13,428
7/14/2004	24	2,853	6.4	4,108,230	4,379,045,991	12.6	13,441
7/15/2004	24	3,883	8.7	5,591,212	4,384,637,203	17.2	13,458
7/16/2004	24	4,224	9.4	6,082,755	4,390,719,958	18.7	13,477
7/17/2004	24	4,211	9.4	6,064,275	4,396,784,233	18.6	13,495
7/18/2004	24	4,204	9.4	6,053,415	4,402,837,648	18.6	13,514
7/19/2004	24	4,199	9.4	6,047,205	4,408,884,853	18.6	13,532
7/20/2004	24	4,195	9.3	6,040,995	4,414,925,848	18.5	13,551
7/21/2004	24	4,190	9.3	6,033,645	4,420,959,493	18.5	13,569
7/22/2004	24	4,184	9.3	6,025,110	4,426,984,603	18.5	13,588
7/23/2004	24	4,182	9.3	6,022,455	4,433,007,058	18.5	13,606
7/24/2004	24	4,179	9.3	6,018,105	4,439,025,163	18.5	13,625
7/25/2004	24	4,178	9.3	6,016,800	4,445,041,963	18.5	13,643
7/26/2004	24	4,178	9.3	6,016,515	4,451,058,478	18.5	13,662
7/27/2004	24	4,168	9.3	6,002,115	4,457,060,593	18.4	13,680
7/28/2004	24	4,167	9.3	6,000,450	4,463,061,043	18.4	13,699
7/29/2004	24	4,166	9.3	5,998,395	4,469,059,438	18.4	13,717
7/30/2004	24	4,166	9.3	5,998,575	4,475,058,013	18.4	13,735
7/31/2004	24	4,162	9.3	5,993,640	4,481,051,653	18.4	13,754
8/1/2004	24	4,162	9.3	5,992,845	4,487,044,498	18.4	13,772
8/2/2004	24	4,160	9.3	5,991,060	4,493,035,558	18.4	13,791
8/3/2004	24	4,159	9.3	5,988,495	4,499,024,053	18.4	13,809
8/4/2004	24	3,793	8.5	5,461,584	4,504,485,637	16.8	13,826
8/5/2004	24	2,767	6.2	3,984,925	4,508,470,562	12.2	13,838
8/6/2004	24	2,516	5.6	3,623,014	4,512,093,576	11.1	13,849
8/7/2004	24	4,107	9.2	5,914,624	4,518,008,200	18.2	13,867

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/8/2004	24	4,094	9.1	5,895,712	4,523,903,912	18.1	13,885
8/9/2004	24	4,089	9.1	5,887,744	4,529,791,656	18.1	13,903
8/10/2004	24	4,085	9.1	5,882,496	4,535,674,152	18.1	13,921
8/11/2004	24	4,084	9.1	5,880,320	4,541,554,472	18.0	13,940
8/12/2004	24	4,082	9.1	5,878,752	4,547,433,224	18.0	13,958
8/13/2004	24	4,082	9.1	5,877,536	4,553,310,760	18.0	13,976
8/14/2004	24	4,080	9.1	5,875,344	4,559,186,104	18.0	13,994
8/15/2004	24	4,078	9.1	5,872,704	4,565,058,808	18.0	14,012
8/16/2004	24	4,079	9.1	5,873,392	4,570,932,200	18.0	14,030
8/17/2004	24	4,080	9.1	5,875,184	4,576,807,384	18.0	14,048
8/18/2004	24	4,079	9.1	5,874,320	4,582,681,704	18.0	14,066
8/19/2004	24	4,079	9.1	5,873,600	4,588,555,304	18.0	14,084
8/20/2004	24	4,079	9.1	5,874,304	4,594,429,608	18.0	14,102
8/21/2004	24	4,080	9.1	5,875,840	4,600,305,448	18.0	14,120
8/22/2004	24	4,078	9.1	5,872,576	4,606,178,024	18.0	14,138
8/23/2004	24	4,078	9.1	5,872,784	4,612,050,808	18.0	14,156
8/24/2004	24	4,078	9.1	5,872,656	4,617,923,464	18.0	14,174
8/25/2004	24	4,076	9.1	5,870,112	4,623,793,576	18.0	14,192
8/26/2004	24	4,074	9.1	5,866,032	4,629,659,608	18.0	14,210
8/27/2004	24	4,074	9.1	5,866,064	4,635,525,672	18.0	14,228
8/28/2004	24	4,072	9.1	5,864,240	4,641,389,912	18.0	14,246
8/29/2004	24	4,071	9.1	5,862,256	4,647,252,168	18.0	14,264
8/30/2004	24	3,417	7.6	4,920,845	4,652,173,013	15.1	14,279
8/31/2004	24	4,095	9.1	5,897,104	4,658,070,117	18.1	14,297
9/1/2004	24	4,091	9.1	5,891,220	4,663,961,337	18.1	14,315
9/2/2004	24	4,088	9.1	5,887,245	4,669,848,582	18.1	14,333
9/3/2004	24	4,087	9.1	5,885,565	4,675,734,147	18.1	14,351
9/4/2004	24	4,086	9.1	5,883,315	4,681,617,462	18.1	14,369
9/5/2004	24	4,084	9.1	5,881,200	4,687,498,662	18.1	14,387
9/6/2004	24	4,083	9.1	5,879,445	4,693,378,107	18.0	14,406
9/7/2004	24	4,082	9.1	5,878,710	4,699,256,817	18.0	14,424
9/8/2004	24	4,081	9.1	5,877,270	4,705,134,087	18.0	14,442
9/9/2004	24	4,080	9.1	5,875,185	4,711,009,272	18.0	14,460
9/10/2004	24	4,079	9.1	5,874,210	4,716,883,482	18.0	14,478
9/11/2004	24	4,079	9.1	5,873,295	4,722,756,777	18.0	14,496
9/12/2004	24	4,078	9.1	5,872,605	4,728,629,382	18.0	14,514
9/13/2004	24	4,076	9.1	5,869,560	4,734,498,942	18.0	14,532
9/14/2004	24	4,075	9.1	5,868,105	4,740,367,047	18.0	14,550
9/15/2004	24	4,073	9.1	5,865,450	4,746,232,497	18.0	14,568
9/16/2004	24	4,072	9.1	5,864,040	4,752,096,537	18.0	14,586
9/17/2004	24	4,072	9.1	5,863,200	4,757,959,737	18.0	14,604
9/18/2004	24	4,070	9.1	5,860,425	4,763,820,162	18.0	14,622
9/19/2004	24	4,070	9.1	5,860,695	4,769,680,857	18.0	14,640
9/20/2004	24	4,069	9.1	5,859,840	4,775,540,697	18.0	14,658
9/21/2004	24	4,068	9.1	5,858,430	4,781,399,127	18.0	14,676
9/22/2004	24	4,068	9.1	5,857,815	4,787,256,942	18.0	14,694

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/23/2004	24	4,067	9.1	5,855,850	4,793,112,792	18.0	14,712
9/24/2004	24	4,065	9.1	5,854,290	4,798,967,082	18.0	14,730
9/25/2004	24	4,064	9.1	5,851,845	4,804,818,927	18.0	14,748
9/26/2004	24	4,056	9.0	5,841,225	4,810,660,152	17.9	14,766
9/27/2004	24	4,054	9.0	5,838,045	4,816,498,197	17.9	14,783
9/28/2004	24	4,054	9.0	5,837,625	4,822,335,822	17.9	14,801
9/29/2004	24	4,055	9.0	5,839,185	4,828,175,007	17.9	14,819
9/30/2004	24	4,054	9.0	5,837,565	4,834,012,572	17.9	14,837
10/1/2004	24	4,056	9.0	5,840,640	4,839,853,212	17.9	14,855
10/2/2004	24	4,059	9.0	5,844,960	4,845,698,172	17.9	14,873
10/3/2004	24	4,060	9.0	5,846,400	4,851,544,572	17.9	14,891
10/4/2004	24	4,056	9.0	5,840,640	4,857,385,212	17.9	14,909
10/5/2004	24	4,056	9.0	5,840,640	4,863,225,852	17.9	14,927
10/6/2004	24	4,057	9.0	5,842,080	4,869,067,932	17.9	14,945
10/7/2004	24	4,054	9.0	5,837,760	4,874,905,692	17.9	14,963
10/8/2004	24	4,051	9.0	5,833,440	4,880,739,132	17.9	14,981
10/9/2004	24	4,049	9.0	5,830,560	4,886,569,692	17.9	14,998
10/10/2004	24	4,049	9.0	5,830,560	4,892,400,252	17.9	15,016
10/11/2004	24	4,049	9.0	5,830,560	4,898,230,812	17.9	15,034
10/12/2004	24	4,054	9.0	5,837,760	4,904,068,572	17.9	15,052
10/13/2004	24	4,048	9.0	5,829,120	4,909,897,692	17.9	15,070
10/14/2004	24	4,048	9.0	5,829,120	4,915,726,812	17.9	15,088
10/15/2004	24	4,050	9.0	5,832,000	4,921,558,812	17.9	15,106
10/16/2004	24	4,047	9.0	5,827,680	4,927,386,492	17.9	15,124
10/17/2004	24	4,048	9.0	5,829,120	4,933,215,612	17.9	15,142
10/18/2004	24	4,042	9.0	5,820,480	4,939,036,092	17.9	15,160
10/19/2004	24	4,037	9.0	5,813,280	4,944,849,372	17.8	15,177
10/20/2004	24	4,040	9.0	5,817,600	4,950,666,972	17.9	15,195
10/21/2004	24	4,040	9.0	5,817,600	4,956,484,572	17.9	15,213
10/22/2004	24	4,038	9.0	5,814,720	4,962,299,292	17.8	15,231
10/23/2004	24	4,043	9.0	5,821,920	4,968,121,212	17.9	15,249
10/24/2004	24	4,039	9.0	5,816,160	4,973,937,372	17.9	15,267
10/25/2004	24	4,040	9.0	5,817,600	4,979,754,972	17.9	15,285
10/26/2004	24	4,042	9.0	5,820,480	4,985,575,452	17.9	15,302
10/27/2004	24	4,041	9.0	5,819,040	4,991,394,492	17.9	15,320
10/28/2004	24	4,040	9.0	5,817,600	4,997,212,092	17.9	15,338
10/29/2004	24	4,040	9.0	5,817,600	5,003,029,692	17.9	15,356
10/30/2004	24	4,037	9.0	5,813,280	5,008,842,972	17.8	15,374
10/31/2004	24	4,038	9.0	5,814,720	5,014,657,692	17.8	15,392
11/1/2004	24	4,037	9.0	5,813,280	5,020,470,972	17.8	15,409
11/2/2004	24	4,035	9.0	5,810,400	5,026,281,372	17.8	15,427
11/3/2004	24	4,034	9.0	5,808,960	5,032,090,332	17.8	15,445
11/4/2004	24	4,034	9.0	5,808,960	5,037,899,292	17.8	15,463
11/5/2004	24	4,032	9.0	5,806,080	5,043,705,372	17.8	15,481
11/6/2004	24	4,034	9.0	5,808,960	5,049,514,332	17.8	15,499
11/7/2004	24	4,033	9.0	5,807,520	5,055,321,852	17.8	15,516

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/8/2004	24	4,033	9.0	5,807,520	5,061,129,372	17.8	15,534
11/9/2004	24	4,032	9.0	5,806,080	5,066,935,452	17.8	15,552
11/10/2004	24	4,032	9.0	5,806,080	5,072,741,532	17.8	15,570
11/11/2004	24	4,031	9.0	5,804,640	5,078,546,172	17.8	15,588
11/12/2004	24	4,031	9.0	5,804,640	5,084,350,812	17.8	15,606
11/13/2004	24	4,031	9.0	5,804,640	5,090,155,452	17.8	15,623
11/14/2004	24	4,029	9.0	5,801,760	5,095,957,212	17.8	15,641
11/15/2004	24	4,028	9.0	5,800,320	5,101,757,532	17.8	15,659
11/16/2004	24	4,026	9.0	5,797,440	5,107,554,972	17.8	15,677
11/17/2004	24	4,024	9.0	5,794,560	5,113,349,532	17.8	15,695
11/18/2004	24	1,916	4.3	2,759,040	5,116,108,572	8.5	15,703
11/19/2004	24	1,954	4.4	2,813,760	5,118,922,332	8.6	15,712
11/20/2004	24	4,094	9.1	5,895,360	5,124,817,692	18.1	15,730
11/21/2004	24	4,074	9.1	5,866,560	5,130,684,252	18.0	15,748
11/22/2004	24	4,063	9.1	5,850,720	5,136,534,972	18.0	15,766
11/23/2004	24	4,059	9.0	5,844,960	5,142,379,932	17.9	15,784
11/24/2004	24	4,055	9.0	5,839,200	5,148,219,132	17.9	15,802
11/25/2004	24	4,053	9.0	5,836,320	5,154,055,452	17.9	15,819
11/26/2004	24	4,051	9.0	5,833,440	5,159,888,892	17.9	15,837
11/27/2004	24	4,051	9.0	5,833,440	5,165,722,332	17.9	15,855
11/28/2004	24	4,050	9.0	5,832,000	5,171,554,332	17.9	15,873
11/29/2004	24	4,048	9.0	5,829,120	5,177,383,452	17.9	15,891
11/30/2004	24	4,046	9.0	5,826,240	5,183,209,692	17.9	15,909
12/1/2004	24	4,046	9.0	5,826,240	5,189,035,932	17.9	15,927
12/2/2004	24	4,045	9.0	5,824,800	5,194,860,732	17.9	15,945
12/3/2004	24	4,042	9.0	5,820,480	5,200,681,212	17.9	15,963
12/4/2004	24	4,041	9.0	5,819,040	5,206,500,252	17.9	15,980
12/5/2004	24	4,039	9.0	5,816,160	5,212,316,412	17.9	15,998
12/6/2004	24	4,039	9.0	5,816,160	5,218,132,572	17.9	16,016
12/7/2004	24	4,037	9.0	5,813,280	5,223,945,852	17.8	16,034
12/8/2004	24	4,036	9.0	5,811,840	5,229,757,692	17.8	16,052
12/9/2004	24	4,035	9.0	5,810,400	5,235,568,092	17.8	16,070
12/10/2004	24	4,034	9.0	5,808,960	5,241,377,052	17.8	16,088
12/11/2004	24	4,032	9.0	5,806,080	5,247,183,132	17.8	16,105
12/12/2004	24	4,031	9.0	5,804,640	5,252,987,772	17.8	16,123
12/13/2004	24	4,029	9.0	5,801,760	5,258,789,532	17.8	16,141
12/14/2004	24	4,028	9.0	5,800,320	5,264,589,852	17.8	16,159
12/15/2004	24	4,027	9.0	5,798,880	5,270,388,732	17.8	16,177
12/16/2004	24	4,025	9.0	5,796,000	5,276,184,732	17.8	16,194
12/17/2004	24	4,024	9.0	5,794,560	5,281,979,292	17.8	16,212
12/18/2004	24	4,023	9.0	5,793,120	5,287,772,412	17.8	16,230
12/19/2004	24	4,022	9.0	5,791,680	5,293,564,092	17.8	16,248
12/20/2004	24	4,021	9.0	5,790,240	5,299,354,332	17.8	16,265
12/21/2004	24	4,022	9.0	5,791,680	5,305,146,012	17.8	16,283
12/22/2004	24	4,021	9.0	5,790,240	5,310,936,252	17.8	16,301
12/23/2004	24	4,021	9.0	5,790,240	5,316,726,492	17.8	16,319

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/24/2004	24	4,019	9.0	5,787,360	5,322,513,852	17.8	16,337
12/25/2004	24	4,018	9.0	5,785,920	5,328,299,772	17.8	16,354
12/26/2004	24	4,017	8.9	5,784,480	5,334,084,252	17.8	16,372
12/27/2004	24	4,017	8.9	5,784,480	5,339,868,732	17.8	16,390
12/28/2004	24	4,015	8.9	5,781,600	5,345,650,332	17.7	16,408
12/29/2004	24	4,016	8.9	5,783,040	5,351,433,372	17.8	16,425
12/30/2004	24	4,017	8.9	5,784,480	5,357,217,852	17.8	16,443
12/31/2004	24	4,015	8.9	5,781,600	5,362,999,452	17.7	16,461
1/1/2005	24	4,016	8.9	5,783,040	5,368,782,492	17.8	16,479
1/2/2005	24	4,015	8.9	5,781,600	5,374,564,092	17.7	16,496
1/3/2005	24	4,014	8.9	5,780,160	5,380,344,252	17.7	16,514
1/4/2005	24	4,014	8.9	5,780,160	5,386,124,412	17.7	16,532
1/5/2005	24	4,013	8.9	5,778,720	5,391,903,132	17.7	16,550
1/6/2005	24	4,014	8.9	5,780,160	5,397,683,292	17.7	16,567
1/7/2005	24	4,013	8.9	5,778,720	5,403,462,012	17.7	16,585
1/8/2005	24	4,011	8.9	5,775,840	5,409,237,852	17.7	16,603
1/9/2005	24	4,009	8.9	5,772,960	5,415,010,812	17.7	16,620
1/10/2005	24	4,008	8.9	5,771,520	5,420,782,332	17.7	16,638
1/11/2005	24	4,008	8.9	5,771,520	5,426,553,852	17.7	16,656
1/12/2005	24	4,007	8.9	5,770,080	5,432,323,932	17.7	16,674
1/13/2005	24	4,005	8.9	5,767,200	5,438,091,132	17.7	16,691
1/14/2005	24	4,003	8.9	5,764,320	5,443,855,452	17.7	16,709
1/15/2005	24	4,002	8.9	5,762,880	5,449,618,332	17.7	16,727
1/16/2005	24	4,001	8.9	5,761,440	5,455,379,772	17.7	16,744
1/17/2005	24	4,000	8.9	5,760,000	5,461,139,772	17.7	16,762
1/18/2005	24	3,999	8.9	5,758,560	5,466,898,332	17.7	16,780
1/19/2005	24	3,997	8.9	5,755,680	5,472,654,012	17.7	16,797
1/20/2005	24	3,996	8.9	5,754,240	5,478,408,252	17.7	16,815
1/21/2005	24	3,994	8.9	5,751,360	5,484,159,612	17.7	16,833
1/22/2005	24	3,993	8.9	5,749,920	5,489,909,532	17.6	16,850
1/23/2005	24	3,991	8.9	5,747,040	5,495,656,572	17.6	16,868
1/24/2005	24	3,990	8.9	5,745,600	5,501,402,172	17.6	16,886
1/25/2005	24	3,988	8.9	5,742,720	5,507,144,892	17.6	16,903
1/26/2005	24	3,987	8.9	5,741,280	5,512,886,172	17.6	16,921
1/27/2005	24	3,986	8.9	5,739,840	5,518,626,012	17.6	16,938
1/28/2005	24	3,985	8.9	5,738,400	5,524,364,412	17.6	16,956
1/29/2005	24	3,983	8.9	5,735,520	5,530,099,932	17.6	16,974
1/30/2005	24	3,982	8.9	5,734,080	5,535,834,012	17.6	16,991
1/31/2005	24	3,982	8.9	5,734,080	5,541,568,092	17.6	17,009
2/1/2005	24	3,981	8.9	5,732,640	5,547,300,732	17.6	17,026
2/2/2005	24	3,980	8.9	5,731,200	5,553,031,932	17.6	17,044
2/3/2005	24	3,978	8.9	5,728,320	5,558,760,252	17.6	17,062
2/4/2005	24	3,977	8.9	5,726,880	5,564,487,132	17.6	17,079
2/5/2005	24	3,976	8.9	5,725,440	5,570,212,572	17.6	17,097
2/6/2005	24	3,975	8.9	5,724,000	5,575,936,572	17.6	17,114
2/7/2005	24	3,975	8.9	5,724,000	5,581,660,572	17.6	17,132

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/8/2005	24	3,974	8.9	5,722,560	5,587,383,132	17.6	17,150
2/9/2005	24	3,972	8.8	5,719,680	5,593,102,812	17.6	17,167
2/10/2005	24	3,971	8.8	5,718,240	5,598,821,052	17.6	17,185
2/11/2005	24	3,971	8.8	5,718,240	5,604,539,292	17.6	17,202
2/12/2005	24	3,972	8.8	5,719,680	5,610,258,972	17.6	17,220
2/13/2005	24	3,971	8.8	5,718,240	5,615,977,212	17.6	17,237
2/14/2005	24	3,979	8.9	5,729,760	5,621,706,972	17.6	17,255
2/15/2005	24	3,979	8.9	5,729,760	5,627,436,732	17.6	17,272
2/16/2005	24	3,979	8.9	5,729,760	5,633,166,492	17.6	17,290
2/17/2005	24	3,979	8.9	5,729,760	5,638,896,252	17.6	17,308
2/18/2005	24	3,983	8.9	5,735,520	5,644,631,772	17.6	17,325
2/19/2005	24	3,984	8.9	5,736,960	5,650,368,732	17.6	17,343
2/20/2005	24	3,983	8.9	5,735,520	5,656,104,252	17.6	17,360
2/21/2005	24	3,982	8.9	5,734,080	5,661,838,332	17.6	17,378
2/22/2005	24	3,982	8.9	5,734,080	5,667,572,412	17.6	17,396
2/23/2005	24	3,980	8.9	5,731,200	5,673,303,612	17.6	17,413
2/24/2005	24	3,979	8.9	5,729,760	5,679,033,372	17.6	17,431
2/25/2005	24	3,980	8.9	5,731,200	5,684,764,572	17.6	17,448
2/26/2005	24	3,978	8.9	5,728,320	5,690,492,892	17.6	17,466
2/27/2005	24	3,974	8.9	5,722,560	5,696,215,452	17.6	17,484
2/28/2005	24	3,975	8.9	5,724,000	5,701,939,452	17.6	17,501
3/1/2005	24	3,978	8.9	5,728,320	5,707,667,772	17.6	17,519
3/2/2005	24	3,979	8.9	5,729,760	5,713,397,532	17.6	17,536
3/3/2005	24	3,977	8.9	5,726,880	5,719,124,412	17.6	17,554
3/4/2005	24	3,977	8.9	5,726,880	5,724,851,292	17.6	17,571
3/5/2005	24	3,974	8.9	5,722,560	5,730,573,852	17.6	17,589
3/6/2005	24	3,969	8.8	5,715,360	5,736,289,212	17.5	17,607
3/7/2005	24	3,966	8.8	5,711,040	5,742,000,252	17.5	17,624
3/8/2005	24	3,964	8.8	5,708,160	5,747,708,412	17.5	17,642
3/9/2005	24	3,962	8.8	5,705,280	5,753,413,692	17.5	17,659
3/10/2005	24	3,962	8.8	5,705,280	5,759,118,972	17.5	17,677
3/11/2005	24	3,962	8.8	5,705,280	5,764,824,252	17.5	17,694
3/12/2005	24	3,961	8.8	5,703,840	5,770,528,092	17.5	17,712
3/13/2005	24	3,960	8.8	5,702,400	5,776,230,492	17.5	17,729
3/14/2005	24	3,960	8.8	5,702,400	5,781,932,892	17.5	17,747
3/15/2005	24	3,964	8.8	5,708,160	5,787,641,052	17.5	17,764
3/16/2005	24	3,962	8.8	5,705,280	5,793,346,332	17.5	17,782
3/17/2005	24	3,961	8.8	5,703,840	5,799,050,172	17.5	17,799
3/18/2005	24	3,961	8.8	5,703,840	5,804,754,012	17.5	17,817
3/19/2005	24	3,961	8.8	5,703,840	5,810,457,852	17.5	17,834
3/20/2005	24	3,960	8.8	5,702,400	5,816,160,252	17.5	17,852
3/21/2005	24	3,958	8.8	5,699,520	5,821,859,772	17.5	17,869
3/22/2005	24	3,959	8.8	5,700,960	5,827,560,732	17.5	17,887
3/23/2005	24	3,958	8.8	5,699,520	5,833,260,252	17.5	17,904
3/24/2005	24	3,957	8.8	5,698,080	5,838,958,332	17.5	17,922
3/25/2005	24	3,956	8.8	5,696,640	5,844,654,972	17.5	17,939

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/26/2005	24	3,956	8.8	5,696,640	5,850,351,612	17.5	17,957
3/27/2005	24	3,957	8.8	5,698,080	5,856,049,692	17.5	17,974
3/28/2005	24	3,958	8.8	5,699,520	5,861,749,212	17.5	17,992
3/29/2005	24	3,956	8.8	5,696,640	5,867,445,852	17.5	18,009
3/30/2005	24	3,955	8.8	5,695,200	5,873,141,052	17.5	18,027
3/31/2005	24	3,954	8.8	5,693,760	5,878,834,812	17.5	18,044
4/1/2005	24	3,953	8.8	5,692,320	5,884,527,132	17.5	18,062
4/2/2005	24	3,952	8.8	5,690,880	5,890,218,012	17.5	18,079
4/3/2005	24	3,950	8.8	5,688,000	5,895,906,012	17.5	18,096
4/4/2005	24	3,949	8.8	5,686,560	5,901,592,572	17.5	18,114
4/5/2005	24	3,947	8.8	5,683,680	5,907,276,252	17.4	18,131
4/6/2005	24	3,946	8.8	5,682,240	5,912,958,492	17.4	18,149
4/7/2005	24	3,945	8.8	5,680,800	5,918,639,292	17.4	18,166
4/8/2005	24	3,947	8.8	5,683,680	5,924,322,972	17.4	18,184
4/9/2005	24	3,948	8.8	5,685,120	5,930,008,092	17.4	18,201
4/10/2005	24	3,949	8.8	5,686,560	5,935,694,652	17.5	18,219
4/11/2005	24	3,948	8.8	5,685,120	5,941,379,772	17.4	18,236
4/12/2005	24	3,949	8.8	5,686,560	5,947,066,332	17.5	18,254
4/13/2005	24	3,949	8.8	5,686,560	5,952,752,892	17.5	18,271
4/14/2005	24	3,948	8.8	5,685,120	5,958,438,012	17.4	18,288
4/15/2005	24	3,947	8.8	5,683,680	5,964,121,692	17.4	18,306
4/16/2005	24	3,946	8.8	5,682,240	5,969,803,932	17.4	18,323
4/17/2005	24	3,945	8.8	5,680,800	5,975,484,732	17.4	18,341
4/18/2005	24	3,948	8.8	5,685,120	5,981,169,852	17.4	18,358
4/19/2005	24	3,953	8.8	5,692,320	5,986,862,172	17.5	18,376
4/20/2005	24	3,953	8.8	5,692,320	5,992,554,492	17.5	18,393
4/21/2005	24	3,952	8.8	5,690,880	5,998,245,372	17.5	18,411
4/22/2005	24	3,951	8.8	5,689,440	6,003,934,812	17.5	18,428
4/23/2005	24	3,951	8.8	5,689,440	6,009,624,252	17.5	18,446
4/24/2005	24	3,951	8.8	5,689,440	6,015,313,692	17.5	18,463
4/25/2005	24	3,950	8.8	5,688,000	6,021,001,692	17.5	18,480
4/26/2005	24	3,645	8.1	5,248,800	6,026,250,492	16.1	18,497
4/27/2005	24	-	-	-	6,026,250,492	-	18,497
4/28/2005	24	-	-	-	6,026,250,492	-	18,497
4/29/2005	24	4,023	9.0	5,793,120	6,032,043,612	17.8	18,514
4/30/2005	24	4,021	9.0	5,790,240	6,037,833,852	17.8	18,532
5/1/2005	24	4,019	9.0	5,787,360	6,043,621,212	17.8	18,550
5/2/2005	24	4,018	9.0	5,785,920	6,049,407,132	17.8	18,568
5/3/2005	24	4,017	8.9	5,784,480	6,055,191,612	17.8	18,585
5/4/2005	24	4,016	8.9	5,783,040	6,060,974,652	17.8	18,603
5/5/2005	24	4,015	8.9	5,781,600	6,066,756,252	17.7	18,621
5/6/2005	24	4,014	8.9	5,780,160	6,072,536,412	17.7	18,639
5/7/2005	24	4,013	8.9	5,778,720	6,078,315,132	17.7	18,656
5/8/2005	24	4,013	8.9	5,778,720	6,084,093,852	17.7	18,674
5/9/2005	24	4,013	8.9	5,778,720	6,089,872,572	17.7	18,692
5/10/2005	24	4,014	8.9	5,780,160	6,095,652,732	17.7	18,710

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/11/2005	24	4,013	8.9	5,778,720	6,101,431,452	17.7	18,727
5/12/2005	24	4,012	8.9	5,777,280	6,107,208,732	17.7	18,745
5/13/2005	24	4,011	8.9	5,775,840	6,112,984,572	17.7	18,763
5/14/2005	24	4,010	8.9	5,774,400	6,118,758,972	17.7	18,780
5/15/2005	24	4,008	8.9	5,771,520	6,124,530,492	17.7	18,798
5/16/2005	24	4,009	8.9	5,772,960	6,130,303,452	17.7	18,816
5/17/2005	24	4,008	8.9	5,771,520	6,136,074,972	17.7	18,834
5/18/2005	24	4,006	8.9	5,768,640	6,141,843,612	17.7	18,851
5/19/2005	24	4,005	8.9	5,767,200	6,147,610,812	17.7	18,869
5/20/2005	24	4,004	8.9	5,765,760	6,153,376,572	17.7	18,887
5/21/2005	24	4,004	8.9	5,765,760	6,159,142,332	17.7	18,904
5/22/2005	24	4,004	8.9	5,765,760	6,164,908,092	17.7	18,922
5/23/2005	24	4,004	8.9	5,765,760	6,170,673,852	17.7	18,940
5/24/2005	24	4,003	8.9	5,764,320	6,176,438,172	17.7	18,958
5/25/2005	24	4,004	8.9	5,765,760	6,182,203,932	17.7	18,975
5/26/2005	24	4,003	8.9	5,764,320	6,187,968,252	17.7	18,993
5/27/2005	24	4,003	8.9	5,764,320	6,193,732,572	17.7	19,011
5/28/2005	24	4,004	8.9	5,765,760	6,199,498,332	17.7	19,028
5/29/2005	24	4,004	8.9	5,765,760	6,205,264,092	17.7	19,046
5/30/2005	24	4,006	8.9	5,768,640	6,211,032,732	17.7	19,064
5/31/2005	24	4,006	8.9	5,768,640	6,216,801,372	17.7	19,081
6/1/2005	24	4,005	8.9	5,767,200	6,222,568,572	17.7	19,099
6/2/2005	24	4,006	8.9	5,768,640	6,228,337,212	17.7	19,117
6/3/2005	24	4,006	8.9	5,768,640	6,234,105,852	17.7	19,135
6/4/2005	24	4,008	8.9	5,771,520	6,239,877,372	17.7	19,152
6/5/2005	24	4,011	8.9	5,775,840	6,245,653,212	17.7	19,170
6/6/2005	24	4,013	8.9	5,778,720	6,251,431,932	17.7	19,188
6/7/2005	24	4,013	8.9	5,778,720	6,257,210,652	17.7	19,205
6/8/2005	24	4,014	8.9	5,780,160	6,262,990,812	17.7	19,223
6/9/2005	24	4,015	8.9	5,781,600	6,268,772,412	17.7	19,241
6/10/2005	24	4,016	8.9	5,783,040	6,274,555,452	17.8	19,259
6/11/2005	24	4,016	8.9	5,783,040	6,280,338,492	17.8	19,276
6/12/2005	24	4,015	8.9	5,781,600	6,286,120,092	17.7	19,294
6/13/2005	24	4,015	8.9	5,781,600	6,291,901,692	17.7	19,312
6/14/2005	24	4,015	8.9	5,781,600	6,297,683,292	17.7	19,330
6/15/2005	24	4,016	8.9	5,783,040	6,303,466,332	17.8	19,347
6/16/2005	24	4,017	8.9	5,784,480	6,309,250,812	17.8	19,365
6/17/2005	24	4,018	9.0	5,785,920	6,315,036,732	17.8	19,383
6/18/2005	24	4,018	9.0	5,785,920	6,320,822,652	17.8	19,401
6/19/2005	24	4,019	9.0	5,787,360	6,326,610,012	17.8	19,418
6/20/2005	24	4,019	9.0	5,787,360	6,332,397,372	17.8	19,436
6/21/2005	24	4,018	9.0	5,785,920	6,338,183,292	17.8	19,454
6/22/2005	24	2,870	6.4	4,132,800	6,342,316,092	12.7	19,467
6/23/2005	24	2,211	4.9	3,183,840	6,345,499,932	9.8	19,476
6/24/2005	24	3,642	8.1	5,244,480	6,350,744,412	16.1	19,493
6/25/2005	24	2,143	4.8	3,085,920	6,353,830,332	9.5	19,502

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/26/2005	24	0	0.0	547	6,353,830,880	0.0	19,502
6/27/2005	24	2,316	5.2	3,335,040	6,357,165,920	10.2	19,512
6/28/2005	24	4,115	9.2	5,925,600	6,363,091,520	18.2	19,530
6/29/2005	24	4,096	9.1	5,898,240	6,368,989,760	18.1	19,549
6/30/2005	24	4,089	9.1	5,888,160	6,374,877,920	18.1	19,567
7/1/2005	24	4,085	9.1	5,882,400	6,380,760,320	18.1	19,585
7/2/2005	24	4,083	9.1	5,879,520	6,386,639,840	18.0	19,603
7/3/2005	24	4,081	9.1	5,876,640	6,392,516,480	18.0	19,621
7/4/2005	24	4,080	9.1	5,875,200	6,398,391,680	18.0	19,639
7/5/2005	24	4,079	9.1	5,873,760	6,404,265,440	18.0	19,657
7/6/2005	24	4,079	9.1	5,873,760	6,410,139,200	18.0	19,675
7/7/2005	24	4,078	9.1	5,872,320	6,416,011,520	18.0	19,693
7/8/2005	24	4,078	9.1	5,872,320	6,421,883,840	18.0	19,711
7/9/2005	24	4,078	9.1	5,872,320	6,427,756,160	18.0	19,729
7/10/2005	24	4,077	9.1	5,870,880	6,433,627,040	18.0	19,747
7/11/2005	24	4,078	9.1	5,872,320	6,439,499,360	18.0	19,765
7/12/2005	24	4,079	9.1	5,873,760	6,445,373,120	18.0	19,783
7/13/2005	24	4,081	9.1	5,876,640	6,451,249,760	18.0	19,801
7/14/2005	24	4,081	9.1	5,876,640	6,457,126,400	18.0	19,819
7/15/2005	24	4,082	9.1	5,878,080	6,463,004,480	18.0	19,837
7/16/2005	24	4,081	9.1	5,876,640	6,468,881,120	18.0	19,855
7/17/2005	24	4,081	9.1	5,876,640	6,474,757,760	18.0	19,873
7/18/2005	24	4,081	9.1	5,876,640	6,480,634,400	18.0	19,891
7/19/2005	24	4,080	9.1	5,875,200	6,486,509,600	18.0	19,909
7/20/2005	24	4,081	9.1	5,876,640	6,492,386,240	18.0	19,927
7/21/2005	24	4,080	9.1	5,875,200	6,498,261,440	18.0	19,945
7/22/2005	24	4,080	9.1	5,875,200	6,504,136,640	18.0	19,963
7/23/2005	24	4,080	9.1	5,875,200	6,510,011,840	18.0	19,981
7/24/2005	24	4,080	9.1	5,875,200	6,515,887,040	18.0	19,999
7/25/2005	24	4,079	9.1	5,873,760	6,521,760,800	18.0	20,017
7/26/2005	24	4,076	9.1	5,869,440	6,527,630,240	18.0	20,035
7/27/2005	24	4,076	9.1	5,869,440	6,533,499,680	18.0	20,053
7/28/2005	24	4,075	9.1	5,868,000	6,539,367,680	18.0	20,071
7/29/2005	24	4,076	9.1	5,869,440	6,545,237,120	18.0	20,089
7/30/2005	24	4,076	9.1	5,869,440	6,551,106,560	18.0	20,108
7/31/2005	24	4,075	9.1	5,868,000	6,556,974,560	18.0	20,126
8/1/2005	24	4,075	9.1	5,868,000	6,562,842,560	18.0	20,144
8/2/2005	24	2,763	6.2	3,978,720	6,566,821,280	12.2	20,156
8/3/2005	24	4,115	9.2	5,925,600	6,572,746,880	18.2	20,174
8/4/2005	24	4,107	9.2	5,914,080	6,578,660,960	18.2	20,192
8/5/2005	24	4,104	9.1	5,909,760	6,584,570,720	18.1	20,210
8/6/2005	24	4,102	9.1	5,906,880	6,590,477,600	18.1	20,228
8/7/2005	24	4,101	9.1	5,905,440	6,596,383,040	18.1	20,246
8/8/2005	24	2,620	5.8	3,772,800	6,600,155,840	11.6	20,258
8/9/2005	24	1,934	4.3	2,784,960	6,602,940,800	8.5	20,267
8/10/2005	24	4,138	9.2	5,958,720	6,608,899,520	18.3	20,285

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/11/2005	24	4,123	9.2	5,937,120	6,614,836,640	18.2	20,303
8/12/2005	24	4,118	9.2	5,929,920	6,620,766,560	18.2	20,321
8/13/2005	24	4,114	9.2	5,924,160	6,626,690,720	18.2	20,339
8/14/2005	24	4,114	9.2	5,924,160	6,632,614,880	18.2	20,358
8/15/2005	24	4,113	9.2	5,922,720	6,638,537,600	18.2	20,376
8/16/2005	24	4,114	9.2	5,924,160	6,644,461,760	18.2	20,394
8/17/2005	24	4,113	9.2	5,922,720	6,650,384,480	18.2	20,412
8/18/2005	24	4,112	9.2	5,921,280	6,656,305,760	18.2	20,430
8/19/2005	24	4,109	9.2	5,916,960	6,662,222,720	18.2	20,449
8/20/2005	24	4,109	9.2	5,916,960	6,668,139,680	18.2	20,467
8/21/2005	24	4,108	9.2	5,915,520	6,674,055,200	18.2	20,485
8/22/2005	24	4,107	9.2	5,914,080	6,679,969,280	18.2	20,503
8/23/2005	24	4,108	9.2	5,915,520	6,685,884,800	18.2	20,521
8/24/2005	24	4,106	9.1	5,912,640	6,691,797,440	18.1	20,539
8/25/2005	24	4,106	9.1	5,912,640	6,697,710,080	18.1	20,557
8/26/2005	24	4,106	9.1	5,912,640	6,703,622,720	18.1	20,576
8/27/2005	24	4,105	9.1	5,911,200	6,709,533,920	18.1	20,594
8/28/2005	24	4,105	9.1	5,911,200	6,715,445,120	18.1	20,612
8/29/2005	24	4,105	9.1	5,911,200	6,721,356,320	18.1	20,630
8/30/2005	24	4,105	9.1	5,911,200	6,727,267,520	18.1	20,648
8/31/2005	24	2,022	4.5	2,911,680	6,730,179,200	8.9	20,657
9/1/2005	24	1,694	3.8	2,439,360	6,732,618,560	7.5	20,665
9/2/2005	24	4,144	9.2	5,967,360	6,738,585,920	18.3	20,683
9/3/2005	24	4,126	9.2	5,941,440	6,744,527,360	18.2	20,701
9/4/2005	24	4,119	9.2	5,931,360	6,750,458,720	18.2	20,719
9/5/2005	24	4,116	9.2	5,927,040	6,756,385,760	18.2	20,738
9/6/2005	24	4,112	9.2	5,921,280	6,762,307,040	18.2	20,756
9/7/2005	24	4,110	9.2	5,918,400	6,768,225,440	18.2	20,774
9/8/2005	24	4,109	9.2	5,916,960	6,774,142,400	18.2	20,792
9/9/2005	24	4,108	9.2	5,915,520	6,780,057,920	18.2	20,810
9/10/2005	24	4,108	9.2	5,915,520	6,785,973,440	18.2	20,828
9/11/2005	24	4,106	9.1	5,912,640	6,791,886,080	18.1	20,847
9/12/2005	24	4,105	9.1	5,911,200	6,797,797,280	18.1	20,865
9/13/2005	24	4,104	9.1	5,909,760	6,803,707,040	18.1	20,883
9/14/2005	24	1,583	3.5	2,279,520	6,805,986,560	7.0	20,890
9/15/2005	24	-	-	-	6,805,986,560	-	20,890
9/16/2005	24	-	-	-	6,805,986,560	-	20,890
9/17/2005	24	-	-	-	6,805,986,560	-	20,890
9/18/2005	24	-	-	-	6,805,986,560	-	20,890
9/19/2005	24	-	-	-	6,805,986,560	-	20,890
9/20/2005	24	-	-	-	6,805,986,560	-	20,890
9/21/2005	24	-	-	-	6,805,986,560	-	20,890
9/22/2005	24	-	-	-	6,805,986,560	-	20,890
9/23/2005	24	-	-	-	6,805,986,560	-	20,890
9/24/2005	24	-	-	-	6,805,986,560	-	20,890
9/25/2005	24	-	-	-	6,805,986,560	-	20,890

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/26/2005	24	-	-	-	6,805,986,560	-	20,890
9/27/2005	24	-	-	-	6,805,986,560	-	20,890
9/28/2005	24	-	-	-	6,805,986,560	-	20,890
9/29/2005	24	-	-	-	6,805,986,560	-	20,890
9/30/2005	24	1,857	4.1	2,674,080	6,808,660,640	8.2	20,898
10/1/2005	24	4,137	9.2	5,957,280	6,814,617,920	18.3	20,916
10/2/2005	24	4,128	9.2	5,944,320	6,820,562,240	18.2	20,935
10/3/2005	24	4,121	9.2	5,934,240	6,826,496,480	18.2	20,953
10/4/2005	24	4,117	9.2	5,928,480	6,832,424,960	18.2	20,971
10/5/2005	24	4,113	9.2	5,922,720	6,838,347,680	18.2	20,989
10/6/2005	24	4,110	9.2	5,918,400	6,844,266,080	18.2	21,007
10/7/2005	24	4,107	9.2	5,914,080	6,850,180,160	18.2	21,025
10/8/2005	24	4,105	9.1	5,911,200	6,856,091,360	18.1	21,044
10/9/2005	24	4,104	9.1	5,909,760	6,862,001,120	18.1	21,062
10/10/2005	24	4,101	9.1	5,905,440	6,867,906,560	18.1	21,080
10/11/2005	24	4,094	9.1	5,895,360	6,873,801,920	18.1	21,098
10/12/2005	24	4,097	9.1	5,899,680	6,879,701,600	18.1	21,116
10/13/2005	24	4,096	9.1	5,898,240	6,885,599,840	18.1	21,134
10/14/2005	24	4,097	9.1	5,899,680	6,891,499,520	18.1	21,152
10/15/2005	24	4,095	9.1	5,896,800	6,897,396,320	18.1	21,170
10/16/2005	24	4,094	9.1	5,895,360	6,903,291,680	18.1	21,188
10/17/2005	24	4,092	9.1	5,892,480	6,909,184,160	18.1	21,207
10/18/2005	24	4,092	9.1	5,892,480	6,915,076,640	18.1	21,225
10/19/2005	24	4,090	9.1	5,889,600	6,920,966,240	18.1	21,243
10/20/2005	24	4,089	9.1	5,888,160	6,926,854,400	18.1	21,261
10/21/2005	24	4,088	9.1	5,886,720	6,932,741,120	18.1	21,279
10/22/2005	24	4,088	9.1	5,886,720	6,938,627,840	18.1	21,297
10/23/2005	24	4,087	9.1	5,885,280	6,944,513,120	18.1	21,315
10/24/2005	24	4,086	9.1	5,883,840	6,950,396,960	18.1	21,333
10/25/2005	24	4,085	9.1	5,882,400	6,956,279,360	18.1	21,351
10/26/2005	24	4,085	9.1	5,882,400	6,962,161,760	18.1	21,369
10/27/2005	24	4,084	9.1	5,880,960	6,968,042,720	18.1	21,387
10/28/2005	24	4,084	9.1	5,880,960	6,973,923,680	18.1	21,405
10/29/2005	24	4,083	9.1	5,879,520	6,979,803,200	18.0	21,423
10/30/2005	24	4,083	9.1	5,879,520	6,985,682,720	18.0	21,441
10/31/2005	24	4,081	9.1	5,876,640	6,991,559,360	18.0	21,459
11/1/2005	24	4,080	9.1	5,875,200	6,997,434,560	18.0	21,477
11/2/2005	24	4,080	9.1	5,875,200	7,003,309,760	18.0	21,495
11/3/2005	24	4,079	9.1	5,873,760	7,009,183,520	18.0	21,513
11/4/2005	24	4,078	9.1	5,872,320	7,015,055,840	18.0	21,532
11/5/2005	24	4,077	9.1	5,870,880	7,020,926,720	18.0	21,550
11/6/2005	24	4,073	9.1	5,865,120	7,026,791,840	18.0	21,568
11/7/2005	24	4,070	9.1	5,860,800	7,032,652,640	18.0	21,586
11/8/2005	24	4,069	9.1	5,859,360	7,038,512,000	18.0	21,604
11/9/2005	24	4,068	9.1	5,857,920	7,044,369,920	18.0	21,621
11/10/2005	24	4,067	9.1	5,856,480	7,050,226,400	18.0	21,639

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/11/2005	24	4,066	9.1	5,855,040	7,056,081,440	18.0	21,657
11/12/2005	24	4,066	9.1	5,855,040	7,061,936,480	18.0	21,675
11/13/2005	24	4,065	9.1	5,853,600	7,067,790,080	18.0	21,693
11/14/2005	24	4,063	9.1	5,850,720	7,073,640,800	18.0	21,711
11/15/2005	24	4,061	9.0	5,847,840	7,079,488,640	17.9	21,729
11/16/2005	24	4,060	9.0	5,846,400	7,085,335,040	17.9	21,747
11/17/2005	24	4,059	9.0	5,844,960	7,091,180,000	17.9	21,765
11/18/2005	24	4,057	9.0	5,842,080	7,097,022,080	17.9	21,783
11/19/2005	24	4,055	9.0	5,839,200	7,102,861,280	17.9	21,801
11/20/2005	24	4,054	9.0	5,837,760	7,108,699,040	17.9	21,819
11/21/2005	24	4,054	9.0	5,837,760	7,114,536,800	17.9	21,837
11/22/2005	24	4,055	9.0	5,839,200	7,120,376,000	17.9	21,855
11/23/2005	24	4,053	9.0	5,836,320	7,126,212,320	17.9	21,873
11/24/2005	24	4,054	9.0	5,837,760	7,132,050,080	17.9	21,891
11/25/2005	24	4,053	9.0	5,836,320	7,137,886,400	17.9	21,909
11/26/2005	24	4,050	9.0	5,832,000	7,143,718,400	17.9	21,926
11/27/2005	24	4,050	9.0	5,832,000	7,149,550,400	17.9	21,944
11/28/2005	24	4,052	9.0	5,834,880	7,155,385,280	17.9	21,962
11/29/2005	24	4,052	9.0	5,834,880	7,161,220,160	17.9	21,980
11/30/2005	24	4,051	9.0	5,833,440	7,167,053,600	17.9	21,998
12/1/2005	24	4,065	9.1	5,853,600	7,172,907,200	18.0	22,016
12/2/2005	24	4,065	9.1	5,853,600	7,178,760,800	18.0	22,034
12/3/2005	24	4,065	9.1	5,853,600	7,184,614,400	18.0	22,052
12/4/2005	24	4,065	9.1	5,853,600	7,190,468,000	18.0	22,070
12/5/2005	24	4,065	9.1	5,853,600	7,196,321,600	18.0	22,088
12/6/2005	24	4,065	9.1	5,853,600	7,202,175,200	18.0	22,106
12/7/2005	24	4,065	9.1	5,853,600	7,208,028,800	18.0	22,124
12/8/2005	24	4,065	9.1	5,853,600	7,213,882,400	18.0	22,142
12/9/2005	24	4,065	9.1	5,853,600	7,219,736,000	18.0	22,160
12/10/2005	24	4,065	9.1	5,853,600	7,225,589,600	18.0	22,178
12/11/2005	24	4,065	9.1	5,853,600	7,231,443,200	18.0	22,196
12/12/2005	24	4,065	9.1	5,853,600	7,237,296,800	18.0	22,214
12/13/2005	24	4,065	9.1	5,853,600	7,243,150,400	18.0	22,232
12/14/2005	24	4,050	9.0	5,832,000	7,248,982,400	17.9	22,250
12/15/2005	24	4,050	9.0	5,832,000	7,254,814,400	17.9	22,267
12/16/2005	24	4,050	9.0	5,832,000	7,260,646,400	17.9	22,285
12/17/2005	24	4,050	9.0	5,832,000	7,266,478,400	17.9	22,303
12/18/2005	24	4,050	9.0	5,832,000	7,272,310,400	17.9	22,321
12/19/2005	24	4,050	9.0	5,832,000	7,278,142,400	17.9	22,339
12/20/2005	24	4,050	9.0	5,832,000	7,283,974,400	17.9	22,357
12/21/2005	24	4,050	9.0	5,832,000	7,289,806,400	17.9	22,375
12/22/2005	24	4,050	9.0	5,832,000	7,295,638,400	17.9	22,393
12/23/2005	24	4,050	9.0	5,832,000	7,301,470,400	17.9	22,411
12/24/2005	24	4,050	9.0	5,832,000	7,307,302,400	17.9	22,429
12/25/2005	24	4,050	9.0	5,832,000	7,313,134,400	17.9	22,446
12/26/2005	24	4,050	9.0	5,832,000	7,318,966,400	17.9	22,464

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/27/2005	24	4,050	9.0	5,832,000	7,324,798,400	17.9	22,482
12/28/2005	24	4,050	9.0	5,832,000	7,330,630,400	17.9	22,500
12/29/2005	24	4,050	9.0	5,832,000	7,336,462,400	17.9	22,518
12/30/2005	24	4,050	9.0	5,832,000	7,342,294,400	17.9	22,536
12/31/2005	24	4,050	9.0	5,832,000	7,348,126,400	17.9	22,554
1/1/2006	24	4,036	9.0	5,811,840	7,353,938,240	17.8	22,572
1/2/2006	24	4,036	9.0	5,811,840	7,359,750,080	17.8	22,589
1/3/2006	24	4,029	9.0	5,801,760	7,365,551,840	17.8	22,607
1/4/2006	24	4,028	9.0	5,800,320	7,371,352,160	17.8	22,625
1/5/2006	24	4,027	9.0	5,798,880	7,377,151,040	17.8	22,643
1/6/2006	24	4,026	9.0	5,797,440	7,382,948,480	17.8	22,661
1/7/2006	24	4,026	9.0	5,797,440	7,388,745,920	17.8	22,678
1/8/2006	24	4,025	9.0	5,796,000	7,394,541,920	17.8	22,696
1/9/2006	24	4,024	9.0	5,794,560	7,400,336,480	17.8	22,714
1/10/2006	24	4,023	9.0	5,793,120	7,406,129,600	17.8	22,732
1/11/2006	24	4,021	9.0	5,790,240	7,411,919,840	17.8	22,750
1/12/2006	24	4,020	9.0	5,788,800	7,417,708,640	17.8	22,767
1/13/2006	24	4,018	9.0	5,785,920	7,423,494,560	17.8	22,785
1/14/2006	24	4,018	9.0	5,785,920	7,429,280,480	17.8	22,803
1/15/2006	24	4,018	9.0	5,785,920	7,435,066,400	17.8	22,821
1/16/2006	24	4,016	8.9	5,783,040	7,440,849,440	17.8	22,838
1/17/2006	24	4,014	8.9	5,780,160	7,446,629,600	17.7	22,856
1/18/2006	24	4,013	8.9	5,778,720	7,452,408,320	17.7	22,874
1/19/2006	24	4,012	8.9	5,777,280	7,458,185,600	17.7	22,892
1/20/2006	24	4,011	8.9	5,775,840	7,463,961,440	17.7	22,909
1/21/2006	24	4,009	8.9	5,772,960	7,469,734,400	17.7	22,927
1/22/2006	24	4,008	8.9	5,771,520	7,475,505,920	17.7	22,945
1/23/2006	24	4,006	8.9	5,768,640	7,481,274,560	17.7	22,962
1/24/2006	24	4,005	8.9	5,767,200	7,487,041,760	17.7	22,980
1/25/2006	24	4,004	8.9	5,765,760	7,492,807,520	17.7	22,998
1/26/2006	24	4,003	8.9	5,764,320	7,498,571,840	17.7	23,016
1/27/2006	24	4,003	8.9	5,764,320	7,504,336,160	17.7	23,033
1/28/2006	24	4,001	8.9	5,761,440	7,510,097,600	17.7	23,051
1/29/2006	24	4,000	8.9	5,760,000	7,515,857,600	17.7	23,069
1/30/2006	24	3,998	8.9	5,757,120	7,521,614,720	17.7	23,086
1/31/2006	24	3,995	8.9	5,752,800	7,527,367,520	17.7	23,104
2/1/2006	24	3,995	8.9	5,752,800	7,533,120,320	17.7	23,122
2/2/2006	24	3,994	8.9	5,751,360	7,538,871,680	17.7	23,139
2/3/2006	24	3,993	8.9	5,749,920	7,544,621,600	17.6	23,157
2/4/2006	24	3,992	8.9	5,748,480	7,550,370,080	17.6	23,175
2/5/2006	24	3,992	8.9	5,748,480	7,556,118,560	17.6	23,192
2/6/2006	24	3,991	8.9	5,747,040	7,561,865,600	17.6	23,210
2/7/2006	24	3,989	8.9	5,744,160	7,567,609,760	17.6	23,227
2/8/2006	24	3,988	8.9	5,742,720	7,573,352,480	17.6	23,245
2/9/2006	24	3,988	8.9	5,742,720	7,579,095,200	17.6	23,263
2/10/2006	24	3,988	8.9	5,742,720	7,584,837,920	17.6	23,280

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/11/2006	24	3,988	8.9	5,742,720	7,590,580,640	17.6	23,298
2/12/2006	24	3,986	8.9	5,739,840	7,596,320,480	17.6	23,316
2/13/2006	24	3,985	8.9	5,738,400	7,602,058,880	17.6	23,333
2/14/2006	24	3,985	8.9	5,738,400	7,607,797,280	17.6	23,351
2/15/2006	24	3,985	8.9	5,738,400	7,613,535,680	17.6	23,368
2/16/2006	24	3,984	8.9	5,736,960	7,619,272,640	17.6	23,386
2/17/2006	24	3,984	8.9	5,736,960	7,625,009,600	17.6	23,404
2/18/2006	24	3,983	8.9	5,735,520	7,630,745,120	17.6	23,421
2/19/2006	24	3,981	8.9	5,732,640	7,636,477,760	17.6	23,439
2/20/2006	24	3,980	8.9	5,731,200	7,642,208,960	17.6	23,456
2/21/2006	24	3,978	8.9	5,728,320	7,647,937,280	17.6	23,474
2/22/2006	24	3,977	8.9	5,726,880	7,653,664,160	17.6	23,492
2/23/2006	24	3,976	8.9	5,725,440	7,659,389,600	17.6	23,509
2/24/2006	24	3,975	8.9	5,724,000	7,665,113,600	17.6	23,527
2/25/2006	24	3,974	8.9	5,722,560	7,670,836,160	17.6	23,544
2/26/2006	24	3,973	8.9	5,721,120	7,676,557,280	17.6	23,562
2/27/2006	24	3,971	8.8	5,718,240	7,682,275,520	17.6	23,579
2/28/2006	24	3,972	8.8	5,719,680	7,687,995,200	17.6	23,597
3/1/2006	24	3,971	8.8	5,718,240	7,693,713,440	17.6	23,615
3/2/2006	24	3,970	8.8	5,716,800	7,699,430,240	17.5	23,632
3/3/2006	24	3,969	8.8	5,715,360	7,705,145,600	17.5	23,650
3/4/2006	24	3,969	8.8	5,715,360	7,710,860,960	17.5	23,667
3/5/2006	24	3,967	8.8	5,712,480	7,716,573,440	17.5	23,685
3/6/2006	24	3,966	8.8	5,711,040	7,722,284,480	17.5	23,702
3/7/2006	24	3,966	8.8	5,711,040	7,727,995,520	17.5	23,720
3/8/2006	24	3,965	8.8	5,709,600	7,733,705,120	17.5	23,737
3/9/2006	24	3,965	8.8	5,709,600	7,739,414,720	17.5	23,755
3/10/2006	24	3,962	8.8	5,705,280	7,745,120,000	17.5	23,772
3/11/2006	24	3,961	8.8	5,703,840	7,750,823,840	17.5	23,790
3/12/2006	24	3,960	8.8	5,702,400	7,756,526,240	17.5	23,807
3/13/2006	24	3,958	8.8	5,699,520	7,762,225,760	17.5	23,825
3/14/2006	24	3,957	8.8	5,698,080	7,767,923,840	17.5	23,842
3/15/2006	24	3,956	8.8	5,696,640	7,773,620,480	17.5	23,860
3/16/2006	24	3,954	8.8	5,693,760	7,779,314,240	17.5	23,877
3/17/2006	24	3,954	8.8	5,693,760	7,785,008,000	17.5	23,895
3/18/2006	24	3,954	8.8	5,693,760	7,790,701,760	17.5	23,912
3/19/2006	24	3,953	8.8	5,692,320	7,796,394,080	17.5	23,930
3/20/2006	24	3,952	8.8	5,690,880	7,802,084,960	17.5	23,947
3/21/2006	24	3,952	8.8	5,690,880	7,807,775,840	17.5	23,965
3/22/2006	24	3,952	8.8	5,690,880	7,813,466,720	17.5	23,982
3/23/2006	24	3,950	8.8	5,688,000	7,819,154,720	17.5	24,000
3/24/2006	24	3,949	8.8	5,686,560	7,824,841,280	17.5	24,017
3/25/2006	24	3,949	8.8	5,686,560	7,830,527,840	17.5	24,034
3/26/2006	24	3,949	8.8	5,686,560	7,836,214,400	17.5	24,052
3/27/2006	24	3,947	8.8	5,683,680	7,841,898,080	17.4	24,069
3/28/2006	24	3,948	8.8	5,685,120	7,847,583,200	17.4	24,087

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
3/29/2006	24	3,948	8.8	5,685,120	7,853,268,320	17.4	24,104
3/30/2006	24	3,949	8.8	5,686,560	7,858,954,880	17.5	24,122
3/31/2006	24	3,948	8.8	5,685,120	7,864,640,000	17.4	24,139
4/1/2006	24	3,946	8.8	5,682,240	7,870,322,240	17.4	24,157
4/2/2006	24	3,944	8.8	5,679,360	7,876,001,600	17.4	24,174
4/3/2006	24	3,943	8.8	5,677,920	7,881,679,520	17.4	24,191
4/4/2006	24	3,942	8.8	5,676,480	7,887,356,000	17.4	24,209
4/5/2006	24	3,943	8.8	5,677,920	7,893,033,920	17.4	24,226
4/6/2006	24	3,943	8.8	5,677,920	7,898,711,840	17.4	24,244
4/7/2006	24	3,940	8.8	5,673,600	7,904,385,440	17.4	24,261
4/8/2006	24	3,940	8.8	5,673,600	7,910,059,040	17.4	24,279
4/9/2006	24	3,939	8.8	5,672,160	7,915,731,200	17.4	24,296
4/10/2006	24	3,939	8.8	5,672,160	7,921,403,360	17.4	24,313
4/11/2006	24	3,939	8.8	5,672,160	7,927,075,520	17.4	24,331
4/12/2006	24	3,936	8.8	5,667,840	7,932,743,360	17.4	24,348
4/13/2006	24	3,936	8.8	5,667,840	7,938,411,200	17.4	24,366
4/14/2006	24	3,936	8.8	5,667,840	7,944,079,040	17.4	24,383
4/15/2006	24	3,937	8.8	5,669,280	7,949,748,320	17.4	24,400
4/16/2006	24	3,934	8.8	5,664,960	7,955,413,280	17.4	24,418
4/17/2006	24	3,935	8.8	5,666,400	7,961,079,680	17.4	24,435
4/18/2006	24	3,933	8.8	5,663,520	7,966,743,200	17.4	24,453
4/19/2006	24	3,933	8.8	5,663,520	7,972,406,720	17.4	24,470
4/20/2006	24	3,932	8.8	5,662,080	7,978,068,800	17.4	24,487
4/21/2006	24	3,935	8.8	5,666,400	7,983,735,200	17.4	24,505
4/22/2006	24	3,592	8.0	5,172,480	7,988,907,680	15.9	24,521
4/23/2006	24	3,927	8.7	5,654,880	7,994,562,560	17.4	24,538
4/24/2006	24	393	0.9	565,920	7,995,128,480	1.7	24,540
4/25/2006	24	3,927	8.7	5,654,880	8,000,783,360	17.4	24,557
4/26/2006	24	3,927	8.7	5,654,880	8,006,438,240	17.4	24,574
4/27/2006	24	3,926	8.7	5,653,440	8,012,091,680	17.4	24,592
4/28/2006	24	3,921	8.7	5,646,240	8,017,737,920	17.3	24,609
4/29/2006	24	3,918	8.7	5,641,920	8,023,379,840	17.3	24,626
4/30/2006	24	3,917	8.7	5,640,480	8,029,020,320	17.3	24,644
5/1/2006	24	3,917	8.7	5,640,480	8,034,660,800	17.3	24,661
5/2/2006	24	3,917	8.7	5,640,480	8,040,301,280	17.3	24,678
5/3/2006	24	3,919	8.7	5,643,360	8,045,944,640	17.3	24,696
5/4/2006	24	3,919	8.7	5,643,360	8,051,588,000	17.3	24,713
5/5/2006	24	3,919	8.7	5,643,360	8,057,231,360	17.3	24,730
5/6/2006	24	3,919	8.7	5,643,360	8,062,874,720	17.3	24,748
5/7/2006	24	3,918	8.7	5,641,920	8,068,516,640	17.3	24,765
5/8/2006	24	3,918	8.7	5,641,920	8,074,158,560	17.3	24,782
5/9/2006	24	3,916	8.7	5,639,040	8,079,797,600	17.3	24,800
5/10/2006	24	3,916	8.7	5,639,040	8,085,436,640	17.3	24,817
5/11/2006	24	3,916	8.7	5,639,040	8,091,075,680	17.3	24,834
5/12/2006	24	3,917	8.7	5,640,480	8,096,716,160	17.3	24,851
5/13/2006	24	3,918	8.7	5,641,920	8,102,358,080	17.3	24,869

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/14/2006	24	3,918	8.7	5,641,920	8,108,000,000	17.3	24,886
5/15/2006	24	3,918	8.7	5,641,920	8,113,641,920	17.3	24,903
5/16/2006	24	3,918	8.7	5,641,920	8,119,283,840	17.3	24,921
5/17/2006	24	3,918	8.7	5,641,920	8,124,925,760	17.3	24,938
5/18/2006	24	3,918	8.7	5,641,920	8,130,567,680	17.3	24,955
5/19/2006	24	3,920	8.7	5,644,800	8,136,212,480	17.3	24,973
5/20/2006	24	3,920	8.7	5,644,800	8,141,857,280	17.3	24,990
5/21/2006	24	3,921	8.7	5,646,240	8,147,503,520	17.3	25,007
5/22/2006	24	3,922	8.7	5,647,680	8,153,151,200	17.3	25,025
5/23/2006	24	3,920	8.7	5,644,800	8,158,796,000	17.3	25,042
5/24/2006	24	3,918	8.7	5,641,920	8,164,437,920	17.3	25,059
5/25/2006	24	3,921	8.7	5,646,240	8,170,084,160	17.3	25,077
5/26/2006	24	3,923	8.7	5,649,120	8,175,733,280	17.3	25,094
5/27/2006	24	3,925	8.7	5,652,000	8,181,385,280	17.3	25,111
5/28/2006	24	3,922	8.7	5,647,680	8,187,032,960	17.3	25,129
5/29/2006	24	3,912	8.7	5,633,280	8,192,666,240	17.3	25,146
5/30/2006	24	3,906	8.7	5,624,640	8,198,290,880	17.3	25,163
5/31/2006	24	3,908	8.7	5,627,520	8,203,918,400	17.3	25,181
6/1/2006	24	3,910	8.7	5,630,400	8,209,548,800	17.3	25,198
6/2/2006	24	3,910	8.7	5,630,400	8,215,179,200	17.3	25,215
6/3/2006	24	1,899	4.2	2,734,560	8,217,913,760	8.4	25,223
6/4/2006	24	-	-	-	8,217,913,760	-	25,223
6/5/2006	24	-	-	-	8,217,913,760	-	25,223
6/6/2006	24	-	-	-	8,217,913,760	-	25,223
6/7/2006	24	-	-	-	8,217,913,760	-	25,223
6/8/2006	24	-	-	-	8,217,913,760	-	25,223
6/9/2006	24	2,406	5.4	3,464,640	8,221,378,400	10.6	25,234
6/10/2006	24	4,075	9.1	5,868,000	8,227,246,400	18.0	25,252
6/11/2006	24	4,050	9.0	5,832,000	8,233,078,400	17.9	25,270
6/12/2006	24	4,041	9.0	5,819,040	8,238,897,440	17.9	25,288
6/13/2006	24	4,037	9.0	5,813,280	8,244,710,720	17.8	25,306
6/14/2006	24	4,037	9.0	5,813,280	8,250,524,000	17.8	25,324
6/15/2006	24	4,035	9.0	5,810,400	8,256,334,400	17.8	25,341
6/16/2006	24	4,032	9.0	5,806,080	8,262,140,480	17.8	25,359
6/17/2006	24	4,030	9.0	5,803,200	8,267,943,680	17.8	25,377
6/18/2006	24	4,031	9.0	5,804,640	8,273,748,320	17.8	25,395
6/19/2006	24	1,786	4.0	2,571,840	8,276,320,160	7.9	25,403
6/20/2006	24	-	-	-	8,276,320,160	-	25,403
6/21/2006	24	-	-	-	8,276,320,160	-	25,403
6/22/2006	24	-	-	-	8,276,320,160	-	25,403
6/23/2006	24	344	0.8	495,360	8,276,815,520	1.5	25,404
6/24/2006	24	4,122	9.2	5,935,680	8,282,751,200	18.2	25,422
6/25/2006	24	4,090	9.1	5,889,600	8,288,640,800	18.1	25,441
6/26/2006	24	1,202	2.7	1,730,880	8,290,371,680	5.3	25,446
6/27/2006	24	-	-	-	8,290,371,680	-	25,446
6/28/2006	24	-	-	-	8,290,371,680	-	25,446

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
6/29/2006	24	-	-	-	8,290,371,680	-	25,446
6/30/2006	24	4,134	9.2	5,952,960	8,296,324,640	18.3	25,464
7/1/2006	24	4,105	9.1	5,911,200	8,302,235,840	18.1	25,482
7/2/2006	24	3,594	8.0	5,175,360	8,307,411,200	15.9	25,498
7/3/2006	24	4,107	9.2	5,914,080	8,313,325,280	18.2	25,516
7/4/2006	24	4,096	9.1	5,898,240	8,319,223,520	18.1	25,534
7/5/2006	24	4,090	9.1	5,889,600	8,325,113,120	18.1	25,553
7/6/2006	24	4,086	9.1	5,883,840	8,330,996,960	18.1	25,571
7/7/2006	24	4,082	9.1	5,878,080	8,336,875,040	18.0	25,589
7/8/2006	24	4,080	9.1	5,875,200	8,342,750,240	18.0	25,607
7/9/2006	24	4,079	9.1	5,873,760	8,348,624,000	18.0	25,625
7/10/2006	24	4,077	9.1	5,870,880	8,354,494,880	18.0	25,643
7/11/2006	24	4,076	9.1	5,869,440	8,360,364,320	18.0	25,661
7/12/2006	24	4,075	9.1	5,868,000	8,366,232,320	18.0	25,679
7/13/2006	24	4,076	9.1	5,869,440	8,372,101,760	18.0	25,697
7/14/2006	24	4,076	9.1	5,869,440	8,377,971,200	18.0	25,715
7/15/2006	24	4,076	9.1	5,869,440	8,383,840,640	18.0	25,733
7/16/2006	24	4,075	9.1	5,868,000	8,389,708,640	18.0	25,751
7/17/2006	24	4,075	9.1	5,868,000	8,395,576,640	18.0	25,769
7/18/2006	24	4,074	9.1	5,866,560	8,401,443,200	18.0	25,787
7/19/2006	24	4,073	9.1	5,865,120	8,407,308,320	18.0	25,805
7/20/2006	24	4,073	9.1	5,865,120	8,413,173,440	18.0	25,823
7/21/2006	24	4,072	9.1	5,863,680	8,419,037,120	18.0	25,841
7/22/2006	24	4,072	9.1	5,863,680	8,424,900,800	18.0	25,859
7/23/2006	24	4,072	9.1	5,863,680	8,430,764,480	18.0	25,877
7/24/2006	24	4,072	9.1	5,863,680	8,436,628,160	18.0	25,895
7/25/2006	24	4,072	9.1	5,863,680	8,442,491,840	18.0	25,913
7/26/2006	24	4,071	9.1	5,862,240	8,448,354,080	18.0	25,931
7/27/2006	24	4,070	9.1	5,860,800	8,454,214,880	18.0	25,949
7/28/2006	24	4,069	9.1	5,859,360	8,460,074,240	18.0	25,967
7/29/2006	24	4,069	9.1	5,859,360	8,465,933,600	18.0	25,985
7/30/2006	24	4,069	9.1	5,859,360	8,471,792,960	18.0	26,003
7/31/2006	24	4,069	9.1	5,859,360	8,477,652,320	18.0	26,021
8/1/2006	24	4,067	9.1	5,856,480	8,483,508,800	18.0	26,039
8/2/2006	24	4,065	9.1	5,853,600	8,489,362,400	18.0	26,057
8/3/2006	24	4,065	9.1	5,853,600	8,495,216,000	18.0	26,075
8/4/2006	24	4,064	9.1	5,852,160	8,501,068,160	18.0	26,093
8/5/2006	24	4,066	9.1	5,855,040	8,506,923,200	18.0	26,111
8/6/2006	24	4,066	9.1	5,855,040	8,512,778,240	18.0	26,129
8/7/2006	24	4,065	9.1	5,853,600	8,518,631,840	18.0	26,146
8/8/2006	24	4,064	9.1	5,852,160	8,524,484,000	18.0	26,164
8/9/2006	24	4,064	9.1	5,852,160	8,530,336,160	18.0	26,182
8/10/2006	24	4,063	9.1	5,850,720	8,536,186,880	18.0	26,200
8/11/2006	24	4,061	9.0	5,847,840	8,542,034,720	17.9	26,218
8/12/2006	24	4,062	9.1	5,849,280	8,547,884,000	18.0	26,236
8/13/2006	24	4,062	9.1	5,849,280	8,553,733,280	18.0	26,254

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/14/2006	24	4,060	9.0	5,846,400	8,559,579,680	17.9	26,272
8/15/2006	24	4,060	9.0	5,846,400	8,565,426,080	17.9	26,290
8/16/2006	24	4,059	9.0	5,844,960	8,571,271,040	17.9	26,308
8/17/2006	24	4,058	9.0	5,843,520	8,577,114,560	17.9	26,326
8/18/2006	24	4,057	9.0	5,842,080	8,582,956,640	17.9	26,344
8/19/2006	24	4,057	9.0	5,842,080	8,588,798,720	17.9	26,362
8/20/2006	24	4,057	9.0	5,842,080	8,594,640,800	17.9	26,380
8/21/2006	24	4,055	9.0	5,839,200	8,600,480,000	17.9	26,398
8/22/2006	24	4,054	9.0	5,837,760	8,606,317,760	17.9	26,416
8/23/2006	24	3,571	8.0	5,142,240	8,611,460,000	15.8	26,431
8/24/2006	24	4,115	9.2	5,925,600	8,617,385,600	18.2	26,450
8/25/2006	24	4,105	9.1	5,911,200	8,623,296,800	18.1	26,468
8/26/2006	24	4,101	9.1	5,905,440	8,629,202,240	18.1	26,486
8/27/2006	24	4,099	9.1	5,902,560	8,635,104,800	18.1	26,504
8/28/2006	24	4,097	9.1	5,899,680	8,641,004,480	18.1	26,522
8/29/2006	24	4,094	9.1	5,895,360	8,646,899,840	18.1	26,540
8/30/2006	24	4,093	9.1	5,893,920	8,652,793,760	18.1	26,558
8/31/2006	24	4,092	9.1	5,892,480	8,658,686,240	18.1	26,576
9/1/2006	24	4,092	9.1	5,892,480	8,664,578,720	18.1	26,594
9/2/2006	24	4,093	9.1	5,893,920	8,670,472,640	18.1	26,613
9/3/2006	24	4,092	9.1	5,892,480	8,676,365,120	18.1	26,631
9/4/2006	24	4,093	9.1	5,893,920	8,682,259,040	18.1	26,649
9/5/2006	24	4,092	9.1	5,892,480	8,688,151,520	18.1	26,667
9/6/2006	24	4,091	9.1	5,891,040	8,694,042,560	18.1	26,685
9/7/2006	24	4,090	9.1	5,889,600	8,699,932,160	18.1	26,703
9/8/2006	24	4,090	9.1	5,889,600	8,705,821,760	18.1	26,721
9/9/2006	24	4,091	9.1	5,891,040	8,711,712,800	18.1	26,739
9/10/2006	24	4,090	9.1	5,889,600	8,717,602,400	18.1	26,757
9/11/2006	24	4,090	9.1	5,889,600	8,723,492,000	18.1	26,775
9/12/2006	24	4,090	9.1	5,889,600	8,729,381,600	18.1	26,793
9/13/2006	24	4,088	9.1	5,886,720	8,735,268,320	18.1	26,811
9/14/2006	24	2,645	5.9	3,808,800	8,739,077,120	11.7	26,823
9/15/2006	24	2,566	5.7	3,695,040	8,742,772,160	11.3	26,834
9/16/2006	24	4,113	9.2	5,922,720	8,748,694,880	18.2	26,853
9/17/2006	24	4,100	9.1	5,904,000	8,754,598,880	18.1	26,871
9/18/2006	24	4,093	9.1	5,893,920	8,760,492,800	18.1	26,889
9/19/2006	24	4,091	9.1	5,891,040	8,766,383,840	18.1	26,907
9/20/2006	24	4,091	9.1	5,891,040	8,772,274,880	18.1	26,925
9/21/2006	24	4,090	9.1	5,889,600	8,778,164,480	18.1	26,943
9/22/2006	24	4,088	9.1	5,886,720	8,784,051,200	18.1	26,961
9/23/2006	24	4,086	9.1	5,883,840	8,789,935,040	18.1	26,979
9/24/2006	24	4,092	9.1	5,892,480	8,795,827,520	18.1	26,997
9/25/2006	24	4,092	9.1	5,892,480	8,801,720,000	18.1	27,015
9/26/2006	24	4,093	9.1	5,893,920	8,807,613,920	18.1	27,033
9/27/2006	24	4,093	9.1	5,893,920	8,813,507,840	18.1	27,052
9/28/2006	24	4,092	9.1	5,892,480	8,819,400,320	18.1	27,070

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
9/29/2006	24	4,094	9.1	5,895,360	8,825,295,680	18.1	27,088
9/30/2006	24	4,094	9.1	5,895,360	8,831,191,040	18.1	27,106
10/1/2006	24	4,094	9.1	5,895,360	8,837,086,400	18.1	27,124
10/2/2006	24	4,092	9.1	5,892,480	8,842,978,880	18.1	27,142
10/3/2006	24	4,091	9.1	5,891,040	8,848,869,920	18.1	27,160
10/4/2006	24	4,092	9.1	5,892,480	8,854,762,400	18.1	27,178
10/5/2006	24	4,090	9.1	5,889,600	8,860,652,000	18.1	27,196
10/6/2006	24	4,091	9.1	5,891,040	8,866,543,040	18.1	27,214
10/7/2006	24	2,720	6.1	3,916,800	8,870,459,840	12.0	27,226
10/8/2006	24	4,120	9.2	5,932,800	8,876,392,640	18.2	27,245
10/9/2006	24	4,111	9.2	5,919,840	8,882,312,480	18.2	27,263
10/10/2006	24	4,108	9.2	5,915,520	8,888,228,000	18.2	27,281
10/11/2006	24	4,106	9.1	5,912,640	8,894,140,640	18.1	27,299
10/12/2006	24	4,105	9.1	5,911,200	8,900,051,840	18.1	27,317
10/13/2006	24	4,098	9.1	5,901,120	8,905,952,960	18.1	27,335
10/14/2006	24	4,093	9.1	5,893,920	8,911,846,880	18.1	27,353
10/15/2006	24	4,092	9.1	5,892,480	8,917,739,360	18.1	27,371
10/16/2006	24	3,224	7.2	4,642,560	8,922,381,920	14.2	27,386
10/17/2006	24	4,128	9.2	5,944,320	8,928,326,240	18.2	27,404
10/18/2006	24	4,114	9.2	5,924,160	8,934,250,400	18.2	27,422
10/19/2006	24	4,109	9.2	5,916,960	8,940,167,360	18.2	27,440
10/20/2006	24	4,105	9.1	5,911,200	8,946,078,560	18.1	27,458
10/21/2006	24	4,103	9.1	5,908,320	8,951,986,880	18.1	27,477
10/22/2006	24	4,102	9.1	5,906,880	8,957,893,760	18.1	27,495
10/23/2006	24	4,101	9.1	5,905,440	8,963,799,200	18.1	27,513
10/24/2006	24	4,101	9.1	5,905,440	8,969,704,640	18.1	27,531
10/25/2006	24	4,101	9.1	5,905,440	8,975,610,080	18.1	27,549
10/26/2006	24	4,099	9.1	5,902,560	8,981,512,640	18.1	27,567
10/27/2006	24	4,096	9.1	5,898,240	8,987,410,880	18.1	27,585
10/28/2006	24	4,096	9.1	5,898,240	8,993,309,120	18.1	27,603
10/29/2006	24	4,096	9.1	5,898,240	8,999,207,360	18.1	27,622
10/30/2006	24	4,096	9.1	5,898,240	9,005,105,600	18.1	27,640
10/31/2006	24	4,096	9.1	5,898,240	9,011,003,840	18.1	27,658
11/1/2006	24	4,095	9.1	5,896,800	9,016,900,640	18.1	27,676
11/2/2006	24	4,093	9.1	5,893,920	9,022,794,560	18.1	27,694
11/3/2006	24	4,092	9.1	5,892,480	9,028,687,040	18.1	27,712
11/4/2006	24	4,092	9.1	5,892,480	9,034,579,520	18.1	27,730
11/5/2006	24	4,092	9.1	5,892,480	9,040,472,000	18.1	27,748
11/6/2006	24	4,091	9.1	5,891,040	9,046,363,040	18.1	27,766
11/7/2006	24	4,091	9.1	5,891,040	9,052,254,080	18.1	27,784
11/8/2006	24	4,090	9.1	5,889,600	9,058,143,680	18.1	27,802
11/9/2006	24	4,090	9.1	5,889,600	9,064,033,280	18.1	27,821
11/10/2006	24	4,088	9.1	5,886,720	9,069,920,000	18.1	27,839
11/11/2006	24	4,089	9.1	5,888,160	9,075,808,160	18.1	27,857
11/12/2006	24	4,088	9.1	5,886,720	9,081,694,880	18.1	27,875
11/13/2006	24	4,087	9.1	5,885,280	9,087,580,160	18.1	27,893

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/14/2006	24	4,086	9.1	5,883,840	9,093,464,000	18.1	27,911
11/15/2006	24	4,085	9.1	5,882,400	9,099,346,400	18.1	27,929
11/16/2006	24	4,083	9.1	5,879,520	9,105,225,920	18.0	27,947
11/17/2006	24	4,083	9.1	5,879,520	9,111,105,440	18.0	27,965
11/18/2006	24	4,083	9.1	5,879,520	9,116,984,960	18.0	27,983
11/19/2006	24	4,082	9.1	5,878,080	9,122,863,040	18.0	28,001
11/20/2006	24	4,081	9.1	5,876,640	9,128,739,680	18.0	28,019
11/21/2006	24	4,079	9.1	5,873,760	9,134,613,440	18.0	28,037
11/22/2006	24	4,079	9.1	5,873,760	9,140,487,200	18.0	28,055
11/23/2006	24	4,079	9.1	5,873,760	9,146,360,960	18.0	28,073
11/24/2006	24	4,078	9.1	5,872,320	9,152,233,280	18.0	28,091
11/25/2006	24	4,076	9.1	5,869,440	9,158,102,720	18.0	28,109
11/26/2006	24	4,077	9.1	5,870,880	9,163,973,600	18.0	28,127
11/27/2006	24	4,077	9.1	5,870,880	9,169,844,480	18.0	28,145
11/28/2006	24	4,076	9.1	5,869,440	9,175,713,920	18.0	28,163
11/29/2006	24	4,074	9.1	5,866,560	9,181,580,480	18.0	28,181
11/30/2006	24	4,073	9.1	5,865,120	9,187,445,600	18.0	28,199
12/1/2006	24	4,072	9.1	5,863,680	9,193,309,280	18.0	28,217
12/2/2006	24	4,072	9.1	5,863,680	9,199,172,960	18.0	28,235
12/3/2006	24	4,070	9.1	5,860,800	9,205,033,760	18.0	28,253
12/4/2006	24	4,068	9.1	5,857,920	9,210,891,680	18.0	28,271
12/5/2006	24	4,068	9.1	5,857,920	9,216,749,600	18.0	28,289
12/6/2006	24	4,067	9.1	5,856,480	9,222,606,080	18.0	28,307
12/7/2006	24	4,067	9.1	5,856,480	9,228,462,560	18.0	28,325
12/8/2006	24	4,066	9.1	5,855,040	9,234,317,600	18.0	28,343
12/9/2006	24	4,066	9.1	5,855,040	9,240,172,640	18.0	28,361
12/10/2006	24	4,068	9.1	5,857,920	9,246,030,560	18.0	28,379
12/11/2006	24	4,067	9.1	5,856,480	9,251,887,040	18.0	28,397
12/12/2006	24	4,066	9.1	5,855,040	9,257,742,080	18.0	28,415
12/13/2006	24	4,064	9.1	5,852,160	9,263,594,240	18.0	28,433
12/14/2006	24	4,064	9.1	5,852,160	9,269,446,400	18.0	28,451
12/15/2006	24	4,063	9.1	5,850,720	9,275,297,120	18.0	28,469
12/16/2006	24	4,064	9.1	5,852,160	9,281,149,280	18.0	28,487
12/17/2006	24	4,063	9.1	5,850,720	9,287,000,000	18.0	28,505
12/18/2006	24	4,061	9.0	5,847,840	9,292,847,840	17.9	28,523
12/19/2006	24	4,059	9.0	5,844,960	9,298,692,800	17.9	28,541
12/20/2006	24	4,059	9.0	5,844,960	9,304,537,760	17.9	28,559
12/21/2006	24	4,058	9.0	5,843,520	9,310,381,280	17.9	28,577
12/22/2006	24	4,060	9.0	5,846,400	9,316,227,680	17.9	28,595
12/23/2006	24	4,063	9.1	5,850,720	9,322,078,400	18.0	28,613
12/24/2006	24	4,062	9.1	5,849,280	9,327,927,680	18.0	28,630
12/25/2006	24	4,061	9.0	5,847,840	9,333,775,520	17.9	28,648
12/26/2006	24	4,059	9.0	5,844,960	9,339,620,480	17.9	28,666
12/27/2006	24	4,060	9.0	5,846,400	9,345,466,880	17.9	28,684
12/28/2006	24	4,059	9.0	5,844,960	9,351,311,840	17.9	28,702
12/29/2006	24	4,057	9.0	5,842,080	9,357,153,920	17.9	28,720

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
12/30/2006	24	4,056	9.0	5,840,640	9,362,994,560	17.9	28,738
12/31/2006	24	4,053	9.0	5,836,320	9,368,830,880	17.9	28,756
1/1/2007	24	4,053	9.0	5,836,320	9,374,667,200	17.9	28,774
1/2/2007	24	4,053	9.0	5,836,320	9,380,503,520	17.9	28,792
1/3/2007	24	4,052	9.0	5,834,880	9,386,338,400	17.9	28,810
1/4/2007	24	4,052	9.0	5,834,880	9,392,173,280	17.9	28,828
1/5/2007	24	4,053	9.0	5,836,320	9,398,009,600	17.9	28,846
1/6/2007	24	4,050	9.0	5,832,000	9,403,841,600	17.9	28,863
1/7/2007	24	4,049	9.0	5,830,560	9,409,672,160	17.9	28,881
1/8/2007	24	4,048	9.0	5,829,120	9,415,501,280	17.9	28,899
1/9/2007	24	4,047	9.0	5,827,680	9,421,328,960	17.9	28,917
1/10/2007	24	4,048	9.0	5,829,120	9,427,158,080	17.9	28,935
1/11/2007	24	4,048	9.0	5,829,120	9,432,987,200	17.9	28,953
1/12/2007	24	4,048	9.0	5,829,120	9,438,816,320	17.9	28,971
1/13/2007	24	4,047	9.0	5,827,680	9,444,644,000	17.9	28,989
1/14/2007	24	4,046	9.0	5,826,240	9,450,470,240	17.9	29,007
1/15/2007	24	4,044	9.0	5,823,360	9,456,293,600	17.9	29,024
1/16/2007	24	4,045	9.0	5,824,800	9,462,118,400	17.9	29,042
1/17/2007	24	4,045	9.0	5,824,800	9,467,943,200	17.9	29,060
1/18/2007	24	4,043	9.0	5,821,920	9,473,765,120	17.9	29,078
1/19/2007	24	4,042	9.0	5,820,480	9,479,585,600	17.9	29,096
1/20/2007	24	4,043	9.0	5,821,920	9,485,407,520	17.9	29,114
1/21/2007	24	4,043	9.0	5,821,920	9,491,229,440	17.9	29,132
1/22/2007	24	4,042	9.0	5,820,480	9,497,049,920	17.9	29,150
1/23/2007	24	4,038	9.0	5,814,720	9,502,864,640	17.8	29,167
1/24/2007	24	4,037	9.0	5,813,280	9,508,677,920	17.8	29,185
1/25/2007	24	4,037	9.0	5,813,280	9,514,491,200	17.8	29,203
1/26/2007	24	4,037	9.0	5,813,280	9,520,304,480	17.8	29,221
1/27/2007	24	4,037	9.0	5,813,280	9,526,117,760	17.8	29,239
1/28/2007	24	4,035	9.0	5,810,400	9,531,928,160	17.8	29,257
1/29/2007	24	4,036	9.0	5,811,840	9,537,740,000	17.8	29,274
1/30/2007	24	4,036	9.0	5,811,840	9,543,551,840	17.8	29,292
1/31/2007	24	4,037	9.0	5,813,280	9,549,365,120	17.8	29,310
2/1/2007	24	4,035	9.0	5,810,400	9,555,175,520	17.8	29,328
2/2/2007	24	4,036	9.0	5,811,840	9,560,987,360	17.8	29,346
2/3/2007	24	4,035	9.0	5,810,400	9,566,797,760	17.8	29,364
2/4/2007	24	4,033	9.0	5,807,520	9,572,605,280	17.8	29,381
2/5/2007	24	4,034	9.0	5,808,960	9,578,414,240	17.8	29,399
2/6/2007	24	4,032	9.0	5,806,080	9,584,220,320	17.8	29,417
2/7/2007	24	4,031	9.0	5,804,640	9,590,024,960	17.8	29,435
2/8/2007	24	4,030	9.0	5,803,200	9,595,828,160	17.8	29,453
2/9/2007	24	4,029	9.0	5,801,760	9,601,629,920	17.8	29,471
2/10/2007	24	4,028	9.0	5,800,320	9,607,430,240	17.8	29,488
2/11/2007	24	4,028	9.0	5,800,320	9,613,230,560	17.8	29,506
2/12/2007	24	4,027	9.0	5,798,880	9,619,029,440	17.8	29,524
2/13/2007	24	4,027	9.0	5,798,880	9,624,828,320	17.8	29,542

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/14/2007	24	4,026	9.0	5,797,440	9,630,625,760	17.8	29,560
2/15/2007	24	4,025	9.0	5,796,000	9,636,421,760	17.8	29,577
2/16/2007	24	4,023	9.0	5,793,120	9,642,214,880	17.8	29,595
2/17/2007	24	4,022	9.0	5,791,680	9,648,006,560	17.8	29,613
2/18/2007	24	4,023	9.0	5,793,120	9,653,799,680	17.8	29,631
2/19/2007	24	4,023	9.0	5,793,120	9,659,592,800	17.8	29,648
2/20/2007	24	4,021	9.0	5,790,240	9,665,383,040	17.8	29,666
2/21/2007	24	4,020	9.0	5,788,800	9,671,171,840	17.8	29,684
2/22/2007	24	4,019	9.0	5,787,360	9,676,959,200	17.8	29,702
2/23/2007	24	4,020	9.0	5,788,800	9,682,748,000	17.8	29,720
2/24/2007	24	4,019	9.0	5,787,360	9,688,535,360	17.8	29,737
2/25/2007	24	4,019	9.0	5,787,360	9,694,322,720	17.8	29,755
2/26/2007	24	4,016	8.9	5,783,040	9,700,105,760	17.8	29,773
2/27/2007	24	4,017	8.9	5,784,480	9,705,890,240	17.8	29,791
2/28/2007	24	4,016	8.9	5,783,040	9,711,673,280	17.8	29,808
3/1/2007	24	4,016	8.9	5,783,040	9,717,456,320	17.8	29,826
3/2/2007	24	4,016	8.9	5,783,040	9,723,239,360	17.8	29,844
3/3/2007	24	4,015	8.9	5,781,600	9,729,020,960	17.7	29,862
3/4/2007	24	4,015	8.9	5,781,600	9,734,802,560	17.7	29,879
3/5/2007	24	4,013	8.9	5,778,720	9,740,581,280	17.7	29,897
3/6/2007	24	4,008	8.9	5,771,520	9,746,352,800	17.7	29,915
3/7/2007	24	4,007	8.9	5,770,080	9,752,122,880	17.7	29,932
3/8/2007	24	4,006	8.9	5,768,640	9,757,891,520	17.7	29,950
3/9/2007	24	4,006	8.9	5,768,640	9,763,660,160	17.7	29,968
3/10/2007	24	4,006	8.9	5,768,640	9,769,428,800	17.7	29,986
3/11/2007	24	4,006	8.9	5,768,640	9,775,197,440	17.7	30,003
3/12/2007	24	4,005	8.9	5,767,200	9,780,964,640	17.7	30,021
3/13/2007	24	4,005	8.9	5,767,200	9,786,731,840	17.7	30,039
3/14/2007	24	4,005	8.9	5,767,200	9,792,499,040	17.7	30,056
3/15/2007	24	4,004	8.9	5,765,760	9,798,264,800	17.7	30,074
3/16/2007	24	4,003	8.9	5,764,320	9,804,029,120	17.7	30,092
3/17/2007	24	4,002	8.9	5,762,880	9,809,792,000	17.7	30,109
3/18/2007	24	4,002	8.9	5,762,880	9,815,554,880	17.7	30,127
3/19/2007	24	4,003	8.9	5,764,320	9,821,319,200	17.7	30,145
3/20/2007	24	4,002	8.9	5,762,880	9,827,082,080	17.7	30,163
3/21/2007	24	4,003	8.9	5,764,320	9,832,846,400	17.7	30,180
3/22/2007	24	4,002	8.9	5,762,880	9,838,609,280	17.7	30,198
3/23/2007	24	4,002	8.9	5,762,880	9,844,372,160	17.7	30,216
3/24/2007	24	4,001	8.9	5,761,440	9,850,133,600	17.7	30,233
3/25/2007	24	4,000	8.9	5,760,000	9,855,893,600	17.7	30,251
3/26/2007	24	3,999	8.9	5,758,560	9,861,652,160	17.7	30,269
3/27/2007	24	4,000	8.9	5,760,000	9,867,412,160	17.7	30,286
3/28/2007	24	4,000	8.9	5,760,000	9,873,172,160	17.7	30,304
3/29/2007	24	3,999	8.9	5,758,560	9,878,930,720	17.7	30,322
3/30/2007	24	3,999	8.9	5,758,560	9,884,689,280	17.7	30,339
3/31/2007	24	3,999	8.9	5,758,560	9,890,447,840	17.7	30,357

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
4/1/2007	24	3,998	8.9	5,757,120	9,896,204,960	17.7	30,375
4/2/2007	24	3,996	8.9	5,754,240	9,901,959,200	17.7	30,392
4/3/2007	24	3,995	8.9	5,752,800	9,907,712,000	17.7	30,410
4/4/2007	24	3,996	8.9	5,754,240	9,913,466,240	17.7	30,428
4/5/2007	24	3,996	8.9	5,754,240	9,919,220,480	17.7	30,445
4/6/2007	24	4,002	8.9	5,762,880	9,924,983,360	17.7	30,463
4/7/2007	24	4,004	8.9	5,765,760	9,930,749,120	17.7	30,481
4/8/2007	24	4,003	8.9	5,764,320	9,936,513,440	17.7	30,498
4/9/2007	24	4,004	8.9	5,765,760	9,942,279,200	17.7	30,516
4/10/2007	24	4,004	8.9	5,765,760	9,948,044,960	17.7	30,534
4/11/2007	24	4,002	8.9	5,762,880	9,953,807,840	17.7	30,552
4/12/2007	24	2,767	6.2	3,984,480	9,957,792,320	12.2	30,564
4/13/2007	24	2,237	5.0	3,221,280	9,961,013,600	9.9	30,574
4/14/2007	24	4,069	9.1	5,859,360	9,966,872,960	18.0	30,592
4/15/2007	24	4,060	9.0	5,846,400	9,972,719,360	17.9	30,610
4/16/2007	24	3,039	6.8	4,376,160	9,977,095,520	13.4	30,623
4/17/2007	24	2,423	5.4	3,489,120	9,980,584,640	10.7	30,634
4/18/2007	24	4,091	9.1	5,891,040	9,986,475,680	18.1	30,652
4/19/2007	24	4,077	9.1	5,870,880	9,992,346,560	18.0	30,670
4/20/2007	24	4,073	9.1	5,865,120	9,998,211,680	18.0	30,688
4/21/2007	24	4,069	9.1	5,859,360	10,004,071,040	18.0	30,706
4/22/2007	24	4,066	9.1	5,855,040	10,009,926,080	18.0	30,724
4/23/2007	24	4,063	9.1	5,850,720	10,015,776,800	18.0	30,742
4/24/2007	24	4,062	9.1	5,849,280	10,021,626,080	18.0	30,760
4/25/2007	24	4,060	9.0	5,846,400	10,027,472,480	17.9	30,778
4/26/2007	24	4,059	9.0	5,844,960	10,033,317,440	17.9	30,796
4/27/2007	24	4,056	9.0	5,840,640	10,039,158,080	17.9	30,813
4/28/2007	24	4,056	9.0	5,840,640	10,044,998,720	17.9	30,831
4/29/2007	24	4,058	9.0	5,843,520	10,050,842,240	17.9	30,849
4/30/2007	24	4,065	9.1	5,853,600	10,056,695,840	18.0	30,867
5/1/2007	24	4,070	9.1	5,860,800	10,062,556,640	18.0	30,885
5/2/2007	24	4,066	9.1	5,855,040	10,068,411,680	18.0	30,903
5/3/2007	24	4,064	9.1	5,852,160	10,074,263,840	18.0	30,921
5/4/2007	24	4,068	9.1	5,857,920	10,080,121,760	18.0	30,939
5/5/2007	24	4,072	9.1	5,863,680	10,085,985,440	18.0	30,957
5/6/2007	24	4,073	9.1	5,865,120	10,091,850,560	18.0	30,975
5/7/2007	24	4,072	9.1	5,863,680	10,097,714,240	18.0	30,993
5/8/2007	24	4,067	9.1	5,856,480	10,103,570,720	18.0	31,011
5/9/2007	24	4,066	9.1	5,855,040	10,109,425,760	18.0	31,029
5/10/2007	24	4,066	9.1	5,855,040	10,115,280,800	18.0	31,047
5/11/2007	24	4,066	9.1	5,855,040	10,121,135,840	18.0	31,065
5/12/2007	24	4,068	9.1	5,857,920	10,126,993,760	18.0	31,083
5/13/2007	24	4,069	9.1	5,859,360	10,132,853,120	18.0	31,101
5/14/2007	24	4,068	9.1	5,857,920	10,138,711,040	18.0	31,119
5/15/2007	24	4,067	9.1	5,856,480	10,144,567,520	18.0	31,137
5/16/2007	24	4,067	9.1	5,856,480	10,150,424,000	18.0	31,155

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/17/2007	24	4,057	9.0	5,842,080	10,156,266,080	17.9	31,173
5/18/2007	24	4,060	9.0	5,846,400	10,162,112,480	17.9	31,191
5/19/2007	24	4,061	9.0	5,847,840	10,167,960,320	17.9	31,209
5/20/2007	24	4,066	9.1	5,855,040	10,173,815,360	18.0	31,227
5/21/2007	24	4,083	9.1	5,879,520	10,179,694,880	18.0	31,245
5/22/2007	24	4,066	9.1	5,855,040	10,185,549,920	18.0	31,263
5/23/2007	24	4,062	9.1	5,849,280	10,191,399,200	18.0	31,281
5/24/2007	24	2,210	4.9	3,182,400	10,194,581,600	9.8	31,291
5/25/2007	24	1,313	2.9	1,890,720	10,196,472,320	5.8	31,296
5/26/2007	24	4,296	9.6	6,186,240	10,202,658,560	19.0	31,315
5/27/2007	24	4,271	9.5	6,150,240	10,208,808,800	18.9	31,334
5/28/2007	24	4,267	9.5	6,144,480	10,214,953,280	18.9	31,353
5/29/2007	24	4,255	9.5	6,127,200	10,221,080,480	18.8	31,372
5/30/2007	24	4,252	9.5	6,122,880	10,227,203,360	18.8	31,391
5/31/2007	24	4,250	9.5	6,120,000	10,233,323,360	18.8	31,409
6/1/2007	24	4,247	9.5	6,116,025	10,239,439,385	18.8	31,428
6/2/2007	24	4,249	9.5	6,118,215	10,245,557,600	18.8	31,447
6/3/2007	24	4,250	9.5	6,119,981	10,251,677,580	18.8	31,466
6/4/2007	24	4,250	9.5	6,120,000	10,257,797,580	18.8	31,485
6/5/2007	24	4,250	9.5	6,120,000	10,263,917,580	18.8	31,503
6/6/2007	24	4,250	9.5	6,120,000	10,270,037,580	18.8	31,522
6/7/2007	24	4,252	9.5	6,122,745	10,276,160,325	18.8	31,541
6/8/2007	24	4,257	9.5	6,129,585	10,282,289,910	18.8	31,560
6/9/2007	24	4,257	9.5	6,129,675	10,288,419,585	18.8	31,579
6/10/2007	24	4,255	9.5	6,127,500	10,294,547,085	18.8	31,597
6/11/2007	24	4,256	9.5	6,128,295	10,300,675,380	18.8	31,616
6/12/2007	24	4,254	9.5	6,126,030	10,306,801,410	18.8	31,635
6/13/2007	24	4,254	9.5	6,125,745	10,312,927,155	18.8	31,654
6/14/2007	24	4,254	9.5	6,125,595	10,319,052,750	18.8	31,673
6/15/2007	24	4,255	9.5	6,127,395	10,325,180,145	18.8	31,691
6/16/2007	24	4,254	9.5	6,126,345	10,331,306,490	18.8	31,710
6/17/2007	24	4,255	9.5	6,126,480	10,337,432,970	18.8	31,729
6/18/2007	24	4,254	9.5	6,125,310	10,343,558,280	18.8	31,748
6/19/2007	24	4,254	9.5	6,126,300	10,349,684,580	18.8	31,767
6/20/2007	24	4,255	9.5	6,127,665	10,355,812,245	18.8	31,785
6/21/2007	24	4,256	9.5	6,127,935	10,361,940,180	18.8	31,804
6/22/2007	24	4,257	9.5	6,130,605	10,368,070,785	18.8	31,823
6/23/2007	24	4,259	9.5	6,132,675	10,374,203,460	18.8	31,842
6/24/2007	24	4,260	9.5	6,134,610	10,380,338,070	18.8	31,861
6/25/2007	24	4,263	9.5	6,138,330	10,386,476,400	18.8	31,880
6/26/2007	24	4,262	9.5	6,137,085	10,392,613,485	18.8	31,898
6/27/2007	24	4,262	9.5	6,136,890	10,398,750,375	18.8	31,917
6/28/2007	24	4,262	9.5	6,136,980	10,404,887,355	18.8	31,936
6/29/2007	24	4,262	9.5	6,137,565	10,411,024,920	18.8	31,955
6/30/2007	24	4,263	9.5	6,138,540	10,417,163,460	18.8	31,974
7/1/2007	24	4,263	9.5	6,138,420	10,423,301,881	18.8	31,993

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
7/2/2007	24	4,248	9.5	6,116,954	10,429,418,835	18.8	32,011
7/3/2007	24	4,252	9.5	6,122,760	10,435,541,596	18.8	32,030
7/4/2007	24	4,262	9.5	6,137,834	10,441,679,430	18.8	32,049
7/5/2007	24	4,260	9.5	6,134,400	10,447,813,830	18.8	32,068
7/6/2007	24	4,259	9.5	6,133,395	10,453,947,225	18.8	32,087
7/7/2007	24	4,261	9.5	6,135,330	10,460,082,555	18.8	32,105
7/8/2007	24	4,261	9.5	6,136,214	10,466,218,770	18.8	32,124
7/9/2007	24	4,259	9.5	6,133,185	10,472,351,954	18.8	32,143
7/10/2007	24	4,260	9.5	6,133,755	10,478,485,709	18.8	32,162
7/11/2007	24	4,259	9.5	6,132,990	10,484,618,700	18.8	32,181
7/12/2007	24	4,259	9.5	6,132,540	10,490,751,239	18.8	32,200
7/13/2007	24	4,258	9.5	6,132,090	10,496,883,329	18.8	32,218
7/14/2007	24	4,259	9.5	6,133,110	10,503,016,439	18.8	32,237
7/15/2007	24	4,259	9.5	6,132,285	10,509,148,724	18.8	32,256
7/16/2007	24	3,691	8.2	5,314,421	10,514,463,144	16.3	32,272
7/17/2007	24	4,267	9.5	6,144,555	10,520,607,699	18.9	32,291
7/18/2007	24	4,262	9.5	6,136,965	10,526,744,664	18.8	32,310
7/19/2007	24	4,259	9.5	6,132,331	10,532,876,995	18.8	32,329
7/20/2007	24	4,257	9.5	6,130,470	10,539,007,465	18.8	32,348
7/21/2007	24	4,258	9.5	6,131,655	10,545,139,120	18.8	32,367
7/22/2007	24	4,256	9.5	6,128,865	10,551,267,985	18.8	32,385
7/23/2007	24	4,252	9.5	6,122,534	10,557,390,519	18.8	32,404
7/24/2007	24	4,252	9.5	6,123,226	10,563,513,745	18.8	32,423
7/25/2007	24	4,253	9.5	6,124,425	10,569,638,170	18.8	32,442
7/26/2007	24	3,745	8.3	5,392,878	10,575,031,048	16.6	32,458
7/27/2007	24	4,255	9.5	6,126,931	10,581,157,979	18.8	32,477
7/28/2007	24	4,254	9.5	6,125,234	10,587,283,213	18.8	32,496
7/29/2007	24	4,252	9.5	6,123,165	10,593,406,378	18.8	32,515
7/30/2007	24	4,250	9.5	6,119,385	10,599,525,763	18.8	32,533
7/31/2007	24	4,248	9.5	6,117,705	10,605,643,468	18.8	32,552
8/1/2007	24	4,248	9.5	6,116,730	10,611,760,198	18.8	32,571
8/2/2007	24	4,247	9.5	6,116,115	10,617,876,313	18.8	32,590
8/3/2007	24	4,248	9.5	6,117,630	10,623,993,943	18.8	32,609
8/4/2007	24	4,249	9.5	6,118,425	10,630,112,368	18.8	32,627
8/5/2007	24	4,251	9.5	6,120,765	10,636,233,133	18.8	32,646
8/6/2007	24	4,064	9.1	5,852,119	10,642,085,252	18.0	32,664
8/7/2007	24	2,242	5.0	3,228,803	10,645,314,055	9.9	32,674
8/8/2007	24	4,281	9.5	6,164,205	10,651,478,260	18.9	32,693
8/9/2007	24	4,270	9.5	6,148,215	10,657,626,475	18.9	32,712
8/10/2007	24	4,265	9.5	6,141,765	10,663,768,240	18.9	32,731
8/11/2007	24	4,263	9.5	6,138,855	10,669,907,095	18.8	32,749
8/12/2007	24	4,262	9.5	6,136,770	10,676,043,865	18.8	32,768
8/13/2007	24	4,262	9.5	6,136,665	10,682,180,530	18.8	32,787
8/14/2007	24	4,263	9.5	6,138,645	10,688,319,175	18.8	32,806
8/15/2007	24	4,260	9.5	6,135,105	10,694,454,280	18.8	32,825
8/16/2007	24	4,260	9.5	6,133,995	10,700,588,275	18.8	32,844

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/17/2007	24	4,260	9.5	6,134,655	10,706,722,930	18.8	32,862
8/18/2007	24	4,258	9.5	6,131,490	10,712,854,420	18.8	32,881
8/19/2007	24	4,258	9.5	6,131,700	10,718,986,120	18.8	32,900
8/20/2007	24	4,257	9.5	6,130,200	10,725,116,320	18.8	32,919
8/21/2007	24	4,256	9.5	6,129,120	10,731,245,440	18.8	32,938
8/22/2007	24	4,257	9.5	6,129,585	10,737,375,025	18.8	32,957
8/23/2007	24	4,257	9.5	6,129,570	10,743,504,595	18.8	32,975
8/24/2007	24	4,256	9.5	6,128,880	10,749,633,475	18.8	32,994
8/25/2007	24	4,255	9.5	6,126,585	10,755,760,060	18.8	33,013
8/26/2007	24	2,421	5.4	3,486,834	10,759,246,894	10.7	33,024
8/27/2007	24	2,322	5.2	3,486,834	10,762,733,728	10.7	33,034
8/28/2007	24	4,282	9.5	3,343,128	10,766,076,857	10.3	33,045
8/29/2007	24	4,267	9.5	6,166,000	10,772,242,856	18.9	33,064
8/30/2007	24	4,260	9.5	6,144,475	10,778,387,331	18.9	33,082
8/31/2007	24	4,259	9.5	6,134,860	10,784,522,191	18.8	33,101
9/1/2007	24	4,258	9.5	6,132,505	10,790,654,696	18.8	33,120
9/2/2007	24	4,255	9.5	6,131,189	10,796,785,885	18.8	33,139
9/3/2007	24	4,254	9.5	6,127,799	10,802,913,684	18.8	33,158
9/4/2007	24	4,254	9.5	6,126,224	10,809,039,908	18.8	33,177
9/5/2007	24	4,254	9.5	6,125,609	10,815,165,516	18.8	33,195
9/6/2007	24	4,254	9.5	6,126,015	10,821,291,531	18.8	33,214
9/7/2007	24	4,252	9.5	6,125,505	10,827,417,036	18.8	33,233
9/8/2007	24	4,252	9.5	6,123,480	10,833,540,516	18.8	33,252
9/9/2007	24	4,251	9.5	6,123,540	10,839,664,056	18.8	33,271
9/10/2007	24	4,250	9.5	6,120,915	10,845,784,971	18.8	33,289
9/11/2007	24	4,250	9.5	6,120,465	10,851,905,436	18.8	33,308
9/12/2007	24	4,250	9.5	6,120,390	10,858,025,826	18.8	33,327
9/13/2007	24	4,249	9.5	6,119,820	10,864,145,646	18.8	33,346
9/14/2007	24	4,250	9.5	6,118,755	10,870,264,401	18.8	33,364
9/15/2007	24	4,250	9.5	6,120,660	10,876,385,061	18.8	33,383
9/16/2007	24	4,250	9.5	6,120,000	10,882,505,061	18.8	33,402
9/17/2007	24	4,249	9.5	6,119,910	10,888,624,971	18.8	33,421
9/18/2007	24	4,247	9.5	6,118,140	10,894,743,111	18.8	33,440
9/19/2007	24	4,247	9.5	6,115,950	10,900,859,061	18.8	33,458
9/20/2007	24	4,246	9.5	6,115,680	10,906,974,741	18.8	33,477
9/21/2007	24	4,246	9.5	6,114,120	10,913,088,861	18.8	33,496
9/22/2007	24	4,246	9.5	6,114,285	10,919,203,146	18.8	33,515
9/23/2007	24	4,246	9.5	6,114,330	10,925,317,476	18.8	33,533
9/24/2007	24	4,245	9.5	6,113,895	10,931,431,371	18.8	33,552
9/25/2007	24	4,245	9.5	6,113,355	10,937,544,726	18.8	33,571
9/26/2007	24	4,243	9.5	6,112,350	10,943,657,076	18.8	33,590
9/27/2007	24	4,242	9.5	6,109,545	10,949,766,621	18.8	33,608
9/28/2007	24	4,241	9.4	6,108,885	10,955,875,506	18.8	33,627
9/29/2007	24	4,242	9.5	6,107,070	10,961,982,576	18.7	33,646
9/30/2007	24	4,240	9.4	6,108,600	10,968,091,176	18.7	33,665
10/1/2007	24	4,240	9.4	6,106,290	10,974,197,466	18.7	33,683

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
10/2/2007	24	4,239	9.4	6,105,330	10,980,302,796	18.7	33,702
10/3/2007	24	4,226	9.4	6,104,745	10,986,407,541	18.7	33,721
10/4/2007	24	4,219	9.4	6,085,170	10,992,492,711	18.7	33,740
10/5/2007	24	4,221	9.4	6,074,805	10,998,567,516	18.6	33,758
10/6/2007	24	4,221	9.4	6,078,030	11,004,645,546	18.7	33,777
10/7/2007	24	4,221	9.4	6,078,630	11,010,724,176	18.7	33,796
10/8/2007	24	4,219	9.4	6,077,625	11,016,801,801	18.7	33,814
10/9/2007	24	4,219	9.4	6,074,970	11,022,876,771	18.6	33,833
10/10/2007	24	4,219	9.4	6,075,150	11,028,951,921	18.6	33,851
10/11/2007	24	4,219	9.4	6,075,630	11,035,027,551	18.6	33,870
10/12/2007	24	4,219	9.4	6,075,900	11,041,103,451	18.6	33,889
10/13/2007	24	4,220	9.4	6,075,510	11,047,178,961	18.6	33,907
10/14/2007	24	4,219	9.4	6,077,055	11,053,256,016	18.7	33,926
10/15/2007	24	4,230	9.4	6,075,450	11,059,331,466	18.6	33,945
10/16/2007	24	4,225	9.4	6,091,491	11,065,422,957	18.7	33,963
10/17/2007	24	4,225	9.4	6,083,693	11,071,506,650	18.7	33,982
10/18/2007	24	4,225	9.4	6,083,693	11,077,590,343	18.7	34,001
10/19/2007	24	4,225	9.4	6,083,693	11,083,674,035	18.7	34,019
10/20/2007	24	4,225	9.4	6,083,693	11,089,757,728	18.7	34,038
10/21/2007	24	4,225	9.4	6,083,693	11,095,841,420	18.7	34,057
10/22/2007	24	4,225	9.4	6,083,693	11,101,925,113	18.7	34,075
10/23/2007	24	4,225	9.4	6,083,693	11,108,008,806	18.7	34,094
10/24/2007	24	3,364	7.5	6,083,693	11,114,092,498	18.7	34,113
10/25/2007	24	4,171	9.3	4,844,160	11,118,936,658	14.9	34,128
10/26/2007	24	4,198	9.4	6,006,240	11,124,942,898	18.4	34,146
10/27/2007	24	4,146	9.2	6,044,892	11,130,987,790	18.6	34,165
10/28/2007	24	4,101	9.1	5,970,386	11,136,958,175	18.3	34,183
10/29/2007	24	4,137	9.2	5,905,113	11,142,863,288	18.1	34,201
10/30/2007	24	4,109	9.2	5,957,375	11,148,820,663	18.3	34,219
10/31/2007	24	4,185	9.3	5,917,182	11,154,737,845	18.2	34,238
11/1/2007	24	4,235	9.4	6,025,796	11,160,763,641	18.5	34,256
11/2/2007	24	4,234	9.4	6,098,160	11,166,861,801	18.7	34,275
11/3/2007	24	4,233	9.4	6,096,780	11,172,958,581	18.7	34,293
11/4/2007	24	4,233	9.4	6,095,070	11,179,053,651	18.7	34,312
11/5/2007	24	4,231	9.4	6,094,965	11,185,148,616	18.7	34,331
11/6/2007	24	4,231	9.4	6,092,685	11,191,241,301	18.7	34,350
11/7/2007	24	4,230	9.4	6,092,475	11,197,333,776	18.7	34,368
11/8/2007	24	4,230	9.4	6,091,245	11,203,425,021	18.7	34,387
11/9/2007	24	4,230	9.4	6,090,765	11,209,515,786	18.7	34,406
11/10/2007	24	4,227	9.4	6,090,510	11,215,606,296	18.7	34,424
11/11/2007	24	4,227	9.4	6,087,555	11,221,693,851	18.7	34,443
11/12/2007	24	4,226	9.4	6,086,775	11,227,780,626	18.7	34,462
11/13/2007	24	4,226	9.4	6,085,245	11,233,865,871	18.7	34,480
11/14/2007	24	4,227	9.4	6,085,605	11,239,951,476	18.7	34,499
11/15/2007	24	4,226	9.4	6,087,135	11,246,038,611	18.7	34,518
11/16/2007	24	4,226	9.4	6,085,320	11,252,123,931	18.7	34,536

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/17/2007	24	4,226	9.4	6,085,110	11,258,209,041	18.7	34,555
11/18/2007	24	4,226	9.4	6,085,320	11,264,294,361	18.7	34,574
11/19/2007	24	4,224	9.4	6,085,845	11,270,380,206	18.7	34,593
11/20/2007	24	1,884	4.2	6,083,190	11,276,463,396	18.7	34,611
11/21/2007	24	-	-	2,712,563	11,279,175,958	8.3	34,620
11/22/2007	24	-	-	-	11,279,175,958	-	34,620
11/23/2007	24	-	-	-	11,279,175,958	-	34,620
11/24/2007	24	-	-	-	11,279,175,958	-	34,620
11/25/2007	24	-	-	-	11,279,175,958	-	34,620
11/26/2007	24	-	-	-	11,279,175,958	-	34,620
11/27/2007	24	-	-	-	11,279,175,958	-	34,620
11/28/2007	24	4,306	9.6	6,135,840	11,285,311,798	18.8	34,638
11/29/2007	24	4,270	9.5	6,200,640	11,291,512,438	19.0	34,657
11/30/2007	24	4,257	9.5	6,148,770	11,297,661,208	18.9	34,676
12/1/2007	24	4,261	9.5	6,130,485	11,303,791,693	18.8	34,695
12/2/2007	24	4,261	9.5	6,135,840	11,309,927,533	18.8	34,714
12/3/2007	24	4,261	9.5	6,135,840	11,316,063,373	18.8	34,733
12/4/2007	24	4,261	9.5	6,135,840	11,322,199,213	18.8	34,752
12/5/2007	24	4,261	9.5	6,135,840	11,328,335,053	18.8	34,770
12/6/2007	24	4,261	9.5	6,135,840	11,334,470,893	18.8	34,789
12/7/2007	24	4,261	9.5	6,135,840	11,340,606,733	18.8	34,808
12/8/2007	24	4,261	9.5	6,135,840	11,346,742,573	18.8	34,827
12/9/2007	24	4,261	9.5	6,135,840	11,352,878,413	18.8	34,846
12/10/2007	24	4,261	9.5	6,135,840	11,359,014,253	18.8	34,865
12/11/2007	24	4,261	9.5	6,135,840	11,365,150,093	18.8	34,883
12/12/2007	24	4,261	9.5	6,135,840	11,371,285,933	18.8	34,902
12/13/2007	24	4,261	9.5	6,135,840	11,377,421,773	18.8	34,921
12/14/2007	24	4,261	9.5	6,135,840	11,383,557,613	18.8	34,940
12/15/2007	24	4,261	9.5	6,135,840	11,389,693,453	18.8	34,959
12/16/2007	24	4,261	9.5	6,135,840	11,395,829,293	18.8	34,978
12/17/2007	24	4,216	9.4	6,135,840	11,401,965,133	18.8	34,996
12/18/2007	24	4,216	9.4	6,071,040	11,408,036,173	18.6	35,015
12/19/2007	24	4,216	9.4	6,071,040	11,414,107,213	18.6	35,034
12/20/2007	24	4,216	9.4	6,071,040	11,420,178,253	18.6	35,052
12/21/2007	24	4,216	9.4	6,071,040	11,426,249,293	18.6	35,071
12/22/2007	24	2,422	5.4	6,071,040	11,432,320,333	18.6	35,090
12/23/2007	24	-	-	3,487,680	11,435,808,013	10.7	35,100
12/24/2007	24	-	-	-	11,435,808,013	-	35,100
12/25/2007	24	-	-	-	11,435,808,013	-	35,100
12/26/2007	24	-	-	-	11,435,808,013	-	35,100
12/27/2007	24	2,018	4.5	-	11,435,808,013	-	35,100
12/28/2007	24	4,306	9.6	2,905,920	11,438,713,933	8.9	35,109
12/29/2007	24	4,261	9.5	6,200,640	11,444,914,573	19.0	35,128
12/30/2007	24	4,261	9.5	6,135,840	11,451,050,413	18.8	35,147
12/31/2007	24	4,261	9.5	6,135,840	11,457,186,253	18.8	35,166
1/1/2008	24	4,246	9.5	6,135,840	11,463,322,093	18.8	35,185

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
1/2/2008	24	4,239	9.4	6,114,240	11,469,436,333	18.8	35,203
1/3/2008	24	4,236	9.4	6,104,160	11,475,540,493	18.7	35,222
1/4/2008	24	4,235	9.4	6,099,840	11,481,640,333	18.7	35,241
1/5/2008	24	4,234	9.4	6,098,400	11,487,738,733	18.7	35,260
1/6/2008	24	4,232	9.4	6,096,960	11,493,835,693	18.7	35,278
1/7/2008	24	4,231	9.4	6,094,080	11,499,929,773	18.7	35,297
1/8/2008	24	4,228	9.4	6,092,640	11,506,022,413	18.7	35,316
1/9/2008	24	4,228	9.4	6,088,320	11,512,110,733	18.7	35,334
1/10/2008	24	4,226	9.4	6,088,320	11,518,199,053	18.7	35,353
1/11/2008	24	4,226	9.4	6,085,440	11,524,284,493	18.7	35,372
1/12/2008	24	4,225	9.4	6,085,440	11,530,369,933	18.7	35,391
1/13/2008	24	4,225	9.4	6,084,000	11,536,453,933	18.7	35,409
1/14/2008	24	4,222	9.4	6,084,000	11,542,537,933	18.7	35,428
1/15/2008	24	4,224	9.4	6,079,680	11,548,617,613	18.7	35,447
1/16/2008	24	4,224	9.4	6,082,560	11,554,700,173	18.7	35,465
1/17/2008	24	4,222	9.4	6,082,560	11,560,782,733	18.7	35,484
1/18/2008	24	4,220	9.4	6,079,680	11,566,862,413	18.7	35,503
1/19/2008	24	2,605	5.8	6,076,800	11,572,939,213	18.7	35,521
1/20/2008	24	-	-	3,751,200	11,576,690,413	11.5	35,533
1/21/2008	24	-	-	-	11,576,690,413	-	35,533
1/22/2008	24	2,571	5.7	-	11,576,690,413	-	35,533
1/23/2008	24	4,269	9.5	3,702,240	11,580,392,653	11.4	35,544
1/24/2008	24	4,245	9.5	6,147,360	11,586,540,013	18.9	35,563
1/25/2008	24	4,235	9.4	6,112,800	11,592,652,813	18.8	35,582
1/26/2008	24	4,229	9.4	6,098,400	11,598,751,213	18.7	35,600
1/27/2008	24	4,225	9.4	6,089,760	11,604,840,973	18.7	35,619
1/28/2008	24	4,223	9.4	6,084,000	11,610,924,973	18.7	35,638
1/29/2008	24	4,221	9.4	6,081,120	11,617,006,093	18.7	35,656
1/30/2008	24	4,220	9.4	6,078,240	11,623,084,333	18.7	35,675
1/31/2008	24	4,217	9.4	6,076,800	11,629,161,133	18.7	35,694
2/1/2008	24	4,216	9.4	6,072,480	11,635,233,613	18.6	35,712
2/2/2008	24	4,215	9.4	6,071,040	11,641,304,653	18.6	35,731
2/3/2008	24	4,214	9.4	6,069,600	11,647,374,253	18.6	35,750
2/4/2008	24	4,213	9.4	6,068,160	11,653,442,413	18.6	35,768
2/5/2008	24	4,211	9.4	6,066,720	11,659,509,133	18.6	35,787
2/6/2008	24	4,211	9.4	6,063,840	11,665,572,973	18.6	35,805
2/7/2008	24	4,210	9.4	6,063,840	11,671,636,813	18.6	35,824
2/8/2008	24	4,209	9.4	6,062,400	11,677,699,213	18.6	35,843
2/9/2008	24	4,209	9.4	6,060,960	11,683,760,173	18.6	35,861
2/10/2008	24	4,208	9.4	6,060,960	11,689,821,133	18.6	35,880
2/11/2008	24	4,206	9.4	6,059,520	11,695,880,653	18.6	35,899
2/12/2008	24	4,204	9.4	6,056,640	11,701,937,293	18.6	35,917
2/13/2008	24	4,205	9.4	6,053,760	11,707,991,053	18.6	35,936
2/14/2008	24	4,203	9.4	6,055,200	11,714,046,253	18.6	35,954
2/15/2008	24	4,203	9.4	6,052,320	11,720,098,573	18.6	35,973
2/16/2008	24	4,203	9.4	6,052,320	11,726,150,893	18.6	35,991

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/17/2008	24	4,202	9.4	6,052,320	11,732,203,213	18.6	36,010
2/18/2008	24	4,201	9.4	6,050,880	11,738,254,093	18.6	36,029
2/19/2008	24	4,199	9.4	6,049,440	11,744,303,533	18.6	36,047
2/20/2008	24	4,197	9.4	6,046,560	11,750,350,093	18.6	36,066
2/21/2008	24	4,197	9.4	6,043,680	11,756,393,773	18.6	36,084
2/22/2008	24	4,197	9.4	6,043,680	11,762,437,453	18.6	36,103
2/23/2008	24	4,197	9.4	6,043,680	11,768,481,133	18.6	36,121
2/24/2008	24	4,196	9.3	6,043,680	11,774,524,813	18.6	36,140
2/25/2008	24	4,194	9.3	6,042,240	11,780,567,053	18.5	36,158
2/26/2008	24	4,194	9.3	6,039,360	11,786,606,413	18.5	36,177
2/27/2008	24	4,193	9.3	6,039,360	11,792,645,773	18.5	36,196
2/28/2008	24	4,193	9.3	6,037,920	11,798,683,693	18.5	36,214
2/29/2008	24	4,192	9.3	6,037,920	11,804,721,613	18.5	36,233
3/1/2008	24	4,193	9.3	6,036,480	11,810,758,093	-	36,251
3/2/2008	24	4,193	9.3	6,037,920	11,816,796,013	18.5	36,270
3/3/2008	24	4,191	9.3	6,037,920	11,822,833,933	18.5	36,288
3/4/2008	24	4,190	9.3	6,035,040	11,828,868,973	18.5	36,307
3/5/2008	24	4,191	9.3	6,033,600	11,834,902,573	18.5	36,325
3/6/2008	24	4,190	9.3	6,035,040	11,840,937,613	18.5	36,344
3/7/2008	24	4,189	9.3	6,033,600	11,846,971,213	18.5	36,362
3/8/2008	24	4,188	9.3	6,032,160	11,853,003,373	18.5	36,381
3/9/2008	24	4,188	9.3	6,030,720	11,859,034,093	18.5	36,399
3/10/2008	24	4,186	9.3	6,030,720	11,865,064,813	18.5	36,418
3/11/2008	24	4,185	9.3	6,027,840	11,871,092,653	18.5	36,436
3/12/2008	24	4,185	9.3	6,026,400	11,877,119,053	18.5	36,455
3/13/2008	24	4,185	9.3	6,026,400	11,883,145,453	18.5	36,473
3/14/2008	24	4,185	9.3	6,026,400	11,889,171,853	18.5	36,492
3/15/2008	24	4,185	9.3	6,026,400	11,895,198,253	18.5	36,510
3/16/2008	24	4,185	9.3	6,026,400	11,901,224,653	18.5	36,529
3/17/2008	24	4,183	9.3	6,026,400	11,907,251,053	18.5	36,547
3/18/2008	24	4,182	9.3	6,023,520	11,913,274,573	18.5	36,566
3/19/2008	24	4,182	9.3	6,022,080	11,919,296,653	18.5	36,584
3/20/2008	24	4,182	9.3	6,022,080	11,925,318,733	18.5	36,603
3/21/2008	24	4,182	9.3	6,022,080	11,931,340,813	18.5	36,621
3/22/2008	24	4,180	9.3	6,022,080	11,937,362,893	18.5	36,640
3/23/2008	24	4,178	9.3	6,019,200	11,943,382,093	18.5	36,658
3/24/2008	24	4,175	9.3	6,016,320	11,949,398,413	18.5	36,677
3/25/2008	24	4,174	9.3	6,012,000	11,955,410,413	18.5	36,695
3/26/2008	24	4,174	9.3	6,010,560	11,961,420,973	18.4	36,714
3/27/2008	24	2,723	6.1	6,010,560	11,967,431,533	18.4	36,732
3/28/2008	24	2,469	5.5	3,921,120	11,971,352,653	12.0	36,744
3/29/2008	24	4,200	9.4	3,555,360	11,974,908,013	10.9	36,755
3/30/2008	24	4,186	9.3	6,048,000	11,980,956,013	18.6	36,774
3/31/2008	24	4,181	9.3	6,027,840	11,986,983,853	18.5	36,792
4/1/2008	24	4,185	9.3	6,020,640	11,993,004,493	18.5	36,810
4/2/2008	24	4,184	9.3	6,026,400	11,999,030,893	18.5	36,829

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
4/3/2008	24	4,183	9.3	6,024,960	12,005,055,853	18.5	36,847
4/4/2008	24	4,181	9.3	6,023,520	12,011,079,373	18.5	36,866
4/5/2008	24	4,181	9.3	6,020,640	12,017,100,013	18.5	36,884
4/6/2008	24	4,180	9.3	6,020,640	12,023,120,653	18.5	36,903
4/7/2008	24	4,179	9.3	6,019,200	12,029,139,853	18.5	36,921
4/8/2008	24	4,180	9.3	6,017,760	12,035,157,613	18.5	36,940
4/9/2008	24	4,181	9.3	6,019,200	12,041,176,813	18.5	36,958
4/10/2008	24	4,180	9.3	6,020,640	12,047,197,453	18.5	36,977
4/11/2008	24	4,179	9.3	6,019,200	12,053,216,653	18.5	36,995
4/12/2008	24	4,180	9.3	6,017,760	12,059,234,413	18.5	37,014
4/13/2008	24	4,179	9.3	6,019,200	12,065,253,613	18.5	37,032
4/14/2008	24	4,179	9.3	6,017,760	12,071,271,373	18.5	37,051
4/15/2008	24	4,178	9.3	6,017,760	12,077,289,133	18.5	37,069
4/16/2008	24	4,178	9.3	6,016,320	12,083,305,453	18.5	37,088
4/17/2008	24	4,176	9.3	6,016,320	12,089,321,773	18.5	37,106
4/18/2008	24	4,176	9.3	6,013,440	12,095,335,213	18.5	37,125
4/19/2008	24	4,175	9.3	6,013,440	12,101,348,653	18.5	37,143
4/20/2008	24	4,175	9.3	6,012,000	12,107,360,653	18.5	37,161
4/21/2008	24	4,174	9.3	6,012,000	12,113,372,653	18.5	37,180
4/22/2008	24	4,173	9.3	6,010,560	12,119,383,213	18.4	37,198
4/23/2008	24	4,173	9.3	6,009,120	12,125,392,333	18.4	37,217
4/24/2008	24	4,174	9.3	6,009,120	12,131,401,453	18.4	37,235
4/25/2008	24	4,172	9.3	6,010,560	12,137,412,013	18.4	37,254
4/26/2008	24	4,171	9.3	6,007,680	12,143,419,693	18.4	37,272
4/27/2008	24	4,171	9.3	6,006,240	12,149,425,933	18.4	37,291
4/28/2008	24	2,433	5.4	6,006,240	12,155,432,173	18.4	37,309
4/29/2008	24	2,119	4.7	3,503,520	12,158,935,693	10.8	37,320
4/30/2008	24	4,201	9.4	3,051,360	12,161,987,053	9.4	37,329
5/1/2008	24	4,184	9.3	6,049,440	12,168,036,493	18.6	37,348
5/2/2008	24	4,178	9.3	6,024,960	12,174,061,453	18.5	37,366
5/3/2008	24	4,174	9.3	6,016,320	12,180,077,773	18.5	37,385
5/4/2008	24	4,173	9.3	6,010,560	12,186,088,333	18.4	37,403
5/5/2008	24	4,133	9.2	6,009,120	12,192,097,453	18.4	37,422
5/6/2008	24	4,181	9.3	5,951,520	12,198,048,973	18.3	37,440
5/7/2008	24	4,180	9.3	6,020,640	12,204,069,613	18.5	37,458
5/8/2008	24	4,179	9.3	6,019,200	12,210,088,813	18.5	37,477
5/9/2008	24	4,179	9.3	6,017,760	12,216,106,573	18.5	37,495
5/10/2008	24	4,179	9.3	6,017,760	12,222,124,333	18.5	37,514
5/11/2008	24	4,178	9.3	6,017,760	12,228,142,093	18.5	37,532
5/12/2008	24	4,180	9.3	6,016,320	12,234,158,413	18.5	37,551
5/13/2008	24	4,180	9.3	6,019,200	12,240,177,613	18.5	37,569
5/14/2008	24	4,179	9.3	6,019,200	12,246,196,813	18.5	37,588
5/15/2008	24	4,177	9.3	6,017,760	12,252,214,573	18.5	37,606
5/16/2008	24	4,177	9.3	6,014,880	12,258,229,453	18.5	37,625
5/17/2008	24	4,176	9.3	6,014,880	12,264,244,333	18.5	37,643
5/18/2008	24	4,176	9.3	6,013,440	12,270,257,773	18.5	37,661

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/19/2008	24	4,177	9.3	6,013,440	12,276,271,213	18.5	37,680
5/20/2008	24	4,177	9.3	6,014,880	12,282,286,093	18.5	37,698
5/21/2008	24	4,179	9.3	6,014,880	12,288,300,973	18.5	37,717
5/22/2008	24	4,175	9.3	6,017,760	12,294,318,733	18.5	37,735
5/23/2008	24	4,175	9.3	6,012,000	12,300,330,733	18.5	37,754
5/24/2008	24	4,175	9.3	6,012,000	12,306,342,733	18.5	37,772
5/25/2008	24	4,175	9.3	6,012,000	12,312,354,733	18.5	37,791
5/26/2008	24	4,176	9.3	6,012,000	12,318,366,733	18.5	37,809
5/27/2008	24	4,174	9.3	6,013,440	12,324,380,173	18.5	37,828
5/28/2008	24	4,175	9.3	6,010,560	12,330,390,733	18.4	37,846
5/29/2008	24	4,175	9.3	6,012,000	12,336,402,733	18.5	37,864
5/30/2008	24	4,175	9.3	6,012,000	12,342,414,733	18.5	37,883
5/31/2008	24	4,176	9.3	6,012,000	12,348,426,733	18.5	37,901
6/1/2008	24	4,177	9.3	6,013,440	12,354,440,173	18.5	37,920
6/2/2008	24	4,178	9.3	6,015,045	12,360,455,218	18.5	37,938
6/3/2008	24	4,178	9.3	6,015,705	12,366,470,923	18.5	37,957
6/4/2008	24	2,565	5.7	6,016,230	12,372,487,153	18.5	37,975
6/5/2008	24	0	0.0	3,693,852	12,376,181,005	11.3	37,987
6/6/2008	24	0	0.0	464	12,376,181,469	0.0	37,987
6/7/2008	24	0	0.0	500	12,376,181,969	0.0	37,987
6/8/2008	24	0	0.0	515	12,376,182,484	0.0	37,987
6/9/2008	24	2,397	5.3	481	12,376,182,965	0.0	37,987
6/10/2008	24	4,262	9.5	3,451,388	12,379,634,354	10.6	37,997
6/11/2008	24	4,219	9.4	6,137,415	12,385,771,769	18.8	38,016
6/12/2008	24	4,219	9.4	6,075,360	12,391,847,129	18.6	38,035
6/13/2008	24	4,219	9.4	6,075,360	12,397,922,489	18.6	38,053
6/14/2008	24	4,219	9.4	6,075,360	12,403,997,849	18.6	38,072
6/15/2008	24	4,219	9.4	6,075,360	12,410,073,209	18.6	38,091
6/16/2008	24	4,208	9.4	6,075,360	12,416,148,569	18.6	38,109
6/17/2008	24	4,206	9.4	6,058,830	12,422,207,399	18.6	38,128
6/18/2008	24	4,205	9.4	6,055,980	12,428,263,379	18.6	38,146
6/19/2008	24	4,204	9.4	6,055,215	12,434,318,594	18.6	38,165
6/20/2008	24	4,204	9.4	6,054,330	12,440,372,924	18.6	38,184
6/21/2008	24	4,204	9.4	6,053,430	12,446,426,354	18.6	38,202
6/22/2008	24	4,204	9.4	6,053,070	12,452,479,424	18.6	38,221
6/23/2008	24	4,205	9.4	6,053,835	12,458,533,259	18.6	38,239
6/24/2008	24	4,205	9.4	6,054,510	12,464,587,769	18.6	38,258
6/25/2008	24	4,205	9.4	6,054,630	12,470,642,399	18.6	38,277
6/26/2008	24	4,205	9.4	6,055,215	12,476,697,614	18.6	38,295
6/27/2008	24	4,204	9.4	6,055,500	12,482,753,114	18.6	38,314
6/28/2008	24	4,205	9.4	6,054,135	12,488,807,249	18.6	38,332
6/29/2008	24	4,207	9.4	6,054,945	12,494,862,194	18.6	38,351
6/30/2008	24	4,205	9.4	6,057,705	12,500,919,899	18.6	38,369
7/1/2008	24	4,206	9.4	6,055,575	12,506,975,474	18.6	38,388
7/2/2008	24	4,206	9.4	6,056,265	12,513,031,739	18.6	38,407
7/3/2008	24	4,207	9.4	6,057,135	12,519,088,874	18.6	38,425

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
7/4/2008	24	4,208	9.4	6,057,450	12,525,146,324	18.6	38,444
7/5/2008	24	4,209	9.4	6,059,565	12,531,205,889	18.6	38,462
7/6/2008	24	4,209	9.4	6,060,855	12,537,266,744	18.6	38,481
7/7/2008	24	4,209	9.4	6,061,185	12,543,327,929	18.6	38,500
7/8/2008	24	4,210	9.4	6,061,065	12,549,388,994	18.6	38,518
7/9/2008	24	4,211	9.4	6,061,890	12,555,450,884	18.6	38,537
7/10/2008	24	4,212	9.4	6,063,210	12,561,514,094	18.6	38,555
7/11/2008	24	4,213	9.4	6,065,745	12,567,579,839	18.6	38,574
7/12/2008	24	4,213	9.4	6,066,180	12,573,646,019	18.6	38,593
7/13/2008	24	4,214	9.4	6,066,195	12,579,712,214	18.6	38,611
7/14/2008	24	4,213	9.4	6,067,620	12,585,779,834	18.6	38,630
7/15/2008	24	4,214	9.4	6,066,435	12,591,846,269	18.6	38,649
7/16/2008	24	4,214	9.4	6,067,560	12,597,913,829	18.6	38,667
7/17/2008	24	4,214	9.4	6,068,250	12,603,982,079	18.6	38,686
7/18/2008	24	4,214	9.4	6,068,505	12,610,050,584	18.6	38,704
7/19/2008	24	4,214	9.4	6,068,610	12,616,119,194	18.6	38,723
7/20/2008	24	4,215	9.4	6,068,250	12,622,187,444	18.6	38,742
7/21/2008	24	4,215	9.4	6,069,975	12,628,257,419	18.6	38,760
7/22/2008	24	4,215	9.4	6,069,165	12,634,326,584	18.6	38,779
7/23/2008	24	4,214	9.4	6,068,895	12,640,395,479	18.6	38,798
7/24/2008	24	4,214	9.4	6,067,935	12,646,463,414	18.6	38,816
7/25/2008	24	4,214	9.4	6,068,625	12,652,532,039	18.6	38,835
7/26/2008	24	4,213	9.4	6,067,650	12,658,599,689	18.6	38,853
7/27/2008	24	4,214	9.4	6,066,840	12,664,666,529	18.6	38,872
7/28/2008	24	4,213	9.4	6,068,310	12,670,734,839	18.6	38,891
7/29/2008	24	3,206	7.1	6,066,315	12,676,801,154	18.6	38,909
7/30/2008	24	4,216	9.4	4,617,098	12,681,418,252	14.2	38,923
7/31/2008	24	4,210	9.4	6,070,875	12,687,489,127	18.6	38,942
8/1/2008	24	4,208	9.4	6,062,460	12,693,551,587	18.6	38,961
8/2/2008	24	4,208	9.4	6,060,075	12,699,611,662	18.6	38,979
8/3/2008	24	4,209	9.4	6,059,865	12,705,671,527	18.6	38,998
8/4/2008	24	4,208	9.4	6,060,630	12,711,732,157	18.6	39,016
8/5/2008	24	4,208	9.4	6,060,000	12,717,792,157	18.6	39,035
8/6/2008	24	4,209	9.4	6,059,895	12,723,852,052	18.6	39,054
8/7/2008	24	3,016	6.7	6,060,885	12,729,912,937	18.6	39,072
8/8/2008	24	4,231	9.4	4,343,596	12,734,256,533	13.3	39,086
8/9/2008	24	4,220	9.4	6,092,820	12,740,349,353	18.7	39,104
8/10/2008	24	4,216	9.4	6,076,125	12,746,425,478	18.6	39,123
8/11/2008	24	4,216	9.4	6,071,565	12,752,497,043	18.6	39,142
8/12/2008	24	4,216	9.4	6,070,560	12,758,567,603	18.6	39,160
8/13/2008	24	4,214	9.4	6,070,350	12,764,637,953	18.6	39,179
8/14/2008	24	4,214	9.4	6,068,535	12,770,706,488	18.6	39,198
8/15/2008	24	4,214	9.4	6,067,455	12,776,773,943	18.6	39,216
8/16/2008	24	4,217	9.4	6,068,475	12,782,842,418	18.6	39,235
8/17/2008	24	4,215	9.4	6,072,030	12,788,914,448	18.6	39,253
8/18/2008	24	4,216	9.4	6,070,065	12,794,984,513	18.6	39,272

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/19/2008	24	4,216	9.4	6,070,665	12,801,055,178	18.6	39,291
8/20/2008	24	4,216	9.4	6,070,350	12,807,125,528	18.6	39,309
8/21/2008	24	4,216	9.4	6,071,535	12,813,197,063	18.6	39,328
8/22/2008	24	4,214	9.4	6,070,320	12,819,267,383	18.6	39,347
8/23/2008	24	4,214	9.4	6,068,685	12,825,336,068	18.6	39,365
8/24/2008	24	4,214	9.4	6,068,775	12,831,404,843	18.6	39,384
8/25/2008	24	4,214	9.4	6,067,800	12,837,472,643	18.6	39,402
8/26/2008	24	4,213	9.4	6,067,485	12,843,540,128	18.6	39,421
8/27/2008	24	4,212	9.4	6,067,260	12,849,607,388	18.6	39,440
8/28/2008	24	4,212	9.4	6,065,505	12,855,672,893	18.6	39,458
8/29/2008	24	4,214	9.4	6,064,785	12,861,737,678	18.6	39,477
8/30/2008	24	4,214	9.4	6,068,040	12,867,805,718	18.6	39,496
8/31/2008	24	4,213	9.4	6,067,980	12,873,873,698	18.6	39,514
9/1/2008	24	4,214	9.4	6,067,395	12,879,941,093	18.6	39,533
9/2/2008	24	4,213	9.4	6,067,695	12,886,008,788	18.6	39,551
9/3/2008	24	4,211	9.4	6,066,450	12,892,075,238	18.6	39,570
9/4/2008	24	4,212	9.4	6,064,395	12,898,139,633	18.6	39,589
9/5/2008	24	4,211	9.4	6,065,745	12,904,205,378	18.6	39,607
9/6/2008	24	4,211	9.4	6,063,765	12,910,269,143	18.6	39,626
9/7/2008	24	4,210	9.4	6,063,600	12,916,332,743	18.6	39,644
9/8/2008	24	4,210	9.4	6,062,400	12,922,395,143	18.6	39,663
9/9/2008	24	4,210	9.4	6,062,895	12,928,458,038	18.6	39,682
9/10/2008	24	4,210	9.4	6,061,710	12,934,519,748	18.6	39,700
9/11/2008	24	4,210	9.4	6,061,710	12,940,581,458	18.6	39,719
9/12/2008	24	4,209	9.4	6,062,190	12,946,643,648	18.6	39,738
9/13/2008	24	4,208	9.4	6,061,575	12,952,705,223	18.6	39,756
9/14/2008	24	4,208	9.4	6,060,195	12,958,765,418	18.6	39,775
9/15/2008	24	4,208	9.4	6,059,745	12,964,825,163	18.6	39,793
9/16/2008	24	4,208	9.4	6,059,730	12,970,884,893	18.6	39,812
9/17/2008	24	4,207	9.4	6,058,980	12,976,943,873	18.6	39,831
9/18/2008	24	4,206	9.4	6,057,990	12,983,001,863	18.6	39,849
9/19/2008	24	4,206	9.4	6,057,330	12,989,059,193	18.6	39,868
9/20/2008	24	4,011	8.9	6,056,790	12,995,115,983	18.6	39,886
9/21/2008	24	4,209	9.4	5,776,147	13,000,892,130	17.7	39,904
9/22/2008	24	4,207	9.4	6,061,545	13,006,953,675	18.6	39,923
9/23/2008	24	4,206	9.4	6,058,305	13,013,011,980	18.6	39,941
9/24/2008	24	4,207	9.4	6,056,115	13,019,068,095	18.6	39,960
9/25/2008	24	4,206	9.4	6,057,450	13,025,125,545	18.6	39,978
9/26/2008	24	4,205	9.4	6,056,520	13,031,182,065	18.6	39,997
9/27/2008	24	4,205	9.4	6,055,845	13,037,237,910	18.6	40,016
9/28/2008	24	4,205	9.4	6,055,275	13,043,293,185	18.6	40,034
9/29/2008	24	4,204	9.4	6,054,840	13,049,348,025	18.6	40,053
9/30/2008	24	4,203	9.4	6,054,135	13,055,402,160	18.6	40,071
10/1/2008	24	4,203	9.4	6,052,650	13,061,454,810	18.6	40,090
10/2/2008	24	4,204	9.4	6,052,650	13,067,507,460	18.6	40,108
10/3/2008	24	4,204	9.4	6,053,370	13,073,560,830	18.6	40,127

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
10/4/2008	24	4,203	9.4	6,053,490	13,079,614,320	18.6	40,146
10/5/2008	24	4,203	9.4	6,052,590	13,085,666,910	18.6	40,164
10/6/2008	24	4,202	9.4	6,052,815	13,091,719,725	18.6	40,183
10/7/2008	24	4,202	9.4	6,051,570	13,097,771,295	18.6	40,201
10/8/2008	24	4,202	9.4	6,051,030	13,103,822,325	18.6	40,220
10/9/2008	24	4,202	9.4	6,051,045	13,109,873,370	18.6	40,239
10/10/2008	24	4,202	9.4	6,050,250	13,115,923,620	18.6	40,257
10/11/2008	24	4,203	9.4	6,051,210	13,121,974,830	18.6	40,276
10/12/2008	24	4,203	9.4	6,051,630	13,128,026,460	18.6	40,294
10/13/2008	24	4,201	9.4	6,052,380	13,134,078,840	18.6	40,313
10/14/2008	24	4,199	9.4	6,049,050	13,140,127,890	18.6	40,331
10/15/2008	24	4,198	9.4	6,046,155	13,146,174,045	18.6	40,350
10/16/2008	24	4,199	9.4	6,045,660	13,152,219,705	18.6	40,368
10/17/2008	24	4,197	9.4	6,046,815	13,158,266,520	18.6	40,387
10/18/2008	24	4,197	9.4	6,043,725	13,164,310,245	18.6	40,406
10/19/2008	24	4,197	9.4	6,043,335	13,170,353,580	18.5	40,424
10/20/2008	24	4,197	9.4	6,043,905	13,176,397,485	18.6	40,443
10/21/2008	24	4,197	9.4	6,043,335	13,182,440,820	18.5	40,461
10/22/2008	24	4,196	9.3	6,043,605	13,188,484,425	18.5	40,480
10/23/2008	24	4,195	9.3	6,042,510	13,194,526,935	18.5	40,498
10/24/2008	24	4,194	9.3	6,041,295	13,200,568,230	18.5	40,517
10/25/2008	24	4,194	9.3	6,039,930	13,206,608,160	18.5	40,535
10/26/2008	24	4,194	9.3	6,039,675	13,212,647,835	18.5	40,554
10/27/2008	24	4,193	9.3	6,039,210	13,218,687,045	18.5	40,573
10/28/2008	24	4,192	9.3	6,037,695	13,224,724,740	18.5	40,591
10/29/2008	24	4,192	9.3	6,035,985	13,230,760,725	18.5	40,610
10/30/2008	24	4,192	9.3	6,037,155	13,236,797,880	18.5	40,628
10/31/2008	24	4,191	9.3	6,036,225	13,242,834,105	18.5	40,647
11/1/2008	24	4,190	9.3	6,034,800	13,248,868,905	18.5	40,665
11/2/2008	24	4,191	9.3	6,034,035	13,254,902,940	18.5	40,684
11/3/2008	24	4,190	9.3	6,035,475	13,260,938,415	18.5	40,702
11/4/2008	24	4,191	9.3	6,033,720	13,266,972,135	18.5	40,721
11/5/2008	24	4,191	9.3	6,034,860	13,273,006,995	18.5	40,739
11/6/2008	24	4,189	9.3	6,034,815	13,279,041,810	18.5	40,758
11/7/2008	24	4,188	9.3	6,031,830	13,285,073,640	18.5	40,776
11/8/2008	24	4,188	9.3	6,030,810	13,291,104,450	18.5	40,795
11/9/2008	24	4,189	9.3	6,030,510	13,297,134,960	18.5	40,813
11/10/2008	24	4,188	9.3	6,031,965	13,303,166,925	18.5	40,832
11/11/2008	24	4,187	9.3	6,030,045	13,309,196,970	18.5	40,850
11/12/2008	24	4,185	9.3	6,029,880	13,315,226,850	18.5	40,869
11/13/2008	24	4,185	9.3	6,027,030	13,321,253,880	18.5	40,887
11/14/2008	24	4,185	9.3	6,026,550	13,327,280,430	18.5	40,906
11/15/2008	24	4,185	9.3	6,026,340	13,333,306,770	18.5	40,924
11/16/2008	24	4,184	9.3	6,025,935	13,339,332,705	18.5	40,943
11/17/2008	24	4,183	9.3	6,025,215	13,345,357,920	18.5	40,961
11/18/2008	24	4,181	9.3	6,023,160	13,351,381,080	18.5	40,980

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/19/2008	24	4,182	9.3	6,021,045	13,357,402,125	18.5	40,998
11/20/2008	24	4,182	9.3	6,021,360	13,363,423,485	18.5	41,017
11/21/2008	24	4,181	9.3	6,021,750	13,369,445,235	18.5	41,035
11/22/2008	24	4,181	9.3	6,020,760	13,375,465,995	18.5	41,054
11/23/2008	24	4,180	9.3	6,019,995	13,381,485,990	18.5	41,072
11/24/2008	24	4,179	9.3	6,019,875	13,387,505,865	18.5	41,091
11/25/2008	24	4,178	9.3	6,017,565	13,393,523,430	18.5	41,109
11/26/2008	24	4,178	9.3	6,015,615	13,399,539,045	18.5	41,128
11/27/2008	24	4,178	9.3	6,016,425	13,405,555,470	18.5	41,146
11/28/2008	24	4,178	9.3	6,016,260	13,411,571,730	18.5	41,165
11/29/2008	24	4,177	9.3	6,016,185	13,417,587,915	18.5	41,183
11/30/2008	24	4,176	9.3	6,014,820	13,423,602,735	18.5	41,201
12/1/2008	24	4,176	9.3	6,013,860	13,429,616,595	18.5	41,220
12/2/2008	24	4,175	9.3	6,013,860	13,435,630,455	18.5	41,238
12/3/2008	24	4,175	9.3	6,012,570	13,441,643,025	18.5	41,257
12/4/2008	24	4,174	9.3	6,011,595	13,447,654,620	18.5	41,275
12/5/2008	24	4,174	9.3	6,010,125	13,453,664,745	18.4	41,294
12/6/2008	24	4,173	9.3	6,009,885	13,459,674,630	18.4	41,312
12/7/2008	24	4,172	9.3	6,008,895	13,465,683,525	18.4	41,331
12/8/2008	24	4,172	9.3	6,007,200	13,471,690,725	18.4	41,349
12/9/2008	24	4,172	9.3	6,006,960	13,477,697,685	18.4	41,367
12/10/2008	24	4,170	9.3	6,007,005	13,483,704,690	18.4	41,386
12/11/2008	24	4,169	9.3	6,005,100	13,489,709,790	18.4	41,404
12/12/2008	24	4,169	9.3	6,003,540	13,495,713,330	18.4	41,423
12/13/2008	24	4,168	9.3	6,003,060	13,501,716,390	18.4	41,441
12/14/2008	24	4,169	9.3	6,001,590	13,507,717,980	18.4	41,460
12/15/2008	24	4,168	9.3	6,003,225	13,513,721,205	18.4	41,478
12/16/2008	24	4,166	9.3	6,002,025	13,519,723,230	18.4	41,496
12/17/2008	24	4,166	9.3	5,999,550	13,525,722,780	18.4	41,515
12/18/2008	24	4,165	9.3	5,999,085	13,531,721,865	18.4	41,533
12/19/2008	24	4,165	9.3	5,998,215	13,537,720,080	18.4	41,552
12/20/2008	24	4,164	9.3	5,996,880	13,543,716,960	18.4	41,570
12/21/2008	24	4,163	9.3	5,995,980	13,549,712,940	18.4	41,589
12/22/2008	24	4,162	9.3	5,995,335	13,555,708,275	18.4	41,607
12/23/2008	24	4,162	9.3	5,992,845	13,561,701,120	18.4	41,625
12/24/2008	24	4,161	9.3	5,993,880	13,567,695,000	18.4	41,644
12/25/2008	24	4,160	9.3	5,991,840	13,573,686,840	18.4	41,662
12/26/2008	24	4,161	9.3	5,990,415	13,579,677,255	18.4	41,681
12/27/2008	24	4,160	9.3	5,991,390	13,585,668,645	18.4	41,699
12/28/2008	24	4,159	9.3	5,990,205	13,591,658,850	18.4	41,717
12/29/2008	24	4,157	9.3	5,988,570	13,597,647,420	18.4	41,736
12/30/2008	24	4,157	9.3	5,985,900	13,603,633,320	18.4	41,754
12/31/2008	24	4,156	9.3	5,986,485	13,609,619,805	18.4	41,772
1/1/2009	24	4,152	9.2	5,985,030	13,615,604,835	18.4	41,791
1/2/2009	24	4,152	9.2	5,978,434	13,621,583,268	18.3	41,809
1/3/2009	24	4,152	9.2	5,978,434	13,627,561,702	18.3	41,827

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
1/4/2009	24	4,152	9.2	5,978,434	13,633,540,135	18.3	41,846
1/5/2009	24	4,152	9.2	5,978,434	13,639,518,569	18.3	41,864
1/6/2009	24	4,152	9.2	5,978,434	13,645,497,003	18.3	41,883
1/7/2009	24	4,152	9.2	5,978,434	13,651,475,436	18.3	41,901
1/8/2009	24	4,152	9.2	5,978,434	13,657,453,870	18.3	41,919
1/9/2009	24	4,152	9.2	5,978,434	13,663,432,303	18.3	41,938
1/10/2009	24	4,152	9.2	5,978,434	13,669,410,737	18.3	41,956
1/11/2009	24	4,152	9.2	5,978,434	13,675,389,171	18.3	41,974
1/12/2009	24	4,152	9.2	5,978,434	13,681,367,604	18.3	41,993
1/13/2009	24	4,147	9.2	5,978,434	13,687,346,038	18.3	42,011
1/14/2009	24	4,147	9.2	5,971,968	13,693,318,006	18.3	42,029
1/15/2009	24	4,147	9.2	5,971,968	13,699,289,974	18.3	42,048
1/16/2009	24	4,147	9.2	5,971,968	13,705,261,942	18.3	42,066
1/17/2009	24	4,143	9.2	5,971,968	13,711,233,910	18.3	42,084
1/18/2009	24	4,143	9.2	5,965,502	13,717,199,412	18.3	42,103
1/19/2009	24	4,143	9.2	5,965,502	13,723,164,915	18.3	42,121
1/20/2009	24	4,143	9.2	5,965,502	13,729,130,417	18.3	42,139
1/21/2009	24	4,143	9.2	5,965,502	13,735,095,919	18.3	42,158
1/22/2009	24	4,143	9.2	5,965,502	13,741,061,422	18.3	42,176
1/23/2009	24	4,143	9.2	5,965,502	13,747,026,924	18.3	42,194
1/24/2009	24	4,143	9.2	5,965,502	13,752,992,427	18.3	42,212
1/25/2009	24	4,143	9.2	5,965,502	13,758,957,929	18.3	42,231
1/26/2009	24	4,143	9.2	5,965,502	13,764,923,431	18.3	42,249
1/27/2009	24	4,143	9.2	5,965,502	13,770,888,934	18.3	42,267
1/28/2009	24	4,138	9.2	5,965,502	13,776,854,436	18.3	42,286
1/29/2009	24	4,138	9.2	5,959,037	13,782,813,473	18.3	42,304
1/30/2009	24	4,138	9.2	5,959,037	13,788,772,510	18.3	42,322
1/31/2009	24	4,138	9.2	5,959,037	13,794,731,547	18.3	42,341
2/1/2009	24	4,137	9.2	5,959,037	13,800,690,583	18.3	42,359
2/2/2009	24	4,136	9.2	5,957,400	13,806,647,983	18.3	42,377
2/3/2009	24	4,136	9.2	5,956,230	13,812,604,213	18.3	42,395
2/4/2009	24	4,136	9.2	5,955,570	13,818,559,783	18.3	42,414
2/5/2009	24	4,135	9.2	5,955,210	13,824,514,993	18.3	42,432
2/6/2009	24	4,134	9.2	5,953,815	13,830,468,808	18.3	42,450
2/7/2009	24	4,134	9.2	5,953,335	13,836,422,143	18.3	42,469
2/8/2009	24	4,133	9.2	5,952,675	13,842,374,818	18.3	42,487
2/9/2009	24	4,133	9.2	5,952,195	13,848,327,013	18.3	42,505
2/10/2009	24	4,133	9.2	5,952,210	13,854,279,223	18.3	42,523
2/11/2009	24	4,132	9.2	5,951,025	13,860,230,248	18.3	42,542
2/12/2009	24	4,132	9.2	5,949,975	13,866,180,223	18.3	42,560
2/13/2009	24	4,131	9.2	5,950,515	13,872,130,738	18.3	42,578
2/14/2009	24	4,130	9.2	5,948,535	13,878,079,273	18.3	42,596
2/15/2009	24	4,129	9.2	5,947,320	13,884,026,593	18.3	42,615
2/16/2009	24	4,129	9.2	5,945,475	13,889,972,068	18.2	42,633
2/17/2009	24	4,129	9.2	5,945,580	13,895,917,648	18.2	42,651
2/18/2009	24	4,127	9.2	5,945,670	13,901,863,318	18.2	42,669

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/19/2009	24	4,127	9.2	5,943,300	13,907,806,618	18.2	42,688
2/20/2009	24	4,126	9.2	5,943,165	13,913,749,783	18.2	42,706
2/21/2009	24	4,125	9.2	5,941,305	13,919,691,088	18.2	42,724
2/22/2009	24	4,124	9.2	5,940,075	13,925,631,163	18.2	42,742
2/23/2009	24	4,124	9.2	5,938,680	13,931,569,843	18.2	42,761
2/24/2009	24	4,124	9.2	5,938,410	13,937,508,253	18.2	42,779
2/25/2009	24	4,123	9.2	5,939,100	13,943,447,353	18.2	42,797
2/26/2009	24	4,122	9.2	5,937,555	13,949,384,908	18.2	42,815
2/27/2009	24	4,122	9.2	5,936,190	13,955,321,098	18.2	42,833
2/28/2009	24	4,121	9.2	5,935,575	13,961,256,673	18.2	42,852
3/1/2009	24	4,121	9.2	5,934,420	13,967,191,093	18.2	42,870
3/2/2009	24	4,120	9.2	5,934,240	13,973,125,333	18.2	42,888
3/3/2009	24	4,120	9.2	5,932,800	13,979,058,133	18.2	42,906
3/4/2009	24	4,120	9.2	5,932,800	13,984,990,933	18.2	42,925
3/5/2009	24	4,120	9.2	5,932,800	13,990,923,733	18.2	42,943
3/6/2009	24	4,119	9.2	5,932,800	13,996,856,533	18.2	42,961
3/7/2009	24	4,119	9.2	5,931,360	14,002,787,893	18.2	42,979
3/8/2009	24	4,118	9.2	5,931,360	14,008,719,253	18.2	42,997
3/9/2009	24	4,118	9.2	5,929,920	14,014,649,173	18.2	43,016
3/10/2009	24	4,118	9.2	5,929,920	14,020,579,093	18.2	43,034
3/11/2009	24	4,117	9.2	5,929,920	14,026,509,013	18.2	43,052
3/12/2009	24	4,117	9.2	5,928,480	14,032,437,493	18.2	43,070
3/13/2009	24	4,117	9.2	5,928,480	14,038,365,973	18.2	43,088
3/14/2009	24	4,118	9.2	5,928,480	14,044,294,453	18.2	43,107
3/15/2009	24	4,117	9.2	5,929,920	14,050,224,373	18.2	43,125
3/16/2009	24	4,115	9.2	5,928,480	14,056,152,853	18.2	43,143
3/17/2009	24	4,115	9.2	5,925,600	14,062,078,453	18.2	43,161
3/18/2009	24	4,115	9.2	5,925,600	14,068,004,053	18.2	43,179
3/19/2009	24	4,115	9.2	5,925,600	14,073,929,653	18.2	43,198
3/20/2009	24	4,115	9.2	5,925,600	14,079,855,253	18.2	43,216
3/21/2009	24	4,114	9.2	5,925,600	14,085,780,853	18.2	43,234
3/22/2009	24	4,116	9.2	5,924,160	14,091,705,013	18.2	43,252
3/23/2009	24	4,116	9.2	5,927,040	14,097,632,053	18.2	43,270
3/24/2009	24	4,114	9.2	5,927,040	14,103,559,093	18.2	43,288
3/25/2009	24	4,114	9.2	5,924,160	14,109,483,253	18.2	43,307
3/26/2009	24	4,114	9.2	5,924,160	14,115,407,413	18.2	43,325
3/27/2009	24	4,112	9.2	5,924,160	14,121,331,573	18.2	43,343
3/28/2009	24	4,114	9.2	5,921,280	14,127,252,853	18.2	43,361
3/29/2009	24	4,114	9.2	5,924,160	14,133,177,013	18.2	43,379
3/30/2009	24	4,112	9.2	5,924,160	14,139,101,173	18.2	43,398
3/31/2009	24	4,112	9.2	5,921,280	14,145,022,453	18.2	43,416
4/1/2009	24	4,112	9.2	5,921,280	14,150,943,733	18.2	43,434
4/2/2009	24	4,111	9.2	5,921,370	14,156,865,103	18.2	43,452
4/3/2009	24	35	0.1	5,919,615	14,162,784,718	18.2	43,470
4/4/2009	24	0	0.0	51,066	14,162,835,784	0.2	43,470
4/5/2009	24	2,753	6.1	317	14,162,836,101	0.0	43,470

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
4/6/2009	24	4,168	9.3	3,964,443	14,166,800,544	12.2	43,483
4/7/2009	24	4,145	9.2	6,002,520	14,172,803,064	18.4	43,501
4/8/2009	24	4,093	9.1	5,968,575	14,178,771,639	18.3	43,519
4/9/2009	24	4,001	8.9	5,893,575	14,184,665,214	18.1	43,537
4/10/2009	24	4,127	9.2	5,761,365	14,190,426,579	17.7	43,555
4/11/2009	24	4,124	9.2	5,942,235	14,196,368,814	18.2	43,573
4/12/2009	24	4,123	9.2	5,938,695	14,202,307,509	18.2	43,592
4/13/2009	24	4,120	9.2	5,936,745	14,208,244,254	18.2	43,610
4/14/2009	24	4,120	9.2	5,933,430	14,214,177,684	18.2	43,628
4/15/2009	24	4,121	9.2	5,932,365	14,220,110,049	18.2	43,646
4/16/2009	24	4,118	9.2	5,933,685	14,226,043,734	18.2	43,664
4/17/2009	24	4,118	9.2	5,930,550	14,231,974,284	18.2	43,683
4/18/2009	24	4,117	9.2	5,929,545	14,237,903,829	18.2	43,701
4/19/2009	24	4,116	9.2	5,927,865	14,243,831,694	18.2	43,719
4/20/2009	24	4,116	9.2	5,927,565	14,249,759,259	18.2	43,737
4/21/2009	24	4,115	9.2	5,926,365	14,255,685,624	18.2	43,755
4/22/2009	24	4,115	9.2	5,925,660	14,261,611,284	18.2	43,774
4/23/2009	24	4,116	9.2	5,926,080	14,267,537,364	18.2	43,792
4/24/2009	24	4,115	9.2	5,926,455	14,273,463,819	18.2	43,810
4/25/2009	24	4,116	9.2	5,925,735	14,279,389,554	18.2	43,828
4/26/2009	24	4,116	9.2	5,926,920	14,285,316,474	18.2	43,846
4/27/2009	24	4,114	9.2	5,927,625	14,291,244,099	18.2	43,865
4/28/2009	24	4,114	9.2	5,924,625	14,297,168,724	18.2	43,883
4/29/2009	24	4,114	9.2	5,924,100	14,303,092,824	18.2	43,901
4/30/2009	24	4,113	9.2	5,924,355	14,309,017,179	18.2	43,919
5/1/2009	24	4,113	9.2	5,923,185	14,314,940,364	18.2	43,937
5/2/2009	24	4,113	9.2	5,923,185	14,320,863,549	18.2	43,955
5/3/2009	24	4,113	9.2	5,923,185	14,326,786,734	18.2	43,974
5/4/2009	24	2,782	6.2	5,923,185	14,332,709,919	18.2	43,992
5/5/2009	24	0	-	4,006,080	14,336,715,999	12.3	44,004
5/6/2009	24	0	-	-	14,336,715,999	-	44,004
5/7/2009	24	1,566	3.5	-	14,336,715,999	-	44,004
5/8/2009	24	4,193	9.3	2,255,040	14,338,971,039	6.9	44,011
5/9/2009	24	4,158	9.3	6,037,920	14,345,008,959	18.5	44,030
5/10/2009	24	4,145	9.2	5,987,520	14,350,996,479	18.4	44,048
5/11/2009	24	4,140	9.2	5,968,800	14,356,965,279	18.3	44,066
5/12/2009	24	4,136	9.2	5,961,600	14,362,926,879	18.3	44,085
5/13/2009	24	4,134	9.2	5,955,840	14,368,882,719	18.3	44,103
5/14/2009	24	4,132	9.2	5,952,960	14,374,835,679	18.3	44,121
5/15/2009	24	4,130	9.2	5,950,080	14,380,785,759	18.3	44,139
5/16/2009	24	4,131	9.2	5,947,200	14,386,732,959	18.3	44,158
5/17/2009	24	4,129	9.2	5,948,640	14,392,681,599	18.3	44,176
5/18/2009	24	4,129	9.2	5,945,760	14,398,627,359	18.2	44,194
5/19/2009	24	4,129	9.2	5,945,760	14,404,573,119	18.2	44,212
5/20/2009	24	4,129	9.2	5,945,760	14,410,518,879	18.2	44,231
5/21/2009	24	4,129	9.2	5,945,760	14,416,464,639	18.2	44,249

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/22/2009	24	4,129	9.2	5,945,760	14,422,410,399	18.2	44,267
5/23/2009	24	4,129	9.2	5,945,760	14,428,356,159	18.2	44,285
5/24/2009	24	4,129	9.2	5,945,760	14,434,301,919	18.2	44,304
5/25/2009	24	4,129	9.2	5,945,760	14,440,247,679	18.2	44,322
5/26/2009	24	4,130	9.2	5,945,760	14,446,193,439	18.2	44,340
5/27/2009	24	4,129	9.2	5,947,200	14,452,140,639	18.3	44,358
5/28/2009	24	4,129	9.2	5,945,760	14,458,086,399	18.2	44,377
5/29/2009	24	4,130	9.2	5,945,760	14,464,032,159	18.2	44,395
5/30/2009	24	4,130	9.2	5,947,200	14,469,979,359	18.3	44,413
5/31/2009	24	4,130	9.2	5,947,200	14,475,926,559	18.3	44,431
6/1/2009	24	4,130	9.2	5,947,200	14,481,873,759	18.3	44,450
6/2/2009	24	4,130	9.2	5,947,275	14,487,821,034	18.3	44,468
6/3/2009	24	4,130	9.2	5,946,855	14,493,767,889	18.3	44,486
6/4/2009	24	4,130	9.2	5,947,200	14,499,715,089	18.3	44,504
6/5/2009	24	4,130	9.2	5,947,200	14,505,662,289	18.3	44,523
6/6/2009	24	4,130	9.2	5,947,200	14,511,609,489	18.3	44,541
6/7/2009	24	4,130	9.2	5,947,200	14,517,556,689	18.3	44,559
6/8/2009	24	4,130	9.2	5,947,200	14,523,503,889	18.3	44,577
6/9/2009	24	4,130	9.2	5,947,200	14,529,451,089	18.3	44,596
6/10/2009	24	4,130	9.2	5,947,200	14,535,398,289	18.3	44,614
6/11/2009	24	4,130	9.2	5,947,200	14,541,345,489	18.3	44,632
6/12/2009	24	4,130	9.2	5,946,870	14,547,292,359	18.3	44,650
6/13/2009	24	4,130	9.2	5,947,755	14,553,240,114	18.3	44,669
6/14/2009	24	4,132	9.2	5,947,350	14,559,187,464	18.3	44,687
6/15/2009	24	4,130	9.2	5,949,660	14,565,137,124	18.3	44,705
6/16/2009	24	4,130	9.2	5,947,575	14,571,084,699	18.3	44,723
6/17/2009	24	4,131	9.2	5,946,930	14,577,031,629	18.3	44,742
6/18/2009	24	4,132	9.2	5,948,235	14,582,979,864	18.3	44,760
6/19/2009	24	4,132	9.2	5,949,555	14,588,929,419	18.3	44,778
6/20/2009	24	4,130	9.2	5,949,675	14,594,879,094	18.3	44,796
6/21/2009	24	4,134	9.2	5,946,855	14,600,825,949	18.3	44,815
6/22/2009	24	4,132	9.2	5,952,315	14,606,778,264	18.3	44,833
6/23/2009	24	4,131	9.2	5,950,035	14,612,728,299	18.3	44,851
6/24/2009	24	4,131	9.2	5,949,210	14,618,677,509	18.3	44,870
6/25/2009	24	4,132	9.2	5,948,205	14,624,625,714	18.3	44,888
6/26/2009	24	4,131	9.2	5,949,630	14,630,575,344	18.3	44,906
6/27/2009	24	4,131	9.2	5,949,000	14,636,524,344	18.3	44,924
6/28/2009	24	4,132	9.2	5,948,475	14,642,472,819	18.3	44,943
6/29/2009	24	4,132	9.2	5,950,395	14,648,423,214	18.3	44,961
6/30/2009	24	4,132	9.2	5,950,290	14,654,373,504	18.3	44,979
7/1/2009	24	4,132	9.2	5,949,555	14,660,323,059	18.3	44,997
7/2/2009	24	4,132	9.2	5,949,420	14,666,272,479	18.3	45,016
7/3/2009	24	4,131	9.2	5,950,065	14,672,222,544	18.3	45,034
7/4/2009	24	4,133	9.2	5,949,240	14,678,171,784	18.3	45,052
7/5/2009	24	4,134	9.2	5,951,220	14,684,123,004	18.3	45,070
7/6/2009	24	4,133	9.2	5,952,615	14,690,075,619	18.3	45,089

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
7/7/2009	24	4,133	9.2	5,952,195	14,696,027,814	18.3	45,107
7/8/2009	24	4,133	9.2	5,951,085	14,701,978,899	18.3	45,125
7/9/2009	24	4,133	9.2	5,951,535	14,707,930,434	18.3	45,143
7/10/2009	24	4,133	9.2	5,951,505	14,713,881,939	18.3	45,162
7/11/2009	24	4,134	9.2	5,951,280	14,719,833,219	18.3	45,180
7/12/2009	24	4,134	9.2	5,952,630	14,725,785,849	18.3	45,198
7/13/2009	24	3,870	8.6	5,952,510	14,731,738,359	18.3	45,217
7/14/2009	24	4,138	9.2	5,572,114	14,737,310,473	17.1	45,234
7/15/2009	24	4,135	9.2	5,958,315	14,743,268,788	18.3	45,252
7/16/2009	24	4,135	9.2	5,954,520	14,749,223,308	18.3	45,270
7/17/2009	24	4,134	9.2	5,953,710	14,755,177,018	18.3	45,289
7/18/2009	24	4,134	9.2	5,952,510	14,761,129,528	18.3	45,307
7/19/2009	24	4,136	9.2	5,952,930	14,767,082,458	18.3	45,325
7/20/2009	24	4,132	9.2	5,956,275	14,773,038,733	18.3	45,343
7/21/2009	24	4,134	9.2	5,950,065	14,778,988,798	18.3	45,362
7/22/2009	24	4,134	9.2	5,952,960	14,784,941,758	18.3	45,380
7/23/2009	24	4,134	9.2	5,953,065	14,790,894,823	18.3	45,398
7/24/2009	24	4,134	9.2	5,952,735	14,796,847,558	18.3	45,416
7/25/2009	24	4,134	9.2	5,953,635	14,802,801,193	18.3	45,435
7/26/2009	24	4,135	9.2	5,953,500	14,808,754,693	18.3	45,453
7/27/2009	24	4,133	9.2	5,954,280	14,814,708,973	18.3	45,471
7/28/2009	24	4,133	9.2	5,951,070	14,820,660,043	18.3	45,489
7/29/2009	24	4,133	9.2	5,951,730	14,826,611,773	18.3	45,508
7/30/2009	24	4,132	9.2	5,951,775	14,832,563,548	18.3	45,526
7/31/2009	24	3,275	7.3	5,950,665	14,838,514,213	18.3	45,544
8/1/2009	24	4,139	9.2	4,715,540	14,843,229,753	14.5	45,559
8/2/2009	24	4,134	9.2	5,960,730	14,849,190,483	18.3	45,577
8/3/2009	24	4,130	9.2	5,952,555	14,855,143,038	18.3	45,595
8/4/2009	24	4,129	9.2	5,947,140	14,861,090,178	18.3	45,614
8/5/2009	24	4,130	9.2	5,945,475	14,867,035,653	18.2	45,632
8/6/2009	24	4,128	9.2	5,946,615	14,872,982,268	18.3	45,650
8/7/2009	24	4,130	9.2	5,945,025	14,878,927,293	18.2	45,668
8/8/2009	24	4,128	9.2	5,946,585	14,884,873,878	18.3	45,687
8/9/2009	24	4,129	9.2	5,944,725	14,890,818,603	18.2	45,705
8/10/2009	24	4,128	9.2	5,945,355	14,896,763,958	18.2	45,723
8/11/2009	24	4,128	9.2	5,944,455	14,902,708,413	18.2	45,741
8/12/2009	24	4,128	9.2	5,944,890	14,908,653,303	18.2	45,760
8/13/2009	24	4,127	9.2	5,944,830	14,914,598,133	18.2	45,778
8/14/2009	24	4,127	9.2	5,942,910	14,920,541,043	18.2	45,796
8/15/2009	24	4,128	9.2	5,942,775	14,926,483,818	18.2	45,814
8/16/2009	24	4,128	9.2	5,944,185	14,932,428,003	18.2	45,833
8/17/2009	24	4,126	9.2	5,944,485	14,938,372,488	18.2	45,851
8/18/2009	24	4,127	9.2	5,942,145	14,944,314,633	18.2	45,869
8/19/2009	24	4,126	9.2	5,942,280	14,950,256,913	18.2	45,887
8/20/2009	24	4,134	9.2	5,941,185	14,956,198,098	18.2	45,906
8/21/2009	24	4,125	9.2	5,952,555	14,962,150,653	18.3	45,924

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/22/2009	24	4,127	9.2	5,940,630	14,968,091,283	18.2	45,942
8/23/2009	24	4,128	9.2	5,942,460	14,974,033,743	18.2	45,960
8/24/2009	24	4,126	9.2	5,944,455	14,979,978,198	18.2	45,978
8/25/2009	24	4,125	9.2	5,941,635	14,985,919,833	18.2	45,997
8/26/2009	24	4,124	9.2	5,940,150	14,991,859,983	18.2	46,015
8/27/2009	24	4,124	9.2	5,939,235	14,997,799,218	18.2	46,033
8/28/2009	24	4,124	9.2	5,938,125	15,003,737,343	18.2	46,051
8/29/2009	24	4,123	9.2	5,938,035	15,009,675,378	18.2	46,070
8/30/2009	24	4,125	9.2	5,937,630	15,015,613,008	18.2	46,088
8/31/2009	24	4,124	9.2	5,939,970	15,021,552,978	18.2	46,106
9/1/2009	24	4,124	9.2	5,938,680	15,027,491,658	18.2	46,124
9/2/2009	24	4,124	9.2	5,938,545	15,033,430,203	18.2	46,143
9/3/2009	24	4,124	9.2	5,938,980	15,039,369,183	18.2	46,161
9/4/2009	24	4,123	9.2	5,938,020	15,045,307,203	18.2	46,179
9/5/2009	24	4,124	9.2	5,936,955	15,051,244,158	18.2	46,197
9/6/2009	24	4,124	9.2	5,938,815	15,057,182,973	18.2	46,215
9/7/2009	24	4,124	9.2	5,938,965	15,063,121,938	18.2	46,234
9/8/2009	24	4,124	9.2	5,938,935	15,069,060,873	18.2	46,252
9/9/2009	24	4,123	9.2	5,938,260	15,074,999,133	18.2	46,270
9/10/2009	24	4,123	9.2	5,937,615	15,080,936,748	18.2	46,288
9/11/2009	24	4,122	9.2	5,936,850	15,086,873,598	18.2	46,307
9/12/2009	24	4,122	9.2	5,935,785	15,092,809,383	18.2	46,325
9/13/2009	24	4,125	9.2	5,935,926	15,098,745,309	18.2	46,343
9/14/2009	24	4,125	9.2	5,939,395	15,104,684,704	18.2	46,361
9/15/2009	24	4,124	9.2	5,939,468	15,110,624,172	18.2	46,379
9/16/2009	24	4,124	9.2	5,937,945	15,116,562,117	18.2	46,398
9/17/2009	24	4,123	9.2	5,938,785	15,122,500,902	18.2	46,416
9/18/2009	24	4,123	9.2	5,937,405	15,128,438,307	18.2	46,434
9/19/2009	24	4,123	9.2	5,936,940	15,134,375,247	18.2	46,452
9/20/2009	24	4,124	9.2	5,937,090	15,140,312,337	18.2	46,471
9/21/2009	24	4,122	9.2	5,938,980	15,146,251,317	18.2	46,489
9/22/2009	24	4,121	9.2	5,936,190	15,152,187,507	18.2	46,507
9/23/2009	24	1,374	3.1	5,934,300	15,158,121,807	18.2	46,525
9/24/2009	24	1,941	4.3	1,978,124	15,160,099,930	6.1	46,531
9/25/2009	24	4,166	9.3	2,795,175	15,162,895,105	8.6	46,540
9/26/2009	24	4,143	9.2	5,998,755	15,168,893,860	18.4	46,558
9/27/2009	24	4,136	9.2	5,966,610	15,174,860,470	18.3	46,577
9/28/2009	24	4,131	9.2	5,955,585	15,180,816,055	18.3	46,595
9/29/2009	24	4,129	9.2	5,948,595	15,186,764,650	18.3	46,613
9/30/2009	24	4,128	9.2	5,945,040	15,192,709,690	18.2	46,631
10/1/2009	24	4,126	9.2	5,943,750	15,198,653,440	18.2	46,650
10/2/2009	24	4,125	9.2	5,941,245	15,204,594,685	18.2	46,668
10/3/2009	24	4,124	9.2	5,939,370	15,210,534,055	18.2	46,686
10/4/2009	24	4,125	9.2	5,938,650	15,216,472,705	18.2	46,704
10/5/2009	24	4,124	9.2	5,939,910	15,222,412,615	18.2	46,723
10/6/2009	24	4,121	9.2	5,938,395	15,228,351,010	18.2	46,741

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
10/7/2009	24	4,122	9.2	5,934,840	15,234,285,850	18.2	46,759
10/8/2009	24	4,121	9.2	5,935,830	15,240,221,680	18.2	46,777
10/9/2009	24	4,120	9.2	5,934,915	15,246,156,595	18.2	46,795
10/10/2009	24	4,121	9.2	5,933,475	15,252,090,070	18.2	46,814
10/11/2009	24	4,121	9.2	5,933,790	15,258,023,860	18.2	46,832
10/12/2009	24	4,119	9.2	5,934,660	15,263,958,520	18.2	46,850
10/13/2009	24	4,119	9.2	5,931,525	15,269,890,045	18.2	46,868
10/14/2009	24	4,119	9.2	5,930,850	15,275,820,895	18.2	46,887
10/15/2009	24	4,118	9.2	5,931,075	15,281,751,970	18.2	46,905
10/16/2009	24	4,119	9.2	5,929,605	15,287,681,575	18.2	46,923
10/17/2009	24	4,117	9.2	5,930,700	15,293,612,275	18.2	46,941
10/18/2009	24	4,118	9.2	5,928,765	15,299,541,040	18.2	46,959
10/19/2009	24	4,118	9.2	5,929,455	15,305,470,495	18.2	46,978
10/20/2009	24	4,125	9.2	5,929,200	15,311,399,695	18.2	46,996
10/21/2009	24	4,117	9.2	5,939,370	15,317,339,065	18.2	47,014
10/22/2009	24	4,116	9.2	5,928,900	15,323,267,965	18.2	47,032
10/23/2009	24	2,626	5.9	5,926,860	15,329,194,825	18.2	47,050
10/24/2009	24	4,112	9.2	3,781,246	15,332,976,071	11.6	47,062
10/25/2009	24	4,125	9.2	5,921,970	15,338,898,041	18.2	47,080
10/26/2009	24	4,119	9.2	5,939,730	15,344,837,771	18.2	47,098
10/27/2009	24	4,119	9.2	5,931,705	15,350,769,476	18.2	47,117
10/28/2009	24	4,085	9.1	5,930,745	15,356,700,221	18.2	47,135
10/29/2009	24	4,070	9.1	5,881,993	15,362,582,214	18.1	47,153
10/30/2009	24	4,073	9.1	5,860,905	15,368,443,119	18.0	47,171
10/31/2009	24	4,115	9.2	5,865,562	15,374,308,682	18.0	47,189
11/1/2009	24	4,114	9.2	5,924,880	15,380,233,562	18.2	47,207
11/2/2009	24	4,114	9.2	5,924,550	15,386,158,112	18.2	47,225
11/3/2009	24	4,112	9.2	5,923,800	15,392,081,912	18.2	47,243
11/4/2009	24	4,113	9.2	5,921,640	15,398,003,552	18.2	47,262
11/5/2009	24	4,111	9.2	5,922,225	15,403,925,777	18.2	47,280
11/6/2009	24	4,112	9.2	5,920,440	15,409,846,217	18.2	47,298
11/7/2009	24	4,113	9.2	5,921,100	15,415,767,317	18.2	47,316
11/8/2009	24	4,112	9.2	5,922,015	15,421,689,332	18.2	47,334
11/9/2009	24	4,110	9.2	5,921,790	15,427,611,122	18.2	47,352
11/10/2009	24	4,110	9.2	5,918,760	15,433,529,882	18.2	47,371
11/11/2009	24	4,110	9.2	5,917,680	15,439,447,562	18.2	47,389
11/12/2009	24	4,110	9.2	5,918,820	15,445,366,382	18.2	47,407
11/13/2009	24	4,111	9.2	5,918,880	15,451,285,262	18.2	47,425
11/14/2009	24	4,110	9.2	5,919,645	15,457,204,907	18.2	47,443
11/15/2009	24	4,111	9.2	5,918,790	15,463,123,697	18.2	47,461
11/16/2009	24	4,108	9.2	5,919,510	15,469,043,207	18.2	47,480
11/17/2009	24	4,107	9.2	5,915,415	15,474,958,622	18.2	47,498
11/18/2009	24	4,107	9.2	5,914,095	15,480,872,717	18.2	47,516
11/19/2009	24	4,107	9.1	5,913,975	15,486,786,692	18.2	47,534
11/20/2009	24	4,114	9.2	5,913,705	15,492,700,397	18.2	47,552
11/21/2009	24	4,106	9.1	5,923,800	15,498,624,197	18.2	47,570

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/22/2009	24	4,107	9.1	5,913,270	15,504,537,467	18.1	47,589
11/23/2009	24	4,106	9.1	5,913,735	15,510,451,202	18.2	47,607
11/24/2009	24	4,105	9.1	5,912,205	15,516,363,407	18.1	47,625
11/25/2009	24	4,105	9.1	5,910,885	15,522,274,292	18.1	47,643
11/26/2009	24	4,104	9.1	5,910,960	15,528,185,252	18.1	47,661
11/27/2009	24	4,104	9.1	5,909,520	15,534,094,772	18.1	47,679
11/28/2009	24	4,104	9.1	5,910,060	15,540,004,832	18.1	47,697
11/29/2009	24	4,103	9.1	5,909,820	15,545,914,652	18.1	47,716
11/30/2009	24	4,103	9.1	5,908,155	15,551,822,807	18.1	47,734
12/1/2009	24	4,102	9.1	5,908,320	15,557,731,127	18.1	47,752
12/2/2009	24	4,103	9.1	5,907,414	15,563,638,541	18.1	47,770
12/3/2009	24	4,102	9.1	5,907,639	15,569,546,180	18.1	47,788
12/4/2009	24	4,101	9.1	5,906,304	15,575,452,484	18.1	47,806
12/5/2009	24	4,100	9.1	5,904,999	15,581,357,483	18.1	47,824
12/6/2009	24	4,102	9.1	5,904,174	15,587,261,657	18.1	47,842
12/7/2009	24	4,100	9.1	5,906,619	15,593,168,277	18.1	47,861
12/8/2009	24	4,101	9.1	5,904,279	15,599,072,556	18.1	47,879
12/9/2009	24	4,099	9.1	5,904,954	15,604,977,510	18.1	47,897
12/10/2009	24	4,099	9.1	5,902,689	15,610,880,199	18.1	47,915
12/11/2009	24	4,098	9.1	5,901,954	15,616,782,154	18.1	47,933
12/12/2009	24	4,098	9.1	5,901,609	15,622,683,763	18.1	47,951
12/13/2009	24	4,099	9.1	5,901,474	15,628,585,238	18.1	47,969
12/14/2009	24	4,097	9.1	5,902,104	15,634,487,342	18.1	47,987
12/15/2009	24	4,097	9.1	5,899,750	15,640,387,092	18.1	48,006
12/16/2009	24	4,096	9.1	5,899,555	15,646,286,646	18.1	48,024
12/17/2009	24	4,096	9.1	5,898,520	15,652,185,166	18.1	48,042
12/18/2009	24	4,096	9.1	5,897,530	15,658,082,696	18.1	48,060
12/19/2009	24	4,096	9.1	5,898,175	15,663,980,870	18.1	48,078
12/20/2009	24	4,094	9.1	5,897,965	15,669,878,835	18.1	48,096
12/21/2009	24	4,095	9.1	5,895,760	15,675,774,595	18.1	48,114
12/22/2009	24	4,095	9.1	5,896,540	15,681,671,135	18.1	48,132
12/23/2009	24	4,095	9.1	5,896,675	15,687,567,810	18.1	48,150
12/24/2009	24	4,096	9.1	5,896,540	15,693,464,349	18.1	48,168
12/25/2009	24	4,096	9.1	5,897,770	15,699,362,119	18.1	48,187
12/26/2009	24	4,095	9.1	5,898,625	15,705,260,744	18.1	48,205
12/27/2009	24	4,094	9.1	5,897,065	15,711,157,809	18.1	48,223
12/28/2009	24	4,093	9.1	5,895,595	15,717,053,403	18.1	48,241
12/29/2009	24	4,092	9.1	5,893,315	15,722,946,718	18.1	48,259
12/30/2009	24	4,092	9.1	5,892,685	15,728,839,404	18.1	48,277
12/31/2009	24	4,092	9.1	5,892,565	15,734,731,969	18.1	48,295
1/1/2010	24	4,092	9.1	5,892,239	15,740,624,207	18.1	48,313
1/2/2010	24	4,092	9.1	5,892,960	15,746,517,167	18.1	48,331
1/3/2010	24	4,092	9.1	5,893,080	15,752,410,247	18.1	48,349
1/4/2010	24	4,091	9.1	5,893,140	15,758,303,387	18.1	48,367
1/5/2010	24	4,091	9.1	5,891,100	15,764,194,487	18.1	48,386
1/6/2010	24	4,090	9.1	5,891,280	15,770,085,767	18.1	48,404

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
1/7/2010	24	4,091	9.1	5,890,020	15,775,975,787	18.1	48,422
1/8/2010	24	4,090	9.1	5,890,680	15,781,866,467	18.1	48,440
1/9/2010	24	4,090	9.1	5,890,080	15,787,756,547	18.1	48,458
1/10/2010	24	4,089	9.1	5,890,140	15,793,646,687	18.1	48,476
1/11/2010	24	4,089	9.1	5,888,760	15,799,535,447	18.1	48,494
1/12/2010	24	4,088	9.1	5,888,040	15,805,423,487	18.1	48,512
1/13/2010	24	4,088	9.1	5,886,840	15,811,310,327	18.1	48,530
1/14/2010	24	4,088	9.1	5,887,140	15,817,197,467	18.1	48,548
1/15/2010	24	4,088	9.1	5,886,420	15,823,083,887	18.1	48,566
1/16/2010	24	4,088	9.1	5,886,660	15,828,970,547	18.1	48,584
1/17/2010	24	4,088	9.1	5,886,360	15,834,856,907	18.1	48,602
1/18/2010	24	3,094	6.9	5,887,320	15,840,744,227	18.1	48,620
1/19/2010	24	1,761	3.9	4,455,665	15,845,199,892	13.7	48,634
1/20/2010	24	1,255	2.8	2,535,982	15,847,735,874	7.8	48,642
1/21/2010	24	4,150	9.2	1,806,771	15,849,542,645	5.5	48,647
1/22/2010	24	4,115	9.2	5,976,540	15,855,519,185	18.3	48,666
1/23/2010	24	4,099	9.1	5,925,720	15,861,444,905	18.2	48,684
1/24/2010	24	4,096	9.1	5,902,920	15,867,347,825	18.1	48,702
1/25/2010	24	4,091	9.1	5,897,640	15,873,245,465	18.1	48,720
1/26/2010	24	4,091	9.1	5,891,340	15,879,136,805	18.1	48,738
1/27/2010	24	4,089	9.1	5,891,640	15,885,028,445	18.1	48,756
1/28/2010	24	4,086	9.1	5,887,680	15,890,916,125	18.1	48,774
1/29/2010	24	4,086	9.1	5,884,380	15,896,800,505	18.1	48,793
1/30/2010	24	4,085	9.1	5,883,540	15,902,684,045	18.1	48,811
1/31/2010	24	4,085	9.1	5,882,100	15,908,566,145	18.1	48,829
2/1/2010	24	4,085	9.1	5,882,820	15,914,448,965	18.1	48,847
2/2/2010	24	4,083	9.1	5,882,160	15,920,331,125	18.1	48,865
2/3/2010	24	4,086	9.1	5,878,920	15,926,210,045	18.0	48,883
2/4/2010	24	4,087	9.1	5,883,960	15,932,094,005	18.1	48,901
2/5/2010	24	4,086	9.1	5,885,400	15,937,979,405	18.1	48,919
2/6/2010	24	4,087	9.1	5,884,260	15,943,863,665	18.1	48,937
2/7/2010	24	4,087	9.1	5,884,860	15,949,748,525	18.1	48,955
2/8/2010	24	4,086	9.1	5,885,520	15,955,634,045	18.1	48,973
2/9/2010	24	4,086	9.1	5,883,660	15,961,517,705	18.1	48,991
2/10/2010	24	4,084	9.1	5,883,960	15,967,401,665	18.1	49,009
2/11/2010	24	4,085	9.1	5,880,660	15,973,282,325	18.0	49,027
2/12/2010	24	4,083	9.1	5,882,220	15,979,164,545	18.1	49,045
2/13/2010	24	4,083	9.1	5,879,940	15,985,044,485	18.0	49,063
2/14/2010	24	4,084	9.1	5,879,340	15,990,923,825	18.0	49,081
2/15/2010	24	4,081	9.1	5,881,260	15,996,805,085	18.1	49,099
2/16/2010	24	4,081	9.1	5,876,940	16,002,682,025	18.0	49,118
2/17/2010	24	4,081	9.1	5,876,880	16,008,558,905	18.0	49,136
2/18/2010	24	4,081	9.1	5,876,820	16,014,435,725	18.0	49,154
2/19/2010	24	4,082	9.1	5,877,000	16,020,312,725	18.0	49,172
2/20/2010	24	4,081	9.1	5,878,440	16,026,191,165	18.0	49,190
2/21/2010	24	4,082	9.1	5,876,160	16,032,067,325	18.0	49,208

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/22/2010	24	4,081	9.1	5,877,360	16,037,944,685	18.0	49,226
2/23/2010	24	4,080	9.1	5,875,920	16,043,820,605	18.0	49,244
2/24/2010	24	4,079	9.1	5,875,380	16,049,695,985	18.0	49,262
2/25/2010	24	4,079	9.1	5,873,100	16,055,569,085	18.0	49,280
2/26/2010	24	4,078	9.1	5,874,420	16,061,443,505	18.0	49,298
2/27/2010	24	4,079	9.1	5,872,980	16,067,316,485	18.0	49,316
2/28/2010	24	4,079	9.1	5,873,640	16,073,190,125	18.0	49,334
3/1/2010	24	4,077	9.1	5,874,360	16,079,064,485	18.0	49,352
3/2/2010	24	4,078	9.1	5,871,540	16,084,936,025	18.0	49,370
3/3/2010	24	4,077	9.1	5,872,380	16,090,808,405	18.0	49,388
3/4/2010	24	4,078	9.1	5,870,880	16,096,679,285	18.0	49,406
3/5/2010	24	4,078	9.1	5,871,720	16,102,551,005	18.0	49,424
3/6/2010	24	4,077	9.1	5,872,500	16,108,423,505	18.0	49,442
3/7/2010	24	4,077	9.1	5,870,460	16,114,293,965	18.0	49,460
3/8/2010	24	4,077	9.1	5,871,000	16,120,164,965	18.0	49,478
3/9/2010	24	4,077	9.1	5,870,400	16,126,035,365	18.0	49,496
3/10/2010	24	4,076	9.1	5,870,160	16,131,905,525	18.0	49,514
3/11/2010	24	4,076	9.1	5,869,380	16,137,774,905	18.0	49,532
3/12/2010	24	4,075	9.1	5,869,020	16,143,643,925	18.0	49,550
3/13/2010	24	4,075	9.1	5,868,660	16,149,512,585	18.0	49,568
3/14/2010	24	4,076	9.1	5,867,640	16,155,380,225	18.0	49,586
3/15/2010	24	4,074	9.1	5,869,620	16,161,249,845	18.0	49,604
3/16/2010	24	4,073	9.1	5,865,900	16,167,115,745	18.0	49,622
3/17/2010	24	4,073	9.1	5,865,540	16,172,981,285	18.0	49,640
3/18/2010	24	4,073	9.1	5,864,640	16,178,845,925	18.0	49,658
3/19/2010	24	4,074	9.1	5,865,360	16,184,711,285	18.0	49,676
3/20/2010	24	4,073	9.1	5,866,320	16,190,577,605	18.0	49,694
3/21/2010	24	4,073	9.1	5,865,480	16,196,443,085	18.0	49,712
3/22/2010	24	4,072	9.1	5,864,460	16,202,307,545	18.0	49,730
3/23/2010	24	4,073	9.1	5,863,980	16,208,171,525	18.0	49,748
3/24/2010	24	3,309	7.4	5,864,580	16,214,036,105	18.0	49,766
3/25/2010	24	4,085	9.1	4,765,634	16,218,801,739	14.6	49,781
3/26/2010	24	4,078	9.1	5,883,000	16,224,684,739	18.1	49,799
3/27/2010	24	4,078	9.1	5,872,920	16,230,557,659	18.0	49,817
3/28/2010	24	4,076	9.1	5,871,600	16,236,429,259	18.0	49,835
3/29/2010	24	4,074	9.1	5,869,920	16,242,299,179	18.0	49,853
3/30/2010	24	4,074	9.1	5,866,680	16,248,165,859	18.0	49,871
3/31/2010	24	4,075	9.1	5,867,160	16,254,033,019	18.0	49,889
4/1/2010	24	4,074	9.1	5,867,280	16,259,900,299	18.0	49,907
4/2/2010	24	4,073	9.1	5,866,140	16,265,766,439	18.0	49,925
4/3/2010	24	4,073	9.1	5,865,780	16,271,632,219	18.0	49,943
4/4/2010	24	4,073	9.1	5,864,580	16,277,496,799	18.0	49,961
4/5/2010	24	4,076	9.1	5,865,480	16,283,362,279	18.0	49,979
4/6/2010	24	4,076	9.1	5,869,320	16,289,231,599	18.0	49,997
4/7/2010	24	4,076	9.1	5,869,680	16,295,101,279	18.0	50,015
4/8/2010	24	4,077	9.1	5,869,620	16,300,970,899	18.0	50,033

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
4/9/2010	24	4,076	9.1	5,871,000	16,306,841,899	18.0	50,051
4/10/2010	24	4,077	9.1	5,870,040	16,312,711,939	18.0	50,069
4/11/2010	24	4,077	9.1	5,871,240	16,318,583,179	18.0	50,087
4/12/2010	24	4,076	9.1	5,871,060	16,324,454,239	18.0	50,105
4/13/2010	24	4,077	9.1	5,870,100	16,330,324,339	18.0	50,123
4/14/2010	24	4,076	9.1	5,870,460	16,336,194,799	18.0	50,141
4/15/2010	24	4,076	9.1	5,869,920	16,342,064,719	18.0	50,159
4/16/2010	24	4,075	9.1	5,869,440	16,347,934,159	18.0	50,177
4/17/2010	24	4,074	9.1	5,868,240	16,353,802,399	18.0	50,195
4/18/2010	24	4,075	9.1	5,867,220	16,359,669,619	18.0	50,213
4/19/2010	24	4,075	9.1	5,868,660	16,365,538,279	18.0	50,231
4/20/2010	24	4,075	9.1	5,867,280	16,371,405,559	18.0	50,249
4/21/2010	24	4,075	9.1	5,868,660	16,377,274,219	18.0	50,267
4/22/2010	24	4,074	9.1	5,868,600	16,383,142,819	18.0	50,285
4/23/2010	24	4,076	9.1	5,866,860	16,389,009,679	18.0	50,303
4/24/2010	24	4,073	9.1	5,868,780	16,394,878,459	18.0	50,321
4/25/2010	24	4,074	9.1	5,864,580	16,400,743,039	18.0	50,339
4/26/2010	24	4,072	9.1	5,866,560	16,406,609,599	18.0	50,357
4/27/2010	24	4,073	9.1	5,864,220	16,412,473,819	18.0	50,375
4/28/2010	24	4,074	9.1	5,864,760	16,418,338,579	18.0	50,393
4/29/2010	24	4,074	9.1	5,866,500	16,424,205,079	18.0	50,411
4/30/2010	24	4,075	9.1	5,866,920	16,430,071,999	18.0	50,429
5/1/2010	24	4,074	9.1	5,867,460	16,435,939,459	18.0	50,447
5/2/2010	24	4,074	9.1	5,866,200	16,441,805,659	18.0	50,465
5/3/2010	24	4,072	9.1	5,866,380	16,447,672,039	18.0	50,483
5/4/2010	24	4,072	9.1	5,863,860	16,453,535,899	18.0	50,501
5/5/2010	24	4,072	9.1	5,863,620	16,459,399,519	18.0	50,519
5/6/2010	24	4,071	9.1	5,863,260	16,465,262,779	18.0	50,537
5/7/2010	24	4,070	9.1	5,862,900	16,471,125,679	18.0	50,555
5/8/2010	24	4,070	9.1	5,860,980	16,476,986,659	18.0	50,573
5/9/2010	24	4,071	9.1	5,861,220	16,482,847,879	18.0	50,591
5/10/2010	24	4,072	9.1	5,862,900	16,488,710,779	18.0	50,609
5/11/2010	24	4,071	9.1	5,863,260	16,494,574,039	18.0	50,627
5/12/2010	24	4,072	9.1	5,862,300	16,500,436,339	18.0	50,645
5/13/2010	24	4,070	9.1	5,863,080	16,506,299,419	18.0	50,663
5/14/2010	24	4,070	9.1	5,861,040	16,512,160,459	18.0	50,681
5/15/2010	24	4,070	9.1	5,860,800	16,518,021,259	18.0	50,699
5/16/2010	24	4,070	9.1	5,860,920	16,523,882,179	18.0	50,717
5/17/2010	24	4,071	9.1	5,861,100	16,529,743,279	18.0	50,735
5/18/2010	24	4,069	9.1	5,862,300	16,535,605,579	18.0	50,753
5/19/2010	24	4,069	9.1	5,859,720	16,541,465,299	18.0	50,771
5/20/2010	24	4,069	9.1	5,859,300	16,547,324,599	18.0	50,789
5/21/2010	24	4,069	9.1	5,859,240	16,553,183,839	18.0	50,807
5/22/2010	24	4,070	9.1	5,859,120	16,559,042,959	18.0	50,825
5/23/2010	24	4,070	9.1	5,860,980	16,564,903,939	18.0	50,843
5/24/2010	24	4,069	9.1	5,861,040	16,570,764,979	18.0	50,861

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/25/2010	24	1,785	4.0	5,860,020	16,576,624,999	18.0	50,879
5/26/2010	24	2,918	6.5	2,570,803	16,579,195,802	7.9	50,887
5/27/2010	24	4,104	9.1	4,201,999	16,583,397,801	12.9	50,900
5/28/2010	24	4,089	9.1	5,909,700	16,589,307,501	18.1	50,918
5/29/2010	24	4,084	9.1	5,888,340	16,595,195,841	18.1	50,936
5/30/2010	24	4,082	9.1	5,881,560	16,601,077,401	18.1	50,954
5/31/2010	24	4,080	9.1	5,877,840	16,606,955,241	18.0	50,972
6/1/2010	24	4,078	9.1	5,874,660	16,612,829,901	18.0	50,990
6/2/2010	24	4,077	9.1	5,872,140	16,618,702,041	18.0	51,008
6/3/2010	24	4,077	9.1	5,870,220	16,624,572,261	18.0	51,026
6/4/2010	24	4,076	9.1	5,870,400	16,630,442,661	18.0	51,044
6/5/2010	24	4,077	9.1	5,869,800	16,636,312,461	18.0	51,062
6/6/2010	24	4,076	9.1	5,870,400	16,642,182,861	18.0	51,080
6/7/2010	24	4,076	9.1	5,869,920	16,648,052,781	18.0	51,098
6/8/2010	24	4,076	9.1	5,869,560	16,653,922,341	18.0	51,116
6/9/2010	24	4,076	9.1	5,868,960	16,659,791,301	18.0	51,134
6/10/2010	24	4,076	9.1	5,869,500	16,665,660,801	18.0	51,152
6/11/2010	24	4,077	9.1	5,869,680	16,671,530,481	18.0	51,170
6/12/2010	24	3,842	8.6	5,870,340	16,677,400,821	18.0	51,188
6/13/2010	24	4,078	9.1	5,533,161	16,682,933,982	17.0	51,205
6/14/2010	24	4,075	9.1	5,871,960	16,688,805,942	18.0	51,223
6/15/2010	24	4,079	9.1	5,867,280	16,694,673,222	18.0	51,241
6/16/2010	24	4,080	9.1	5,873,340	16,700,546,562	18.0	51,259
6/17/2010	24	4,079	9.1	5,875,380	16,706,421,942	18.0	51,278
6/18/2010	24	4,079	9.1	5,874,060	16,712,296,002	18.0	51,296
6/19/2010	24	4,079	9.1	5,874,180	16,718,170,182	18.0	51,314
6/20/2010	24	4,080	9.1	5,874,300	16,724,044,482	18.0	51,332
6/21/2010	24	4,079	9.1	5,874,780	16,729,919,262	18.0	51,350
6/22/2010	24	4,077	9.1	5,873,640	16,735,792,902	18.0	51,368
6/23/2010	24	4,078	9.1	5,871,360	16,741,664,262	18.0	51,386
6/24/2010	24	4,078	9.1	5,871,900	16,747,536,162	18.0	51,404
6/25/2010	24	4,077	9.1	5,871,780	16,753,407,942	18.0	51,422
6/26/2010	24	4,078	9.1	5,871,540	16,759,279,482	18.0	51,440
6/27/2010	24	4,078	9.1	5,872,440	16,765,151,922	18.0	51,458
6/28/2010	24	4,077	9.1	5,871,960	16,771,023,882	18.0	51,476
6/29/2010	24	4,076	9.1	5,871,000	16,776,894,882	18.0	51,494
6/30/2010	24	4,077	9.1	5,869,860	16,782,764,742	18.0	51,512
7/1/2010	24	4,077	9.1	5,871,480	16,788,636,222	18.0	51,530
7/2/2010	24	4,078	9.1	5,870,700	16,794,506,922	18.0	51,548
7/3/2010	24	4,079	9.1	5,872,260	16,800,379,182	18.0	51,566
7/4/2010	24	4,079	9.1	5,873,220	16,806,252,402	18.0	51,584
7/5/2010	24	4,078	9.1	5,873,100	16,812,125,502	18.0	51,602
7/6/2010	24	4,078	9.1	5,872,200	16,817,997,702	18.0	51,620
7/7/2010	24	4,078	9.1	5,871,900	16,823,869,602	18.0	51,638
7/8/2010	24	4,077	9.1	5,871,660	16,829,741,262	18.0	51,656
7/9/2010	24	4,078	9.1	5,871,540	16,835,612,802	18.0	51,674

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
7/10/2010	24	4,078	9.1	5,872,380	16,841,485,182	18.0	51,692
7/11/2010	24	4,078	9.1	5,872,320	16,847,357,502	18.0	51,710
7/12/2010	24	4,079	9.1	5,872,860	16,853,230,362	18.0	51,728
7/13/2010	24	4,078	9.1	5,873,100	16,859,103,462	18.0	51,746
7/14/2010	24	4,078	9.1	5,872,800	16,864,976,262	18.0	51,764
7/15/2010	24	3,914	8.7	5,871,660	16,870,847,922	18.0	51,782
7/16/2010	24	4,076	9.1	5,635,440	16,876,483,362	17.3	51,799
7/17/2010	24	4,074	9.1	5,868,780	16,882,352,142	18.0	51,818
7/18/2010	24	4,073	9.1	5,866,560	16,888,218,702	18.0	51,836
7/19/2010	24	4,073	9.1	5,865,360	16,894,084,062	18.0	51,854
7/20/2010	24	4,074	9.1	5,865,780	16,899,949,842	18.0	51,872
7/21/2010	24	4,075	9.1	5,866,680	16,905,816,522	18.0	51,890
7/22/2010	24	4,074	9.1	5,867,700	16,911,684,222	18.0	51,908
7/23/2010	24	4,074	9.1	5,866,200	16,917,550,422	18.0	51,926
7/24/2010	24	4,074	9.1	5,866,740	16,923,417,162	18.0	51,944
7/25/2010	24	4,073	9.1	5,866,020	16,929,283,182	18.0	51,962
7/26/2010	24	4,073	9.1	5,865,600	16,935,148,782	18.0	51,980
7/27/2010	24	4,074	9.1	5,865,720	16,941,014,502	18.0	51,998
7/28/2010	24	4,072	9.1	5,866,140	16,946,880,642	18.0	52,016
7/29/2010	24	4,073	9.1	5,864,100	16,952,744,742	18.0	52,034
7/30/2010	24	4,073	9.1	5,865,300	16,958,610,042	18.0	52,052
7/31/2010	24	3,773	8.4	5,865,660	16,964,475,702	18.0	52,070
8/1/2010	24	4,078	9.1	5,433,510	16,969,909,212	16.7	52,086
8/2/2010	24	4,076	9.1	5,872,680	16,975,781,892	18.0	52,104
8/3/2010	24	4,074	9.1	5,869,080	16,981,650,972	18.0	52,122
8/4/2010	24	3,750	8.4	5,866,740	16,987,517,712	18.0	52,140
8/5/2010	24	4,079	9.1	5,400,394	16,992,918,106	16.6	52,157
8/6/2010	24	4,076	9.1	5,874,360	16,998,792,466	18.0	52,175
8/7/2010	24	4,075	9.1	5,869,380	17,004,661,846	18.0	52,193
8/8/2010	24	4,075	9.1	5,867,820	17,010,529,666	18.0	52,211
8/9/2010	24	4,074	9.1	5,867,460	17,016,397,126	18.0	52,229
8/10/2010	24	4,074	9.1	5,867,040	17,022,264,166	18.0	52,247
8/11/2010	24	4,074	9.1	5,865,960	17,028,130,126	18.0	52,265
8/12/2010	24	4,073	9.1	5,865,900	17,033,996,026	18.0	52,283
8/13/2010	24	4,073	9.1	5,865,000	17,039,861,026	18.0	52,301
8/14/2010	24	4,072	9.1	5,864,760	17,045,725,786	18.0	52,319
8/15/2010	24	4,071	9.1	5,863,920	17,051,589,706	18.0	52,337
8/16/2010	24	4,072	9.1	5,862,480	17,057,452,186	18.0	52,355
8/17/2010	24	4,071	9.1	5,863,200	17,063,315,386	18.0	52,373
8/18/2010	24	4,071	9.1	5,861,640	17,069,177,026	18.0	52,391
8/19/2010	24	4,072	9.1	5,862,300	17,075,039,326	18.0	52,409
8/20/2010	24	4,071	9.1	5,862,960	17,080,902,286	18.0	52,427
8/21/2010	24	4,076	9.1	5,862,780	17,086,765,066	18.0	52,445
8/22/2010	24	4,078	9.1	5,868,780	17,092,633,846	18.0	52,463
8/23/2010	24	4,077	9.1	5,871,960	17,098,505,806	18.0	52,481
8/24/2010	24	4,076	9.1	5,870,400	17,104,376,206	18.0	52,499

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
8/25/2010	24	4,076	9.1	5,869,680	17,110,245,886	18.0	52,517
8/26/2010	24	4,077	9.1	5,869,860	17,116,115,746	18.0	52,535
8/27/2010	24	4,076	9.1	5,870,280	17,121,986,026	18.0	52,553
8/28/2010	24	4,077	9.1	5,869,200	17,127,855,226	18.0	52,571
8/29/2010	24	4,078	9.1	5,870,340	17,133,725,566	18.0	52,589
8/30/2010	24	4,077	9.1	5,872,020	17,139,597,586	18.0	52,607
8/31/2010	24	4,076	9.1	5,870,640	17,145,468,226	18.0	52,625
9/1/2010	24	4,076	9.1	5,868,960	17,151,337,186	18.0	52,643
9/2/2010	24	4,076	9.1	5,869,440	17,157,206,626	18.0	52,661
9/3/2010	24	4,075	9.1	5,869,020	17,163,075,646	18.0	52,679
9/4/2010	24	4,075	9.1	5,867,400	17,168,943,046	18.0	52,697
9/5/2010	24	4,076	9.1	5,867,640	17,174,810,686	18.0	52,715
9/6/2010	24	4,076	9.1	5,868,720	17,180,679,406	18.0	52,733
9/7/2010	24	4,074	9.1	5,869,440	17,186,548,846	18.0	52,751
9/8/2010	24	4,075	9.1	5,866,680	17,192,415,526	18.0	52,769
9/9/2010	24	4,075	9.1	5,867,820	17,198,283,346	18.0	52,787
9/10/2010	24	4,074	9.1	5,867,400	17,204,150,746	18.0	52,805
9/11/2010	24	4,074	9.1	5,865,900	17,210,016,646	18.0	52,823
9/12/2010	24	4,075	9.1	5,866,020	17,215,882,666	18.0	52,841
9/13/2010	24	4,072	9.1	5,867,280	17,221,749,946	18.0	52,859
9/14/2010	24	4,073	9.1	5,864,280	17,227,614,226	18.0	52,877
9/15/2010	24	4,072	9.1	5,864,700	17,233,478,926	18.0	52,895
9/16/2010	24	4,072	9.1	5,864,280	17,239,343,206	18.0	52,913
9/17/2010	24	4,072	9.1	5,863,320	17,245,206,526	18.0	52,931
9/18/2010	24	4,072	9.1	5,863,140	17,251,069,666	18.0	52,949
9/19/2010	24	4,072	9.1	5,863,740	17,256,933,406	18.0	52,967
9/20/2010	24	4,072	9.1	5,864,220	17,262,797,626	18.0	52,985
9/21/2010	24	4,071	9.1	5,863,260	17,268,660,886	18.0	53,003
9/22/2010	24	4,070	9.1	5,862,840	17,274,523,726	18.0	53,021
9/23/2010	24	4,071	9.1	5,861,340	17,280,385,066	18.0	53,039
9/24/2010	24	4,070	9.1	5,861,880	17,286,246,946	18.0	53,057
9/25/2010	24	4,070	9.1	5,860,380	17,292,107,326	18.0	53,075
9/26/2010	24	4,071	9.1	5,860,860	17,297,968,186	18.0	53,093
9/27/2010	24	4,069	9.1	5,861,760	17,303,829,946	18.0	53,111
9/28/2010	24	4,069	9.1	5,859,120	17,309,689,066	18.0	53,129
9/29/2010	24	4,069	9.1	5,859,480	17,315,548,546	18.0	53,147
9/30/2010	24	4,068	9.1	5,859,420	17,321,407,966	18.0	53,165
10/1/2010	24	4,068	9.1	5,858,220	17,327,266,186	18.0	53,183
10/2/2010	24	4,068	9.1	5,858,100	17,333,124,286	18.0	53,201
10/3/2010	24	4,069	9.1	5,858,520	17,338,982,806	18.0	53,219
10/4/2010	24	4,068	9.1	5,859,780	17,344,842,586	18.0	53,237
10/5/2010	24	4,068	9.1	5,857,680	17,350,700,266	18.0	53,255
10/6/2010	24	4,068	9.1	5,857,500	17,356,557,766	18.0	53,273
10/7/2010	24	4,068	9.1	5,858,160	17,362,415,926	18.0	53,291
10/8/2010	24	4,067	9.1	5,857,980	17,368,273,906	18.0	53,309
10/9/2010	24	4,067	9.1	5,856,780	17,374,130,686	18.0	53,327

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
10/10/2010	24	4,067	9.1	5,857,080	17,379,987,766	18.0	53,345
10/11/2010	24	3,641	8.1	5,856,480	17,385,844,246	18.0	53,363
10/12/2010	24	4,078	9.1	5,243,363	17,391,087,609	16.1	53,379
10/13/2010	24	4,068	9.1	5,872,860	17,396,960,469	18.0	53,397
10/14/2010	24	4,066	9.1	5,857,320	17,402,817,789	18.0	53,415
10/15/2010	24	4,066	9.1	5,854,860	17,408,672,649	18.0	53,433
10/16/2010	24	4,066	9.1	5,854,800	17,414,527,449	18.0	53,451
10/17/2010	24	4,066	9.1	5,855,400	17,420,382,849	18.0	53,469
10/18/2010	24	4,065	9.1	5,855,640	17,426,238,489	18.0	53,487
10/19/2010	24	4,064	9.1	5,853,240	17,432,091,729	18.0	53,505
10/20/2010	24	4,063	9.1	5,852,760	17,437,944,489	18.0	53,523
10/21/2010	24	4,065	9.1	5,851,380	17,443,795,869	18.0	53,541
10/22/2010	24	4,065	9.1	5,853,240	17,449,649,109	18.0	53,559
10/23/2010	24	4,064	9.1	5,853,060	17,455,502,169	18.0	53,577
10/24/2010	24	4,064	9.1	5,852,160	17,461,354,329	18.0	53,595
10/25/2010	24	4,065	9.1	5,851,680	17,467,206,009	18.0	53,613
10/26/2010	24	4,064	9.1	5,853,420	17,473,059,429	18.0	53,631
10/27/2010	24	4,063	9.1	5,852,160	17,478,911,589	18.0	53,649
10/28/2010	24	4,062	9.1	5,850,480	17,484,762,069	18.0	53,666
10/29/2010	24	4,062	9.1	5,849,520	17,490,611,589	18.0	53,684
10/30/2010	24	4,063	9.1	5,849,580	17,496,461,169	18.0	53,702
10/31/2010	24	4,063	9.1	5,850,300	17,502,311,469	18.0	53,720
11/1/2010	24	4,062	9.1	5,850,960	17,508,162,429	18.0	53,738
11/2/2010	24	4,062	9.1	5,849,280	17,514,011,709	18.0	53,756
11/3/2010	24	4,062	9.1	5,849,280	17,519,860,989	18.0	53,774
11/4/2010	24	4,061	9.0	5,849,280	17,525,710,269	18.0	53,792
11/5/2010	24	4,062	9.1	5,847,840	17,531,558,109	17.9	53,810
11/6/2010	24	4,061	9.0	5,849,280	17,537,407,389	18.0	53,828
11/7/2010	24	4,062	9.1	5,847,840	17,543,255,229	17.9	53,846
11/8/2010	24	4,063	9.1	5,849,280	17,549,104,509	18.0	53,864
11/9/2010	24	4,063	9.1	5,850,720	17,554,955,229	18.0	53,882
11/10/2010	24	4,063	9.1	5,850,720	17,560,805,949	18.0	53,900
11/11/2010	24	4,061	9.0	5,850,720	17,566,656,669	18.0	53,918
11/12/2010	24	4,061	9.0	5,847,840	17,572,504,509	17.9	53,936
11/13/2010	24	4,070	9.1	5,847,840	17,578,352,349	17.9	53,954
11/14/2010	24	4,082	9.1	5,860,800	17,584,213,149	18.0	53,972
11/15/2010	24	3,092	6.9	5,878,080	17,590,091,229	18.0	53,990
11/16/2010	24	0	-	4,452,480	17,594,543,709	13.7	54,003
11/17/2010	24	0	-	-	17,594,543,709	-	54,003
11/18/2010	24	0	-	-	17,594,543,709	-	54,003
11/19/2010	24	0	-	-	17,594,543,709	-	54,003
11/20/2010	24	0	-	-	17,594,543,709	-	54,003
11/21/2010	24	0	-	-	17,594,543,709	-	54,003
11/22/2010	24	0	-	-	17,594,543,709	-	54,003
11/23/2010	24	0	-	-	17,594,543,709	-	54,003
11/24/2010	24	0	-	-	17,594,543,709	-	54,003

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
11/25/2010	24	0	-	-	17,594,543,709	-	54,003
11/26/2010	24	0	-	-	17,594,543,709	-	54,003
11/27/2010	24	0	-	-	17,594,543,709	-	54,003
11/28/2010	24	0	-	-	17,594,543,709	-	54,003
11/29/2010	24	0	-	-	17,594,543,709	-	54,003
11/30/2010	24	0	-	-	17,594,543,709	-	54,003
12/1/2010	24	0	-	-	17,594,543,709	-	54,003
12/2/2010	24	0	-	-	17,594,543,709	-	54,003
12/3/2010	24	0	-	-	17,594,543,709	-	54,003
12/4/2010	24	0	-	-	17,594,543,709	-	54,003
12/5/2010	24	0	-	-	17,594,543,709	-	54,003
12/6/2010	24	0	-	-	17,594,543,709	-	54,003
12/7/2010	24	0	-	-	17,594,543,709	-	54,003
12/8/2010	24	0	-	-	17,594,543,709	-	54,003
12/9/2010	24	0	-	-	17,594,543,709	-	54,003
12/10/2010	24	0	-	-	17,594,543,709	-	54,003
12/11/2010	24	0	-	-	17,594,543,709	-	54,003
12/12/2010	24	0	-	-	17,594,543,709	-	54,003
12/13/2010	24	0	-	-	17,594,543,709	-	54,003
12/14/2010	24	0	-	-	17,594,543,709	-	54,003
12/15/2010	24	0	-	-	17,594,543,709	-	54,003
12/16/2010	24	0	-	-	17,594,543,709	-	54,003
12/17/2010	24	0	-	-	17,594,543,709	-	54,003
12/18/2010	24	0	-	-	17,594,543,709	-	54,003
12/19/2010	24	0	-	-	17,594,543,709	-	54,003
12/20/2010	24	0	-	-	17,594,543,709	-	54,003
12/21/2010	24	0	-	-	17,594,543,709	-	54,003
12/22/2010	24	0	-	-	17,594,543,709	-	54,003
12/23/2010	24	0	-	-	17,594,543,709	-	54,003
12/24/2010	24	0	-	-	17,594,543,709	-	54,003
12/25/2010	24	0	-	-	17,594,543,709	-	54,003
12/26/2010	24	0	-	-	17,594,543,709	-	54,003
12/27/2010	24	0	-	-	17,594,543,709	-	54,003
12/28/2010	24	0	-	-	17,594,543,709	-	54,003
12/29/2010	24	0	-	-	17,594,543,709	-	54,003
12/30/2010	24	0	-	-	17,594,543,709	-	54,003
12/31/2010	24	0	-	-	17,594,543,709	-	54,003
1/1/2011	24	0	0.0	-	17,594,543,709	-	54,003
1/2/2011	24	0	0.0	291	17,594,543,999	0.0	54,003
1/3/2011	24	0	0.0	304	17,594,544,303	0.0	54,003
1/4/2011	24	0	0.0	380	17,594,544,683	0.0	54,003
1/5/2011	24	1,180	2.6	349	17,594,545,032	0.0	54,003
1/6/2011	24	2,217	4.9	1,699,038	17,596,244,070	5.2	54,009
1/7/2011	24	2,213	4.9	3,192,480	17,599,436,550	9.8	54,018
1/8/2011	24	2,212	4.9	3,187,200	17,602,623,750	9.8	54,028
1/9/2011	24	2,211	4.9	3,184,740	17,605,808,490	9.8	54,038

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
1/10/2011	24	2,204	4.9	3,183,240	17,608,991,730	9.8	54,048
1/11/2011	24	2,203	4.9	3,173,220	17,612,164,950	9.7	54,058
1/12/2011	24	2,208	4.9	3,172,500	17,615,337,450	9.7	54,067
1/13/2011	24	2,208	4.9	3,178,860	17,618,516,310	9.8	54,077
1/14/2011	24	2,208	4.9	3,179,040	17,621,695,350	9.8	54,087
1/15/2011	24	2,208	4.9	3,178,980	17,624,874,330	9.8	54,097
1/16/2011	24	2,207	4.9	3,179,520	17,628,053,850	9.8	54,106
1/17/2011	24	2,207	4.9	3,178,380	17,631,232,230	9.8	54,116
1/18/2011	24	2,207	4.9	3,177,480	17,634,409,710	9.8	54,126
1/19/2011	24	2,208	4.9	3,177,360	17,637,587,070	9.8	54,136
1/20/2011	24	2,206	4.9	3,178,800	17,640,765,870	9.8	54,145
1/21/2011	24	2,208	4.9	3,177,000	17,643,942,870	9.8	54,155
1/22/2011	24	2,206	4.9	3,179,280	17,647,122,150	9.8	54,165
1/23/2011	24	2,206	4.9	3,177,300	17,650,299,450	9.8	54,175
1/24/2011	24	2,208	4.9	3,176,580	17,653,476,030	9.7	54,184
1/25/2011	24	2,206	4.9	3,178,980	17,656,655,010	9.8	54,194
1/26/2011	24	2,207	4.9	3,177,060	17,659,832,070	9.8	54,204
1/27/2011	24	2,206	4.9	3,177,480	17,663,009,550	9.8	54,214
1/28/2011	24	2,206	4.9	3,176,520	17,666,186,070	9.7	54,223
1/29/2011	24	2,205	4.9	3,176,460	17,669,362,530	9.7	54,233
1/30/2011	24	2,206	4.9	3,175,680	17,672,538,210	9.7	54,243
1/31/2011	24	2,205	4.9	3,175,980	17,675,714,190	9.7	54,253
2/1/2011	24	2,200	4.9	3,175,500	17,678,889,690	9.7	54,262
2/2/2011	24	2,196	4.9	3,167,460	17,682,057,150	9.7	54,272
2/3/2011	24	2,202	4.9	3,162,720	17,685,219,870	9.7	54,282
2/4/2011	24	2,205	4.9	3,171,000	17,688,390,870	9.7	54,292
2/5/2011	24	2,205	4.9	3,175,200	17,691,566,070	9.7	54,301
2/6/2011	24	2,206	4.9	3,175,860	17,694,741,930	9.7	54,311
2/7/2011	24	2,206	4.9	3,176,580	17,697,918,510	9.7	54,321
2/8/2011	24	2,206	4.9	3,177,000	17,701,095,510	9.8	54,330
2/9/2011	24	2,201	4.9	3,177,120	17,704,272,630	9.8	54,340
2/10/2011	24	2,205	4.9	3,170,100	17,707,442,730	9.7	54,350
2/11/2011	24	2,203	4.9	3,174,900	17,710,617,630	9.7	54,360
2/12/2011	24	2,205	4.9	3,172,560	17,713,790,190	9.7	54,369
2/13/2011	24	2,204	4.9	3,174,720	17,716,964,910	9.7	54,379
2/14/2011	24	2,204	4.9	3,174,000	17,720,138,910	9.7	54,389
2/15/2011	24	2,204	4.9	3,173,160	17,723,312,070	9.7	54,399
2/16/2011	24	2,203	4.9	3,173,880	17,726,485,950	9.7	54,408
2/17/2011	24	2,204	4.9	3,172,800	17,729,658,750	9.7	54,418
2/18/2011	24	2,204	4.9	3,173,580	17,732,832,330	9.7	54,428
2/19/2011	24	2,203	4.9	3,173,220	17,736,005,550	9.7	54,438
2/20/2011	24	2,203	4.9	3,172,140	17,739,177,690	9.7	54,447
2/21/2011	24	2,203	4.9	3,172,680	17,742,350,370	9.7	54,457
2/22/2011	24	2,199	4.9	3,172,140	17,745,522,510	9.7	54,467
2/23/2011	24	2,202	4.9	3,166,080	17,748,688,590	9.7	54,477
2/24/2011	24	2,202	4.9	3,171,000	17,751,859,590	9.7	54,486

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
2/25/2011	24	2,201	4.9	3,170,160	17,755,029,750	9.7	54,496
2/26/2011	24	2,202	4.9	3,170,100	17,758,199,850	9.7	54,506
2/27/2011	24	2,201	4.9	3,170,820	17,761,370,670	9.7	54,516
2/28/2011	24	2,200	4.9	3,169,680	17,764,540,350	9.7	54,525
3/1/2011	24	2,200	4.9	3,168,300	17,767,708,650	9.7	54,535
3/2/2011	24	2,201	4.9	3,168,420	17,770,877,070	9.7	54,545
3/3/2011	24	2,201	4.9	3,169,020	17,774,046,090	9.7	54,554
3/4/2011	24	2,201	4.9	3,168,720	17,777,214,810	9.7	54,564
3/5/2011	24	2,200	4.9	3,169,200	17,780,384,010	9.7	54,574
3/6/2011	24	2,200	4.9	3,167,820	17,783,551,830	9.7	54,584
3/7/2011	24	2,200	4.9	3,167,460	17,786,719,290	9.7	54,593
3/8/2011	24	2,200	4.9	3,167,940	17,789,887,230	9.7	54,603
3/9/2011	24	2,200	4.9	3,167,400	17,793,054,630	9.7	54,613
3/10/2011	24	2,198	4.9	3,167,760	17,796,222,390	9.7	54,622
3/11/2011	24	2,199	4.9	3,165,480	17,799,387,870	9.7	54,632
3/12/2011	24	2,200	4.9	3,166,740	17,802,554,610	9.7	54,642
3/13/2011	24	2,198	4.9	3,167,400	17,805,722,010	9.7	54,652
3/14/2011	24	2,199	4.9	3,165,660	17,808,887,670	9.7	54,661
3/15/2011	24	2,198	4.9	3,165,840	17,812,053,510	9.7	54,671
3/16/2011	24	2,198	4.9	3,165,000	17,815,218,510	9.7	54,681
3/17/2011	24	2,198	4.9	3,164,580	17,818,383,090	9.7	54,690
3/18/2011	24	2,198	4.9	3,164,940	17,821,548,030	9.7	54,700
3/19/2011	24	2,198	4.9	3,165,180	17,824,713,210	9.7	54,710
3/20/2011	24	2,198	4.9	3,164,940	17,827,878,150	9.7	54,720
3/21/2011	24	2,198	4.9	3,164,400	17,831,042,550	9.7	54,729
3/22/2011	24	2,198	4.9	3,164,580	17,834,207,130	9.7	54,739
3/23/2011	24	2,197	4.9	3,164,700	17,837,371,830	9.7	54,749
3/24/2011	24	2,197	4.9	3,163,380	17,840,535,210	9.7	54,758
3/25/2011	24	2,199	4.9	3,164,160	17,843,699,370	9.7	54,768
3/26/2011	24	2,199	4.9	3,166,824	17,846,866,194	9.7	54,778
3/27/2011	24	2,199	4.9	3,166,824	17,850,033,017	9.7	54,788
3/28/2011	24	2,199	4.9	3,166,824	17,853,199,841	9.7	54,797
3/29/2011	24	2,199	4.9	3,166,824	17,856,366,665	9.7	54,807
3/30/2011	24	2,199	4.9	3,166,824	17,859,533,488	9.7	54,817
3/31/2011	24	2,208	4.9	3,166,824	17,862,700,312	9.7	54,827
4/1/2011	24	2,206	4.9	3,179,880	17,865,880,192	9.8	54,836
4/2/2011	24	2,204	4.9	3,176,760	17,869,056,952	9.8	54,846
4/3/2011	24	2,205	4.9	3,174,240	17,872,231,192	9.7	54,856
4/4/2011	24	2,203	4.9	3,174,780	17,875,405,972	9.7	54,866
4/5/2011	24	2,204	4.9	3,172,740	17,878,578,712	9.7	54,875
4/6/2011	24	2,202	4.9	3,173,160	17,881,751,872	9.7	54,885
4/7/2011	24	2,203	4.9	3,171,540	17,884,923,412	9.7	54,895
4/8/2011	24	2,203	4.9	3,171,660	17,888,095,072	9.7	54,904
4/9/2011	24	2,203	4.9	3,172,380	17,891,267,452	9.7	54,914
4/10/2011	24	2,202	4.9	3,171,720	17,894,439,172	9.7	54,924
4/11/2011	24	2,201	4.9	3,171,180	17,897,610,352	9.7	54,934

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
4/12/2011	24	2,202	4.9	3,169,980	17,900,780,332	9.7	54,943
4/13/2011	24	2,202	4.9	3,171,240	17,903,951,572	9.7	54,953
4/14/2011	24	2,202	4.9	3,171,420	17,907,122,992	9.7	54,963
4/15/2011	24	2,202	4.9	3,171,300	17,910,294,292	9.7	54,973
4/16/2011	24	2,202	4.9	3,171,360	17,913,465,652	9.7	54,982
4/17/2011	24	2,201	4.9	3,171,120	17,916,636,772	9.7	54,992
4/18/2011	24	2,202	4.9	3,170,040	17,919,806,812	9.7	55,002
4/19/2011	24	2,203	4.9	3,171,480	17,922,978,292	9.7	55,012
4/20/2011	24	2,201	4.9	3,171,900	17,926,150,192	9.7	55,021
4/21/2011	24	2,202	4.9	3,169,860	17,929,320,052	9.7	55,031
4/22/2011	24	2,201	4.9	3,171,000	17,932,491,052	9.7	55,041
4/23/2011	24	2,201	4.9	3,169,620	17,935,660,672	9.7	55,050
4/24/2011	24	2,201	4.9	3,170,100	17,938,830,772	9.7	55,060
4/25/2011	24	2,200	4.9	3,169,260	17,942,000,032	9.7	55,070
4/26/2011	24	2,201	4.9	3,168,420	17,945,168,452	9.7	55,080
4/27/2011	24	2,200	4.9	3,169,260	17,948,337,712	9.7	55,089
4/28/2011	24	2,199	4.9	3,168,540	17,951,506,252	9.7	55,099
4/29/2011	24	2,199	4.9	3,167,160	17,954,673,412	9.7	55,109
4/30/2011	24	2,199	4.9	3,166,740	17,957,840,152	9.7	55,119
5/1/2011	24	2,199	4.9	3,166,920	17,961,007,072	9.7	55,128
5/2/2011	24	2,197	4.9	3,166,560	17,964,173,632	9.7	55,138
5/3/2011	24	2,197	4.9	3,163,860	17,967,337,492	9.7	55,148
5/4/2011	24	2,197	4.9	3,164,160	17,970,501,652	9.7	55,157
5/5/2011	24	2,196	4.9	3,163,080	17,973,664,732	9.7	55,167
5/6/2011	24	2,196	4.9	3,162,840	17,976,827,572	9.7	55,177
5/7/2011	24	2,196	4.9	3,162,120	17,979,989,692	9.7	55,187
5/8/2011	24	2,197	4.9	3,162,660	17,983,152,352	9.7	55,196
5/9/2011	24	2,196	4.9	3,163,020	17,986,315,372	9.7	55,206
5/10/2011	24	2,196	4.9	3,162,180	17,989,477,552	9.7	55,216
5/11/2011	24	2,195	4.9	3,162,480	17,992,640,032	9.7	55,225
5/12/2011	24	2,195	4.9	3,161,220	17,995,801,252	9.7	55,235
5/13/2011	24	2,195	4.9	3,161,400	17,998,962,652	9.7	55,245
5/14/2011	24	2,195	4.9	3,160,560	18,002,123,212	9.7	55,254
5/15/2011	24	2,195	4.9	3,160,560	18,005,283,772	9.7	55,264
5/16/2011	24	2,195	4.9	3,160,380	18,008,444,152	9.7	55,274
5/17/2011	24	2,194	4.9	3,160,320	18,011,604,472	9.7	55,284
5/18/2011	24	2,195	4.9	3,159,240	18,014,763,712	9.7	55,293
5/19/2011	24	2,194	4.9	3,160,080	18,017,923,792	9.7	55,303
5/20/2011	24	2,194	4.9	3,159,600	18,021,083,392	9.7	55,313
5/21/2011	24	2,194	4.9	3,159,780	18,024,243,172	9.7	55,322
5/22/2011	24	2,195	4.9	3,158,880	18,027,402,052	9.7	55,332
5/23/2011	24	2,194	4.9	3,160,200	18,030,562,252	9.7	55,342
5/24/2011	24	2,194	4.9	3,159,420	18,033,721,672	9.7	55,351
5/25/2011	24	2,194	4.9	3,159,840	18,036,881,512	9.7	55,361
5/26/2011	24	2,194	4.9	3,159,240	18,040,040,752	9.7	55,371
5/27/2011	24	2,194	4.9	3,159,660	18,043,200,412	9.7	55,381

Water Discharged to Electric Lake
Storage capacity of Electric Lake = 31,500 ac-ft
JC-1 / JC-2 Operation

Day	Hrs	GPM	CFS	Daily Gallons	Cumulative Gallons	Daily Acre-Feet	Cumulative Acre-Feet
5/28/2011	24	2,194	4.9	3,158,760	18,046,359,172	9.7	55,390
5/29/2011	24	2,194	4.9	3,159,840	18,049,519,012	9.7	55,400
5/30/2011	24	2,194	4.9	3,159,780	18,052,678,792	9.7	55,410
5/31/2011	24	2,193	4.9	3,159,420	18,055,838,212	9.7	55,419
6/1/2011	24	2,193	4.9	3,158,280	18,058,996,492	9.7	55,429
6/2/2011	24	2,193	4.9	3,158,340	18,062,154,832	9.7	55,439
6/3/2011	24	2,193	4.9	3,158,040	18,065,312,872	9.7	55,448
6/4/2011	24	2,192	4.9	3,157,860	18,068,470,732	9.7	55,458
6/5/2011	24	2,192	4.9	3,156,660	18,071,627,392	9.7	55,468
6/6/2011	24	2,193	4.9	3,157,140	18,074,784,532	9.7	55,477
6/7/2011	24	2,192	4.9	3,157,980	18,077,942,512	9.7	55,487
6/8/2011	24	2,192	4.9	3,156,300	18,081,098,812	9.7	55,497
6/9/2011	24	2,192	4.9	3,156,720	18,084,255,532	9.7	55,507
6/10/2011	24	2,192	4.9	3,156,060	18,087,411,592	9.7	55,516
6/11/2011	24	2,192	4.9	3,156,360	18,090,567,952	9.7	55,526
6/12/2011	24	2,192	4.9	3,156,120	18,093,724,072	9.7	55,536
6/13/2011	24	2,192	4.9	3,156,300	18,096,880,372	9.7	55,545
6/14/2011	24	2,192	4.9	3,156,300	18,100,036,672	9.7	55,555
6/15/2011	24	2,191	4.9	3,155,760	18,103,192,432	9.7	55,565
6/16/2011	24	2,192	4.9	3,155,100	18,106,347,532	9.7	55,574
6/17/2011	24	2,191	4.9	3,156,000	18,109,503,532	9.7	55,584
6/18/2011	24	2,191	4.9	3,155,460	18,112,658,992	9.7	55,594
6/19/2011	24	2,192	4.9	3,154,920	18,115,813,912	9.7	55,603
6/20/2011	24	2,190	4.9	3,156,300	18,118,970,212	9.7	55,613
6/21/2011	24	2,189	4.9	3,154,140	18,122,124,352	9.7	55,623
6/22/2011	24	2,190	4.9	3,152,520	18,125,276,872	9.7	55,632
6/23/2011	24	2,189	4.9	3,152,880	18,128,429,752	9.7	55,642
6/24/2011	24	2,189	4.9	3,152,340	18,131,582,092	9.7	55,652
6/25/2011	24	2,189	4.9	3,152,520	18,134,734,612	9.7	55,661
6/26/2011	24	2,189	4.9	3,152,580	18,137,887,192	9.7	55,671
6/27/2011	24	2,188	4.9	3,152,100	18,141,039,292	9.7	55,681
6/28/2011	24	2,187	4.9	3,151,080	18,144,190,372	9.7	55,691
6/29/2011	24	2,187	4.9	3,149,880	18,147,340,252	9.7	55,700
6/30/2011	24	2,187	4.9	3,149,640	18,150,489,892	9.7	55,710

drillers using 950 gallons down hole in JC-3. Water discharges to mine in 10 Left area.

drillers using 2,200 gallons down hole in JC-3 for about 2 hours then shut down. Water discharges to mine

Well shut off for 16 hours

Power tripped. Pump to be off-line until at least 6-24-03 for installation of JC-3 electronics.

JC-3 started

JC-3 pumped part day

JC-3 pumped part day

JC-3 off

JC-3 off

JC-1 Pump failed at about 0500

Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded

Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded

Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded
Lost actual flow values for these days. Assumed nearly constant rate of discharge based on last recorded

JC-3 Offline
JC-3 Offline
JC-3 Offline
JC-3 Offline

power outage at both wells
power outage at both wells

4,014

4,044

4121

3965

4,073

4,047

JC-1 was offline for about 12 hours
JC-1 was offline for about 12 hours

3,902

4,028

Pump went out
Pump went out
Pump went out

3,681

4,009

Pump went out

3,659

4,079

3,880
Turned off by PacifiCorp for testing

Turned off by PacifiCorp for testing

1,817

4,097

4,062

Data for December received from Pacificorp - Mine telemetry not functioning

4,056

4,015

3,984

3,957

3,805

3,918

Rebuilding Powerline
Rebuilding Powerline
Rebuilding Powerline
Rebuilding Powerline
Rebuilding Powerline

Rebuilding Powerline
Rebuilding Powerline
Rebuilding Powerline

Rebuilding Powerline
2,139

4,062

4,055

Power out
Power out

3,993

4,028

4,084

4,063

4,044

4,026

4,005

3,848

3,957

4,256

4,222

4,066

4,249

4,179

3,169

3,574

3,851

4,203

4,083

4,052

4,176

3,531

4,180

4,175

4,202

4,198

4,184

4,166

4,146

4,129

4,116

3,796

3,740

4,131

4,097

4,128

3,962

4,068

4,109

4,097

3,894

4,083

4,051

4,075

3,963

4,070

4,061

4,064

4,072

4,052

2,000

0

1,889

2,203

2,199

2,202

2,195

2,191

ε in 10 Left area.

value.
value.
value.
value.
value.
value.
value.

value.
value.
value.
value.
value.

value.
value.
value.
value.
value.

Line	Account	Amount	Balance	Change
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

Year	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	
1																								
2																								
3																								
4																								
5																								
6																								
7																								
8																								
9																								
10																								
11																								
12																								
13																								
14																								
15																								
16																								
17																								
18																								
19																								
20																								
21																								
22																								
23																								
24																								
25																								
26																								
27																								
28																								
29																								
30																								
31																								
32																								
33																								
34																								
35																								
36																								
37																								
38																								
39																								
40																								
41																								
42																								
43																								
44																								
45																								
46																								
47																								
48																								
49																								
50																								
51																								
52																								
53																								
54																								
55																								
56																								
57																								
58																								
59																								
60																								
61																								
62																								
63																								
64																								
65																								
66																								
67																								
68																								
69																								
70																								
71																								
72																								
73																								
74																								
75																								
76																								
77																								
78																								
79																								
80																								
81																								
82																								
83																								
84																								
85																								
86																								
87																								
88																								
89																								
90																								
91																								
92																								
93																								
94																								
95																								
96																								
97																								
98																								
99																								
100																								

Do not enter any numbers in this column.

Do not enter any numbers in this column.

Station	Flow	Concentration	Discharge	Notes
1001	100	100	10000	
1002	100	100	10000	
1003	100	100	10000	
1004	100	100	10000	
1005	100	100	10000	
1006	100	100	10000	
1007	100	100	10000	
1008	100	100	10000	
1009	100	100	10000	
1010	100	100	10000	
1011	100	100	10000	
1012	100	100	10000	
1013	100	100	10000	
1014	100	100	10000	
1015	100	100	10000	
1016	100	100	10000	
1017	100	100	10000	
1018	100	100	10000	
1019	100	100	10000	
1020	100	100	10000	
1021	100	100	10000	
1022	100	100	10000	
1023	100	100	10000	
1024	100	100	10000	
1025	100	100	10000	
1026	100	100	10000	
1027	100	100	10000	
1028	100	100	10000	
1029	100	100	10000	
1030	100	100	10000	
1031	100	100	10000	
1032	100	100	10000	
1033	100	100	10000	
1034	100	100	10000	
1035	100	100	10000	
1036	100	100	10000	
1037	100	100	10000	
1038	100	100	10000	
1039	100	100	10000	
1040	100	100	10000	
1041	100	100	10000	
1042	100	100	10000	
1043	100	100	10000	
1044	100	100	10000	
1045	100	100	10000	
1046	100	100	10000	
1047	100	100	10000	
1048	100	100	10000	
1049	100	100	10000	
1050	100	100	10000	
1051	100	100	10000	
1052	100	100	10000	
1053	100	100	10000	
1054	100	100	10000	
1055	100	100	10000	
1056	100	100	10000	
1057	100	100	10000	
1058	100	100	10000	
1059	100	100	10000	
1060	100	100	10000	
1061	100	100	10000	
1062	100	100	10000	
1063	100	100	10000	
1064	100	100	10000	
1065	100	100	10000	
1066	100	100	10000	
1067	100	100	10000	
1068	100	100	10000	
1069	100	100	10000	
1070	100	100	10000	
1071	100	100	10000	
1072	100	100	10000	
1073	100	100	10000	
1074	100	100	10000	
1075	100	100	10000	
1076	100	100	10000	
1077	100	100	10000	
1078	100	100	10000	
1079	100	100	10000	
1080	100	100	10000	
1081	100	100	10000	
1082	100	100	10000	
1083	100	100	10000	
1084	100	100	10000	
1085	100	100	10000	
1086	100	100	10000	
1087	100	100	10000	
1088	100	100	10000	
1089	100	100	10000	
1090	100	100	10000	
1091	100	100	10000	
1092	100	100	10000	
1093	100	100	10000	
1094	100	100	10000	
1095	100	100	10000	
1096	100	100	10000	
1097	100	100	10000	
1098	100	100	10000	
1099	100	100	10000	
1100	100	100	10000	

Year	2018	2019	2020	2021	2022
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					
31					
32					
33					
34					
35					
36					
37					
38					
39					
40					
41					
42					
43					
44					
45					
46					
47					
48					
49					
50					
51					
52					
53					
54					
55					
56					
57					
58					
59					
60					
61					
62					
63					
64					
65					
66					
67					
68					
69					
70					
71					
72					
73					
74					
75					
76					
77					
78					
79					
80					
81					
82					
83					
84					
85					
86					
87					
88					
89					
90					
91					
92					
93					
94					
95					
96					
97					
98					
99					
100					

Year	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030
Revenue	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Operating Expenses	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80
Operating Income	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20
Income Tax	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Net Income	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
Dividends	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Retained Earnings	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5

		Scofield Reservoir Storage Capacity 73,600 ac-ft					Electric Lake Storage Capacity 31,500 ac-ft											
		ECCLES CREEK					ELECTRIC LAKE										Discharge to Both Drainages	
		Discharge to Eccles			Cumulative		JC-1 Well			Cumulative		JC-3 Well			Cumulative		Cumulative	
Month	Days	GPM	CFS	MGD	Gallons	Ac-Ft	GPM	CFS	MGD	Gallons	Ac-Ft	GPM	CFS	MGD	Gallons	Ac-Ft	Gallons	Acre-Feet
Jan-99	31	340	0.8	0.49	15,190,000	47											15,190,000	47
Feb-99	28	229	0.5	0.33	24,430,000	75											24,430,000	75
Mar-99	31	465	1.0	0.67	45,200,000	139											45,200,000	139
Apr-99	30	215	0.5	0.31	54,500,000	167											54,500,000	167
May-99	31	278	0.6	0.40	66,900,000	205											66,900,000	205
Jun-99	30	188	0.4	0.27	75,000,000	230											75,000,000	230
Jul-99	31	181	0.4	0.26	83,060,000	255											83,060,000	255
Aug-99	31	229	0.5	0.33	93,290,000	286											93,290,000	286
Sep-99	30	139	0.3	0.20	99,290,000	305											99,290,000	305
Oct-99	31	243	0.5	0.35	110,140,000	338											110,140,000	338
Nov-99	30	514	1.1	0.74	132,340,000	406											132,340,000	406
Dec-99	31	90	0.2	0.13	136,370,000	419											136,370,000	419
Jan-00	31	722	1.6	1.04	168,610,000	517											168,610,000	517
Feb-00	29	681	1.5	0.98	197,030,000	605											197,030,000	605
Mar-00	31	993	2.2	1.43	241,360,000	741											241,360,000	741
Apr-00	30	1,354	3.0	1.95	299,860,000	920											299,860,000	920
May-00	31	1,181	2.6	1.70	352,560,000	1,082											352,560,000	1,082
Jun-00	30	1,000	2.2	1.44	395,760,000	1,215											395,760,000	1,215
Jul-00	31	1,236	2.8	1.78	450,940,000	1,384											450,940,000	1,384
Aug-00	31	993	2.2	1.43	495,270,000	1,520											495,270,000	1,520
Sep-00	30	1,361	3.0	1.96	554,070,000	1,700											554,070,000	1,700
Oct-00	31	2,354	5.2	3.39	659,160,000	2,023											659,160,000	2,023
Nov-00	30	1,688	3.8	2.43	732,060,000	2,247											732,060,000	2,247
Dec-00	31	2,201	4.9	3.17	830,330,000	2,548											830,330,000	2,548
Jan-01	31	2,569	5.7	3.70	945,030,000	2,900											945,030,000	2,900
Feb-01	28	2,500	5.6	3.60	1,045,830,000	3,210											1,045,830,000	3,210
Mar-01	31	3,542	7.9	5.10	1,203,930,000	3,695											1,203,930,000	3,695
Apr-01	30	4,028	9.0	5.80	1,377,930,000	4,229											1,377,930,000	4,229
May-01	31	3,542	7.9	5.10	1,536,030,000	4,714											1,536,030,000	4,714
Jun-01	30	2,986	6.7	4.30	1,665,030,000	5,110											1,665,030,000	5,110
Jul-01	31	4,514	10.1	6.50	1,866,530,000	5,728											1,866,530,000	5,728
Aug-01	31	4,514	10.1	6.50	2,068,030,000	6,347											2,068,030,000	6,347
Sep-01	30	7,795	17.4	11.23	2,404,786,960	7,380	969	2.2	1.40	41,860,500	128						2,446,647,460	7,508
Oct-01	31	9,000	20.1	12.96	2,806,546,960	8,613	2,136	4.8	3.08	137,198,100	421						2,943,745,060	9,034
Nov-01	30	8,907	19.8	12.83	3,191,314,960	9,794	1,509	3.4	2.17	202,406,100	621						3,393,721,060	10,415
Dec-01	31	7,911	17.6	11.39	3,544,460,560	10,878	1,270	2.8	1.83	259,106,100	795						3,803,566,660	11,673

		Scofield Reservoir Storage Capacity 73,600 ac-ft					Electric Lake Storage Capacity 31,500 ac-ft												
		ECCLES CREEK					ELECTRIC LAKE										Discharge to Both Drainages		
		Discharge to Eccles			Cumulative		JC-1 Well			Cumulative			JC-3 Well			Cumulative		Cumulative	
Month	Days	GPM	CFS	MGD	Gallons	Ac-Ft	GPM	CFS	MGD	Gallons	Ac-Ft	GPM	CFS	MGD	Gallons	Ac-Ft	Gallons	Acre-Feet	
Jan-02	31	7,297	16.3	10.51	3,870,198,640	11,877	2,250	5.0	3.24	359,546,100	1,103						4,229,744,740	12,981	
Feb-02	28	7,012	15.6	10.10	4,152,926,800	12,745	2,250	5.0	3.24	450,266,100	1,382						4,603,192,900	14,127	
Mar-02	31	7,196	16.0	10.36	4,474,142,800	13,731	2,044	4.6	2.94	541,526,100	1,662						5,015,668,900	15,393	
Apr-02	30	8,200	18.3	11.81	4,828,382,800	14,818	2,250	5.0	3.24	638,726,100	1,960						5,467,108,900	16,778	
May-02	31	7,740	17.2	11.15	5,173,896,400	15,878	2,145	4.8	3.09	734,468,100	2,254						5,908,364,500	18,132	
Jun-02	30	8,188	18.2	11.79	5,527,605,040	16,964	2,080	4.6	3.00	824,324,100	2,530						6,351,929,140	19,493	
Jul-02	31	8,927	19.9	12.85	5,926,103,440	18,187	2,080	4.6	3.00	917,175,300	2,815						6,843,278,740	21,001	
Aug-02	31	8,773	19.5	12.63	6,317,748,880	19,388	1,183	2.6	1.70	970,001,220	2,977						7,287,750,100	22,365	
Sep-02	30	9,282	20.7	13.37	6,718,735,600	20,619	2,100	4.7	3.02	1,060,721,220	3,255						7,779,456,820	23,874	
Oct-02	31	7,023	15.6	10.11	7,032,262,480	21,581	2,382	5.3	3.43	1,167,065,220	3,582						8,199,327,700	25,163	
Nov-02	30	9,846	21.9	14.18	7,457,606,800	22,887	2,540	5.7	3.66	1,276,781,220	3,918						8,734,388,020	26,805	
Dec-02	31	9,652	21.5	13.90	7,888,459,120	24,209	4,100	9.1	5.90	1,459,805,220	4,480						9,348,264,340	28,689	
Jan-03	31	9,231	20.6	13.29	8,300,520,880	25,473	4,100	9.1	5.90	1,642,829,220	5,042						9,943,350,100	30,515	
Feb-03	28	9,267	20.6	13.34	8,674,147,600	26,620	4,082	9.1	5.88	1,807,421,220	5,547						10,481,568,820	32,167	
Mar-03	31	9,846	21.9	14.18	9,113,678,800	27,969	3,904	8.7	5.62	1,981,679,220	6,082						11,095,358,020	34,050	
Apr-03	30	9,735	21.7	14.02	9,534,229,360	29,259	3,848	8.6	5.54	2,147,927,220	6,592						11,682,156,580	35,851	
May-03	31	8,686	19.4	12.51	9,921,950,800	30,449	3,682	8.2	5.30	2,312,307,060	7,096						12,234,257,860	37,546	
Jun-03	30	9,001	20.1	12.96	10,310,800,480	31,643	3,203	7.1	4.61	2,450,694,660	7,521						12,761,495,140	39,164	
Jul-03	31	8,040	17.9	11.58	10,669,724,800	32,744	3,999	8.9	5.76	2,629,218,660	8,069	552	1.2	0.80	24,660,000	76	13,323,603,460	40,889	
Aug-03	31	2,836	6.3	4.08	10,796,341,120	33,133	3,843	8.6	5.53	2,800,750,260	8,595	4,977	11.1	7.17	246,852,300	758	13,843,943,680	42,486	
Sep-03	30	2,826	6.3	4.07	10,918,438,120	33,507	1,989	4.4	2.86	2,886,675,152	8,859	4,659	10.4	6.71	448,127,611	1,375	14,253,240,883	43,742	
Oct-03	31	5,925	13.2	8.53	11,182,935,880	34,319	521	1.2	0.75	2,909,925,962	8,930	2,440	5.4	3.51	557,035,740	1,709	14,649,897,582	44,959	
Nov-03	30	5,720	12.7	8.24	11,430,024,040	35,077	4,062	9.0	5.85	3,085,394,461	9,469	1,794	4.0	2.58	634,535,886	1,947	15,149,954,387	46,494	
Dec-03	31	4,493	10.0	6.47	11,630,580,040	35,693	3,839	8.6	5.53	3,256,755,181	9,995	2,700	6.0	3.89	755,081,166	2,317	15,642,416,387	48,005	
Jan-04	31	1,150	2.6	1.66	11,681,923,240	35,851	3,777	8.4	5.44	3,425,349,376	10,512	4,764	10.6	6.86	967,725,874	2,970	16,074,998,490	49,332	
Feb-04	29	955	2.1	1.38	11,721,806,920	35,973	3,951	8.8	5.69	3,590,361,856	11,018	2,657	5.9	3.83	1,078,681,579	3,310	16,390,850,355	50,302	
Mar-04	31	945	2.1	1.36	11,764,011,880	36,102	3,979	8.9	5.73	3,767,966,386	11,563	1,931	4.3	2.78	1,164,860,410	3,575	16,696,838,675	51,241	
Apr-04	30	900	2.0	1.30	11,802,878,920	36,222	3,916	8.7	5.64	3,937,149,591	12,083	2,916	6.5	4.20	1,290,810,771	3,961	17,030,839,282	52,266	
May-04	31	951	2.1	1.37	11,845,353,160	36,352	4,048	9.0	5.83	4,117,832,720	12,637	2,354	5.2	3.39	1,395,900,744	4,284	17,359,086,624	53,273	
Jun-04	30	862	1.9	1.24	11,882,571,400	36,466	4,150	9.2	5.98	4,297,095,125	13,187	1,126	2.5	1.62	1,444,559,982	4,433	17,624,226,507	54,087	
Jul-04	31	860	1.9	1.24	11,920,979,080	36,584	4,121	9.2	5.93	4,481,051,653	13,752	272	0.6	0.39	1,456,694,617	4,470	17,858,725,350	54,806	
Aug-04	31	941	2.1	1.35	11,962,969,480	36,713	3,965	8.8	5.71	4,658,070,117	14,295	-	0.0	0.00	1,456,694,617	4,470	18,077,734,214	55,479	
Sep-04	30	3,125	7.0	4.50	12,097,962,280	37,127	4,073	9.1	5.86	4,834,012,572	14,835	-	0.0	0.00	1,456,694,617	4,470	18,388,669,469	56,433	
Oct-04	31	3,526	7.9	5.08	12,255,358,600	37,610	4,047	9.0	5.83	5,014,657,692	15,389	-	0.0	0.00	1,456,694,617	4,470	18,726,710,909	57,470	
Nov-04	30	3,535	7.9	5.09	12,408,072,040	38,079	3,902	8.7	5.62	5,183,209,692	15,907	-	0.0	0.00	1,456,694,617	4,470	19,047,976,349	58,456	
Dec-04	31	3,602	8.0	5.19	12,568,853,800	38,572	4,028	9.0	5.80	5,362,999,452	16,458	-	0.0	0.00	1,456,694,617	4,470	19,388,547,869	59,501	
Jan-05	31	4,376	9.7	6.30	12,764,191,240	39,172	4,000	8.9	5.76	5,541,568,092	17,006	-	0.0	0.00	1,456,694,617	4,470	19,762,453,949	60,649	
Feb-05	28	4,380	9.8	6.31	12,940,789,960	39,714	3,977	8.9	5.73	5,701,939,452	17,499	-	0.0	0.00	1,456,694,617	4,470	20,099,424,029	61,683	
Mar-05	31	4,034	9.0	5.81	13,120,846,120	40,266	3,963	8.8	5.71	5,878,834,812	18,041	-	0.0	0.00	1,456,694,617	4,470	20,456,375,549	62,778	
Apr-05	30	3,664	8.2	5.28	13,279,120,840	40,752	3,681	8.2	5.30	6,037,833,852	18,529	-	0.0	0.00	1,456,694,617	4,470	20,773,649,309	63,752	
May-05	31	4,103	9.1	5.91	13,462,268,680	41,314	4,103	9.1	5.77	6,216,801,372	19,079	-	0.0	0.00	1,456,694,617	4,470	21,135,764,669	64,863	
Jun-05	30	4,424	9.9	6.37	13,653,368,200	41,901	3,659	8.2	5.27	6,374,877,920	19,564	-	0.0	0.00	1,456,694,617	4,470	21,484,940,736	65,935	
Jul-05	31	4,596	10.2	6.62	13,858,555,240	42,530	4,079	9.1	5.87	6,556,974,560	20,123	-	0.0	0.00	1,456,694,617	4,470	21,872,224,416	67,123	
Aug-05	31	4,363	9.7	6.28	14,053,309,480	43,128	3,880	8.6	5.59	6,730,179,200	20,654	-	0.0	0.00	1,456,694,617	4,470	22,240,183,296	68,253	
Sep-05	30	4,337	9.7	6.24	14,240,509,480	43,703	1,817	4.0	2.62	6,808,779,200	20,895	-	0.0	0.00	1,456,694,617	4,470	22,505,983,296	69,068	
Oct-05	31	4,593	10.2	6.61	14,445,541,000	44,332	4,097	9.1	5.90	6,991,669,280	21,457	-	0.0	0.00	1,456,694,617	4,470	22,893,904,896	70,259	
Nov-05	30	4,687	10.4	6.75	14,648,019,400	44,953	4,062	9.1	5.85	7,167,147,680	21,995	-	0.0	0.00	1,456,694,617	4,470	23,271,861,696	71,419	
Dec-05	31	4,336	9.7	6.24	14,841,578,440	45,547	4,056	9.0	5.84	7,348,207,520	22,551	-	0.0	0.00	1,456,694,617	4,470	23,646,480,576	72,568	
Jan-06	31	4,499	10.0	6.48	15,042,413,800	46,163	4,015	8.9	5.78	7,527,437,120	23,101	-	0.0	0.00	1,456,694,617	4,470	24,026,545,536	73,735	
Feb-06	28	4,560	10.2	6.57	15,226,273,000	46,728	3,984	8.9	5.74	7,688,072,000	23,594	-	0.0	0.00	1,456,694,617	4,470	24,371,039,616	74,792	
Mar-06	31	4,574	10.2	6.59	15,430,456,360	47,354	3,957	8.8	5.70	7,864,712,480	24,136	-	0.0	0.00	1,456,694,617	4,470	24,751,863,456	75,961	
Apr-06	30	4,622	10.3	6.66	15,630,126,760	47,967	3,805	8.5	5.48	8,029,088,480	24,640	-	0.0	0.00	1,456,694,617	4,470	25,115,909,856	77,078	
May-06	31	3,622	8.1	5.22	15,791,812,840	48,463	3,918	8.7	5.64	8,203,988,000	25,177	-	0.0	0.00	1,456,694,617	4,470	25,452,495,456	78,111	

		Scofield Reservoir Storage Capacity 73,600 ac-ft						Electric Lake Storage Capacity 31,500 ac-ft													
		ECCLES CREEK						ELECTRIC LAKE										Discharge to Both Drainages			
		Discharge to Eccles			Cumulative			JC-1 Well			Cumulative			JC-3 Well			Cumulative			Cumulative	
Month	Days	GPM	CFS	MGD	Gallons	Ac-Ft	GPM	CFS	MGD	Gallons	Ac-Ft	GPM	CFS	MGD	Gallons	Ac-Ft	Gallons	Ac-Ft	Gallons	Acre-Feet	
Jun-06	30	4,677	10.4	6.73	15,993,859,240	49,083	2,139	4.8	3.08	8,296,392,800	25,461	-	0.0	0.00	1,456,694,617	4,470	25,746,946,656	79,014			
Jul-06	31	4,914	10.9	7.08	16,213,220,200	49,757	4,062	9.1	5.85	8,477,720,480	26,017	-	0.0	0.00	1,456,694,617	4,470	26,147,635,296	80,244			
Aug-06	31	4,904	10.9	7.06	16,432,134,760	50,428	4,055	9.0	5.84	8,658,735,680	26,573	-	0.0	0.00	1,456,694,617	4,470	26,547,565,056	81,471			
Sep-06	30	4,901	10.9	7.06	16,643,857,960	51,078	4,094	9.1	5.90	8,835,596,480	27,115	-	0.0	0.00	1,456,694,617	4,470	26,936,149,056	82,664			
Oct-06	31	4,730	10.5	6.81	16,855,005,160	51,726	4,028	9.0	5.80	9,015,406,400	27,667	-	0.0	0.00	1,456,694,617	4,470	27,327,106,176	83,864			
Nov-06	30	4,724	10.5	6.80	17,059,081,960	52,352	4,084	9.1	5.88	9,191,835,200	28,209	-	0.0	0.00	1,456,694,617	4,470	27,707,611,776	85,032			
Dec-06	31	4,710	10.5	6.78	17,269,336,360	52,998	4,063	9.1	5.85	9,373,207,520	28,765	-	0.0	0.00	1,456,694,617	4,470	28,099,238,496	86,233			
Jan-07	31	4,335	9.7	6.24	17,462,850,760	53,592	4,044	9.0	5.82	9,553,731,680	29,319	-	0.0	0.00	1,456,694,617	4,470	28,473,277,056	87,381			
Feb-07	28	4,412	9.8	6.35	17,640,742,600	54,137	4,026	9.0	5.80	9,716,060,000	29,817	-	0.0	0.00	1,456,694,617	4,470	28,813,497,216	88,425			
Mar-07	31	4,205	9.4	6.06	17,828,453,800	54,714	4,005	8.9	5.77	9,894,843,200	30,366	-	0.0	0.00	1,456,694,617	4,470	29,179,991,616	89,550			
Apr-07	30	4,140	9.2	5.96	18,007,301,800	55,262	3,848	8.6	5.54	10,061,076,800	30,876	-	0.0	0.00	1,456,694,617	4,470	29,525,073,216	90,609			
May-07	31	3,981	8.9	5.73	18,185,013,640	55,808	3,957	8.8	5.70	10,237,717,280	31,418	-	0.0	0.00	1,456,694,617	4,470	29,879,425,536	91,697			
Jun-07	30	4,112	9.2	5.92	18,362,636,537	56,353	4,256	9.5	6.13	10,421,576,480	31,983	-	0.0	0.00	1,456,694,617	4,470	30,240,907,634	92,806			
Jul-07	31	4,266	9.5	6.14	18,553,070,777	56,937	4,222	9.4	6.08	10,610,046,560	32,561	-	0.0	0.00	1,456,694,617	4,470	30,619,811,954	93,969			
Aug-07	31	3,792	8.4	5.46	18,722,345,657	57,457	4,066	9.1	5.86	10,791,570,954	33,118	-	0.0	0.00	1,456,694,617	4,470	30,970,611,228	95,045			
Sep-07	30	4,238	9.4	6.10	18,905,427,257	58,019	4,249	9.5	6.12	10,975,113,724	33,681	-	0.0	0.00	1,456,694,617	4,470	31,337,235,598	96,170			
Oct-07	31	2,651	5.9	3.82	19,023,767,897	58,382	4,179	9.3	6.02	11,161,664,284	34,254	1,951	4.3	2.81	1,543,938,457	4,738	31,729,370,638	97,374			
Nov-07	30	4,180	9.3	6.02	19,204,353,223	58,936	3,168	7.1	4.56	11,298,533,491	34,674	-	0.0	0.00	1,543,938,457	4,738	32,046,825,170	98,348			
Dec-07	31	4,238	9.4	6.10	19,393,537,543	59,517	3,574	8.0	5.15	11,458,076,851	35,164	-	0.0	0.00	1,543,938,457	4,738	32,395,552,850	99,418			
Jan-08	31	4,103	9.1	5.91	19,576,695,463	60,079	3,851	8.6	5.55	11,629,985,491	35,691	-	0.0	0.00	1,543,938,457	4,738	32,750,619,410	100,508			
Feb-08	29	3,955	8.8	5.70	19,741,856,263	60,586	4,203	9.4	6.05	11,805,502,771	36,230	-	0.0	0.00	1,543,938,457	4,738	33,091,297,490	101,553			
Mar-08	31	4,067	9.1	5.86	19,923,407,143	61,143	4,083	9.1	5.88	11,987,767,891	36,789	-	0.0	0.00	1,543,938,457	4,738	33,455,113,490	102,670			
Apr-08	30	3,979	8.9	5.73	20,095,299,943	61,670	4,052	9.0	5.83	12,162,814,291	37,326	-	0.0	0.00	1,543,938,457	4,738	33,802,052,690	103,735			
May-08	31	3,803	8.5	5.48	20,265,065,863	62,191	4,176	9.3	6.01	12,349,230,931	37,898	-	0.0	0.00	1,543,938,457	4,738	34,158,235,250	104,828			
Jun-08	30	4,121	9.2	5.93	20,443,103,541	62,738	3,531	7.9	5.08	12,501,770,131	38,367	-	0.0	0.00	1,543,938,457	4,738	34,488,812,128	105,842			
Jul-08	31	4,394	9.8	6.33	20,639,251,701	63,340	4,180	9.3	6.02	12,688,365,331	38,939	-	0.0	0.00	1,543,938,457	4,738	34,871,555,488	107,017			
Aug-08	31	4,653	10.4	6.70	20,846,961,621	63,977	4,175	9.3	6.01	12,874,754,837	39,511	-	0.0	0.00	1,543,938,457	4,738	35,265,654,914	108,226			
Sep-08	30	4,282	9.5	6.17	21,031,944,021	64,545	4,202	9.4	6.05	13,056,281,237	40,068	-	0.0	0.00	1,543,938,457	4,738	35,632,163,714	109,351			
Oct-08	31	4,104	9.1	5.91	21,215,146,581	65,107	4,198	9.4	6.05	13,243,679,957	40,643	-	0.0	0.00	1,543,938,457	4,738	36,002,764,994	110,488			
Nov-08	30	3,735	8.3	5.38	21,376,498,581	65,602	4,184	9.3	6.02	13,424,428,757	41,198	-	0.0	0.00	1,543,938,457	4,738	36,344,865,794	111,538			
Dec-08	31	3,646	8.1	5.25	21,539,277,175	66,102	4,166	9.3	6.00	13,610,398,997	41,769	-	0.0	0.00	1,543,938,457	4,738	36,693,614,628	112,609			
Jan-09	31	2,788	6.2	4.01	21,663,733,495	66,484	4,146	9.2	5.97	13,795,476,437	42,337	-	0.0	0.00	1,543,938,457	4,738	37,003,148,388	113,558			
Feb-09	28	3,768	8.4	5.43	21,815,659,255	66,950	4,129	9.2	5.95	13,961,957,717	42,848	-	0.0	0.00	1,543,938,457	4,738	37,321,555,428	114,536			
Mar-09	31	4,066	9.1	5.86	21,997,165,495	67,507	4,116	9.2	5.93	14,145,695,957	43,412	-	0.0	0.00	1,543,938,457	4,738	37,686,799,908	115,657			
Apr-09	30	4,165	9.3	6.00	22,177,093,495	68,059	3,796	8.5	5.47	14,309,683,157	43,915	-	0.0	0.00	1,543,938,457	4,738	38,030,715,108	116,712			
May-09	31	4,152	9.3	5.98	22,362,438,775	68,628	3,740	8.3	5.39	14,476,636,757	44,427	-	0.0	0.00	1,543,938,457	4,738	38,383,013,988	117,793			
Jun-09	30	4,193	9.3	6.04	22,543,576,375	69,184	4,131	9.2	5.95	14,655,095,957	44,975	-	0.0	0.00	1,543,938,457	4,738	38,742,610,788	118,897			
Jul-09	31	4,286	9.5	6.17	22,734,903,415	69,771	4,097	9.1	5.90	14,837,986,037	45,536	-	0.0	0.00	1,543,938,457	4,738	39,116,827,908	120,045			
Aug-09	31	4,181	9.3	6.02	22,921,543,255	70,344	4,128	9.2	5.94	15,022,259,957	46,102	-	0.0	0.00	1,543,938,457	4,738	39,487,741,668	121,183			
Sep-09	30	4,216	9.4	6.07	23,103,674,455	70,903	3,962	8.8	5.71	15,193,418,357	46,627	-	0.0	0.00	1,543,938,457	4,738	39,841,031,268	122,268			
Oct-09	31	4,139	9.2	5.96	23,288,439,415	71,470	4,068	9.1	5.86	15,375,013,877	47,184	-	0.0	0.00	1,543,938,457	4,738	40,207,391,748	123,392			
Nov-09	30	4,001	8.9	5.76	23,461,282,615	72,000	4,109	9.2	5.92	15,552,522,677	47,729	-	0.0	0.00	1,543,938,457	4,738	40,557,743,748	124,467			
Dec-09	31	4,060	9.0	5.85	23,642,521,015	72,556	4,097	9.1	5.90	15,735,412,757	48,290	-	0.0	0.00	1,543,938,457	4,738	40,921,872,228	125,585			
Jan-10	31	3,988	8.9	5.74	23,820,545,335	73,103	3,894	8.7	5.61	15,909,240,917	48,824	-	0.0	0.00	1,543,938,457	4,738	41,273,724,708	126,664			
Feb-10	28	4,014	8.9	5.78	23,982,389,815	73,599	4,083	9.1	5.88	16,073,867,477	49,329	-	0.0	0.00	1,543,938,457	4,738	41,600,195,748	127,666			
Mar-10	31	3,885	8.7	5.59	24,155,816,215	74,131	4,051	9.0	5.83	16,254,704,117	49,884	-	0.0	0.00	1,543,938,457	4,738	41,954,458,788	128,754			
Apr-10	30	3,722	8.3	5.36	24,316,606,615	74,625	4,075	9.1	5.87	16,430,744,117	50,424	-	0.0	0.00	1,543,938,457	4,738	42,291,289,188	129,787			
May-10	31	3,239	7.2	4.66	24,461,195,575	75,069	3,963	8.8	5.71	16,607,652,437	50,967	-	0.0	0.00	1,543,938,457	4,738	42,612,786,468	130,774			
Jun-10	30	3,106	6.9	4.47	24,595,387,046	75,480	4,070	9.1	5.86	16,783,458,758	51,507	-	0.0	0.00	1,543,938,457	4,738	42,922,784,260	131,725			
Jul-10	31	3,293	7.3	4.74	24,742,386,566	75,932	4,061	9.0	5.85	16,964,741,798	52,063	-	0.0	0.00	1,543,938,457	4,738	43,251,066,820	132,733			
Aug-10	31	3,412	7.6	4.91	24,894,698,246	76,399	4,064	9.1	5.85	17,146,158,758	52,620	-	0.0	0.00	1,543,938,457	4,738	43,584,795,460	133,757			
Sep-10	30	3,716	8.3	5.35	25,055,229,446	76,892	4,072	9.1	5.86	17,322,069,158	53,159	-	0.0	0.00	1,543,938,457	4,738	43,921,237,060	134,789			
Oct-10	31	3,749	8.4	5.40	25,222,584,806	77,405	4,052	9.0	5.83	17,502,950,438	53,715	-	0.0	0.00	1,543,938,457	4,738	44,269,473,700	135,858			

		Scofield Reservoir Storage Capacity 73,600 ac-ft					Electric Lake Storage Capacity 31,500 ac-ft											
		ECCLES CREEK					ELECTRIC LAKE										Discharge to Both Drainages	
		Discharge to Eccles			Cumulative		JC-1 Well			Cumulative		JC-3 Well			Cumulative		Cumulative	
Month	Days	GPM	CFS	MGD	Gallons	Ac-Ft	GPM	CFS	MGD	Gallons	Ac-Ft	GPM	CFS	MGD	Gallons	Ac-Ft	Gallons	Acre-Feet
Nov-10	30	4,096	9.1	5.90	25,399,532,006	77,948	2,000	4.5	2.88	17,589,350,438	53,980	-	0.0	0.00	1,543,938,457	4,738	44,532,820,900	136,666
Dec-10	31	4,749	10.6	6.84	25,611,527,366	78,599	-	0.0	0.00	17,589,350,438	53,980	-	0.0	0.00	1,543,938,457	4,738	44,744,816,260	137,317
Jan-11	31	4,567	10.2	6.58	25,815,398,246	79,225	1,889	4.2	2.72	17,673,675,398	54,239	-	0.0	0.00	1,543,938,457	4,738	45,033,012,100	138,201
Feb-11	28	4,597	10.2	6.62	26,000,749,286	79,793	2,203	4.9	3.17	17,762,500,358	54,511	-	0.0	0.00	1,543,938,457	4,738	45,307,188,100	139,043
Mar-11	31	4,336	9.7	6.24	26,194,308,326	80,387	2,199	4.9	3.17	17,860,663,718	54,812	-	0.0	0.00	1,543,938,457	4,738	45,598,910,500	139,938
Apr-11	30	4,376	9.7	6.30	26,383,351,526	80,968	2,202	4.9	3.17	17,955,790,118	55,104	-	0.0	0.00	1,543,938,457	4,738	45,883,080,100	140,810
May-11	31	4,229	9.4	6.09	26,572,134,086	81,547	2,195	4.9	3.16	18,053,774,918	55,405	-	0.0	0.00	1,543,938,457	4,738	46,169,847,460	141,690
Jun-11	30	4,297	9.6	6.19	26,757,764,486	82,117	2,191	4.9	3.16	18,148,426,118	55,695	-	0.0	0.00	1,543,938,457	4,738	46,450,129,060	142,550