PACIFICORP ENERGY
A DIVISION OF PACIFICORP

Huntington Plant
P.O. Box 680
Huntington, UT 84528

24 July 2014

Department of Environmental Quality
Division of Water Quality
Attn: Mr. Jeffery Studenka, Section Manager
195 North 1950 West
P.O. Box 144870
Salt Lake City, Utah 84114-4870

Re: **Huntington Plant – James Canyon Well System UPDES Permit #UT0025534**
DMR for June 2014

Dear Mr. Studenka:

In accordance with the James Canyon Well System UPDES permit (#UT0025534), Section II.D.; Reporting of Monitoring Results, PacifiCorp is hereby submitting a Discharge Monitoring Report (DMR) for the period June 1, 2014 to June 30, 2014.

This DMR is being submitted with the following certification:

> *I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.*

During the month of June there was no discharge from JC-3. If you have any questions and/or need additional information, please contact Darce Guymon at (435) 687-4305.

Sincerely,

Darrell J. Cunningham
Managing Director

Enclosure
cc: Gregg Galecki, Bowie Resources Skyline Mine

PERMITEE NAME/ADDRESS

NAME James Canyon Well System
ADDRESS P.O.Box 680
Huntington, Utah 84528

FACILITY James Canyon Well System
LOCATION Huntington, Utah 84528

ATTN: Darce Guymon (PROJECT REPRESENTATIVE)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

UT0025534	001 A
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
1 4	0 6	0 1	1 4	0 6	3 0

Form Approved
OMB No. 2040-0004

MINOR

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

*** NO DISCHARGE [X] ***

PARAMETER		QUANTITY OR LOADING AVERAGE	QUANTITY OR LOADING MAXIMUM	QUANTITY OR LOADING UNITS	QUALITY OR CONCENTRATION MINIMUM	QUALITY OR CONCENTRATION AVERAGE	QUALITY OR CONCENTRATION MAXIMUM	QUALITY OR CONCENTRATION UNITS	NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
FLOW RATE (AS AG)	SAMPLE MEASUREMENT			(78)	******	******	******		0	Continuous	
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPM	******	******	******	**** ****		ONCE/MONTH	INSTANT
PH	SAMPLE MEASUREMENT	*****	*****			******		(12)	0		
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		ONCE/MONTH	GRAB
OIL AND GREASE, HEXANE EXTR METHOD	SAMPLE MEASUREMENT	*****	*****		******	******		(19)	0		
00552 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/MONTH	GRAB
NITROGEN, AMMONIA TOTAL (AS N)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
00610 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
NITRITE PLUS NITRATE TOTAL 1 DET (AS N)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
00630 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
PHOSPHORUS, TOTAL (AS P)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
00665 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
PHOSPHORUS, DISSOLVED	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
00666 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER		TELEPHONE		DATE
DARRELL J. CUNNINGHAM MANAGING DIRECTOR	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations	435	687-4305	7/24/2014
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	MO DA YR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITEE NAME/ADDRESS

NAME **James Canyon Well System**
ADDRESS **P.O.Box 680**
Huntington, Utah 84528

FACILITY **James Canyon Well System**
LOCATION **Huntington, Utah 84528**

ATTN: Darce Guymon (PROJECT REPRESENTATIVE)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

UT0025534	001 A
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
1 4	0 6	0 1	1 4	0 6	3 0

Form Approved
OMB No. 2040-0004

MINOR

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

*** NO DISCHARGE [X] ***

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
ARSENIC, DISSOLVED (AS AS)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01000 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
ARSENIC, TOTAL (AS AS)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01002 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
CADMIUM, DISSOLVED (AS CD)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01025 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
CADMIUM, TOTAL (AS CD)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01027 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
CHROMIUM, DISSOLVED (AS CR)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01030 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
CHROMIUM, TOTAL (AS CR)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01034 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
COPPER, DISSOLVED (AS CU)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01040 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER			TELEPHONE		DATE
DARRELL J. CUNNINGHAM MANAGING DIRECTOR	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	**435**	**687-4305**	**7/24/2014**
TYPED OR PRINTED			AREA CODE	NUMBER	MO DA YR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITEE NAME/ADDRESS

NAME James Canyon Well System
ADDRESS P.O.Box 680
Huntington, Utah 84528

FACILITY James Canyon Well System
LOCATION Huntington, Utah 84528

ATTN: Darce Guymon (PROJECT REPRESENTATIVE)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

UT0025534	001 A
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
1 4	0 6	0 1	1 4	0 6	3 0

Form Approved
OMB No. 2040-0004

MINOR

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

*** NO DISCHARGE [X] ***

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
COPPER, TOTAL (AS CU)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01042 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****		******	******		(19)	0		
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	MG/L		ONCE/MONTH	GRAB
IRON, DISSOLVED (AS FE)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01046 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
LEAD, DISSOLVED (AS PB)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01049 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
LEAD, TOTAL (AS PB)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01051 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
NICKEL, DISSOLVED (AS NI)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01065 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
NICKEL, TOTAL (AS NI)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01067 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE		
DARRELL J. CUNNINGHAM MANAGING DIRECTOR	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	MO	DA	YR
		435	687-4305	7/24/2014		
TYPED OR PRINTED						

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITEE NAME/ADDRESS

NAME **James Canyon Well System**
ADDRESS **P.O.Box 680**
Huntington, Utah 84528

FACILITY **James Canyon Well System**
LOCATION **Huntington, Utah 84528**

ATTN: Darce Guymon (PROJECT REPRESENTATIVE)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

UT0025534	001 A
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
1 4	0 6	0 1	1 4	0 6	3 0

Form Approved
OMB No. 2040-0004

MINOR

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

*** NO DISCHARGE [X] ***

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SILVER, DISSOLVED (AS AG)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01075 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
SILVER, TOTAL (AS AG)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01077 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
ZINC, DISSOLVED (AS ZN)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01090 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
ZINC, TOTAL (AS ZN)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01092 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
SELENIUM, DISSOLVED (AS SE)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01145 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
SELENIUM, TOTAL (AS SE)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
01147 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****	0	(94)	******	*****	*****		0		
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES = 1 NO = 0	******	******	******	**** ****		ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER		TELEPHONE		DATE
DARRELL J. CUNNINGHAM MANAGING DIRECTOR	435	687-4305	7/24/2014	
TYPED OR PRINTED	AREA CODE	NUMBER	MO DA YR	

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

PERMITEE NAME/ADDRESS

NAME James Canyon Well System
ADDRESS P.O.Box 680
Huntington, Utah 84528

FACILITY James Canyon Well System
LOCATION Huntington, Utah 84528

ATTN: Darce Guymon (PROJECT REPRESENTATIVE)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

UT0025534	001 A
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
1 4	0 6	0 1	1 4	0 6	3 0

Form Approved
OMB No. 2040-0004

MINOR

F-FINAL
JC-3 PUMPING PLATFORM TO LAKE

*** NO DISCHARGE [X] ***

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED- ASSESSMENT	SAMPLE MEASUREMENT	*****	0	(94)	******	******	******		0		
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES = 1 NO = 0	******	******	******	**** ****		ONCE/MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****	*****		******	******		(19)	0		
70295 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	255 DAILY MX	MG/L		ONCE/MONTH	GRAB
MERCURY, DISSOLVED (AS HG)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
71890 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
MERCURY, TOTAL (AS HG)	SAMPLE MEASUREMENT	*****	*****		******			(19)	0		
71900 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	REPORT 30 DA AVG	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPLE EXECUTIVE OFFICER			TELEPHONE		DATE
DARRELL J. CUNNINGHAM MANAGING DIRECTOR	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	435	687-4305	7/24/2014
TYPED OR PRINTED			AREA CODE	NUMBER	MO DA YR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)