

0019

PLATEAU MINING COMPANY

A Subsidiary of Getty Oil Company

P O Drawer PMC

Price, Utah 84501

Telephone (801) 637-2875

*File: ACT/007/006
Unit Train loadout
Folder 3 & 4*

August 21, 1985

Mr. Lowell Braxton
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Dear Mr. Braxton:

**RE: UNIT TRAIN AIR CONSTRUCTION PERMIT
CONDITION 4-17-85-4-(1)-DWH**

Please find enclosed seven (7) copies of the approval order for modification of the Unit Train Loading Facility.

This approval satisfies Stipulation 4-17-85-4-(1)-DWH, as given in the Division's conditional approval letter dated April 19, 1985, addressed to Walter Mueller, Jr.

If you need additional copies, please let me know.

Respectfully,

PLATEAU MINING COMPANY



Ben Grimes
Environmental Coordinator

BG:sd

Encl.



STATE OF UTAH
DEPARTMENT OF HEALTH

NORMAN H. BANGERTER, GOVERNOR

SUZANNE DANDROY, M.D., M.P.H., EXECUTIVE DIRECTOR

File: ACT/007/006
Unit Train loadout Mod.
Folder # 3,4


RECEIVED

AUG 26 1985

DIVISION OF OIL
GAS & MINING

Ben A. Grimes
Plateau Mining Company
P.O. Drawer PMC
Price, Utah 84501

AUG 19 1985
533-6108



RE: Approval Order for Modification of
the Train Loading Facility
Carbon County CDS AI

Dear Mr. Grimes:

On July 1, 1985, the Executive Secretary published a notice of intent to approve modification of the train loading facility at Wattis, Utah. The 30 day public comment period has expired, and no comments were received.

This air quality approval order authorizes the modification as proposed in the notice of intent dated February 25, 1985, with the following operating conditions:


1. The railroad plant load-out shall be constructed according to the plans and specifications submitted with the notice of intent to construct dated February 25, 1985.
2. Visible emissions from any point shall not exceed 20% opacity as determined by 40 CFR 60, Appendix A, Method 9.
3. Visible emissions from any fugitive source shall not exceed 20% opacity. Readings of opacities for mobile and intermittent sources shall be taken in accordance with Section 4.1.9, Utah Air Conservation Regulations.
4. Water or chemical dust suppression sprays shall be installed as necessary to control dust emissions from the following locations:
 - a. Crushing and Screening
 - b. Stock Piles
 - c. Transfer Points
 - d. Railroad Load-Out Silo
 - e. Access Road
 - f. Mobile Equipment Operation Areas

KENNETH L. ALKEMA, DIRECTOR • DIVISION OF ENVIRONMENTAL HEALTH

5. The access road and mobile equipment operation areas shall be treated with 0.2 gallons/yd² of water at a minimum of twice per eight hour shift unless the daily precipitation exceeds 0.05 inches of water for the day. Water treatment may be replaced by chemical dust suppression, provided a plan is approved by the Executive Secretary.
6. Plant production shall not exceed two million tons/yr without prior approval of the Executive Secretary in accordance with Section 3.1, UACR.
7. This approval order is valid only if construction is begun prior to December 1, 1986.
8. In addition to the requirements of this approval order all provisions of 40 CFR 60.250 (NSPS Subpart Y) shall apply to this installation.
9. The Executive Secretary shall be notified when the installation is complete as an initial compliance inspection is required.

The fee for issuing this approval order is \$437.04. The amount (see enclosure for breakdown of costs) is payable to the Utah Department of Health, sent to the Executive Secretary, Utah Air Conservation Committee, 2870 Connor Street, Salt Lake City, Utah 84109 and is due within 30 days after receipt of this approval order.

Sincerely,



Brent C. Bradford
Executive Secretary
Utah Air Conservation Committee

LRM/jg
8896Q

CC: EPA Region VIII (Norm Huey)
Southeastern District Health Department

Enclosure