




Cyprus Plateau Mining Corporation
 P.O. Drawer PMC
 Price, Utah 84501
 (801) 637-2875

March 28, 1995



Mr. Daron Haddock
 Permit Supervisor
 355 West North Temple
 3 Triad Center, Suite 350
 Salt Lake City, UT 84180-1203

Re: Midterm Review Response Extension, Cyprus Plateau Mining Corporation, Star Point Mine, ACT/007/006-94F, Folder #3, Carbon County, Utah

ACT/007/006 #2
 Copy to [unclear] : PAM

Dear Mr Haddock:

Pursuant to our March 10, 1995, meeting, it was stated by you that another 60 day extension would be granted if site accessibility and Division workload interfered with CPMC's ability to adequately address the Division's midterm review issues.

Therefore, due to Henry Sauer's workload which has prevented him from having the time to review the "Evaluation of Plant and Soil Selenium Concentrations in Coal Refuse and Undisturbed Soils" Report, and the snow cover which is precluding access to the No. 1 Mine area, CPMC is requesting a 60 day extension to the May 15, 1995, deadline.

CPMC has contracted with Hansen, Allen & Luce, as was evident with Marv Allen's attendance during our March 10 meeting, to assist CPMC in developing a reclamation plan for the refuse pile and No. 1 Mine area. In addition, Marv Allen was on site March 23, to do a site inspection, to the extent possible, and obtain information needed to perform the engineering and design.

As stated in CPMC's January 26, 1995, letter to the Division, it is imperative that the Division review the consultant's report so that any additional test work, if any, can be performed in the timeframe allowed.

Mr. Daron Haddock
March 28, 1995
page 2

CPMC is moving forward with the engineering and design of the refuse pile and other issues identified during the Midterm review, but cannot finalize its responses until it knows the Division's position with regards to the consultant's report.

If you have any questions, please do not hesitate to contact me.

Sincerely,



Johnny Pappas
Environmental Engineer

cc: J. Borla
chrono: JP9503051tr