

0007

**PLATEAU
MINING
CORPORATION**

Willow Creek Mine
847 NW Hwy 191
Helper, Utah 84526
(435) 472-0475
Fax: (435) 472-4780

An affiliate of **RAG**

April 21, 2003

RECEIVED

APR 24 2003

DIV OF OIL GAS & MINING

Mr. James Hawkes
State of Utah
Department of Environmental Quality
Division of Water Quality
P.O. Box 144870
Salt Lake City, Utah 84114-4870

Re: UPDES Report, March 2003 - Permit No. UT0023736


*Incoring
C/007/006*

Dear Mr. Hawkes:

Discharge Monitoring Reports are enclosed. The discharge points authorized under this Permit were removed during the reclamation of the Star Point Mine. The potential to discharge from the permitted outfalls 002, 004, 007, and 009 no longer exists.

If you have any questions, please do not hesitate to contact me and (435) 472-4741.

Sincerely,



Johnny Pappas
Sr. Environmental Engineer

Enclosures

cc: UDOGM

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME PLATEAU MINING CORP.

ADDRESS STAR POINT

P.O. DRAWER PMC

PRICE

UT 84501

FACILITY PLATEAU MINING CORP.

LOCATION PRICE

UT 84501

ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UT0023736

PERMIT NUMBER

SUM A

DISCHARGE NUMBER

MINOR

F - FINAL
SED POND TDS DISCHARGE

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	03	03	01		03	03	31

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SOLIDS, TOTAL DISSOLVED 70295 S 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****		(26)	*****	*****	*****				
	PERMIT REQUIREMENT	*****	2000	DAILY MX LBS/DY	*****	*****	*****	****		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Johnny Pappas
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE
435 472-4741
DATE
03 04 21

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

THE TOTAL AMOUNT OF TDS DISCHARGED FROM OUTFALLS 002 THRU 010 IS LIMITED TO ONE TON (2000 LBS) PER DAY.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if Different))
 NAME PLATEAU MINING CORP.
 ADDRESS STAR POINT
 P.O. DRAWER PMC
 PRICE UT 84501
 FACILITY PLATEAU MINING CORP.
 LOCATION PRICE UT 84501
 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

UT0023736 PERMIT NUMBER
 002 A DISCHARGE NUMBER

MINOR
 F - FINAL
 SED POND DISCHARGE

MONITORING PERIOD						
YEAR	MO	DAY	YEAR	MO	DAY	
03	03	01	TO	03	03	31

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PH		*****	*****			*****			(12)		
00400 1 0 0 EFFLUENT GROSS VALUE		*****	*****	***	0.5 MINIMUM	*****	9.0 MAXIMUM		SU	ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED		*****	*****		*****	*****	*****		(19)		
00530 0 0 0 SEE COMMENTS BELOW		*****	*****	***	*****	35 7 DA AVG	*****		MG/L	ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED		*****	*****		*****	*****	*****		(19)		
00530 1 0 0 EFFLUENT GROSS VALUE		*****	*****	***	*****	25 30DA AVG	70 DAILY MX		MG/L	ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE		*****	*****		*****	*****	*****		(25)		
00545 R 0 0 SEE COMMENTS BELOW		*****	*****	***	*****	*****	0.5 DAILY MX		ML/L	WEEKLY	GRAB
OIL & GREASE		*****	*****		*****	*****	*****		(19)		
00556 1 0 0 EFFLUENT GROSS VALUE		*****	*****	***	*****	*****	10 DAILY MX		MG/L	ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)		*****	*****		*****	*****	*****		(19)		
01045 1 0 0 EFFLUENT GROSS VALUE		*****	*****	***	*****	*****	2.0 DAILY MX		MG/L	ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL		*****	*****	(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE		*****	*****	ES=1 DAILY MX NO=0	*****	*****	*****	***	***	ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: *Johnny Pappas Sr. Env. Engineer*
 I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.
 TELEPHONE: 435 972 4741
 DATE: 03 04 21
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT: *[Signature]*

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if Different))
 NAME PLATEAU MINING CORP.
 ADDRESS STAR POINT
 P.O. DRAWER PMC
 PRICE UT 84501
 FACILITY PLATEAU MINING CORP.
 LOCATION PRICE UT 84501
 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

UT0023736 PERMIT NUMBER
 002 A DISCHARGE NUMBER

MINOR
 F - FINAL
 SED POND DISCHARGE

MONITORING PERIOD						
YEAR	MO	DAY	YEAR	MO	DAY	
03	03	01	TO	03	03	31

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT		*****	*****	(94)	*****	*****	*****				
45614 1 0 0 EFFLUENT GROSS VALUE		*****	*****	ES=1 DAILY MX NO=0	*****	*****	*****	***	***	ONCE/ MONTH	VISUAL
FLOW, IN CONDUIT OR THRU TREATMENT PLANT		*****	*****	(03)	*****	*****	*****				
50050 1 0 0 EFFLUENT GROSS VALUE		*****	*****	REPORT 30DA AVG	*****	*****	*****	***	***	ONCE/ MONTH	GRAB
SOLIDS, TOTAL DISSOLVED		*****	*****		*****	*****	*****		(19)		
70295 1 0 0 EFFLUENT GROSS VALUE		*****	*****	***	*****	*****	2000 DAILY MX		MG/L	ONCE/ MONTH	GRAB
OIL AND GREASE VISUAL		*****	*****		*****	*****	*****		(94)		
84066 1 0 0 EFFLUENT GROSS VALUE		*****	*****	***	*****	*****	REPORT DAILY MX	ES=1 NO=0	***	DAILY	VISUAL
		*****	*****		*****	*****	*****				
		*****	*****		*****	*****	*****				
		*****	*****		*****	*****	*****				
		*****	*****		*****	*****	*****				

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: *Johnny Pappas Sr. Env. Engineer*
 I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.
 TELEPHONE: 435 972 4741
 DATE: 03 04 21
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT: *[Signature]*

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)

NAME PLATEAU MINING CORP.
ADDRESS STAR POINT
P.O. DRAWER PMC
PRICE UT 84501

FACILITY PLATEAU MINING CORP.
LOCATION PRICE UT 84501

ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UT0023736
PERMIT NUMBER

004 A
DISCHARGE NUMBER

MINOR

F - FINAL
SED POND DISCHARGE

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
03	03	01	03	03	31

FROM TO

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PH		*****	*****			*****		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE		*****	*****	***	6.5 MINIMUM	*****	9.0 MAXIMUM	SU		ONCE/	GRAB
SOLIDS, TOTAL SUSPENDED		*****	*****		*****		*****	(19)			
00530 0 0 0 SEE COMMENTS BELOW		*****	*****	***	*****	35 7 DA AVG	*****	MG/L		ONCE/	GRAB
SOLIDS, TOTAL SUSPENDED		*****	*****		*****		*****	(19)			
00530 1 0 0 EFFLUENT GROSS VALUE		*****	*****	***	*****	25 30DA AVG	70 DAILY MX	MG/L		ONCE/	GRAB
SOLIDS, SETTLEABLE		*****	*****		*****	*****	*****	(25)			
00545 R 0 0 SEE COMMENTS BELOW		*****	*****	***	*****	*****	.5 DAILY MX	ML/L		WEEKLY	GRAB
OIL & GREASE		*****	*****		*****	*****	*****	(19)			
00556 1 0 0 EFFLUENT GROSS VALUE		*****	*****	***	*****	*****	10 DAILY MX	MG/L		ONCE/	GRAB
IRON, TOTAL (AS FE)		*****	*****		*****	*****	*****	(19)			
01045 1 0 0 EFFLUENT GROSS VALUE		*****	*****	***	*****	*****	2.0 DAILY MX	MG/L		ONCE/	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL		*****	*****	(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE		*****	*****	0 YES=1 DAILY MX NO=0	*****	*****	*****	***		ONCE/	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Johnny Pappas
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 425 472-4741
DATE 03 04 21
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME PLATEAU MINING CORP.

ADDRESS STAR POINT

P.O. DRAWER PMC

PRICE

UT 84501

FACILITY PLATEAU MINING CORP.

LOCATION PRICE

UT 84501

ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UT0023736

PERMIT NUMBER

004 A

DISCHARGE NUMBER

MINOR

F - FINAL
SED POND DISCHARGE

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
03	03	01		03	03	31

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
45614 1 0 0	PERMIT REQUIREMENT	*****	0	ES=1	*****	*****	*****	*****		ONCE/MONTH	VISUAL
EFFLUENT GROSS VALUE			DAILY MX	NO=0							
FLOW, IN CONDUIT OR THRU TREATMENT PLANT	SAMPLE MEASUREMENT			(03)	*****	*****	*****				
50050 1 0 0	PERMIT REQUIREMENT	REPORT	REPORT		*****	*****	*****	*****		CONTINUOUS	WASH
EFFLUENT GROSS VALUE		30DA AVG	DAILY MX	MGD						DOGS	
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)			
70295 1 0 0	PERMIT REQUIREMENT	*****	*****	***	*****	*****	2000			ONCE/MONTH	GRAB
EFFLUENT GROSS VALUE				***			DAILY MX	MG/L			
OIL AND GREASE VISUAL	SAMPLE MEASUREMENT	*****	*****		*****	*****		(94)			
84066 1 0 0	PERMIT REQUIREMENT	*****	*****	***	*****	*****	REPORT	ES=1		DAILY	VISUAL
EFFLUENT GROSS VALUE				***			DAILY MX	NO=0			
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Johnny Pappas
Sr. Env. Engineer

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

435-472-4741

DATE

03 04 21

AREA CODE

NUMBER

YEAR

MO

DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLABLE SOLIDS.

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

UT0023736 PERMIT NUMBER 009 A DISCHARGE NUMBER

MINOR F - FINAL SED POND DISCHARGE

MONITORING PERIOD YEAR MO DAY YEAR MO DAY FROM 03 03 01 TO 03 03 31

*** NO DISCHARGE [X] *** NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer. Includes signature and date 03 04 21.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different) NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

UT0023736 PERMIT NUMBER 009 A DISCHARGE NUMBER

MINOR F - FINAL SED POND DISCHARGE

MONITORING PERIOD YEAR MO DAY YEAR MO DAY FROM 03 03 01 TO 03 03 31

*** NO DISCHARGE [X] *** NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, FLOW, IN CONDUIT OR THRU TREATMENT PLANT, SOLIDS, TOTAL DISSOLVED, OIL AND GREASE VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer. Includes signature and date 03 04 21.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

MINOR

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

UT0023736 PERMIT NUMBER

007 A DISCHARGE NUMBER

MONITORING PERIOD YEAR MO DAY FROM 03 03 01 TO 03 03 31

F - FINAL SED POND DISCHARGE

*** NO DISCHARGE [X] ***

NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL (AS FE), FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Johnny Pappas Sr. Env. Engineer

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435-472-4741 DATE 03 04 21

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

UT0023736 PERMIT NUMBER

007 A DISCHARGE NUMBER

MONITORING PERIOD YEAR MO DAY FROM 03 03 01 TO 03 03 31

MINOR

F - FINAL SED POND DISCHARGE

*** NO DISCHARGE [X] ***

NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, FLOW, IN CONDUIT OR THRU TREATMENT PLANT, SOLIDS, TOTAL DISSOLVED, OIL AND GREASE VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Johnny Pappas Sr. Env. Engineer

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435-472-4741 DATE 03 04 21

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.