

0030

**PLATEAU
MINING
CORPORATION**

RECEIVED

NOV 21 2003

DIV. OF OIL, GAS & MINING

Willow Creek Mine
PO Box 30
847 NW Hwy 191
Helper, Utah 84526
(435) 472-0475
Fax: (435) 472-4782

An affiliate of **RAG**

November 20, 2003

*Incoming
C/007/0006*

Ms. Jennifer Robinson
State of Utah
Department of Environmental Quality
Division of Water Quality
P.O. Box 144870
Salt Lake City, Utah 84114-4870


Re: UPDES Report, October 2003 - Permit No. UT0023736

Dear Ms. Robinson:

Discharge Monitoring Reports are enclosed. The discharge points authorized under this Permit were removed during the reclamation of the Star Point Mine. The potential to discharge from the permitted outfalls 002, 004, 007, and 009 no longer exists.

If you have any questions, please do not hesitate to contact me and (435) 472-4741.

Sincerely,



Johnny Pappas
Sr. Environmental Engineer

Enclosures

cc: UDOGM

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)
 NAME PLATEAU MINING CORP.
 ADDRESS STAR POINT
 P.O. DRAWER PMC
 PRICE UT 84501
 FACILITY PLATEAU MINING CORP.
 LOCATION PRICE UT 84501
 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

UT0023736 PERMIT NUMBER
 SUM A DISCHARGE NUMBER

MINOR
 F - FINAL
 SED POND TDS DISCHARGE

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
03	10	01		03	10	31

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SOLIDS, TOTAL DISSOLVED 70295 5 0 0 SEE COMMENTS BELOW		*****		(26)	*****	*****	*****				
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT	*****	2000	DAILY MAX LBS/DY	*****	*****	*****	****		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 JOHNNY PAPPAS
 Sr. Env. Engineer
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435-472-4741
 DATE 03 11 20
 AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 THE TOTAL AMOUNT OF TDS DISCHARGED FROM OUTFALLS 002 THRU 010 IS LIMITED TO ONE TON (2000 LBS) PER DAY.

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

UT0023736 PERMIT NUMBER 002 A DISCHARGE NUMBER

MINOR F - FINAL SED POND DISCHARGE

MONITORING PERIOD FROM 03 10 01 TO 03 10 31

*** NO DISCHARGE [X] ***

NOTE: Read instructions before completing this form.

Main monitoring table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Includes rows for Effluent Gross Value, Solids, Total Suspended, Oil & Grease, etc.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS Sr. Env. Engineer. Includes signature and date 03/11/20.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

UT0023736 PERMIT NUMBER 002 A DISCHARGE NUMBER

MINOR F - FINAL SED POND DISCHARGE

MONITORING PERIOD FROM 03 10 01 TO 03 10 31

*** NO DISCHARGE [X] ***

NOTE: Read instructions before completing this form.

Main monitoring table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Includes rows for Sanitary Waste, Flow in Conduit, Solids Dissolved, Oil and Grease, etc.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS Sr. Env. Engineer. Includes signature and date 03/11/20.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

UT0023736 PERMIT NUMBER 004 A DISCHARGE NUMBER

MINOR P - FINAL SED POND DISCHARGE

MONITORING PERIOD YEAR MO DAY FROM 03 10 01 TO 03 10 31

*** NO DISCHARGE [X] *** NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer. Includes signature and typed name. Telephone: 435 472-4741. Date: 03 11 20.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

UT0023736 PERMIT NUMBER 004 A DISCHARGE NUMBER

MINOR P - FINAL SED POND DISCHARGE

MONITORING PERIOD YEAR MO DAY FROM 03 10 01 TO 03 10 31

*** NO DISCHARGE [X] *** NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, FLOW, IN CONDUIT OR THRU TREATMENT PLANT, SOLIDS, TOTAL DISSOLVED, OIL AND GREASE-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer. Includes signature and typed name. Telephone: 435 472-4741. Date: 03 11 20.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

PERMIT NUMBER HT0023736 DISCHARGE NUMBER 007 A

MINOR F - FINAL SED POND DISCHARGE

MONITORING PERIOD FROM 03 10 01 TO 03 10 31

*** NO DISCHARGE [X] *** NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL (AS FE), FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS Sr. Env. Engineer. Includes signature and date 03 11 20.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

PERMIT NUMBER HT0023736 DISCHARGE NUMBER 007 A

MINOR F - FINAL SED POND DISCHARGE

MONITORING PERIOD FROM 03 10 01 TO 03 10 31

*** NO DISCHARGE [X] *** NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, FLOW, IN CONDUIT OR THRU TREATMENT PLANT, SOLIDS, TOTAL DISSOLVED, OIL AND GREASE VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS Sr. Env. Engineer. Includes signature and date 03 11 20.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

DT0023736 PERMIT NUMBER 009 A DISCHARGE NUMBER

MINOR F - FINAL SED POND DISCHARGE

MONITORING PERIOD YEAR MO DAY FROM 03 10 01 TO 03 10 31

*** NO DISCHARGE [X] *** NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include PH, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL (AS FE), FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer. Includes signature and date: 03 11 20. Telephone: 435 472 4741.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.

NAME PLATEAU MINING CORP. ADDRESS STAR POINT P.O. DRAWER PMC PRICE UT 84501 FACILITY PLATEAU MINING CORP. LOCATION PRICE UT 84501 ATTN: JOHNNY PAPPAS, SR ENV. ENGR.

DT0023736 PERMIT NUMBER 009 A DISCHARGE NUMBER

MINOR F - FINAL SED POND DISCHARGE

MONITORING PERIOD YEAR MO DAY FROM 03 10 01 TO 03 10 31

*** NO DISCHARGE [X] *** NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, FLOW, IN CONDUIT OR THRU TREATMENT PLANT, SOLIDS, TOTAL DISSOLVED, OIL AND GREASE VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer. Includes signature and date: 03 11 20. Telephone: 435 472 4741.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here) SETTLEABLE SOLIDS SHALL BE USED INSTEAD OF TSS WHEN SAMPLING DURING RAINFALL OR SNOWMELT RUNOFF. OTHERWISE N/A SHALL BE ENTERED ON DMR FOR SETTLEABLE SOLIDS.