



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Scott M. Matheson, Governor
Temple A. Reynolds, Executive Director
Dr. G. A. (Jim) Shirazi, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

MEMORANDUM

TO: Shannon Storrud, Reclamation Engineer
FROM: Thomas L. Portle, Reclamation Soils Specialist *TLP*
SUBJECT: Wellington Refuse Pond Revision, ACT/007/012, Folder No. 3
DATE: September 29, 1983

With regard to the September 16, 1983 response from U. S. Steel, the following items are still of concern.

1. The company indicates that "subsoil" from the diversion ditch area will be used to construct small embankments. This is approvable with the following stipulation:

Stipulation 9-29-83-1-TP

A map depicting the exact locations of these embankments must be included as part of the MRP. Topsoil storage signs must be placed on all such embankments. Volumes for each embankment must be submitted within 15 days of completion of the work. The approved soil stockpile seed mix shall be employed on all such areas on or before November 18, 1983.

2. Since the operator considers soils below the six inch depth to be subsoil (September 16, 1983 response), a separate subsoil stockpile location will be necessary.

Stipulation 9-29-83-2-TP

The operator shall propose and obtain approval for a subsoil storage location prior to initiating any work in the area south of the lower refuse dam.

3. Topsoil storage (protection).

Stipulation 9-29-83-3-TP

In order to accommodate the operator's desire not to mulch the topsoil (and subsoil) stockpiles (and embankments), he shall propose and have approved by the Division an alternative method of controlling wind erosion for the period prior to the establishment of vegetation. This shall be done prior to any field work attendant to the refuse pond revision.

TLP/btb