

WELLINGTON PREPARATION PLANT

C/007/012

ANNUAL REPORT
2000

March 30, 2000

PERMITTEE:

NEICO
6226 West Sahara Ave.
Las Vegas, Nevada 89146

MT. NEBO SCIENTIFIC, INC.
330 East 400 South, Suite 6
Springville, Utah 84663
(801) 489-6937

File in:
- ☐ Confidential
- ☐ Shelf
- ☒ Expandable

Refer to Record No 0007 Date 03/28/2001
In C/007/012, 2001, Incoming
For additional information

GENERAL INFORMATION

1. Permit Number	C/007/012
2. Mine Name	Wellington Preparation Plant
3. Permittee Name	NEICO (Nevada Electric Investment Company)
4. Operator Name (if other than Permittee)	NEICO
5. Permit Expiration Date	December 10, 2004
6. Permit Number	C/007/012
7. Company Representative, Title	Ryan Bird, C.E.M., Environmental Scientist
8. Phone Number	(775) 834-4486
9. Fax Number	(775) 834-3158
10. E-mail Address	rbird@sppc.com
11. Mailing Address	6100 Neil Road
	P.O. Box 10100
	Reno, Nevada
	89520-0024
12. Resident Agent, Title	Patrick D. Collins, Ph.D.
13. Mailing Address	330 East 400 South, Suite 6
	P.O. Box 337
	Springville, Utah
	84663
14. Number of Binders Submitted	2

IDENTIFICATION OF OTHER PERMITS

Identify other permits which are required in conjunction with mining and reclamation activities.

Permit Type	ID Number	Description	Expires on
1. MSHA Mine ID(S)	1211-UT-09-00099-01	Plant Refuse Pile	
	1211-UT-09-00099-05	Pond Refuse Pile	
2. MSHA Impoundment(s)	1211-UT-09-00099-02	Clear Water Pond	
	1211-UT-09-00099-03	Lower Refuse Pond	

	1211-UT-09-00099-04	Upper Refuse Pond
3. NPDES/UPDES Permit(s) (water)	UTG040010	General/Industrial
4. PSD (Air) Permit(s)	DAQE 997-92	AO-Air Quality

CERTIFIED REPORTS

List the certified inspection reports as required by the rules and under the approved plan which must be periodically submitted to the Division. Specify whether the information is included as APPENDIX A to this Annual Report or currently ON FILE with the Division.

Certified Reports:	Reports Required?		INCLUDED or ON FILE w/DOGM?		Comments
	YES	NO	Included	ON FILE	
1. Excess Spoil Piles		x			
2. Refuse Piles	x		x		(See Appendix A for 4th Quarter/Annual Inspections - Other Quarterly Inspections are on file)
3. Impoundments	x		x		(See Appendix A for 4th Quarter/Annual Inspections - Other Quarterly Inspections are on file)

REPORTING OF OTHER TECHNICAL DATA

List other technical data and information as required under the approved plan which must be periodically submitted to the Division. Specify whether the information is included as APPENDIX B to this Annual Report or currently ON FILE with the Division.

Technical Data:	Reports Required?		INCLUDED or ON FILE w/DOGM?		Comments
	YES	NO	Included	ON FILE	
1. Climatological Data		x			
2. Subsidence Monitoring Data		x			
3. Vegetation Monitoring Data		x			
4. Raptor Survey		x			
5. Soils Monitoring Data	x				(all amendments approved for MRP)
6. Water Monitoring Data	x				(see Quarterly Reports)
First Quarter Report	x				(see Quarterly Reports)
Second Quarter Report	x				(see Quarterly Reports)
Third Quarter Report	x				(see Quarterly Reports)
Fourth Quarter Report	x				(see Quarterly Reports)
7. Geological/Geophysical Data		x			

8. Engineering Data		x			
9. Other Data					

LEGAL, FINANCIAL, COMPLIANCE AND RELATED INFORMATION

Changes in administration or corporate structure can often bring about necessary changes to information found in the mining and reclamation plan. The Division is requesting that each permittee review and update the legal, financial, compliance and related information in the plan as part of the Annual Report. Provide the Department of Commerce, Annual Report of Officers, or other equivalent information as necessary to ensure that the information provided in the plan is current. Provide any other changes as necessary regarding land ownership, lease acquisitions, legal results from appeals of violations, or other changes as necessary to update information required in the mining and reclamation plan. Include any certified financial statements, audits or worksheets which may be required to meet bonding requirements. Specify whether the information is currently ON FILE with the Division or included as APPENDIX C to this Annual Report.

Legal/Financial Data:	Report Required?		INCLUDED or ON FILE w/DOGM?		Comments
	YES	NO	Included	ON FILE	
1. Department of Commerce, Annual Report of Officers		x			
2. Other					
Update of Officers					This information was updated and submitted for an amendment to the MRP on 9/15/00 (incorporated effective 9/29/00).

MINE MAPS

Copies of mine maps, current and up-to-date through at least December 31, 1998, are to be provided to the Division as APPENDIX D to this Annual Report in accordance with the requirements of R645-301-525.270. These map copies shall be made in accordance with 30 CFR 75.1200, as required by MSHA. Upon request, mine maps shall be kept confidential by the Division.

Map Number(s)	Map Title / Description	Confidential?
N/A	The Wellington Plant is not a coal mine.	

OTHER INFORMATION

Please provide any comments or further information to be included as part of the Annual Report. Any other attachments are to be provided as APPENDIX E to this Annual Report. If information is submitted as a group rathe then by individual mine. Please identify each of the mines data in the list below.

Additional attachments to this report? X No ☐ Yes

APPENDIX A

Certified Reports

Excess Spoil Piles
Refuse Piles
Impoundments

as required under R645-301-514

CONTENTS:

ANNUAL/FOURTH QUARTER INSPECTIONS

- PONDS -

330 East 400 South, Ste. 6, P.O. Box 337, Springville, Utah 84663
(801) 489-6937, (fax) 489-6779

WELLINGTON PLANT
2000 ANNUAL POND INSPECTION REPORT

POND: Pipeline Pond *LOCATION:* Wellington Loadout Site

IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	N/A Dry.
(5) Existing Storage Capacity	0.95 acre feet.
(6) Monitoring Procedures	Quarterly Inspection. U.P.D.E.S.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	5355.5
(8) Sediment Cleanout Level (Elevation)	5358.0
(9) Principle Spillway (Elevation)	5362.6
(10) Emergency Spillway (Elevation)	5362.6
(11) Existing Sediment Capacity (To Cleanout)	0.24 acre feet.

GENERAL	
(12) Comments/Recommendations	Pond O.K. Vegetated.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy
(Signature)

11/28/00
(Date)

WELLINGTON PLANT
2000 ANNUAL POND INSPECTION REPORT

POND: *Loadout Sediment Pond* ***LOCATION:*** *Wellington Loadout Site*

IMPOUNDMENTS	
(1) Stability	*Slopes Stable. Mostly Incised.*
(2) Structural Weakness/Erosion	*None Noted. Minor on NW end and South.*
(3) Potential Safety Hazards	*None Noted.*
(4) Depth of Impounded Water	*Damp.*
(5) Existing Storage Capacity	*1.986 acre feet.*
(6) Monitoring Procedures	*Quarterly Inspection.* *U.P.D.E.S.*

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	**5335.5*
(8) Sediment Cleanout Level (Elevation)	*5335.8*
(9) Principle Spillway (Elevation)	*5338.4*
(10) Emergency Spillway (Elevation)	*5339.5*
(11) Existing Sediment Capacity (To Cleanout)	*0.13 acre feet*

GENERAL	
(12) Comments/Recommendations	** Average Sediment elevation. Pond O.K.*

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy

(Signature)

11/28/00

(Date)

WELLINGTON PLANT
2000 ANNUAL POND INSPECTION REPORT

POND: *Dryer Pond* ***LOCATION:*** *Wellington Loadout Site*

IMPOUNDMENTS	
(1) Stability	*Slopes Stable. Incised Pond.*
(2) Structural Weakness/Erosion	*None Noted. Minor on east bank. (Inside)*
(3) Potential Safety Hazards	*None Noted.*
(4) Depth of Impounded Water	*N/A - Dry.*
(5) Existing Storage Capacity	*5.06 acre feet.*
(6) Monitoring Procedures	*Quarterly Inspection.* *U.P.D.E.S.*

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	*5329.8*
(8) Sediment Cleanout Level (Elevation)	*5330.3*
(9) Principle Spillway (Elevation)	*5336.9*
(10) Emergency Spillway (Elevation)	*5336.9*
(11) Existing Sediment Capacity (To Cleanout)	*0.31 acre feet*

GENERAL	
(12) Comments/Recommendations	*Open channel spillway installed in 1997. Culvert spillway eliminated. No Discharge.*

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy

(Signature)

11/28/00

(Date)

WELLINGTON PLANT
2000 ANNUAL POND INSPECTION REPORT

POND: Auxillary Pond *LOCATION:* Wellington Loadout Site

IMPOUNDMENTS	
(1) Stability	*Slopes Stable. Incised Pond.*
(2) Structural Weakness/Erosion	*None Noted.*
(3) Potential Safety Hazards	*None Noted.*
(4) Depth of Impounded Water	*2.0' of Water on east side of pond - the rest - Damp.*
(5) Existing Storage Capacity	*1.425 acre feet.*
(6) Monitoring Procedures	*Quarterly Inspection.*

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	*5333.5*
(8) Sediment Cleanout Level (Elevation)	*5336.6*
(9) Principle Spillway (Elevation)	*5340.0*
(10) Emergency Spillway (Elevation)	*5340.0*
(11) Existing Sediment Capacity (To Cleanout)	*0.144 acre feet.*

GENERAL	
(12) Comments/Recommendations	*Pond cleaned in 1998.*

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy

(Signature)

11/28/00

(Date)

UTAH REGISTERED #154168 DAN W. GUY 11/28/00 PROFESSIONAL ENGINEER

WELLINGTON PLANT
2000 ANNUAL POND INSPECTION REPORT

POND: *Roadside Pond* ***LOCATION:*** *Wellington Loadout Site*

IMPOUNDMENTS	
(1) Stability	*Slopes Stable. Incised Pond*
(2) Structural Weakness/Erosion	*Minor erosion on slopes.*
(3) Potential Safety Hazards	*None Noted.*
(4) Depth of Impounded Water	*Damp.*
(5) Existing Storage Capacity	*0.303 acre feet.*
(6) Monitoring Procedures	*Quarterly Inspection.*

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	*5334.2*
(8) Sediment Cleanout Level (Elevation)	*5337.0*
(9) Principle Spillway (Elevation)	*5337.0*
(10) Emergency Spillway (Elevation)	*5337.0*
(11) Existing Sediment Capacity (To Cleanout)	*0.303 acre feet.*

GENERAL	
(12) Comments/Recommendations	*Flows to Auxillary Pond to Dryer Pond. Cleaned in 1998.*

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

(Signature)

11/28/00
(Date)

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT			Page 1 of 6
Permit Number	ACT 007/012	**Report Date**	10/30/00
Mine Name	Wellington Prep Plant		
Company Name	General Resources		
Impoundment Identification	**Impoundment Name**	Lower Refuse Pond	
	Impoundment Number	NA	
	UPDES Permit Number	NA	
	MSHA ID Number	1211-UT-19-00099-03	

IMPOUNDMENT INSPECTION

Inspection Date	10/27/00
Inspected By	Layne D. Jensen
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)	Quarterly

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

No evidence of instability or structural weakness.

Required for an impoundment which functions as a SEDIMENTATION POND.

2. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and, estimated average elevation of existing sediment.

Runoff from the site reports to this pond. However, since product may be extracted from this pond, this pond acts as both a process and a sediment pond.

3. Principle and emergency spillway elevations.

No discharge expected from this pond.

4. Field Information. Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/instrumentation information, inlet/outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/repairs, monitoring information, vegetation on outslopes of embankments, etc.

A small amount of water is ponded where product has been extracted but the water level is over 6' below the level of the undisturbed product, well below the discharge elevation. No samples taken. Minor erosion noted on the embankments but does not present a significant hazard. Efforts to reopen the site have recently begun. No new water is being added to the impoundment other than a small amount of runoff which the pond can easily handle without a discharge. Water will not be pumped to this pond when production starts since the Upper refuse pond is expected to be processed first.

5. Field Evaluation. Describe any changes in the geometry of the impounding structure, average and maximum depths and elevations of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period.

The embankment and impoundment structure have not been modified since the last inspection. Water level was not measured. No aspect of the impounding structure that would affect it's stability or function was observed.

Certification Statement: [PE Cert. Stamp]	I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules. **By:** Layne O. Jensen, Env. Eng. (Full Name and Title) **Signature:** Layne O. Jensen **Date:** 10-30-00 **P.E. Number & State:** 189797, UTAH



IMPOUNDMENT INSPECTION AND CERTIFIED REPORT			Page 3 of 6
Permit Number	ACT 007/012	**Report Date**	10/30/00
Mine Name	Wellington Prep Plant		
Company Name	General Resources		
Impoundment Identification	**Impoundment Name**	Clear Water Pond	
	Impoundment Number	NA	
	UPDES Permit Number	NA	
	MSHA ID Number	1211-UT-09-00099-02	

IMPOUNDMENT INSPECTION

Inspection Date	10/27/00
Inspected By	Layne D. Jensen
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)	Quarterly

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

No evidence of instability or structural weakness.

Required for an impoundment which functions as a SEDIMENTATION POND.	**2. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and, estimated average elevation of existing sediment.** Not a sediment pond.
	3. Principle and emergency spillway elevations. NA

4. Field Information. Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/instrumentation information, inlet/outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/repairs, monitoring information, vegetation on outslopes of embankments, etc.

Water level is approximately 20 feet below the outlet elevation. In anticipation of restarting production water was being pumped into the pond from the Price River at the time of the inspection. No discharge is occurring and no samples were taken. Inlet and outlet are stable. Minor erosion features noted on embankment. Vegetation and riprap are OK. Very little surface area drains to this pond. Therefore, there is not a significant chance that this pond will discharge due to a storm event.

5. Field Evaluation. Describe any changes in the geometry of the impounding structure, average and maximum depths and elevations of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period.

I did not observe any modifications to the impoundment since the last inspection. No aspect of the impounding structure that would affect it's stability or function was observed. No sediment accumulation was observed due to the elevation of the water. However, it appeared that sediment observed during previous inspections had been removed to some extent by the dredge. The sediment that may be left does not affect the ponds ability to performed its expected function safely.

Certification Statement:

[PE Cert. Stamp]

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: Layne D. Jensen, Env. Eng.
(Full Name and Title)

Signature: Layne D. Jensen **Date:** 10-30-00

P.E. Number & State: 189797, UTAH

REGISTERED PROFESSIONAL ENGINEER
No. 189797
LAYNE D.
JENSEN
STATE OF UTAH

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT			Page 5 of 6
Permit Number	ACT 007/012	**Report Date**	10/30/00
Mine Name	Wellington Prep Plant		
Company Name	General Resources		
Impoundment Identification	**Impoundment Name**	Upper Refuse Pond	
	Impoundment Number	NA	
	UPDES Permit Number	NA	
	MSHA ID Number	1211-UT-09-00099-04	

IMPOUNDMENT INSPECTION

Inspection Date	10/27/00
Inspected By	Layne D. Jensen
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)	Quarterly

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

No evidence of instability or structural weakness.

Required for an impoundment which functions as a SEDIMENTATION POND.	**2. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and, estimated average elevation of existing sediment.** Not designed to serve only as a sediment pond.
	3. Principle and emergency spillway elevations. NA

4. Field Information. Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/instrumentation information, inlet/outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/repairs, monitoring information, vegetation on outslopes of embankments, etc.

The upper pond is dry. However, a trench in the accumulated material has been excavated along the inside of the embankment in preparation for restarting production from this pond. The material around the outlet structure has also been excavated. A small area has also been excavated to allow the dredge access to the material in the pond. No samples were collected.

5. Field Evaluation. Describe any changes in the geometry of the impounding structure, average and maximum depths and elevations of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period.

No changes to the impoundment other than the excavations mentioned in the field information section were observed. No ponded water was observed. No aspects of the impounding structures that could adversely affect it's stability or function was observed.

Certification Statement:

[PE Cert. Stamp]

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: Layne D. Jensen, Env. Eng.
(Full Name and Title)

Signature: Layne D. Jensen **Date:** 10-30-00

P.E. Number & State: 189797, UTAH



ANNUAL/FOURTH QUARTER INSPECTIONS

- REFUSE PILES -

330 East 400 South, Ste. 6, P.O. Box 337, Springville, Utah 84663
(801) 489-6937, (fax) 489-6779

WELLINGTON LOADOUT SITE

4th Quarter / 2000 ***Coal Refuse Pile - Quarterly Report***

Site Name: Wellington Loadout Site

Refuse Pile: ***Pile I.D. #:***

Plant Refuse Pile ***1211-UT-09-0099-01***

Water impounding against toe: None - Dry.

Fires on piles: None

Seepage, cracks, erosion problems or any other comments pertaining to the stability of the pile:

Sign - O.K. No erosion or other changes noted since last inspection.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.

Dan W. Guy, P.E. *11/28/00*
President *Date*
Blackhawk Engineering, Co.

Permit Number	ACT/007/012	**Report Date**	10/30/00
Mine Name	Wellington Prep Plant		
Company Name	General Resources		
Excess Spoil Pile or Refuse Pile Identification	**Pile Name**	-	
	Pile Number	-	
	MSHA ID Number	-	
Inspection Date	10/27/00		
Inspected By	Layne D. Jensen, P.E.		
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)	Quarterly		
	Attachments to Report? X No ☐ Yes		

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

No organic matter associated with the pile.

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems.

Runoff from the refuse pile and surrounding areas drain to the lower refuse pond. Runoff will not leave the site.

4. Placement and compaction of fill materials.

The storage area appears stable, with no conditions that present a hazard. There are some steep slopes on the pile from previous excavation. These slopes may unravel over time but they do not present a hazard since the height of the slope is limited and any slope failure would not impact any area outside of the refuse pile. No evidence of any slope failure was observed during the inspection.

5. Final grading and revegetation of fill.

Final grading and revegetation had not occured at the time of the inspection

6. Appearances of instability, structural weakness, and other hazardous conditions.

See #4.

7. **Other Comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period.**

No changes since the last inspection. Although some modifications may occur in the future since the site is once again active.

Certification Statement

[Cert. Stamp]

I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: Layne D. Jensen, Env. Eng.
(Full Name and Title)

Signature: Layne D. Jensen **Date:** 10-30-00

P.E. Number & State: 189797 UTAH

REGISTERED PROFESSIONAL ENGINEER
No. 189797
LAYNE D.
JENSEN
STATE OF UTAH

APPENDIX B

Reporting of Technical Data

including monitoring data, reports, maps, and other information
as required under the approved plan
or as required by the Division

in accordance with the requirements of R645-301-130 and R645-301-140.

CONTENTS:

(N/A)

APPENDIX C

Legal, Financial, Compliance and Related Information

Annual Report of Officers
as submitted to the Utah Department of Commerce

and other changes in ownership and control information
as required under R645-301-110.

CONTENTS:

[This information was updated and submitted for an amendment to the MRP on 9/15/00 (incorporated effective 9/29/00)]

APPENDIX D

Mine Maps

as required under R645-301-525.270.

CONTENTS:

(N/A)

APPENDIX E

Other Information

in accordance with the requirements of R645-301 and R645-302.

CONTENTS:

(N/A)