

WELLINGTON PREPARATION PLANT

C/007/012

ANNUAL REPORT

2007

June 30, 2008

PERMITTEE:

NEICO

**6226 West Sahara Ave.
Las Vegas, Nevada 89146**


MT. NEBO SCIENTIFIC, INC.

Research & Consulting

330 East 400 South, Suite 6

P.O. Box 337

Springville, Utah 84663



File in:

- Confidential
- Shelf
- Expandable

Refer to Record No 0009 Date 06/30/08
In C/007/012 2008 Successing
For additional information

To enter text, click in the box and type your response. If a box already contains an entry select the entry and type the replacement. You can use the **tab** key to move from one field to the next. To select a check box, click in the box or type an x.

GENERAL INFORMATION

Permittee Name	Nevada Electric Investment Company (NEICO).
Mine Name	Wellington Preparation Plant
Operator Name (If other than permittee)	
Permit Expiration Date	December 10, 2009
Permit Number	C/007/0012
Authorized Representative Title	Tony Garcia
Phone Number	(702) 367-5767
Fax Number	(702) 227-2069
E-mail Address	mt.nebo@xmission.com
Mailing Address	NEICO (Nevada Power), 6556 W. Sahara Ave., Las Vegas NV 89151
Designated Representative	Patrick D. Collins, Ph.D.
Resident Agent	Patrick D. Collins, Ph.D.
Resident Agent Mailing Address	P. O. Box 337, Springville, UT 84663
Number of Binders Submitted	2

IDENTIFICATION OF OTHER PERMITS

Identify other permits that are required in conjunction with mining and reclamation activities.

Permit Type	ID Number	Description	Expiration Date
MSHA Mine ID(s)	1211-UT-09-00099-01	Plant Refuse Pile	N/A
	1211-UT-09-00099-05	Pond Refuse Pile	N/A
MSHA Impoundment(s)	1211-UT-09-00099-02	Clearwater Pond	N/A
	1211-UT-09-00099-03	Lower Slurry (Refuse) Pond	N/A
	1211-UT-09-00099-04	Upper Slurry (Refuse) Pond	N/A
NPDES/UPDES Permit(s)	UTG040010	General/Industrial	30 April 2013
PSD Permit(s) (Air)	DAQE 997-992	AO-Air Quality	N/A
Other			

File in:

- Confidential
- Shelf
- Expandable

Refer to Record No. 0009 Date 6/30/2008
 In C/007/0012, 2008, Incoming
 For additional information

CERTIFIED REPORTS

List the certified inspection reports as required by the rules and under the approved plan that must be periodically submitted to the Division. Specify whether the information is included as Appendix A to this report or currently on file with the Division.

Certified Reports:	Required		Included or Included	DOGM file location Vol, Chapter, Page	Comments
	Yes	No			
Excess Spoil Piles	<input type="checkbox"/>	X	<input type="checkbox"/>		
Refuse Piles	X	<input type="checkbox"/>	X		
Impoundments	X	<input type="checkbox"/>	X		
Other					
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

COMMITMENTS AND CONDITIONS

The Permittee is responsible for ensuring annual technical commitments in the MRP and conditions accepted with the permit are completed throughout the year.

REPORTING OF OTHER TECHNICAL DATA

List other technical data and information as required under the approved plan, which must be periodically submitted to the Division. Specify whether the information is included as Appendix B to this report or currently on file with the Division.

*Reminder: If equipment has been abandoned during 2007, an amendment must be submitted that includes a map showing its location, a description of what was abandoned, whether there were any hazardous or toxic materials and any revision to the PHC as necessary.

LEGAL, FINANCIAL, COMPLIANCE AND RELATED INFORMATION

Change in administration or corporate structure can often bring about necessary changes to information found in the mining and reclamation plan. The Division is Requesting that each permittee review and update the legal, financial, compliance and related information in the plan as part of the annual report. Please provide the Department of Commerce, Annual Report of Officers, or other equivalent information as necessary to ensure that the information provided in the plan is current. Provide any other change as necessary regarding land ownership, lease acquisitions, legal results from appeals of violations, or other changes as necessary to update information required in the mining and reclamation plan. Include certified financial statements, audits or worksheets, which may be required to meet bonding requirements. Specify whether the information is currently on file with the Division or included as Appendix C to the report.

Legal / Financial Update	Required		Included or Included	DOGM File location Vol, Chapter, Page	Comments
	Yes	No			
Department of Commerce, Annual Report Officers	<input type="checkbox"/>	X	<input type="checkbox"/>	<input type="checkbox"/>	Updated April & July 2006
Other					
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

APPENDIX A

Certified Reports

Excess Spoil Piles
Refuse Piles
Impoundments

As required under R645-301-514

CONTENTS

REFUSE PILES: ANNUAL REPORTS

IMPOUNDMENT INSPECTION: ANNUAL REPORTS

ANNUAL INSPECTIONS: 2007

- *Impoundment Inspection Reports* -



**EAST NEICO - WELLINGTON SITE
2007 ANNUAL POND INSPECTION REPORT**

POND: Upper Refuse Pond LOCATION: Wellington Site


IMPOUNDMENTS		
(1) Changes in Geometry of Structure	N/A - None	
(2) Instrumentation	N/A - None	
(3)	Depth of Impounded Water (Minimum)	N/A - Dry
	Depth of Impounded Water (Maximum)	N/A - Dry
	Depth of Impounded Water (Present)	N/A - Dry
(4) Existing Storage Capacity	136.00 acre feet	
(5) Volume of Impounded Water	N/A - Dry	
(6) Any Changes Affecting Stability or Operation of the Structure	N/A - None	
(7) Stability	Slopes Stable	
(8) Structural Weakness/Erosion	None Noted	
(9) Potential Safety Hazards	None Noted	
(10) Monitoring Procedures	Quarterly/Annual Inspection	

SEDIMENT PONDS ONLY	
(11) Sediment Accumulation (Elevation)	N/A
(12) Sediment Cleanout Level (Elevation)	N/A
(13) Principle Spillway (Elevation)	N/A
(14) Emergency Spillway (Elevation)	N/A
(15) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL	
(16) Comments/Recommendations	MSHA Pond. Divided into 3 Cells 1211-UT-09-00099-04 All - Dry.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11/21/07
(Date)



**EAST NEICO - WELLINGTON SITE
2007 ANNUAL POND INSPECTION REPORT**

POND: Lower Refuse Pond LOCATION: Wellington Site


IMPOUNDMENTS		
(1) Changes in Geometry of Structure	N/A - None	
(2) Instrumentation	N/A - None	
(3)	Depth of Impounded Water (Minimum)	N/A - Dry
	Depth of Impounded Water (Maximum)	N/A - Dry
	Depth of Impounded Water (Present)	N/A - Dry
(4) Existing Storage Capacity	765.00 acre feet	
(5) Volume of Impounded Water	N/A - None	
(6) Any Changes Affecting Stability or Operation of the Structure	N/A - Dry	
(7) Stability	Slopes Stable	
(8) Structural Weakness/Erosion	None Noted	
(9) Potential Safety Hazards	None Noted	
(10) Monitoring Procedures	Quarterly/Annual Inspection	

SEDIMENT PONDS ONE	
(11) Sediment Accumulation (Elevation)	5370.4 (Average)
(12) Sediment Cleanout Level (Elevation)	5372.0
(13) Principle Spillway (Elevation)	5382.7
(14) Emergency Spillway (Elevation)	5382.7
(15) Existing Sediment Capacity (To Cleanout)	53.72 acre feet

GENERAL	
(16) Comments/Recommendations	MSHA Pond. Ditch cut around perimeter & through middle. 1211-UT-19-00099-03

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11/21/07
(Date)



**EAST NEICO - WELLINGTON SITE
2007 ANNUAL POND INSPECTION REPORT**

POND: Clear Water Pond LOCATION: Wellington Site


IMPOUNDMENTS	
(1) Changes in Geometry of Structure	N/A - None
(2) Instrumentation	N/A - None
(3)	Depth of Impounded Water (Minimum)
	Depth of Impounded Water (Maximum)
	Depth of Impounded Water (Present)
(4) Existing Storage Capacity	240.30 acre feet
(5) Volume of Impounded Water	N/A - Dry
(6) Any Changes Affecting Stability or Operation of the Structure	N/A - None
(7) Stability	Slopes Stable
(8) Structural Weakness/Erosion	None Noted
(9) Potential Safety Hazards	None Noted
(10) Monitoring Procedures	Quarterly/Annual Inspection

SEDIMENT PONDS ONLY	
(11) Sediment Accumulation (Elevation)	N/A
(12) Sediment Cleanout Level (Elevation)	N/A
(13) Principle Spillway (Elevation)	N/A
(14) Emergency Spillway (Elevation)	N/A
(15) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL	
(16) Comments/Recommendations	MSHA Pond. 1211-UT-09-00099-02 Sign O.K.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



 (Signature)

11/21/07

 (Date)



**WELLINGTON PLANT
2007 ANNUAL POND INSPECTION REPORT**

POND: *Roadside Pond*

LOCATION: *Wellington Loadout Site*


IMPOUNDMENTS	
(1) Stability	<i>Slopes Stable. Incised Pond</i>
(2) Structural Weakness/Erosion	<i>Minor erosion on slopes.</i>
(3) Potential Safety Hazards	<i>None Noted.</i>
(4) Depth of Impounded Water	<i>N/A Dry.</i>
(5) Existing Storage Capacity	<i>0.421 acre feet.</i>
(6) Monitoring Procedures	<i>Quarterly Inspection.</i>

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	<i>5333.1</i>
(8) Sediment Cleanout Level (Elevation)	<i>5337.0</i>
(9) Principle Spillway (Elevation)	<i>5337.0</i>
(10) Emergency Spillway (Elevation)	<i>5337.0</i>
(11) Existing Sediment Capacity (To Cleanout)	<i>0.421 acre feet.</i>

GENERAL	
(12) Comments/Recommendations	<i>Flows to Auxillary Pond to Dryer Pond. Cleaned in 1998.</i>

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



(Signature)

11/21/07
(Date)



**WELLINGTON PLANT
2007 ANNUAL POND INSPECTION REPORT**

POND: Loadout Sediment Pond **LOCATION:** Wellington Loadout Site

IMPOUNDMENTS	
(1) Stability	Slopes Stable. Mostly Incised.
(2) Structural Weakness/Erosion	None Noted. Minor on South End.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	N/A - Dry.
(5) Existing Storage Capacity	2.010 acre feet.
(6) Monitoring Procedures	Quarterly Inspection. U.P.D.E.S.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	*5335.2
(8) Sediment Cleanout Level (Elevation)	5335.8
(9) Principle Spillway (Elevation)	5338.4
(10) Emergency Spillway (Elevation)	5339.5
(11) Existing Sediment Capacity (To Cleanout)	0.222 acre feet

GENERAL	
(12) Comments/Recommendations	* Average Sediment elevation. Pond O.K.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11/21/07
(Date)



**WELLINGTON PLANT
2007 ANNUAL POND INSPECTION REPORT**

POND: Dryer Pond

LOCATION: Wellington Loadout Site


IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond.
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	3.0 Water/Ice.
(5) Existing Storage Capacity	2.962 acre feet.
(6) Monitoring Procedures	Quarterly Inspection. U.P.D.E.S.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	5329.2
(8) Sediment Cleanout Level (Elevation)	5330.3
(9) Principle Spillway (Elevation)	5336.9
(10) Emergency Spillway (Elevation)	5336.9
(11) Existing Sediment Capacity (To Cleanout)	0.260 acre feet

GENERAL	
(12) Comments/Recommendations	Open channel spillway installed in 1997. Culvert spillway eliminated. No Discharge. Note: No visible inflow from culvert on north side.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



 (Signature)

 11/21/07
 (Date)



ANNUAL INSPECTIONS: 2007

- Refuse Pile Inspection Reports -



**NEICO
East Wellington Site**


Coal Refuse Pile - Quarterly Report

Quarter	Year
4th	2007
Refuse Pile:	
Pond Refuse Pile	

Site Name
Covol Plant - Wellington
Pile ID #:
1211-UT-09-00099-05

Water impounding against toe:	N/A - Dry.
Fires on piles:	None.
Seepage, cracks, erosion problems or any other comments pertaining to the stability of the pile:	
Pile regraded to reduce slopes. No erosion or changes noted since last inspection.	

I have performed the above inspection on these refuse piles and do hereby certify it to be a true and accurate representation of the piles at this time.


 Dan W. Guy
 President
 Blackhawk Engineering, Inc.

11/21/07
 Date:



**NEICO
West Wellington Site**

Coal Refuse Pile - Quarterly Report

Quarter	Year
4th	2007
Refuse Pile	
Plant Refuse Pile	

Site Name
Wellington Loadout Site
Pile ID #
1211-UT-09-00099-01

Water impounding against toe:	Dry. No water on top.
Fires on piles:	None.
Seepage, cracks, erosion problems or any other comments pertaining to the stability of the pile:	
Sign - OK. No erosion or other changes noted since last inspection.	

I have performed the above inspection on these refuse piles and do hereby certify it to be a true and accurate representation of the piles at this time.



Dan W. Guy
President
Blackhawk Engineering, Inc.

11/21/07

Date:



APPENDIX B

Reporting of Technical Data

Including monitoring data, reports, maps, and other information
As required under the approved plan or as required by the Division

In accordance with the requirement of R645-310-130 and R645-301-140

CONTENTS

N/A

APPENDIX C

Legal Financial, Compliance and Related Information

Annual Report of Officers
As submitted to the Utah Department of Commerce

Other change in ownership and control information
As required under R645-301-110

CONTENTS

N/A

APPENDIX D

Mine Maps

As required under R645-302-525-270

CONTENTS

N/A

APPENDIX E

Other Information

In accordance with the requirements of R645-301 and R645-302

CONTENTS

N/A