



MT NEBO SCIENTIFIC, INC.
research & consulting

VIA: U.S. Priority Mail

March 28, 2011

STATE OF UTAH
Division of Oil, Gas & Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

ATTN.: Utah Coal Regulatory Program

RE: ANNUAL REPORT - 2010
Wellington Preparation Plant (C/007/012)

Dear Coal Staff:

Please find a CD with an electronic file of the 2010 Annual Report for the Wellington Preparation Plant. *No hardcopies have been included.*

Please contact me anytime with your questions or comments.

Sincerely,

Patrick D. Collins, Ph.D.
Resident Agent/Environmental Consultant

WELLINGTON PREPARATION PLANT

C/007/012

ANNUAL REPORT


2010

March 31, 2011

PERMITTEE:

NEICO
6226 West Sahara Ave.
Las Vegas, Nevada 89146

MT. NEBO SCIENTIFIC, INC.



330 East 400 South, Ste. 6, P.O. Box 337, Springville, Utah 84663
(801) 489-6937, (fax) 489-6779

Submit by Email

Print Form

Reset Form

Annual Report

Date

3/28/11

This Annual Report shows information the Division has for your mine. Submit the completed document and any additional information identified in the Appendices to the Division by **March 31, 2011**. During a complete inspection an inspector will check and verify the information.

GENERAL INFORMATION

Company Name	Nevada Electric Investment Company (NEICO)	Mine Name	Wellington Preparation Plant
Permit Number	C/007/0012	Permit expiration Date	2014-12-09
Operator Name	NEICO	Phone Number	See below*
Mailing Address	NEICO (NV Energy, Inc.), 6226 W. Sahara Ave.		Email
			mt.nebo@xmission.com
City	Las Vegas	State	NV
		Zip Code	89146

CERTIFIED REPORTS

DOGM File Location or Annual Report Location

Excess Spoil Piles

- Required
 Not Required

n/a

Refuse Piles

- Required
 Not Required

Included in this report (see ATTACHMENT A)

Impoundments

- Required
 Not Required

Included in this report (see ATTACHMENT B)

Other:

OPERATOR COMMENTS

* Was unable to insert the phone number in the field above (see below for telephone number).

Resident Agent: Patrick D. Collins, Ph.D.
 Address: P.O. Box 337
 Springville, UT 84663
 ph. (801) 489-6937

REVIEWER COMMENTS

Met Requirements

Did Not meet Requirements

REPORTING OF OTHER TECHNICAL DATA

List other technical data and information as required under the approved plan, which must be periodically submitted to the Division. Specify whether the information is included as an attachment to this report or currently on file with the Division.

Please List Attachments:

- 1). Quarterly water monitoring is required. Results from laboratory analyses for this monitoring have been submitted to the Division's EDI system.
- 2) Annual Certified Refuse Pile Inspections (included in this report).
- 3) Quarterly Pond Inspections (included in this report).

REVIEWER COMMENTS

Met Requirements

Did Not meet Requirements

LEGAL, FINANCIAL, COMPLIANCE AND RELATED INFORMATION

The Division is Requesting that each Permittee review and update the legal, financial, compliance and related information in the plan as part of the annual report. Please provide the Department of Commerce, Annual Report of Officers, or other equivalent information as necessary to ensure that the information provided in the plan is current. Provide any other change as necessary regarding land ownership, lease acquisitions, legal results from appeals of violations, or other changes as necessary to update information required in the mining and reclamation plan. Include certified financial statements, audits or worksheets, which may be required to meet bonding requirements. Specify whether the information is currently on file with the Division or included as an attachment to the report.

LEGAL/ FINANCIAL UPDATE

Included

DOGGM File Location or Annual Report Location

No changes have been made. MRP is current.	<input type="checkbox"/>	see DOGM's copy of Wellington Prep Plant's Mining & Reclamation Plan
	<input type="checkbox"/>	
	<input type="checkbox"/>	
	<input type="checkbox"/>	

REVIEWER COMMENTS

Met Requirements

Did Not meet Requirements

MAPS

Copies of mine maps, current and up-to-date through at least December 31, 2010, are to be provided to the Division as an attachment to this report in accordance with the requirements of R 645-301-525.240. The map copies shall be made in accordance with 30 CFR 75.1200 as required by MSHA. Mine maps are not considered confidential.

Map Name	Map Number	Included		Confidential	
		Yes	No	Yes	No
Mine maps are not required.		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

REVIEWER COMMENTS Met Requirements Did Not meet Requirements

OTHER INFORMATION

Please provide any comments of further information to be included as part of the Annual Report. Any other attachments are to be provided as an attachment to this report. If information is submitted as a group rather than by individual mine, please identify each of the mine's data in the list below.

Please List Attachments:

REFUSE PILE INSPECTIONS (ATTACHMENT A)

ANNUAL POND INSPECTIONS (ATTACHMENT B)

REVIEWER COMMENTS

ATTACHMENT A

ANNUAL INSPECTIONS: 2010

- Refuse Pile Inspection Reports -



**NEICO
East Wellington Site**


Coal Refuse Pile - Quarterly Report

Quarter	Year
4th	2010
Refuse Pile:	
Pond Refuse Pile	

Site Name:
Covol Plant - Wellington
Pile I.D. #:
1211-UT-09-00099-05

Water impounding against toe:	N/A - Dry.
Fires on piles:	None.
Seepage, cracks, erosion problems or any other comments pertaining to the stability of the pile:	
Pile regraded to reduce slopes. Minor rilling on east regraded slope. No change.	

I have performed the above inspection on these refuse piles and do hereby certify it to be a true and accurate representation of the piles at this time.



 Dan W. Guy
 President
 Blackhawk Engineering, Inc.

11/03/10

 Date:



**NEICO
West Wellington Site**


Coal Refuse Pile - Quarterly Report

Quarter	Year
4th	2010
Refuse Pile:	
Plant Refuse Pile	

Site Name:
Wellington Loadout Site
Pile I.D. #:
1211-UT-09-00099-01

Water impounding against toe:	Dry. No water on top.
Fires on piles:	None.
Seepage, cracks, erosion problems or any other comments pertaining to the stability of the pile:	
Sign - OK. No erosion or other changes noted since last inspection.	

I have performed the above inspection on these refuse piles and do hereby certify it to be a true and accurate representation of the piles at this time.


 Dan W. Guy
 President
 Blackhawk Engineering, Inc.

11/03/10


 Date:



ATTACHMENT B

ANNUAL INSPECTIONS: 2010

- Impoundment Inspection Reports -



**WELLINGTON PLANT
2010 ANNUAL POND INSPECTION REPORT**

POND: Loadout Sediment Pond **LOCATION:** Wellington Loadout Site


IMPOUNDMENTS	
(1) <i>Stability</i>	<i>Slopes Stable. Mostly Incised.</i>
(2) <i>Structural Weakness/Erosion</i>	<i>Minor erosion on South End, inside pond.</i>
(3) <i>Potential Safety Hazards</i>	<i>None Noted.</i>
(4) <i>Depth of Impounded Water</i>	<i>6" Water on North Side only.</i>
(5) <i>Existing Storage Capacity</i>	<i>1.759 acre feet.</i>
(6) <i>Monitoring Procedures</i>	<i>Quarterly Inspection. U.P.D.E.S.</i>

SEDIMENT PONDS ONLY	
(7) <i>Sediment Accumulation (Elevation)</i>	<i>*5335.4</i>
(8) <i>Sediment Cleanout Level (Elevation)</i>	<i>5335.8</i>
(9) <i>Principle Spillway (Elevation)</i>	<i>5338.4</i>
(10) <i>Emergency Spillway (Elevation)</i>	<i>5339.5</i>
(11) <i>Existing Sediment Capacity (To Cleanout)</i>	<i>0.148 acre feet</i>

GENERAL	
(12) <i>Comments/Recommendations</i>	<i>* Average Sediment elevation. Pond O.K.</i>

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



 (Signature)

08/16/10

 (Date)



**EAST NEICO - WELLINGTON SITE
2010 ANNUAL POND INSPECTION REPORT**

POND: Upper Refuse Pond LOCATION: Wellington Site

IMPOUNDMENTS		
(1) Changes in Geometry of Structure	N/A - None	
(2) Instrumentation	N/A - None	
(3)	Depth of Impounded Water (Minimum)	N/A - Dry
	Depth of Impounded Water (Maximum)	N/A - Dry
	Depth of Impounded Water (Present)	N/A - Dry
(4) Existing Storage Capacity	136.00 acre feet	
(5) Volume of Impounded Water	N/A - Damp (Small Puddle in NW Corner).	
(6) Any Changes Affecting Stability or Operation of the Structure	N/A - None	
(7) Stability	Slopes Stable	
(8) Structural Weakness/Erosion	None Noted	
(9) Potential Safety Hazards	None Noted	
(10) Monitoring Procedures	Quarterly/Annual Inspection	

SEDIMENT PONDS ONLY	
(11) Sediment Accumulation (Elevation)	N/A
(12) Sediment Cleanout Level (Elevation)	N/A
(13) Principle Spillway (Elevation)	N/A
(14) Emergency Spillway (Elevation)	N/A
(15) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL	
(16) Comments/Recommendations	MSHA Pond. Divided into 3 Cells 1211-UT-09-00099-04

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

08/16/10
(Date)



**EAST NEICO - WELLINGTON SITE
2010 ANNUAL POND INSPECTION REPORT**

POND: Lower Refuse Pond LOCATION: Wellington Site


IMPOUNDMENTS		
(1) Changes in Geometry of Structure	N/A - None	
(2) Instrumentation	N/A - None	
(3)	Depth of Impounded Water (Minimum)	N/A - Dry
	Depth of Impounded Water (Maximum)	N/A - Dry
	Depth of Impounded Water (Present)	N/A - Dry
(4) Existing Storage Capacity	765.00 acre feet	
(5) Volume of Impounded Water	N/A - Minor Amount of Water in East Perimeter Ditch.	
(6) Any Changes Affecting Stability or Operation of the Structure	N/A - None	
(7) Stability	Slopes Stable	
(8) Structural Weakness/Erosion	None Noted	
(9) Potential Safety Hazards	None Noted	
(10) Monitoring Procedures	Quarterly/Annual Inspection	

SEDIMENT PONDS ONLY	
(11) Sediment Accumulation (Elevation)	5370.4 (Average)
(12) Sediment Cleanout Level (Elevation)	5372.0
(13) Principle Spillway (Elevation)	5382.7
(14) Emergency Spillway (Elevation)	5382.7
(15) Existing Sediment Capacity (To Cleanout)	53.72 acre feet

GENERAL	
(16) Comments/Recommendations	MSHA Pond. Ditch cut around perimeter & through middle. 1211-UT-09-00099-03

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

08/16/10
(Date)



**EAST NEICO - WELLINGTON SITE
2010 ANNUAL POND INSPECTION REPORT**

POND: Clear Water Pond LOCATION: Wellington Site


IMPOUNDMENTS		
(1) Changes in Geometry of Structure	N/A - None	
(2) Instrumentation	N/A - None	
(3)	Depth of Impounded Water (Minimum)	N/A - Dry
	Depth of Impounded Water (Maximum)	N/A - Dry
	Depth of Impounded Water (Present)	N/A - Dry
(4) Existing Storage Capacity	240.30 acre feet	
(5) Volume of Impounded Water	N/A - Damp	
(6) Any Changes Affecting Stability or Operation of the Structure	N/A - None	
(7) Stability	Slopes Stable	
(8) Structural Weakness/Erosion	None Noted	
(9) Potential Safety Hazards	None Noted	
(10) Monitoring Procedures	Quarterly/Annual Inspection	

SEDIMENT PONDS ONLY	
(11) Sediment Accumulation (Elevation)	N/A
(12) Sediment Cleanout Level (Elevation)	N/A
(13) Principle Spillway (Elevation)	N/A
(14) Emergency Spillway (Elevation)	N/A
(15) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL	
(16) Comments/Recommendations	MSHA Pond. 1211-UT-09-00099-02

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



(Signature)

08/16/10

(Date)

