

0025

Beaver Creek Coal Company

P.O. Box 1376
Price, Utah 84501
Telephone 801 637-5050

*File Act/007/016
#3, 15 w/may*



May 14, 1985

RECEIVED

MAY 15 1985

**DIVISION OF OIL
GAS & MINING**

Mr. Lowell P. Braxton
Administrator
Utah Division of Oil, Gas, and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, UT 84180-1203

RE: Proposed Amendment
Gordon Creek No. 2 Mine
ACT/007/016
Carbon County, Utah

Dear Mr. Braxton:

As per our phone conversation on May 13, 1985, I have enclosed three (3) copies of a proposed amendment to our Gordon Creek No. 2 Mine Plan. This proposal is to move the covered storage shed from its present location to the storage area near the west portals. Both areas are within the present disturbed drainage and no drainage changes will be required.

The attached Scope of Work will show that the shed will be disassembled and moved to the new location for reassembly. A small concrete footer is required for the structure; however, since it will be the same as the present structure, no bonding change will result.

The "Oil Storage" area will be drained to a small tank (50 gallons capacity or greater) to collect any leakage or spillage. This tank will be cleaned as needed. The small capacity is adequate, since the oil and fluids to be stored here are normally in 5 gallon containers. This is an added protection measure over the present system.

It is our hope this proposed amendment will meet with your approval. We are prepared to implement construction upon notification of approval. If you have any questions, or need further information, please let me know.

Respectfully,

Dan W. Guy
Manager Permitting and Compliance

DWG/sb

Attachments

cc: M.P. Watson (BCCC)
Jay Marshall (BCCC)
File 4-P-5-1-5
IBM D1

Scope of Work

Material Storage Shed

1.0 Description of Work - General

Except as otherwise expressly provided herein, Contractor shall supply all labor, supervision, installed and consumable materials, equipment, tools, services, warehousing and each and every item of expense necessary for the supply; fabrication; erection; construction; handling; hauling, unloading and receiving of a material storage shed.


Tear down, move and reconstruct storage shed as per sketch. Materials from the present shed shall be used to reconstruct the new shed. Additional material will be required but shall be kept at a minimum. Area where shed is to be relocated is to be filled, compacted, and sloped to allow for drainage.

- 1.1 The oil storage area and the maintenance areas shall be enclosed on all four sides. The other areas not included above shall be enclosed on three sides. A double door, similar to the double door on the pumphouse shall be installed in the oil storage area. A 36" wide X 80" high door and a 14' wide X 12' high garage door shall be installed in the maintenance area as per sketch. A floor drain system will be installed in the oil storage area.

2.0 Material, Equipment or Services Furnished by Owner

The Owner shall furnish or cause to be furnished to the Contractor, the following items or in connection with performance of the work:

- 2.1 Present storage shed to be used for materials for new shed.
- 2.2 Testing of concrete.
- 2.3 Fill material borrow area.
- 2.4 Testing of soil compaction.
- 2.5 Construction or non-potable water at a point on jobsite as designated by Owner. Connections to and disconnections from water supply shall be by Contractor. Potable water shall be supplied by Contractor.
- 2.6 Electrical power at a point on jobsite for small tools, etc. required in the actual work areas. Connections to and disconnections from power supply shall be by the Contractor.
- 2.7 Accessible space adjacent to the construction site for performance of work and storage of material and equipment. (No protective coverings of any kind will be furnished by Owner.)



STORAGE SHED SKETCH