

ANDALEX RESOURCES
CENTENNIAL (TOWER) MINE
C/007/019
2007 ANNUAL REPORT

File in:

Confidential

Shelf

Expandable

Refer to Record No 0014 Date 06/30/2008

In C/007/019, 2008 Income

For additional information Confidential
06/30/2008

CHECKLIST

To enter text, click in the box and type your response. If a box already contains an entry select the entry and type the replacement. You can use the **tab** key to move from one field to the next. To select a check box, click in the box or type an x.

GENERAL INFORMATION

Permitte Name	Andalex Resources Inc.
Mine Name	Centennial Project
Operator Name (If other then permittee)	
Permit Expiration Date	January 4, 2012
Permit Number	C/007/0019
Authorized Representative Title	Dave Shaver, Resident Agent
Phone Number	(435) 888-4017
Fax Number	(435) 888-4002
E-mail Address	dshaver@utahamerican.com
Mailing Address	6750 Airport Road, P.O. Box 1077, Price, Utah 84501
Designated Representative	Dave Shaver
Resident Agent	Dave Shaver
Resident Agent Mailing Address	Same as above
Number of Binders Submitted	

IDENTIFICATION OF OTHER PERMITS

Identify other permits that are required in conjunction with mining and reclamation activities.

Permit Type	ID Number	Description	Expiration Date
MSHA Mine ID(s)	42-01474	Pinnacle	N/A
	42-01759	Apex	N/A
	42-02028	Aberdeen	N/A
MSHA Impoundment(s)	N/A		
NPDES/UPDES Permit(s)	UT0025674	UPDES Permit	11/30/2011
PSD Permit(s) (Air)	DAQE-997-96	Centennial	N/A
Other			

File in:

- Confidential
- Shelf
- Expandable

Refer to Record No 0014 Date 06302008
 In CD07001, 2008 Incoming
 For additional information Confidential
06302008

CERTIFIED REPORTS

List the certified inspection reports as required by the rules and under the approved plan that must be periodically submitted to the Division. Specify whether the information is included as Appendix A to this report or currently on file with the Division.

Certified Reports:	Required		Included or DOGM file location		Comments
	Yes	No	Included	Vol, Chapter, Page	
Excess Spoil Piles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Refuse Piles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Impoundments	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Other					
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

COMMITMENTS AND CONDITIONS

The Permittee is responsible for ensuring annual technical commitments in the MRP and conditions accepted with the permit are completed throughout the year. The Division has identified these commitments below and has provided space for you to report what you have done during the past year for each commitment. If the particular section is blank, no commitment has been identified and no response is required for this report. If a written response is required, it should be filed under Appendix B to this report.

Admin R645-301-100	
Soils R645-301-200	
Biology R645-301-300	
Has this commitment been acted on this year? Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required for this year. <input checked="" type="checkbox"/>	Title: CULTURAL RESOURCES Objective: If during the course of mining operations, previously unidentified cultural resources are discovered, the Permittee shall ensure that the site(s) is not disturbed and shall notify the Division of Oil, Gas, and Mining. The Division, after coordination with OSM, shall inform the Permittee of necessary actions required. The Permittee shall implement the mitigation measures required by the Division within the time frame specified by the Division. Frequency: As needed. Status: Ongoing. Reports: Annually. Citation: Permit Condition Sec. 16.

<p>Has this commitment been acted on this year?</p> <p>Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Not Required for this year. <input type="checkbox"/></p>	<p>Title: RAPTOR SURVEY Objective: Frequency: Annually or as long as the gob vent wells are in operation. Status: Ongoing. Reports: Annually. Citation: Appendix X, chapter 3, page 3-4, paragraph 6.</p>
--	--

<p>Has this commitment been acted on this year?</p> <p>Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Not Required for this year. <input type="checkbox"/></p>	<p>Title: SAGE GROUSE NEST SITE EVALUATION Objective: Prior to development of the well site a Sage Grouse nest site evaluation will be conducted by a knowledgeable wildlife biologist. If nests are located an alternative drill site location will be determined. Frequency: Based on the need to drill additional de-gas wells. Status: Ongoing. Reports: Annually. Citation: Appendix X, chapter 3, page 3-5, paragraph 1.</p>
--	---

Landuse, Cultural Resources, Air Quality R645-301- 400

Engineering R645-301-500

<p>Has this commitment been acted on this year?</p> <p>Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Not Required for this year. <input type="checkbox"/></p>	<p>Title: SUBSIDENCE MONITORING Objective: Determine subsidence effects. Frequency: Annually. Status: On going. Reports: Submit surveyed monitoring data to Division by June 30, annually. Citation: MRP.</p>
--	--

Geology R645-301-600

Hydrology R645-301-700

<p>Has this commitment been acted on this year?</p> <p>Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Not Required for this year. <input type="checkbox"/></p>	<p>Title: WATER MONITORING Objective: Monitoring of in-mine water will occur if underground mining encounters flows from a single source of 3 gpm or greater and sustained at a rate of 3 gpm or greater for a period of 30 days. Frequency: Observe throughout the year. Status: Ongoing. Reports: Sustained flows will be monitored and reported as a monitoring site. Citation: Volume 1, Chapter 7, Page 7-5.</p>
--	--

<p>Has this commitment been acted on this year?</p> <p>Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Not Required for this year. <input type="checkbox"/></p>	<p>Title: WATER MONITORING Objective: Permittee commits to monitoring surface water stations with an emphasis on storm events. Every effort will be made to collect samples during runoff on a quarterly basis, should runoff occur. Frequency: Observed throughout the year. Status: On-going. Reports: Included in quarterly reports to Division database. Citation: Volume 1, Chapter 7, Page 7-6.</p>
<p>Has this commitment been acted on this year?</p> <p>Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Not Required for this year. <input type="checkbox"/></p>	<p>Title: WATER MONITORING Objective: If ever there is a discharge at any UPDES location, field measurements of flow, air and water temperature, pH and EC will be made, as well as flow. Frequency: Throughout the year. Status: Ongoing. Reports: Quarterly submission to the Division database. Citation: Volume 1, Chapter 7, Page 7-7.</p>
<p>Bonding & Insurance R645-301-800</p>	
<p>Other Commitments</p>	

*Reminder: If equipment has been abandoned during 2007, an amendment must be submitted that includes a map showing its location, a description of what was abandoned, whether there were any hazardous or toxic materials and any revision to the PHC as necessary.

REPORTING OF OTHER TECHNICAL DATA

List other technical data and information as required under the approved plan, which must be periodically submitted to the Division. Specify whether the information is included as Appendix B to this report or currently on file with the Division.

LEGAL, FINANCIAL, COMPLIANCE AND RELATED INFORMATION

Change in administration or corporate structure can often bring about necessary changes to information found in the mining and reclamation plan. The Division is Requesting that each permittee review and update the legal, financial, compliance and related information in the plan as part of the annual report. Please provide the Department of Commerce, Annual Report of Officers, or other equivalent information as necessary to ensure that the information provided in the plan is current. Provide any other change as necessary regarding land ownership, lease acquisitions, legal results from appeals of violations, or other changes as necessary to update information required in the mining and reclamation plan. Include certified financial statements, audits or worksheets, which may be required to meet bonding requirements. Specify whether the information is currently on file with the Division or included as Appendix C to the report.

APPENDIX A

Certified Reports

Excess Spoil Piles
Refuse Piles
Impoundments

As required under R645-301-514

CONTENTS

APPENDIX B

Reporting of Technical Data

Including monitoring data, reports, maps, and other information
As required under the approved plan or as required by the Division

In accordance with the requirement of R645-310-130 and R645-301-140

CONTENTS

APPENDIX C

Legal Financial, Compliance and Related Information

Annual Report of Officers
As submitted to the Utah Department of Commerce

Other change in ownership and control information
As required under R645-301-110

CONTENTS

APPENDIX D

Mine Maps

As required under R645-302-525-270

CONTENTS

APPENDIX E

Other Information

In accordance with the requirements of R645-301 and R645-302

CONTENTS

SEDIMENT POND CERTIFICATION

UtahAmerican Energy, Inc.
Tower Mines
2007 Annual Pond Certification Report

POND: Sediment Basin B

LOCATION: Tower Mine

IMPOUNDMENTS	
(1) Stability	All impoundment slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems, and no erosion is noted
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	There was no water at time of inspection
(5) Existing Storage Capacity	0.2 ac-ft
(6) Monitoring Procedures	Quarterly inspections are performed

(7) Sediment Accumulation (Elevation)	7079.5 (Cell 2)
(8) Sediment Cleanout Level (Elevation)	7081.0 (Cell 2)
(9) Principle Spillway (Elevation)	7077.0 (Cell 1)
(10) Emergency Spillway (Elevation)	7078.0 (Cell 1)
(11) Existing Sediment Capacity (To Cleanout)	Approx 0.04 ac-ft

GENERAL	
(12) Comments/Recommendations	Cells 3 and 4 are full. Cell 2 has 1.5' remaining, Cell1 has 5.0' remaining. No discharge was occurring at time of inspection

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs
 (Signature)

08/26/07
 (Date)



UtahAmerican Energy, Inc.
Tower Mines
2007 Annual Pond Certification Report

POND: Sediment Pond C

LOCATION: Tower Mine

IMPOUNDMENTS	
(1) Stability	All impoundment slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems, and no erosion is noted
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	There was no water at time of inspection
(5) Existing Storage Capacity	0.3 ac-ft
(6) Monitoring Procedures	Quarterly inspections are performed Spillway is a UPDES outfall monitoring point

(7) Sediment Accumulation (Elevation)	7042.5
(8) Sediment Cleanout Level (Elevation)	7046.9
(9) Principle Spillway (Elevation)	7053.1
(10) Emergency Spillway (Elevation)	7055.0
(11) Existing Sediment Capacity (To Cleanout)	0.6 ac-ft

GENERAL	
(12) Comments/Recommendations	No discharge was occurring at time of inspection. This pond was cleaned in October 2006

STATEMENT


I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs

(Signature)

08/26/07

(Date)



UtahAmerican Energy, Inc.
Tower Mines
2007 Annual Pond Certification Report

POND: Sediment Pond E

LOCATION: Tower Mine

IMPOUNDMENTS	
(1) Stability	All impoundment slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems, and no erosion is noted
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	6"-12" est
(5) Existing Storage Capacity	2.1 ac-ft
(6) Monitoring Procedures	Quarterly inspections are performed Spillway is a UPDES outfall monitoring point

(7) Sediment Accumulation (Elevation)	6946.0
(8) Sediment Cleanout Level (Elevation)	6946.5'
(9) Principle Spillway (Elevation)	6957.6
(10) Emergency Spillway (Elevation)	6958.6
(11) Existing Sediment Capacity (To Cleanout)	0.059 ac-ft


GENERAL	
(12) Comments/Recommendations	No discharge was occurring at time of inspection.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs
 (Signature)

08/26/07
 (Date)



SUBSIDENCE SURVEY

TOWER RESOURCES, INC.
2007 RTK GPS SUBSIDENCE SURVEY

11/5/2007

STATION	NORTHING (FEET)	EASTING (FEET)	2003 ELEVATION	2004 ELEVATION	2005 ELEVATION	2006 ELEVATION	2007 ELEVATION	NOTES
Rebar on ridge	505,141.92	2,217,261.07	8,241.62	8,241.62	8,241.62	8,241.62	8,241.62	CONTROL
Yellow Rebar	507,073.59	2,223,128.18	8,534.90	8,534.90	8,534.90	8,534.90	8,534.90	CONTROL
S-10	507,824.28	2,217,196.61	8,594.59	8,594.59	8,594.59	8,594.59	8,594.59	CONTROL
1A	504,057.58	2,216,580.88	8,147.07	8,147.01	8,147.01	8,147.02	Abandoned	---
1	502,940.63	2,216,278.86	8,178.03	8,177.98	8,177.99	8,177.97	Abandoned	---
4	503,238.22	2,221,322.25	8,285.02	8,284.77	8,284.76	8,284.74	Abandoned	---
11	498,938.93	2,218,688.76	7,671.20	7,671.22	7,671.22	7,671.19	Abandoned	---
9	506,252.80	2,221,663.53	8,544.02	8,544.05	8,543.98	8,543.95	Abandoned	---
5	504,194.65	2,224,746.94	8,001.92	8,001.90	8,001.89	8,001.89	Abandoned	---
7	502,013.34	2,225,964.02	8,102.98	8,102.98	8,102.99	8,102.97	Abandoned	---
13	500,747.06	2,228,007.66	7,854.72	7,854.67	7,854.65	7,854.63	Abandoned	---
S31	506,352.97	2,217,376.82	8,386.64	8,386.51	8,386.52	8,386.51	Abandoned	---
S30	506,015.07	2,215,357.70	8,118.02	8,117.88	8,117.86	8,117.87	Abandoned	---
S16	508,650.48	2,210,725.70	8,809.53	8,809.58	8,809.66	8,809.64	8,809.64	---
S17	508,190.63	2,213,802.51	8,624.48	8,624.50	8,624.51	8,624.46	8,624.43	---
99-1	508,942.12	2,215,063.90	8,572.35	8,572.32	8,572.26	8,572.17	8,572.13	---
99-2	509,023.29	2,218,624.20	8,551.12	8,551.01	8,551.03	8,550.95	8,551.01	---
S20	510,331.29	2,217,642.56	8,574.26	8,574.07	8,574.07	8,573.90	8,573.87	---
S21	510,581.75	2,214,956.87	8,489.90	8,490.02	8,489.80	8,489.37	8,489.22	---
S32	509,739.02	2,218,933.12	8,548.93	8,548.88	8,548.85	8,548.78	8,548.80	---
G-17	513,692.46	2,210,938.01	---	---	---	---	8,488.24	---
G-12	513,184.13	2,216,526.83	---	---	---	---	8,311.00	---
E1/4 36	513,118.57	2,214,340.00	---	---	---	---	8,280.66	Section cor.
S1/4 36	510,454.70	2,211,696.79	---	---	---	---	8,606.46	Section cor.

Points 1A through S30 were abandoned because they were no longer relevant to current or recent mining activity.



WARE SURVEYING & ENGINEERING

G.P.S. & CONVENTIONAL SURVEYING - AUTOCAD MAPPING - CIVIL ENGINEERING



PRECIPITATION INFORMATION

Date	Precipitation in inches
2007-01-01	0
2007-01-02	0
2007-01-03	0
2007-01-04	0
2007-01-05	0
2007-01-06	0
2007-01-07	0
2007-01-08	0
2007-01-09	0
2007-01-10	0
2007-01-11	0
2007-01-12	0
2007-01-13	0.21
2007-01-14	0.005
2007-01-15	0
2007-01-16	0
2007-01-17	0
2007-01-18	0
2007-01-19	0
2007-01-20	0
2007-01-21	0
2007-01-22	0
2007-01-23	0
2007-01-24	0
2007-01-25	0
2007-01-26	0
2007-01-27	0
2007-01-28	0
2007-01-29	0
2007-01-30	0
2007-01-31	0
2007-02-01	0
2007-02-02	0
2007-02-03	0
2007-02-04	0
2007-02-05	0
2007-02-06	0
2007-02-07	0
2007-02-08	0
2007-02-09	0
2007-02-10	0
2007-02-11	0.01
2007-02-12	0.1
2007-02-13	0
2007-02-14	0
2007-02-15	0
2007-02-16	0
2007-02-17	0
2007-02-18	0
2007-02-19	0
2007-02-20	0
2007-02-21	0
2007-02-22	0
2007-02-23	0
2007-02-24	0
2007-02-25	0
2007-02-26	0.08
2007-02-27	0
2007-02-28	0
2007-03-01	0
2007-03-02	0
2007-03-03	0
2007-03-04	0
2007-03-05	0
2007-03-06	0
2007-03-07	0
2007-03-08	0
2007-03-09	0
2007-03-10	0
2007-03-11	0
2007-03-12	0
2007-03-13	0
2007-03-14	0
2007-03-15	0
2007-03-16	0

Price BLM

2007-03-17	0
2007-03-18	0
2007-03-19	0
2007-03-20	0
2007-03-21	0
2007-03-22	0.06
2007-03-23	0
2007-03-24	0.02
2007-03-25	0
2007-03-26	0
2007-03-27	0
2007-03-28	0
2007-03-29	0.03
2007-03-30	0
2007-03-31	0
2007-04-01	0
2007-04-02	0
2007-04-03	0
2007-04-04	0
2007-04-05	0
2007-04-06	0
2007-04-07	0
2007-04-08	0
2007-04-09	0.06
2007-04-10	0
2007-04-11	0
2007-04-12	0
2007-04-13	0
2007-04-14	0
2007-04-15	0
2007-04-16	0.08
2007-04-17	0
2007-04-18	0.11
2007-04-19	0
2007-04-20	0
2007-04-21	0
2007-04-22	0
2007-04-23	0.16
2007-04-24	0.05
2007-04-25	0
2007-04-26	0
2007-04-27	0
2007-04-28	0
2007-04-29	0
2007-04-30	0
2007-05-01	0
2007-05-02	0
2007-05-03	0.24
2007-05-04	0.03
2007-05-05	0.17
2007-05-06	0
2007-05-07	0
2007-05-08	0
2007-05-09	0
2007-05-10	0
2007-05-11	0
2007-05-12	0
2007-05-13	0
2007-05-14	0
2007-05-15	0
2007-05-16	0
2007-05-17	0
2007-05-18	0
2007-05-19	0
2007-05-20	0
2007-05-21	0
2007-05-22	0
2007-05-23	0
2007-05-24	0
2007-05-25	0
2007-05-26	0
2007-05-27	0
2007-05-28	0
2007-05-29	0
2007-05-30	0
2007-05-31	0
2007-06-01	0

2007-06-02	0
2007-06-03	0
2007-06-04	0
2007-06-05	0
2007-06-06	0
2007-06-07	0
2007-06-08	0
2007-06-09	0
2007-06-10	0
2007-06-11	0
2007-06-12	0
2007-06-13	0
2007-06-14	0
2007-06-15	0
2007-06-16	0
2007-06-17	0
2007-06-18	0
2007-06-19	0
2007-06-20	0
2007-06-21	0
2007-06-22	0
2007-06-23	0
2007-06-24	0
2007-06-25	0
2007-06-26	0
2007-06-27	0
2007-06-28	0
2007-06-29	0
2007-06-30	0
2007-07-01	0
2007-07-02	0
2007-07-03	0
2007-07-04	0
2007-07-05	0
2007-07-06	0
2007-07-07	0
2007-07-08	0
2007-07-09	0
2007-07-10	0
2007-07-11	0
2007-07-12	0
2007-07-13	0
2007-07-14	0
2007-07-15	0
2007-07-16	0
2007-07-17	0
2007-07-18	0
2007-07-19	0
2007-07-20	0
2007-07-21	0
2007-07-22	0
2007-07-23	0.03
2007-07-24	0
2007-07-25	0
2007-07-26	0
2007-07-27	0
2007-07-28	0
2007-07-29	0
2007-07-30	0
2007-07-31	0
2007-08-01	0
2007-08-02	0
2007-08-03	0.14
2007-08-04	0
2007-08-05	0
2007-08-06	0.29
2007-08-07	0
2007-08-08	0
2007-08-09	0
2007-08-10	0
2007-08-11	0
2007-08-12	0
2007-08-13	0
2007-08-14	0
2007-08-15	0.02
2007-08-16	0
2007-08-17	0

2007-08-18	0
2007-08-19	0.05
2007-08-20	0
2007-08-21	0
2007-08-22	0
2007-08-23	0
2007-08-24	0
2007-08-25	0
2007-08-26	0
2007-08-27	0.04
2007-08-28	0.02
2007-08-29	0.32
2007-08-30	0
2007-08-31	0
2007-09-01	0
2007-09-02	0
2007-09-03	0
2007-09-04	0.09
2007-09-05	0
2007-09-06	0.94
2007-09-07	0
2007-09-08	0
2007-09-09	0
2007-09-10	0
2007-09-11	0
2007-09-12	0
2007-09-13	0
2007-09-14	0
2007-09-15	0
2007-09-16	0
2007-09-17	0
2007-09-18	0
2007-09-19	0
2007-09-20	0
2007-09-21	0
2007-09-22	0
2007-09-23	0.74
2007-09-24	0.02
2007-09-25	0
2007-09-26	0
2007-09-27	0
2007-09-28	0
2007-09-29	0
2007-09-30	0

Some data and products on this WEB site may have conditions placed on their international or commercial use. They can be used freely within the U.S. or for non-commercial activities without restriction. Commercial or International Re-distribution of the data is not allowed. Please visit the World Meteorological Organization WEB site at [WMO](http://www.wmo.org), and our [Policy & Uses](#) for complete details.

Copyright © 2001-2007 Utah State University, Logan UT 84322, (435) 797-8166


2007-08-18	0
2007-08-19	0.05
2007-08-20	0
2007-08-21	0
2007-08-22	0
2007-08-23	0
2007-08-24	0
2007-08-25	0
2007-08-26	0
2007-08-27	0.04
2007-08-28	0.02
2007-08-29	0.32
2007-08-30	0
2007-08-31	0
2007-09-01	0
2007-09-02	0
2007-09-03	0
2007-09-04	0.09
2007-09-05	0
2007-09-06	0.94
2007-09-07	0
2007-09-08	0
2007-09-09	0
2007-09-10	0
2007-09-11	0
2007-09-12	0
2007-09-13	0
2007-09-14	0
2007-09-15	0
2007-09-16	0
2007-09-17	0
2007-09-18	0
2007-09-19	0
2007-09-20	0
2007-09-21	0
2007-09-22	0
2007-09-23	0.74
2007-09-24	0.02
2007-09-25	0
2007-09-26	0
2007-09-27	0
2007-09-28	0
2007-09-29	0
2007-09-30	0

Some data and products on this WEB site may have conditions placed on their international or commercial use. They can be used freely within the U.S. or for non-commercial activities without restriction. Commercial or International Re-distribution of the data is not allowed. Please visit the World Meteorological Organization WEB site at [WMO](#), and our [Policy & Uses](#) for complete details.

Copyright © 2001-2007 Utah State University, Logan UT 84322, (435) 797-8166

2007 PRODUCTION MAP

3:\Shared\Current Drawings\Mine Maps\Tower Mine\Aberdeen.dwg, 11/17, 6/26/2008 10:06:42 AM



TOWER MINES
 ABERDEEN MINE
 ESCAPWAY MAP
 04-20-08
 Scale: 1" = 400'

RECEIVED
 JUL 17 2008
 DIV. OF OIL, GAS & MINING

2007
 Production

ABERDEEN MINE		
ANDALEX RESOURCES		
P.O. BOX 910		
EAST CARBON, UTAH 84520		
MSHA MINE ID #42-02028		
DRAWN BY	PJ	SCALE 1" = 1250'
APPROVED BY	DS	DATE 26 JUNE 2008
SHEET		1 of 1