

0033

INCOMING  
C 007 0020

**Hidden Splendor Resources**  
**Horizon Mine**  
**P.O. Box 32, Helper, Utah 84526**  
**Phone: (435) 472-1313 – Fax: (435) 472-1314**

September 9, 2003

Ms. Pamela Grubaugh-Littig  
Utah Coal Program  
Utah Division of Oil, Gas and Mining  
1594 West North Temple – Suite 1210  
Box 145801  
Salt Lake City, UT 84114-5801

Dear Pam:

Hidden Splendor Resources respectfully submits the August 2003 – Discharge Monitoring Reports (DMRs) associated with the Horizon Mine UPDES Permit UTG040019. If you have any questions, please feel free to call me at 435-472-1313.

Sincerely,



Kit Pappas

RECEIVED  
SEP 11 2003  
DIV. OF OIL, GAS & MINING

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LODSTAR ENERGY, INC. - HORIZON**

ADDRESS **W C BOX 370  
HELPER UT 84526**

FACILITY **LODSTAR ENERGY, INC. - HORIZON**

LOCATION **HELPER UT 84526**

ATTN: **DAVID MILLER**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

**UTG040019** **001 A**  
PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL  
SEDIMENT POND OUTFALL

MONITORING PERIOD

FROM **03 08 01** TO **03 08 31**

\*\*\* NO DISCHARGE  \*\*\*  
NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE		<b>No Discharge</b>			( 07 )						
00056 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	3001 AVG	DAILY MX	GPD						ONCE/ MONTH	MEASD
PH							( 12 )				
00400 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED							( 19 )				
00530 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 EX 7D AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE							( 25 )				
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5 DAILY MX	ML/L		ONCE/ MONTH	VISUAL
OIL & GREASE							( 19 )				
00556 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)							( 19 )				
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						1.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FIBR-VISUAL							( 94 )				
45013 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				0 YES=1 DAILY MX NO=0					ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

**KIT PAPPAS / AGENT**  
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

*Kit Pappas*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

**435 472-1313**

AREA CODE NUMBER

DATE

**03 09 09**

YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**

ADDRESS **H C BOX 370**

**WELLS**

**UT 84526**

FACILITY **LODESTAR ENERGY, INC. - HORIZON**

LOCATION **WELLS**

**UT 84526**

ATTN: **DAVID TILLEN**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

UTG040019

PERMIT NUMBER

001 A

DISCHARGE NUMBER

MINOR

F - FINAL  
SEDIMENT POND OUTFALL

MONITORING PERIOD

FROM **03 08 01** TO **03 08 31**

\*\*\* NO DISCHARGE \*\*\*

NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED - 45614 L 0 0	SAMPLE MEASUREMENT			( 94 )							
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT		DAILY EX	YES=1 NO=0						ONCE/MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 10295 R 0 0	SAMPLE MEASUREMENT						( 19 )				
SEE COMMENTS BELOW	PERMIT REQUIREMENT					REPORT 30 DAY AVG		MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

**KEY PAPPAS/AGENT**  
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

**35 492-1313**  
AREA CODE NUMBER

DATE

**03 09 09**  
YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**  
ADDRESS **H C BOX 370 HELPER UT 84526**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

UTG040019 002 A  
PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL SRM  
PIPE TO JEWKES CRK TO N P GORD

FACILITY **LODESTAR ENERGY, INC. - HORIZON**  
LOCATION **HELPER UT 84526**

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
03	08	01	03	08	31

\*\*\* NO DISCHARGE \*\*\*  
NOTE: Read instructions before completing this form.

ATTN: DAVID MILLER

PARAMETER	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE 00056 1 0 0 EFFLUENT GROSS VALU		350	350	( 07 )							
		REPORT	REPORT							ONCE/	WEASRD
		30DA AVG	DAILY MX	GPD						MONTH	
PH 00400 1 0 0 EFFLUENT GROSS VALU					8.2		8.2	( 12 )			
					6.5		9.0			ONCE/	GRAB
					MINIMUM		MAXIMUM	SU		MONTH	
SOLIDS, TOTAL SUSPENDED 00530 2 0 0 SEE COMMENTS BELOW					<5	<5	<5	( 19 )			
					25	35	70			ONCE/	GRAB
					30DA AVG	MX 7D AV	DAILY MX	MG/L		MONTH	
SOLIDS, SETTLEABLE 00545 0 0 0 SEE COMMENTS BELOW							0.5	( 25 )			
							DAILY MX	ML/L		ONCE/	GRAB
										MONTH	
OIL & GREASE 00556 1 0 0 EFFLUENT GROSS VALU							<2	( 19 )			
							10			ONCE/	GRAB
							DAILY MX	MG/L		MONTH	
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALU							0.091	( 19 )			
							1.0			ONCE/	GRAB
							DAILY MX	MG/L		MONTH	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 45613 1 0 0 EFFLUENT GROSS VALU			0	( 94 )							
			0	YES=1						ONCE/	VISUAL
			DAILY MX	NO=0						MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

KIT PAPPAS / AGENT  
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

*Kit Pappas*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

435 452-1313  
AREA CODE NUMBER

DATE

03 09 09  
YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTED IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
DISCHARGE MONITORING REPORT (DMR)

MINOR

F - FINAL

SRM

PIPE TO JEWKES CRK TO W F GORD

\*\*\* NO DISCHARGE \*\*\*

NOTE: Read instructions before completing this form.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if different))

NAME LOBESTAR ENERGY, INC. - HORIZON

ADDRESS H C BOX 370  
HELPER UT 84526

FACILITY LOBESTAR ENERGY, INC. - HORIZON

LOCATION HELPER UT 84526

ATTN: DAVID MILLER

HTG040019  
PERMIT NUMBER

002 A  
DISCHARGE NUMBER

MONITORING PERIOD

FROM YEAR MO DAY TO YEAR MO DAY  
03 08 01 TO 03 08 31

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMEN 45614 1 0 0 EFFLUENT GROSS VALU	SAMPLE MEASUREMENT		0	( 94)							
	PERMIT REQUIREMENT		0 YES=1 DAILY MAX NO=0							ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT					458	( 19)				
	PERMIT REQUIREMENT					REPORT 30DA AVG		MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
  
KIT PAPPAS / AGENT  
TYPED/OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

*KIT PAPPAS*  
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE DATE  
435 472-1313 03 09 09  
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)  
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SET FROM ALL CUTFALLS.



# COMMERCIAL TESTING & ENGINEERING CO.

GENERAL OFFICES: 1919 SOUTH HIGHLAND AVE., SUITE 210-B, LOMBARD, ILLINOIS 60148 • TEL: 630-953-9300 FAX: 630-953-9306

SINCE 1908®



Member of the SGS Group (Société Générale de Surveillance)

ADDRESS ALL CORRESPONDENCE TO:  
P.O. BOX 1020  
HUNTINGTON, UT 84528  
TEL: (435) 653-2311  
FAX: (435) 653-2436

September 5, 2003

HIDDEN SPLENDOR RESOURCES INC.  
57 WEST 200 SOUTH, SUITE 400  
SALT LAKE CITY UT. 84101  
DAVID MILLER

Sample identification by  
HIDDEN SPLENDOR RESOURCES

ID: updes-002

Kind of sample Water  
reported to us

RECEIVED 1500  
SAMPLED 1410

Sample taken at HORIZON MINE

FIELD MEASUREMENTS  
FLOW 350 TEMP 15  
COND. 670 pH 8.2

Sample taken by K P

NOTES:

Date sampled August 29, 2003

Date received August 30, 2003

Page 1 of 1

Analysis report no. 59-25596

Parameter	Result	MRL	Units	Method	Analyzed	
					Date/Time	Analyst
Iron, Total	0.091	0.02	mg/l	EPA 200.7	09-04-2003	1246 DI
Oil & Grease	<2	2	mg/l	EPA 413.1	09-04-2003	0930 JJ
Solids, Total Dissolved	458	30	mg/l	EPA 160.1	09-03-2003	0900 JJ
Solids, Total Suspended	<5	5	mg/l	EPA 160.2	09-03-2003	0900 JJ

Respectfully submitted,  
COMMERCIAL TESTING & ENGINEERING CO.

Huntington Laboratory

MEMBER  
ACIL

OVER 40 BRANCH LABORATORIES STRATEGICALLY LOCATED IN PRINCIPAL COAL MINING AREAS, TIDEWATER AND GREAT LAKES PORTS, AND RIVER LOADING FACILITIES

F-465  
Original Watermarked For Your Protection

TERMS AND CONDITIONS ON REVERSE