

0005

Hidden Splendor Resources
Horizon Mine
P.O. Box 32, Helper, Utah 84526
Phone: (435) 472-1313 – Fax: (435) 472-1314

March 8, 2004

Ms. Pamela Grubaugh-Littig
Utah Coal Program
Utah Division of Oil, Gas and Mining
1594 West North Temple – Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

Incoming
C/007/020

Dear Pam:

Hidden Splendor Resources respectfully submits the February 2004 – Discharge Monitoring Reports (DMRs) associated with the Horizon Mine UPDES Permit UTG040019. If you have any questions, please feel free to call me at 435-472-0431.

Sincerely,



Kit Pappas

RECEIVED

MAR 15 2004

DIV. OF OIL, GAS & MINING

PERMITTEE NAME/ADDRESS (Include Facility Name/Location (if different))

NAME **LOUNSTAR ENERGY, INC. - HORIZON**

ADDRESS **W C BOX 370
HELPER UT 84526**

FACILITY **LOUNSTAR ENERGY, INC. - HORIZON**

LOCATION **HELPER UT 84526**

ATTN: **DAVID MILLER**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040819 PERMIT NUMBER
001 A DISCHARGE NUMBER

MINOR

P - FINAL
SEDIMENT POND OUTFALL

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
04	02	01	04	02	2

FROM TO

NO DISCHARGE NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE				(07)							
00036 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD							ONCE/ MEASRD MONTH
00400 1 0 0 EFFLUENT GROSS VALU	SAMPLE MEASUREMENT							(12)			
00400 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5 MINIMUM		9.0 MAXIMUM	SU			ONCE/ GRAB MONTH
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT							(19)			
00530 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 MX 7D AV	70 DAILY MT	MG/L			ONCE/ GRAB MONTH
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT							(25)			
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5 DAILY MT	ML/L			ONCE/ VISUAL MONTH
OIL & GREASE	SAMPLE MEASUREMENT							(19)			
00556 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						10 DAILY MT	MG/L			ONCE/ GRAB MONTH
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT							(19)			
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						1.0 DAILY MT	MG/L			ONCE/ GRAB MONTH
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT			(94)							
45813 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT			0 YES=1 DAILY MX NO=0							ONCE/ VISUAL MONTH

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER KET PAPPAS / ENV. COORD. TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE 435 492-0431	DATE		
			AREA CODE	NUMBER	YEAR
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT <i>Ket Pappas</i>			04	03	00

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT THIS OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if Different))

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370**
HELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040019 001 a
PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL
SEDIMENT POND OUTFALL

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**
ATTN: **DAVID MILLER**

MONITORING PERIOD
YEAR MO DAY YEAR MO DAY
FROM 08 02 01 TO 08 02 21

NO DISCHARGE
NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGE-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT			(94)							
	PERMIT REQUIREMENT		DAILY MAX	YES=1 NO=0						ONCE / MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 10295 H 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT			(19)							
	PERMIT REQUIREMENT					REPORT 30DA AVG				ONCE / MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KET PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

[Signature]
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 472-0431**
DATE **04 03 08**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370 HELPER UT 84526**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040019 002 A
PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL SRM
PIPE TO JEWES CRK TO N F GORD

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**
ATTN: **DAVID MILLER**

MONITORING PERIOD
YEAR MO DAY YEAR MO DAY
FROM 04 02 01 TO 04 02 21

NO DISCHARGE [] ***
NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE		350		(07) G-PM							
00056 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD						ONCE/ MONTH	MEASRD
PH						7.60	(12)				
00400 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5 MINIMUM	9.0 MAXIMUM	50			ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED						< 5	(19)				
00530 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 MX 7D AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE							(25)				
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT					0.5 DAILY MX	ML/L			ONCE/ MONTH	GRAB
OIL & GREASE						< 2	(19)				
00556 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT					10 DAILY MX	MG/L			ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)						0.119	(19)				
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT					1.0 DAILY MX	MG/L			ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL			0	(94)							
45613 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT		DAILY MX	YES=1 NO=0						ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER KET PAPPAS/ENV. COORD. TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT <i>Ket Pappas</i>	TELEPHONE	DATE		
			AREA CODE NUMBER	YEAR	MO	DAY
			435 472-0431	04	03	08

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUB FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if different))

NAME **LODSTAR ENERGY, INC. - HORIZON**
ADDRESS **M C BOX 370**
HELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DTG040019 002
PERMIT NUMBER DISCHARGE NUMBER

MINOR
F - FINAL SRM
PIPE TO JEWKES CRK TO N F GORD

FACILITY **LODSTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**
ATTN: **DAVID MILLER**

MONITORING PERIOD
YEAR MO DAY YEAR MO DAY
FROM 04 02 01 TO 04 02 21

NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMN 45614 1 0 0 EFFLUENT GROSS VALU	SAMPLE MEASUREMENT		0	(94)							
	PERMIT REQUIREMENT		DAILY MAX	YES=1 NO=0						ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 2 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT					335		(19)			
	PERMIT REQUIREMENT					REPORT 30DA AVG		MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KIT PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
Kit Pappas

TELEPHONE DATE
435 472-0431 04 03 08
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUX FROM ALL OUTFALLS.



COMMERCIAL TESTING & ENGINEERING CO.

GENERAL OFFICES: 1919 SOUTH HIGHLAND AVE., SUITE 210-B, LOMBARD, ILLINOIS 60148 • TEL: 630-953-9300 FAX: 630-953-8306

SINCE 1908®



Member of the SGS Group (Société Générale de Surveillance)

Committed To Excellence

ADDRESS ALL CORRESPONDENCE TO:
P.O. BOX 690
PRICE, UT 84501
TEL: (435) 448-2644
FAX: (435) 448-2632

▶ March 4, 2004

HIDDEN SPLENDOR RESOURCES INC.
57 WEST 200 SOUTH, SUITE 400
SALT LAKE CITY UT. 84101
DAVID MILLER

Sample identification by
HIDDEN SPLENDOR RESOURCES

ID: updes-002

RECEIVED 1515
SAMPLED 0700

FIELD MEASUREMENTS

FLOW 350 TEMP 15
COND. 550 pH 7.60

NOTES:

Kind of sample Water
reported to us

Sample taken at HORIZON MINE

Sample taken by KP

Date sampled February 26, 2004

Date received February 26, 2004

Page 1 of 1

Analysis report no. 59-26134

Parameter	Result	MRL	Units	Method	Analyzed	
					Date/Time	Analyst
Iron, Total	0.119	0.050	mg/l	EPA 200.7	03-02-2004 1601	JJ
Oil & Grease	<2	2	mg/l	EPA 413.1	03-03-2004 0800	JJ
Solids, Settleable	<0.1	0.1	ml/l	EPA 160.5	02-27-2004 0900	JJ
Solids, Total Dissolved	335	30	mg/l	EPA 160.1	03-02-2004 0800	ND
Solids, Total Suspended	<5	5	mg/l	EPA 160.2	03-02-2004 0800	ND

Respectfully submitted,
COMMERCIAL TESTING & ENGINEERING CO.

Luella
Skyline Laboratory

