

0017

INCOMING
COPIES

Hidden Splendor Resources
Horizon Mine
P.O. Box 32, Helper, Utah 84526
Phone: (435) 472-1313 – Fax: (435) 472-1314

June 3, 2004

Ms. Pamela Grubaugh-Littig
Utah Coal Program
Utah Division of Oil, Gas and Mining
1594 West North Temple – Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

Dear Pam:

Hidden Splendor Resources respectfully submits the May 2004 – Discharge Monitoring Reports (DMRs) associated with the Horizon Mine UPDES Permit UTG040019.
If you have any questions, please feel free to call me at 435-472-0431.

Sincerely,



Kit Pappas
Engineering/Environmental

RECEIVED
JUN 08 2004
DIV. OF OIL, GAS & MINING

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LOBSTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370
HOLPER UT 84526**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DTG040019 001 A
PERMIT NUMBER DISCHARGE NUMBER

MINOR
F - FINAL
SEDIMENT POND OUTFALL

FACILITY **LOBSTAR ENERGY, INC. - HORIZON**
LOCATION **HOLPER UT 84526**
ATTN: **DAVID MILLER**

MONITORING PERIOD
FROM 04 05 01 TO 04 05 01

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE		No DISCHARGE (07)									
00056 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD						ONCE/MONTH	MEASRD
PH								(12)			
00400 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5 MINIMUM		9.0 MAXIMUM	SD		ONCE/MONTH	GRAB
SOLIDS, TOTAL SUSPENDED								(19)			
00530 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 MX 7D AV	70 DAILY MX	MG/L		ONCE/MONTH	GRAB
SOLIDS, SETTLEABLE								(25)			
00545 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5 DAILY MX	ML/L		ONCE/MONTH	VISUAL
OIL & GREASE								(19)			
00556 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						10 DAILY MX	MG/L		ONCE/MONTH	GRAB
IRON, TOTAL (AS FE)								(19)			
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						1.0 DAILY MX	MG/L		ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL				(94)							
45613 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT		0 YES=1 DAILY MX NO=0							ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KEY PAPPAS / ENV. COORD
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Key Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 472-0431**
DATE **04 06 02**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT ANY OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370**
HELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

07C040019 PERMIT NUMBER
007 DISCHARGE NUMBER

MINOR

F - FINAL
SEDIMENT POND OUTFALL

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**
ATTN: **DAVID WILKINSON**

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
04	05	01		04	05	31

NO DISCHARGE **NOTE: Read instructions before completing this form.**

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE				(94)							
	PERMIT REQUIREMENT			0 YRS=1 DAILY MAX NO=0						ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 2 0 0 SEE COMMENTS BELOW								(19)			
	PERMIT REQUIREMENT					REPORT 30DAY AVG		MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KET PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Ket Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 492-0431**
DATE **04 06 02**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT THIS OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME LODESTAR ENERGY, INC. - HORIZON
ADDRESS R 0 BOX 370
 BELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

UTG040019 002 A
PERMIT NUMBER **DISCHARGE NUMBER**

MINOR
 F - FINAL SRM
 PIPE TO JENKES C&R TO W F GORD

FACILITY LOCATION LODESTAR ENERGY, INC. - HORIZON
 BELPER UT 84526
ATTN: DAVID MILLER

MONITORING PERIOD
 FROM 04 05 01 TO 04 05 01

NO DISCHARGE [] ***
NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE	350 GPM			(07)							
00150 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPORT	REPORT							ONCE/MONTH	MEASURED
PH	7.80			(12)							
00400 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5		9.0			ONCE/MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	20			(19)							
00530 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25	35	70			ONCE/MONTH	GRAB
SOLIDS, SETTLEABLE	0.5			(25)							
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5			ONCE/MONTH	GRAB
OIL & GREASE	< 2			(19)							
00550 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						10			ONCE/MONTH	GRAB
IRON, TOTAL (AS FE)	0.29			(19)							
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						1.0			ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	0			(94)							
45623 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT									ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 KIT PAPPAS / ENV. COORD.
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kit Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-0431
DATE 04 06 02
 AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370
HELPER UT 84526**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

07040019 PERMIT NUMBER
002 DISCHARGE NUMBER

MIRON

F - FINAL SRM
PIPE TO JEWKES CRK TO N F CORD

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
04	05	01		04	05	31

NO DISCHARGE
NOTE: Read instructions before completing this form.

ATTN: DAVID MILLER

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SEWITANI WASTE DISCHARGED-ASSESSMB 45614 1 0 0 EFFLUENT GROSS VALU			0	(94)							
				YES=1 DAILY MX NC=0						ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 10295 R 0 0 SEE COMMENTS BELOW						458	(19)				
						REPORT 30DA AVG		MG/L		ONCE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KET PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Ket Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 472-0431**
DATE **04 06 02**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEPLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMIT IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

SGS

May 27, 2004

HIDDEN SPLENDOR RESOURCES INC.
57 WRST 200 SOUTH, SUITE 400
SALT LAKE CITY UT. 84101
Kit Pappas

Sample identification by
HIDDEN SPLENDOR RESOURCES

ID:UPDES-002

RECEIVED 1310

SAMPLED 0800

FIELD MEASUREMENTS

FLOW 350 TEMP 13
COND. 700 pH 7.80

Kind of sample Water
reported to us

Sample taken at HORIZON MINE

Sample taken by K.P.

Date sampled May 17, 2004

Date received May 17, 2004

NOTES:

Page 1 of 1

Analysis report no. 59-26347

Parameter	Result	MRL	Units	Method	Analyzed	
					Date/Time	Analyst
Iron, Total	0.29	0.050	mg/l	EPA 200.7	05-26-2004 1404	JJ
Oil & Grease	<2	2	mg/l	EPA 413.1	05-19-2004 0900	JJ
Solids, Total Dissolved	458	30	mg/l	EPA 160.1	05-20-2004 0830	JJ
Solids, Total Suspended	20	5	mg/l	EPA 160.2	05-20-2004 0830	JJ

MEMBER
ACIL

Respectfully submitted,
SGS NORTH AMERICA INC.

Huntington Laboratory

SGS North America Inc. Minerals Services Division
P.O. Box 1020, Huntington, UT 84528 t (435) 653-2311 f (435) 653-2436 www.sgs.com