

0022

Hidden Splendor Resources
Horizon Mine
P.O. Box 32, Helper, Utah 84526
Phone: (435) 472-1313 – Fax: (435) 472-1314

*Ironing
7/16/04*

July 13, 2004

Ms. Pamela Grubaugh-Littig
Utah Coal Program
Utah Division of Oil, Gas and Mining
1594 West North Temple – Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

RECEIVED
JUL 16 2004

DIV. OF OIL, GAS & MINING

Dear Pam:

Hidden Splendor Resources respectfully submits the June 2004 – Discharge Monitoring Reports (DMRs) associated with the Horizon Mine UPDES Permit UTG040019.

If you have any questions, please feel free to call me at 435-472-0431.

Sincerely,

Kit Pappas

Kit Pappas
Engineering/Environmental

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME LUDYSTAN ENERGY, INC. - HORIZON
ADDRESS 8 C BOX 370
HELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040019 PERMIT NUMBER
001 A DISCHARGE NUMBER

MINOR

F - FINAL
SEDIMENT POND OUTFALL

FACILITY LUDYSTAN ENERGY, INC. - HORIZON
LOCATION HELPER UT 84526
ATTN: DAVID MILLER

MONITORING PERIOD
FROM 04 05 01 TO 04 08 01

NO DISCHARGE
NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE		No DISCHARGE (GT)									
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	30DA AVG	DAILY MX	GPD						ONCE/MONTH	WEASHD
PH								(12)			
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT				6.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/MONTH	GRAB
SOLIDS, TOTAL SUSPENDED								(19)			
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT				25 30DA AVG	35 MX	70 DAILY MX	MG/L		ONCE/MONTH	GRAB
SOLIDS, SETTLEABLE								(25)			
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						0.5 DAILY MX	ML/L		ONCE/MONTH	VISUAL
ALL 5 STRONG								(19)			
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						10 DAILY MX	MG/L		ONCE/MONTH	GRAB
IRON, TOTAL (AS FE)								(19)			
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						1.0 DAILY MX	MG/L		ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL				(94)							
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT			0 DAILY MX	YES=1	NO=0				ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KE PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

KE PAPPAS
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-0431
DATE 04 07 13
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, TOTAL PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370**
HELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMIT NUMBER **DTG040019** DISCHARGE NUMBER **001 A**

MINOR

F - FINAL
SEDIMENT POND OUTFALL

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**

MONITORING PERIOD
FROM **04 06 01** TO **04 06 30**

ATTN: DAVID MILLER

NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT			(94)							
	PERMIT REQUIREMENT			YES=1 NO=0						ONCE/MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT						(19)				
	PERMIT REQUIREMENT					REPORT 30DA AVG	MG/L			ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KIT PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

[Signature]
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 472 0431** DATE **04 07 13**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SUSCEPTIBLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME HORIZON ENERGY, INC. - HORIZON
ADDRESS P.O. BOX 370
HELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

076040019 002 A
PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL SRM
PIPE TO JEWKES CRK TO N F GORD

FACILITY HORIZON ENERGY, INC. - HORIZON
LOCATION HELPER UT 84526

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
04	06	01	04	06	01

FROM TO

NO DISCHARGE [] ***

NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE			350	(01) C.M ³							
00056 1 0 0 EFFLUENT GROSS VALUE		REPORT 30DA AVG	REPORT DAILY MAX	REQD						ONCE/ MONTH	MEASURED
PH							8.30	(12)			
00406 1 0 0 EFFLUENT GROSS VALUE					6.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED							21	(19)			
00330 2 0 0 SEE COMMENTS BELOW					25 30DA AVG	35 MAX 7D AV	70 DAILY MAX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE								(25)			
00345 3 0 0 SEE COMMENTS BELOW							0.5 DAILY MAX	ML/L		ONCE/ MONTH	GRAB
00356 1 0 0 EFFLUENT GROSS VALUE							< 2.0	(19)			
00356 1 0 0 EFFLUENT GROSS VALUE							10 DAILY MAX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)							0.07	(19)			
01045 1 0 0 EFFLUENT GROSS VALUE							1.0 DAILY MAX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE OIL-VISUAL			0	(99)							
00013 1 0 0 EFFLUENT GROSS VALUE			0 YES=1 DAILY MAX NO=0							ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

KET PAPPAS / ENV-COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE DATE
435 472-0431 04 07 13
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED, PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

SGS

July 1, 2004

HIDDEN SPLENDOR RESOURCES INC.
57 WEST 200 SOUTH, SUITE 400
SALT LAKE CITY UT. 84101
Kit Pappas

Sample identification by
HIDDEN SPLENDOR RESOURCES

ID:UPDES-002A

Kind of sample Water
reported to us

RECEIVED 1235
SAMPLED 0645

Sample taken at HORIZON MINE

FIELD MEASUREMENTS
FLOW 350 TEMP 13
COND. 690 pH 8.30

Sample taken by K.P.

NOTES:

Date sampled June 18, 2004

Date received June 18, 2004

Page 1 of 1

Analysis report no. 59-26487

Parameter	Result	MRL	Units	Method	Analyzed Date/Time/Ana
Iron, Total	0.07	0.050	mg/l	EPA 200.7	06-24-2004 1334
Oil & Grease	<2	2	mg/l	EPA 413.1	06-30-2004 0745
Solids, Total Dissolved	427	30	mg/l	EPA 160.1	06-21-2004 0830
Solids, Total Suspended	21	5	mg/l	EPA 160.2	06-21-2004 0830

MEMBER
ACIL

Respectfully submitted,
SGS NORTH AMERICA INC.


Huntington Laboratory

SGS North America Inc | Minerals Services Division
P.O. Box 1020, Huntington, UT 84528 t (435) 653-7311 f (435) 653-2436 www.sgs.com

Member of the SGS Group