

0039

**Hidden Splendor Resources
Mid State Services
Horizon Mine
P.O. Box 32, Helper, Utah 84526
Phone: (435) 472-0431 – Fax: (435) 472-0439**

October 12, 2004

Ms. Pamela Grubaugh-Littig
Utah Coal Program
Utah Division of Oil, Gas and Mining
1594 West North Temple – Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

*Judoming
c/007/0020*

Dear Pam:

Hidden Splendor Resources respectfully submits the September 2004 – Discharge Monitoring Reports (DMRs) associated with the Horizon Mine UPDES Permit UTG040019.

If you have any questions, please feel free to call me at 435-472-0431.

Sincerely,

Kit Pappas

Kit Pappas
Engineering/Environmental

RECEIVED
OCT 14 2004
DIV. OF OIL, GAS & MINING

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME LODESTAR ENERGY, INC. - HORIZON

ADDRESS P O BOX 370
HELPER UT 84526

FACILITY LODESTAR ENERGY, INC. - HORIZON

LOCATION HELPER UT 84526

ATTN: DAVID MILLER

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040019
PERMIT NUMBER

001 A
DISCHARGE NUMBER

MINOR

F - FINAL
SEDIMENT POND OUTFALL

MONITORING PERIOD

FROM YEAR 04 MO 09 DAY 01 TO YEAR 04 MO 09 DAY 30

NO DISCHARGE
NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE		No Discharge (07)									
00056 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	RECEIVED					ONCE/MONTH	MEASURED
PH					OCT 14 2004						
00400 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5 MINIMUM	9.0 MAXIMUM				ONCE/MONTH	GRAB
SOLIDS, TOTAL SUSPENDED											
00530 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 MX 7D AV	70 DAILY MX			ONCE/MONTH	GRAB
SOLIDS, SETTLEABLE											
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT					0.5 DAILY MX				ONCE/MONTH	VISUAL
OIL & GREASE											
00556 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT					10 DAILY MX				ONCE/MONTH	GRAB
IRON, TOTAL (AS FE)											
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT					1.0 DAILY MX				ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL											
45613 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT			YES=1 NO=0						ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

KET PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

[Signature]
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-0431
DATE 04 10 12
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUX FROM ALL OUTFALLS.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MINOR

F - FINAL
SEDIMENT POND OUTFALL

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370**
HELPER UT 84526

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**

ATTN: DAVID MILLER

HTG040019
PERMIT NUMBER

003
DISCHARGE NUMBER

MONITORING PERIOD

FROM

YEAR	MO	DAY
04	09	01

 TO

YEAR	MO	DAY
04	09	30

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGE-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE				(94)							
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT			YES=1 NO=0						ONCE/MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 R 0 0 SEE COMMENTS BELOW								(19)			
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT					REPORT 30DA AVG		MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

KET PAPPAS/ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Ket Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
435	472-6431	04	10	12
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LUDESTAR ENERGY, INC. - HORIZON**
ADDRESS **1100 BOX 370**
HILPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DTG040019 **002 A**
PERMIT NUMBER DISCHARGE NUMBER

MINOR
F - FINAL SRM
PIPE TO JEWKES CRK TO N F GORD

FACILITY **LUDESTAR ENERGY, INC. - HORIZON**
LOCATION **HILPER UT 84526**
ATTN: **DAVID HILLER**

MONITORING PERIOD
FROM **04 09 01** TO **04 09 30**

NO DISCHARGE
NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE			375	(07) CPM							
00055 1 0 0 EFFLUENT GROSS VALUE		REPORT	REPORT	GPD						ONCE/	MEASURED
PH							8.00	(12)			
00400 1 0 0 EFFLUENT GROSS VALUE					6.5 MINIMUM		9.0 MAXIMUM	SO		ONCE/	GRAB
SOLIDS, TOTAL SUSPENDED							7	(19)			
00530 9 0 0 SEE COMMENTS BELOW					30DA AVG	EX 7D AV	DAILY MX	MG/L		ONCE/	GRAB
SOLIDS, SETTLEABLE								(25)			
00545 0 0 0 SEE COMMENTS BELOW							0.5 DAILY MX	ML/L		ONCE/	GRAB
OIL & GREASE							< 2	(19)			
00556 1 0 0 EFFLUENT GROSS VALUE							10 DAILY MX	MG/L		ONCE/	GRAB
IRON, TOTAL (AS FE)							0.13	(19)			
01045 1 0 0 EFFLUENT GROSS VALUE							1.0 DAILY MX	MG/L		ONCE/	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL			0	(94)							
45613 1 0 0 EFFLUENT GROSS VALUE				0 YES=1 NO=0						ONCE/	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KET PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

[Signature]
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 472-0431**
DATE **04 10 12**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SET FORTH FROM ALL OUTFALLS.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 NAME **LODESTAR ENERGY, INC. - HORIZON**
 ADDRESS **H C BOX 370**
HELPER UT 84526
 FACILITY **LODESTAR ENERGY, INC. - HORIZON**
 LOCATION **HELPER UT 84526**
 OPER: **DAVID MILLER**

UTG040019
 PERMIT NUMBER

002 A
 DISCHARGE NUMBER

MINOR
 F - FINAL
 PIPE TO JEWKES CRK TO N F GORD
 *** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
04	09	01		04	09	31

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGE-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE			0	(94)							ONCE/ VISUAL MONTH
SOLIDS, TOTAL DISSOLVED 70295 R 0 0 SEE COMMENTS BELOW						759		(19)			ONCE/ GRAB MONTH
						REPORT 30DA AVG		MG/L			

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER KEY PAPPAS / ENV. COORD. TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT <i>Key Pappas</i>	TELEPHONE	DATE		
			435 472-0431 AREA CODE NUMBER	04	10	12 YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT SUCH POINTS, TDS PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL CUTEFALLS.

EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.

00214/030610-1430



October 7, 2004

HIDDEN SPLENDOR RESOURCES INC.
P.O. BOX 32
MIDSERVICES 3860 W.CONSUMER RD
HELPER UT. 84526
Kit Pappas

Sample identification by
HIDDEN SPLENDOR RESOURCES

ID: updes-002A

Kind of sample Water
reported to us

RECEIVED 1400

SAMPLED 0735

FIELD MEASUREMENTS

FLOW 375 TEMP 13

COND. 1070 pH 8.0

Sample taken at HORIZON MINE

Sample taken by K.P., L.M.

NOTES:

Date sampled September 27, 2004

Date received September 27, 2004

Page 1 of 1

Analysis report no. 59-26871

Parameter	Result	MRL	Units	Method	Analyzed	
					Date/Time	Analyst
Iron, Total	0.13	0.030	mg/l	EPA 200.7	10-06-2004	0930 BLP
Oil & Grease	<2	2	mg/l	EPA 413.1	09-30-2004	0900 DI
Solids, Total Dissolved	759	30	mg/l	EPA 160.1	09-28-2004	1100 DI
Solids, Total Suspended	7	5	mg/l	EPA 160.2	09-28-2004	1100 DI

MEMBER
ACIL

Respectfully submitted,
SGS NORTH AMERICA INC.

Huntington Laboratory

SGS North America Inc. Minerals Services Division
P.O. Box 1070, Huntington, UT 84528 t (435) 653-2311 f (435) 653-2436 www.sgs.com