

0046

**Hidden Splendor Resources
Mid State Services
Horizon Mine
P.O. Box 32, Helper, Utah 84526
Phone: (435) 472-0431 – Fax: (435) 472-0439**

November 8, 2004

Ms. Pamela Grubaugh-Littig
Utah Coal Program
Utah Division of Oil, Gas and Mining
1594 West North Temple – Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

*Jacobs
2/007/0020
Copy*

Dear Pam:

Hidden Splendor Resources respectfully submits the October 2004 – Discharge Monitoring Reports (DMRs) associated with the Horizon Mine UPDES Permit UTG040019.

If you have any questions, please feel free to call me at 435-472-0431.

Sincerely,

Kit Pappas

Kit Pappas
Engineering/Environmental

RECEIVED
NOV 12 2004
DIV. OF OIL, GAS & MINING

PERMITTEE NAME/ADDRESS (Include Facility Name/Location (if Different))

NAME **LOBESTAR ENERGY, INC. - HORIZON**

ADDRESS **H C BOX 310
HELPER UT 84526**

FACILITY **LOBESTAR ENERGY, INC. - HORIZON**

LOCATION **HELPER UT 84526**

ATTN: **DAVID MILLER**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DTG040019 **001 A**
PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL
SEDIMENT POND OUTFALL

MONITORING PERIOD

FROM **04 10 01** TO **04 1 01**

NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE		No DISCHARGE									
00056 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MAX	GPD						ONCE/MONTH	MEASURED
PH											
00400 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/MONTH	GRAB
SOLIDS, TOTAL SUSPENDED											
00530 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 MAX	70 DAILY MAX	MG/L		ONCE/MONTH	GRAB
SOLIDS, SETTLEABLE											
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5 DAILY MAX	ML/L		ONCE/MONTH	VISUAL
OIL & GREASE											
00556 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						10 DAILY MAX	MG/L		ONCE/MONTH	GRAB
IRON, TOTAL (AS FE)											
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						1.0 DAILY MAX	MG/L		ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL											
45513 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT			0 YES=1 DAILY MAX NO=0						ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

KIT PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kit Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

435 472-0431

AREA CODE NUMBER

DATE

04 11 08

YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370
HELPER UT 84526**
FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**
ATTN: **DAVID MILLER**

DTG040019
PERMIT NUMBER
001
DISCHARGE NUMBER

MINOR
P - FINAL
SEDIMENT POND OUTFALL

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
04	10	01		04	10	31

NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT			(94)							
	PERMIT REQUIREMENT		0	YES=1 NO=0						ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT							(19)			
	PERMIT REQUIREMENT					REPORT				ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER KIT PAPPAS / ENV. COORD. TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT <i>Kit Pappas</i>	TELEPHONE	DATE		
			435 472-0431 AREA CODE NUMBER	04	11	08 YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 NAME LUDERSTAR ENERGY, INC. - HORIZON
 ADDRESS P O BOX 370
 HELPER UT 84526
 FACILITY LUDERSTAR ENERGY, INC. - HORIZON
 LOCATION HELPER UT 84526
 ATTN: DAVID MILLER

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 UTS040019 PERMIT NUMBER
 002 A DISCHARGE NUMBER
 MONITORING PERIOD
 FROM 04 10 01 TO 04 11 31

MINOR
 F - FINAL SRM
 PIPE TO JENKES CRK TO N F GCRD
 *** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PHOSPHORUS			340	(07) GPM							
00055 1 0 0 EFFLUENT GROSS VALUE		REPORT 30DA AVG	REPORT DAILY MX	GPD						ONCE/MONTH	MEASRD
PH							7.90	(12)			
00400 1 0 0 EFFLUENT GROSS VALUE					6.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/MONTH	GRAB
SOLIDS, TOTAL SUSPENDED						7		(19)			
00330 2 0 0 SEE COMMENTS BELOW					25 30DA AVG	35 MX 7D AV	70 DAILY MX	MG/L		ONCE/MONTH	GRAB
SOLIDS, SETTLEABLE								(25)			
00545 0 0 0 SEE COMMENTS BELOW							0.5 DAILY MX	ML/L		ONCE/MONTH	GRAB
OIL & GREASE							< 2	(19)			
00555 1 0 0 EFFLUENT GROSS VALUE							10 DAILY MX	MG/L		ONCE/MONTH	GRAB
IRON, TOTAL (AS FE)							0.87	(19)			
01045 1 0 0 EFFLUENT GROSS VALUE							1.0 DAILY MX	MG/L		ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL			0	(94)							
45013 1 0 0 EFFLUENT GROSS VALUE			0 DAILY MX	YES=1 NO=0						ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 KAT PAPPAS / ENV. COORD.
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kat Pappas
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 492-0431
 DATE 04 11 08
 AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location (if different))

NAME **LODGESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370 HELPER UT 84526**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UT0040019 PERMIT NUMBER 0023 DISCHARGE NUMBER

MINOR

F - FINAL SRM
PIPE TO JEWKES CRK TO W F GORD

FACILITY **LODGESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**
ATTN: **DAVID TILLEY**

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
04	10	01		04	11	31

NO DISCHARGE []
NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SEWAGE TREATMENT PLANT EFFLUENT GROSS VALUE			0	(94)							
	PERMIT REQUIREMENT		DAILY MAX	NC=0						ONCE/MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED						385		(19)			
	PERMIT REQUIREMENT					REPORT 30DA AVG		MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KIT PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

K. Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 492-0431**
DATE **04 11 08**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
EFFLUENT SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT HIGH FLOW, THIS PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.



Kit

October 21, 2004

HIDDEN SPLENDOR RESOURCES INC.
P.O. BOX 32
MIDSERVICES 3860 W.CONSUMER RD
HELPER UT. 84526
Kit Pappas

Sample identification by
HIDDEN SPLENDOR RESOURCES

ID: updes-002A

Kind of sample Water
reported to us

RECEIVED 1300
SAMPLED 1120

Sample taken at HORIZON MINE

FIELD MEASUREMENTS
FLOW 340 TEMP 13
COND. 600 pH 7.90

Sample taken by KP, LM

NOTES:

Date sampled October 14, 2004

Date received October 14, 2004

Page 1 of 1

Analysis report no. 59-26975

Parameter	Result	MRL	Units	Method	Analyzed	
					Date/Time	Analyst
Iron, Total	0.87	0.030	mg/l	EPA 200.7	10-20-2004 1200	DI
Oil & Grease	<2	2	mg/l	EPA 413.1	10-20-2004 0800	BW
Solids, Total Dissolved	385	30	mg/l	EPA 160.1	10-18-2004 0830	BW
Solids, Total Suspended	7	5	mg/l	EPA 160.2	10-18-2004 0830	BW

RECEIVED
OCT 25 2004

BY:.....



Respectfully submitted,
SGS NORTH AMERICA INC.

Huntington Laboratory