

**Hidden Splendor Resources
Mid State Services
Horizon Mine
P.O. Box 32, Helper, Utah 84526
Phone: (435) 472-0431 – Fax: (435) 472-0439**

December 16, 2004

Ms. Pamela Grubaugh-Littig
Utah Coal Program
Utah Division of Oil, Gas and Mining
1594 West North Temple – Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

*Incoming
c/007/0020*

Dear Pam:

Hidden Splendor Resources respectfully submits the November 2004 – Discharge Monitoring Reports (DMRs) associated with the Horizon Mine UPDES Permit UTG040019. Also included is the Sum A Report for September 2004, which reflects an excess of Total Dissolved Solids, discharged at Source 002-A. During September, the mine encountered larger than normal inflows due to proximity to nearby fault crossings. We feel that this was an extraordinary circumstance and do not anticipate this to be an ongoing or continuing problem.

If you have any questions, please feel free to call me at 435-472-0431.

Sincerely,

Kit Pappas

Kit Pappas
Engineering/Environmental

RECEIVED

DEC 20 2004

DIV. OF OIL, GAS & MINING

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370**
HELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DTG040019 **001 A**
PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL
SEDIMENT POND OUTFALL

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**
ATTN: **DAVID MILLER**

MONITORING PERIOD
FROM **04 11 01** TO **04 11 03**

NO DISCHARGE

NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE				(07)							
00056 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY BY	GPD						ONCE/	WEASED MONTH
PH							(12)				
00400 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/	GRAB MONTH
SOLIDS, TOTAL SUSPENDED							(19)				
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 BY 7D AV	70 DAILY BY	MG/L		ONCE/	GRAB MONTH
SOLIDS, SETTLEABLE							(25)				
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5 DAILY BY	ML/L		ONCE/	VISUAL MONTH
OIL & GREASE							(19)				
00556 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						10 DAILY BY	MG/L		ONCE/	GRAB MONTH
IRON, TOTAL (AS FE)							(19)				
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						1.0 DAILY BY	MG/L		ONCE/	GRAB MONTH
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL				(94)							
45613 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT		0 YES=1 DAILY BY NO=0							ONCE/	VISUAL MONTH

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KEY PAPPAS / ENV COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Key Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 472-0431**
DATE **04 12 16**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG CDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTED IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location (if Different))

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370 HELPER UT 84526**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040019 PERMIT NUMBER
001 DISCHARGE NUMBER

MIROR

F - FINAL
SEDIMENT POND OUTFALL

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
04	11	01		04	11	31

ATTN: DAVID MILLER

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMEN 45614 1 0 0 EFFLUENT GROSS VALU				(94)							
				YES=1 DAILY EX NO=0						ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 8 0 0 SEE COMMENTS BELOW							(19)				
						REPORT 30DA AVG		MG/L		ONCE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KIT PAPPAS/ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

KIT PAPPAS
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 472-0431**
DATE **04 12 16**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTED IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if Different))
 NAME **LOW-STAP ENERGY, INC. - HORIZON**
 ADDRESS **H C BOX 370**
HELDER UT **84526**
 FACILITY **LOW-STAP ENERGY, INC. - HORIZON**
 LOCATION **HELDER** UT **84526**
 ATTN: **DAVID MILLER**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DTG040019 **002 A**
 PERMIT NUMBER DISCHARGE NUMBER

MINOR
 F - FINAL SRM
 PIPE TO JEWKES CRK TO N F GORD

MONITORING PERIOD

FROM **04 11 01** TO **04 11 31**

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE			300	(07) GPM							
00055 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPORT	REPORT							ONCE/	BASED
		30DA AVG	DAILY MX	GPD						MONTH	
PH							8.20	(12)			
00000 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5		9.0			ONCE/	GRAB
					MINIMUM		MAXIMUM	50		MONTH	
SOLIDS, TOTAL SUSPENDED						< 5		(19)			
00530 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25	35	70			ONCE/	GRAB
					30DA AVG	MX 7D AV	DAILY MX	MG/L		MONTH	
SOLIDS, SETTLEABLE								(25)			
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5			ONCE/	GRAB
							DAILY MX	ML/L		MONTH	
OIL & GREASE						< 2		(19)			
00556 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						10			ONCE/	GRAB
							DAILY MX	MG/L		MONTH	
IRON, TOTAL (AS FE)							0.68	(19)			
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						1.0			ONCE/	GRAB
							DAILY MX	MG/L		MONTH	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL			0	(34)							
45613 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT		0	YES=1 NO=0						ONCE/	VISUAL
			DAILY MX							MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KIT PAPPAS / ENV. COORD
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kit Pappas
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435-872-0431**
 DATE **04 12 16**
 AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUP FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if Different))

NAME **LOBESTAR ENERGY, INC. - HORIZON**
ADDRESS **R C BOX 370**
SHELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMIT NUMBER: **W30040019**
DISCHARGE NUMBER: **0021**

MINOR

F - FINAL SRM
PIPE TO JEWKES CRK TO N F GORD

FACILITY **LOBESTAR ENERGY, INC. - HORIZON**
LOCATION **SHELPER UT 84526**

MONITORING PERIOD

FROM **04 11 01** TO **04 11 31**

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

ATTN: DAVID MILLER

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGE-ASSESSMENT			0	(94)							
45614 1 0 0			0	YES=1						ONCE/	VISUAL
EFFLUENT GROSS VALUE			DAILY	NO=0						MONTH	
SOLIDS, TOTAL DISSOLVED						363		(19)			
70295 2 0 0						REPORT				ONCE/	GRAB
SEE COMMENTS BELOW						30DA AVG		MG/L		MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KIT PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
Kit Pappas

TELEPHONE: **435 472-0431**
DATE: **04 12 16**

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.



December 13, 2004

HIDDEN SPLENDOR RESOURCES INC.
 P.O. BOX 32
 MIDSERVICES 3860 W.CONSUMER RD
 HELPER UT. 84526
 Kit Pappas

Sample identification
 HIDDEN SPLENDOR RESOURCES

ID, UPDES-002A

Kind of sample Water.
 reported. to us

RECEIVED 1050
 SAMPLED 0200

Sample taken at HORIZON MINE
 Sample taken by KP

FIELD MEASUREMENTS
 FLOW 300 TEMP 10
 COND. 770 pH 8.20

Date Sampled November 29, 2004

NOTES:

Date Received November 29, 2004

Page .1 of 1.

Analysis report no. 59-27128

Parameter	Result	MRL	Unit	Method	Analysed		
					Date/Time/Analyst		
Iron, Total	0.68	0.030	mg/l	EPA 200.7	12-10-2004	1130	BL'
Oil & Grease	<2	2	mg/l	EPA 413.1	12-02-2004	0845	DI
Solids, Total Dissolved	363	30	mg/l	EPA 160.1	11-29-2004	0830	EW
Solids, Total Suspended	<5	5	mg/l	EPA 160.2	11-29-2004	0830	BW



Respectfully submitted,
 SGS NORTH AMERICA INC.

Huntington Laboratory

SGS North America Inc. Minerals Services Division
 P.O. Box 1020, Huntington, UT 84526 t (435) 653-2311 f (435) 653-2436 www.sgs.com

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if Different))

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370**
HELPER UT 84525

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040019 PERMIT NUMBER
SUM A DISCHARGE NUMBER

MINOR

F - FISCAL
SUM OF ALL OUTFALLS

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84525**
ATTN: **DAVID MILLER**

MONITORING PERIOD
YEAR MO DAY YEAR MO DAY
FROM 04 09 01 TO 04 09 31

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW			3416	(26)							
			2000	DAILY EX LBS/DY						ONCE/ MONTH	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KIT PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kit Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 472-0431**
DATE **04 12 16**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
IF TDS IS 500 MG/L OR LESS AT EACH OUTFALL ENTER M.S. FOR SUM A.



October 7, 2004

HIDDEN SPLENDOR RESOURCES INC.
 P.O. BOX 32
 MIDSERVICES 3860 W.CONSUMER RD
 HELPER UT. 84526
 Kit Pappas

Sample identification by
 HIDDEN SPLENDOR RESOURCES

ID: updes-002A

Kind of sample Water
 reported to us

RECEIVED 1400
 SAMPLED 0735

Sample taken at HORIZON MINE

FIELD MEASUREMENTS
 FLOW 375 TEMP 13
 COND. 1070 pH 8.0

Sample taken by K.P., L.M.

NOTES:

Date sampled September 27, 2004

Date received September 27, 2004

Page 1 of 1

Analysis report no. 59-26871

Parameter	Result	MRL	Units	Method	Analyzed		
					Date/Time	Analyst	
Iron, Total	0.13	0.030	mg/l	EPA 200.7	10-06-2004	0930	BLP
Oil & Grease	<2	2	mg/l	EPA 413.1	09-30-2004	0900	DI
Solids, Total Dissolved	759	30	mg/l	EPA 160.1	09-28-2004	1100	DI
Solids, Total Suspended	7	5	mg/l	EPA 160.2	09-28-2004	1100	DI



Respectfully submitted,
 SGS NORTH AMERICA INC.

Huntington Laboratory

SGS North America Inc. Minerals Services Division
 P.O. Box 1020, Huntington, UT 84528 t (435) 653-2311 f (435) 653-2436 www.sgs.com