

0011

INCOMING
C0070020

**Hidden Splendor Resources
Mid State Services
Horizon Mine
P.O. Box 32, Helper, Utah 84526
Phone: (435) 472-0431 – Fax: (435) 472-0439**

March 1, 2005

Ms. Pamela Grubaugh-Littig
Utah Coal Program
Utah Division of Oil, Gas and Mining
1594 West North Temple – Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

Dear Pam:

Hidden Splendor Resources respectfully submits the February 2005 – Discharge Monitoring Reports (DMRs) associated with the Horizon Mine UPDES Permit UTG040019.

If you have any questions, please feel free to call me at 435-472-0431.

Sincerely,



Kit Pappas
Engineering/Environmental

RECEIVED

MAR 0 / 2005

DIV. OF OIL, GAS & MINING

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370**
HELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DTG040019 **001 A**
PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL
SEDIMENT POND OUTFALL

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**
ATTN: **DAVID MILLER**

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
05	02	01	05	02	2

*** NO DISCHARGE ***
NOTE: Read Instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE		NO DISCHARGE (07)									
00056 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD						ONCE/ MONTH	WEASED
PH	SAMPLE MEASUREMENT							(12)			
00400 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT							(19)			
00530 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 MX 7D AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT							(25)			
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5 DAILY MX	ML/L		ONCE/ MONTH	VISUAL
OIL & GREASE	SAMPLE MEASUREMENT							(19)			
00556 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT							(19)			
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						1.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT			(94)							
45613 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT		0 YES=1 DAILY MX	NO=0						ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Ket Pappas

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE DATE

435 472-0431 05 03 01
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUP FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 NAME LODESTAR ENERGY, INC. - HORIZON
 ADDRESS R C BOX 370 HELPER UT 84526
 FACILITY LODESTAR ENERGY, INC. - HORIZON
 LOCATION HELPER UT 84526
 ATTN: DAVID MILLER

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

BTG040019 PERMIT NUMBER
 001 A DISCHARGE NUMBER

MINOR
 F - FINAL
 SEDIMENT POND OUTFALL

MONITORING PERIOD

FROM 05 02 01 TO 05 02 2

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT			(94)							
	PERMIT REQUIREMENT		0 DAILY MAX	YES=1 NO=0						ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT							(19)			
	PERMIT REQUIREMENT					REPORT 30DA AVG		MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 KET PAPPAS / ENV. COORD.
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Principal Executive Officer or Authorized Agent
 TELEPHONE
 DATE

435 472-0431
 05 03 01
 AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTED IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)
 NAME **LODESTAR ENERGY, INC. - HORIZON**
 ADDRESS **R C BOX 370**
HELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

UTG040019 **002 A**
 PERMIT NUMBER DISCHARGE NUMBER

MINOR
 F - FINAL SRM
 PIPE TO JEWKES CRK TO N F GORD

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
 LOCATION **HELPER UT 84526**
 ATTN: **DAVID MILLER**

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
05	02	01		05	02	2

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE		350		(07) GPM							
00056 1 0 0 EFFLUENT GROSS VALU		REPORT	REPORT							ONCE/	MEASD
		30DA AVG	DAILY MX	GPD						MONTH	
PH							8.30	(12)			
00400 1 0 0 EFFLUENT GROSS VALU					5.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/	GRAB
										MONTH	
SOLIDS, TOTAL SUSPENDED						8		(19)			
00530 P 0 0 SEE COMMENTS BELOW					25 30DA AVG	35 MX 7D AV	70 DAILY MX	MG/L		ONCE/	GRAB
										MONTH	
SOLIDS, SETTLEABLE							0.5	(25)			
00545 0 0 0 SEE COMMENTS BELOW							DAILY MX	ML/L		ONCE/	GRAB
										MONTH	
OIL & GREASE							< 2	(19)			
00556 1 0 0 EFFLUENT GROSS VALU							10	MG/L		ONCE/	GRAB
							DAILY MX			MONTH	
IRON, TOTAL (AS FE)							0.37	(19)			
01045 1 0 0 EFFLUENT GROSS VALU							1.0	MG/L		ONCE/	GRAB
							DAILY MX			MONTH	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL			0	(94)							
45613 1 0 0 EFFLUENT GROSS VALU			0	YES=1 NO=0						ONCE/	VISUAL
			DAILY MX							MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER KET PAPPAS / ENV. COORD. TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT <i>Ket Pappas</i>	TELEPHONE	DATE		
			435-472-0431 AREA CODE NUMBER	05	03	01

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)

NAME **LOBSTAR ENERGY, INC. - HORIZON**

ADDRESS **P O BOX 370
HORIZON UT 84526**

FACILITY **LOBSTAR ENERGY, INC. - HORIZON**

LOCATION **HORIZON UT 84526**

ATTN: **DAVID MILLER**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UT0000012
PERMIT NUMBER

002 A
DISCHARGE NUMBER

MINOR

F - FINAL SRM
PIPE TO JEWKES CRK TO N F GORD

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
05	02	01	05	02	2

FROM

TO

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT		0	(94)							
	PERMIT REQUIREMENT		DAILY MAX	YES=1 NO=0						ONCE/MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 10295 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT					350	(19)				
	PERMIT REQUIREMENT					REPORT 30DA AVG				ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

K. T. Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
435	472-0431	05	03	01
AREA CODE	NUMBER	YEAR	MO	DAY

K. T. PAPPAS/ENV. COORD.
TYPED OR PRINTED

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.



February 24, 2005

HIDDEN SPLENDOR RESOURCES INC.
 P.O. BOX 32
 MIDSERVICES 3860 W.CONSUMER RD
 HELPER UT. 84526
 Kit Pappas

Sample identification by
 HIDDEN SPLENDOR RESOURCES

ID:UPDES-002B

Kind of sample Water
 reported to us

RECEIVED 1245
 SAMPLED 0615

Sample taken at HORIZON MINE

FIELD MEASUREMENTS
 FLOW 350 TEMP 13
 COND. 660 pH 8.30

Sample taken by K.P.

NOTES:

Date sampled February 14, 2005

Date received February 14, 2005

Page 1 of 1

Analysis report no. 59-27252

Parameter	Result	MRL	Units	Method	Analyzed	
					Date/Time/Analyst	
Iron, Total	0.37	0.050	mg/l	EPA 200.7	02-22-2005	1526 DI
Oil & Grease	<2	2	mg/l	EPA 413.1	02-16-2005	1145 CI
Solids, Total Dissolved	350	30	mg/l	EPA 160.1	02-15-2005	0900 CI
Solids, Total Suspended	8	5	mg/l	EPA 160.2	02-15-2005	0900 CI



Respectfully submitted,
 SGS NORTH AMERICA INC.

[Signature]

Huntington Laboratory

SGS North America Inc. Minerals Services Division
 P.O. Box 1020, Huntington, UT 84528 t (435) 653-2311 f (435) 653-2436 www.sgs.com