

0050

**Hidden Splendor Resources
Mid State Services
Horizon Mine
3266 South 125 West, Price, Utah 84501
Phone: (435) 472-0431 – Fax: (435) 472-0439**

September 12, 2005

Ms. Pamela Grubaugh-Littig
Utah Coal Program
Utah Division of Oil, Gas and Mining
1594 West North Temple – Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

*Incoming
C/007/0020*

Dear Pam:

Hidden Splendor Resources respectfully submits the August 2005 – Discharge Monitoring Reports (DMRs) associated with the Horizon Mine UPDES Permit UTG040019.

If you have any questions, please feel free to call me at 435-472-0431.

Sincerely,

Kit Pappas

Kit Pappas
Engineering/Environmental

RECEIVED
SEP 14 2005
DIV. OF OIL, GAS & MINING

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location (if Different))

NAME **LODESTAR ENERGY, INC. - HORIZON**
ADDRESS **H C BOX 370**
HELPER UT 84526

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040019 001 A
PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL
SEDIMENT POND OUTFALL

FACILITY **LODESTAR ENERGY, INC. - HORIZON**
LOCATION **HELPER UT 84526**

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
05	08	01		05	08	31

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

ATTN: DAVID MILLER

PARAMETER	SAMPLE MEASUREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE		No DISCHARGE (07)			N/A	N/A	N/A		0	ONCE/MONTH	N/A
00056 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD						ONCE/MONTH	MEASRD
PH					N/A	N/A	N/A	(12)	N/A	N/A	N/A
00400 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT				6.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/MONTH	GRAB
SOLIDS, TOTAL SUSPENDED					N/A	N/A	N/A	(19)	N/A	N/A	N/A
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT				25 30DA AVG	35 MX 7D AV	70 DAILY MX	MG/L		ONCE/MONTH	GRAB
SOLIDS, SETTLEABLE					N/A	N/A	N/A	(25)	N/A	N/A	N/A
00545 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5 DAILY MX	ML/L		ONCE/MONTH	VISUAL
OIL & GREASE					N/A	N/A	N/A	(19)	N/A	N/A	N/A
00556 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						10 DAILY MX	MG/L		ONCE/MONTH	GRAB
IRON, TOTAL (AS FE)					N/A	N/A	N/A	(19)	N/A	N/A	N/A
01045 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT						1.0 DAILY MX	MG/L		ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL				(94)	N/A	N/A	N/A		N/A	N/A	N/A
45613 1 0 0 EFFLUENT GROSS VALU	PERMIT REQUIREMENT		0 YES=1	DAILY MX NO=0						ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KIT PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

[Signature]
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 492-0431**
DATE **05 09 12**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**

ADDRESS **H C BOX 370
HELPER UT 84526**

FACILITY **LODESTAR ENERGY, INC. - HORIZON**

LOCATION **HELPER UT 84526**

ATTN: **DAVID MILLER**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040019 001
PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL
SEDIMENT POND OUTFALL

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
05	08	01		05	08	31

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****		(94)	N/A	N/A	N/A		NA	NA	NA
	PERMIT REQUIREMENT	*****	0	YES=1 NO=0				*****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****	*****		N/A	N/A	N/A	(19)	NA	NA	NA
	PERMIT REQUIREMENT	*****	*****	*****		REPORT 30DA AVG		***** MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

KIT PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Kit Pappas
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 472-0431**
DATE **05 09 12**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)

NAME **LODESTAR ENERGY, INC. - HORIZON**
 ADDRESS **H C BOX 370 HELPER UT 84526**
 FACILITY **LODESTAR ENERGY, INC. - HORIZON**
 LOCATION **HELPER UT 84526**
 ATTN: **DAVID MILLER**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040019 002 A
 PERMIT NUMBER DISCHARGE NUMBER

MINOR

F - FINAL SRM
 PIPE TO JEWKES CRK TO N F GORD

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
05	08	01		05	09	31

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE 00056 1 0 0 EFFLUENT GROSS VALU		350	350	(07) GPM	N/A	N/A	N/A		N/A	ONCE/ MONTH	MEASRD
		REPORT	REPORT							ONCE/ MONTH	MEASRD
PH 00400 1 0 0 EFFLUENT GROSS VALU					8.20	8.20	8.20	(12)	0	ONCE/ MONTH	GRAB
					6.5 MINIMUM		9.0 MAXIMUM	SU		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 2 0 0 SEE COMMENTS BELOW					<5	<5	<5	(19)	0	ONCE/ MONTH	GRAB
					25 30DA AVG	35 MX 7D AV	70 DAILY M	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE 00545 0 0 0 SEE COMMENTS BELOW					N/A	N/A	N/A	(25)	N/A	N/A	N/A
							0.5 DAILY M	ML/L		ONCE/ MONTH	GRAB
OIL & GREASE 00556 1 0 0 EFFLUENT GROSS VALU					<2	<2	<2	(19)	0	ONCE/ MONTH	GRAB
							10 DAILY M	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALU					0.21	0.21	0.21	(19)	0	ONCE/ MONTH	GRAB
							1.0 DAILY M	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 45613 1 0 0 EFFLUENT GROSS VALU				(94)	N/A	N/A	N/A		0	ONCE/ MONTH	VISUAL
				0 YES=1 DAILY M NO=0						ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KEY PAPPAS / ENV. COORD.
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **435 472-0431** DATE **05 09 12**
 AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MB/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MINOR

F - FINAL SRM
PIPE TO JEWKES CRK TO N F GORD

*** NO DISCHARGE [] ***
NOTE: Read instructions before completing this form.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME LODESTAR ENERGY, INC. - HORIZON

ADDRESS H C BOX 370 UT 84526
HELPER

FACILITY LODESTAR ENERGY, INC. - HORIZON

LOCATION HELPER UT 84526

ATTN: DAVID MILLER

HTG040019 002 A
PERMIT NUMBER DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
05	08	01		05	08	31

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSM 45614 1 0 0	SAMPLE MEASUREMENT	*****		(94)	N/A	N/A	N/A		0	ONCE/MONTH	VISUAL
EFFLUENT GROSS VALU	PERMIT REQUIREMENT	*****	DAILY MX	YES=1 NO=0	*****	*****	*****	*****		ONCE/MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 R 0 0	SAMPLE MEASUREMENT	*****	*****		382	382	382	(19)	0	ONCE/MONTH	GRAB
SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30DA AVG	*****	MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
KET PAPPAS / ENV. COORD.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

[Signature]
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE DATE
AREA CODE NUMBER YEAR MO DAY
935 492-0431 05 09 12

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MB/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.



September 9, 2005

HIDDEN SPLENDOR RESOURCES INC.
P.O. BOX 32
MIDSERVICES 3860 W.CONSUMER RD
HELPER UT. 84526
Kit Pappas

Sample identification by
HIDDEN SPLENDOR RESOURCES

ID:UPDES-002A

Kind of sample Water
reported to us

RECEIVED 1140
SAMPLED 0730

FIELD MEASUREMENTS

Sample taken at HORIZON MINE

FLOW 350 pH 8.20
COND. 510

Sample taken by K.P.

NOTES:

Date sampled August 29, 2005

Date received August 29, 2005

Page 1 of 1

Analysis report no. 59-27910

Parameter	Result	MRL	Units	Method	Analyzed	
					Date/Time	Analyst
Iron, Total	0.21	0.050	mg/l	EPA 200.7	09-07-2005 1242	JJ
Oil & Grease	<2	2	mg/l	EPA 413.1	08-31-2005 0900	JJ
Solids, Total Dissolved	382	30	mg/l	EPA 160.1	09-01-2005 1200	BM
Solids, Total Suspended	<5	5	mg/l	EPA 160.2	09-01-2005 1200	BM

Respectfully submitted,
SGS NORTH AMERICA INC.

Huntington Laboratory