C/007/020 Incoming
cc: Dave

0011

Hidden Splendor Resources
Horizon Mine
3266 South 125 West, Price, Utah 84501
Phone: (435) 636-0820 – Fax: (435) 636-0817

April 22, 2009

Mr. Jim Smith
Utah Coal Program
Utah Division of Oil, Gas and Mining
1594 West North Temple – Suite 1210
Box 145801
Salt Lake City, UT 84114-5801

Dear Jim:

Hidden Splendor Resources respectfully submits the March 2009 – Discharge Monitoring Reports (DMRs) associated with the Horizon Mine UPDES Permit UTG040019.

If you have any questions, please feel free to call me at 435-636-0820.

Sincerely,

Kit Pappas
Engineering/Environmental

RECEIVED
APR 27 2009
DIV. OF OIL, GAS & MINING

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME: LODESTAR ENERGY, INC.
ADDRESS: H. C. BOX 370
HELPER, UT 84526

FACILITY: LODESTAR ENERGY, INC.- HORIZON
LOCATION: H. C. BOX 370
HELPER, UT 84526

ATTN:DAVID MILLER

UTG040019
PERMIT NUMBER

001A
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 84501
MINOR

SEDIMENT POND OUTFALL
External Outfall

No Discharge ☒

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	03	01	TO	09	03	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Flow rate	SAMPLE MEASUREMENT	No Discharge			N/A	N/A	N/A		0	Monthly	N/A
00056 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	gal/d	******	******	******			Monthly	MEASRD
pH	SAMPLE MEASUREMENT	******	******		N/A	N/A	N/A		N/A	N/A	N/A
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		6.5 MINIMUM	******	9 MAXIMUM	SU		Monthly	GRAB
Solids, total suspended	SAMPLE MEASUREMENT	******	******		N/A	N/A	N/A		N/A	N/A	N/A
00530 P 0 See Comments	PERMIT REQUIREMENT	******	******		25 30DA AVG	35 MX 7D AV	70 DAILY MX	mg/L		Monthly	GRAB
Solids, settleable	SAMPLE MEASUREMENT	******	******		N/A	N/A	N/A		N/A	N/A	N/A
00545 Q 0 See Comments	PERMIT REQUIREMENT	******	******		******	******	.5 DAILY MX	mL/L		Monthly	VISUAL
Oil & grease	SAMPLE MEASUREMENT	******	******		N/A	N/A	N/A		N/A	N/A	N/A
00556 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	******	10 DAILY MX	mg/L		Monthly	GRAB
Iron, total (as Fe)	SAMPLE MEASUREMENT	******	******		N/A	N/A	N/A		N/A	N/A	N/A
01045 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	******	1 DAILY MX	mg/L		Monthly	GRAB
Floating solids or visible foam-visual	SAMPLE MEASUREMENT	******			N/A	N/A	N/A		N/A	N/A	N/A
45613 1 0 Effluent Gross	PERMIT REQUIREMENT	******	0 DAILY MX	Y=1;N=0	******	******	******			Monthly	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
Kit Pappas / Env. Coord.	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	Kit Pappas	435	636-0820	09	04	22
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA Code	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

See permit for Settleable Solids Conditions, otherwise enter "N/A". If a visual sheen is observed then and oil and grease must be collected immediately, otherwise enter "N/A"

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME: LODESTAR ENERGY, INC.
ADDRESS: H. C. BOX 370
HELPER, UT 84526

FACILITY: LODESTAR ENERGY, INC.- HORIZON
LOCATION: H. C. BOX 370
HELPER, UT 84526

ATTN:DAVID MILLER

UTG040019	001A
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	03	01	TO	09	03	31

DMR MAILING ZIP CODE: 84501
MINOR

SEDIMENT POND OUTFALL
External Outfall

No Discharge ☒

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Sanitary waste discharged-assessmnt	SAMPLE MEASUREMENT	******			N/A	N/A	N/A		N/A	N/A	N/A
45614 1 0 Effluent Gross	PERMIT REQUIREMENT	******	0 DAILY MX	Y=1;N=0	******	******	******			Monthly	VISUAL
Solids, total dissolved	SAMPLE MEASUREMENT	******	******		N/A	N/A	N/A		N/A	N/A	N/A
70295 R 0 See Comments	PERMIT REQUIREMENT	******	******		******	Req. Mon. 30DA AVG	******	mg/L		Monthly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
Kit Pappas / Env. Coord.	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	435 636-0820		09	04	22
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA Code	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

See permit for Settleable Solids Conditions, otherwise enter "N/A". If a visual sheen is observed then and oil and grease must be collected immediately, otherwise enter "N/A"

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME: LODESTAR ENERGY, INC.
ADDRESS: H. C. BOX 370
HELPER, UT 84526

FACILITY: LODESTAR ENERGY, INC.- HORIZON
LOCATION: H. C. BOX 370
HELPER, UT 84526

ATTN:DAVID MILLER

UTG040019	002A
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	03	01	TO	09	03	31

DMR MAILING ZIP CODE: 84501
MINOR
SRM
PIPE TO JEWKES CRK TO N F GORD
External Outfall

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Flow rate	SAMPLE MEASUREMENT	345	345	GPM	N/A	N/A	N/A		N/A	MONTHLY	MEASRD
00056 1 0 Effluent Gross	PERMIT REQUIREMENT	Req. Mon. 30DA AVG	Req. Mon. DAILY MX	gal/d	******	******	******			Monthly	MEASRD
pH	SAMPLE MEASUREMENT	******	******		7.62	7.62	7.62		0	MONTHLY	GRAB
00400 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		6.5 MINIMUM	******	9 MAXIMUM	SU		Monthly	GRAB
Solids, total suspended	SAMPLE MEASUREMENT	******	******		11	11	11		0	MONTHLY	GRAB
00530 P 0 See Comments	PERMIT REQUIREMENT	******	******		25 30DA AVG	35 MX 7D AV	70 DAILY MX	mg/L		Monthly	GRAB
Oil & grease	SAMPLE MEASUREMENT	******	******		<5	<5	<5		0	MONTHLY	GRAB
00556 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	******	10 DAILY MX	mg/L		Monthly	GRAB
Iron, total (as Fe)	SAMPLE MEASUREMENT	******	******		0.72	0.72	0.72		0	MONTHLY	GRAB
01045 1 0 Effluent Gross	PERMIT REQUIREMENT	******	******		******	******	1 DAILY MX	mg/L		Monthly	GRAB
Floating solids or visible foam-visual	SAMPLE MEASUREMENT	******	0		N/A	N/A	N/A		0	MONTHLY	VISUAL
45613 1 0 Effluent Gross	PERMIT REQUIREMENT	******	0 DAILY MX	Y=1;N=0	******	******	******			Monthly	VISUAL
Sanitary waste discharged-assessmnt	SAMPLE MEASUREMENT	******	0		N/A	N/A	N/A		0	MONTHLY	VISUAL
45614 1 0 Effluent Gross	PERMIT REQUIREMENT	******	0 DAILY MX	Y=1;N=0	******	******	******			Monthly	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
KIT PAPPAS / ENV. COORD.	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	435	636-0820	09	04	22
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA Code	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLEABLE SOLIDS SHALL BE LIMITEDINSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24HR PRECIPITATION EVENT. ENTER N.A.WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MB/L CANNOT BE ACHEIVEDAT EACH OUTFALL, THEN PERMITTEE ISLIMITED TO ONE TON (2000 LBS) PERDAY AS SUM FROM ALL OUTFALLS.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if Different)*

NAME: LODESTAR ENERGY, INC.
ADDRESS: H. C. BOX 370
HELPER, UT 84526

FACILITY: LODESTAR ENERGY, INC.- HORIZON
LOCATION: H. C. BOX 370
HELPER, UT 84526

ATTN:DAVID MILLER

UTG040019	002A
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	09	03	01	TO	09	03	31

DMR MAILING ZIP CODE: 84501
MINOR
SRM
PIPE TO JEWKES CRK TO N F GORD
External Outfall

No Discharge ☐

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		VALUE	VALUE	UNITS	VALUE	VALUE	VALUE	UNITS			
Solids, total dissolved	SAMPLE MEASUREMENT	******	******		376	376	376		0	MONTHLY	GRAB
70295 R 0 See Comments	PERMIT REQUIREMENT	******	******		******	Req. Mon. 30DA AVG	******	mg/L		Monthly	GRAB

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
KEY PAPPAS / ENV. COORD.	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	435	636-0870	09	04	22
TYPED OR PRINTED			AREA Code	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLEABLE SOLIDS SHALL BE LIMITEDINSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24HR PRECIPITATION EVENT. ENTER N.A.WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MB/L CANNOT BE ACHEIVEDAT EACH OUTFALL, THEN PERMITTEE ISLIMITED TO ONE TON (2000 LBS) PERDAY AS SUM FROM ALL OUTFALLS.

SGS

Analysis Report

April 06, 2009

RECEIVED APR 0 3 2009

HIDDEN SPLENDOR RESOURCES INC
3266 SOUTH 125 WEST
PRICE UT 84501

Client Sample ID:	UPDES 002A	Sample ID By:	Hidden Splendor
Date Sampled:	Mar 25,2009	Sample Taken At:	UPDES 002A
Date Received:	Mar 25, 2009	Sample Taken By:	KP
Product Description:	WATER	Time Sampled:	0600
		Time Received:	1125
		Mine:	28
		Site:	24
		Field – pH	7.62 units
		Field - Flow:	345 GPM
		Field - Temperature:	12 DEG. C

SGS Minerals Sample ID: 782-0901023-001

Tests	Result	Unit	Method	ANALYZED DATE	TIME	ANALYST
Oil and Grease, (HEM)	<5	mg/L	EPA 1664	03/27/2009	09:00:00	CM
Total Dissolved Solids	376	mg/L	SM2540-C	03/26/2009	10:40:00	GK
Total Suspended Solids	11	mg/L	SM2540-D	03/26/2009	10:40:00	GK
METALS BY ICP						
Iron, Fe – Total	0.72	mg/L	EPA 200.7	04/01/2009	19:09:00	CM

Respectfully submitted,
SGS NORTH AMERICA INC.

Allen Huntington

Huntington Laboratory