

0007

ACT/007/022 815

FILE FOLDER #2

OIL COPY to #15



BEAVER CREEK Coal Company

Post Office Box 1378
Price, Utah 84501
Telephone 801 637-5050

RECEIVED
MAY 13 1988

May 11, 1988

DIVISION OF
OIL, GAS & MINING

Mr. Lowell P. Braxton
Administrator
Utah Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attention: Mr. Jim Fricke

RE: TDN No.2 Amendment
C.V. Spur Loadout Facility
ACT/007/022
Carbon County, Utah

*Approved
11/16/87*

Dear Mr. Braxton:

At the request of Mr. Fricke, please find enclosed 8 copies of a revised page 7-56 for the C.V. Spur M.R.P. This amendment is submitted to further clarify the water monitoring reporting frequency as quarterly for surface stations only, since ground water samples are on a bi-annual basis.

If you need any further, information, please let me know.

Respectfully,

Dan W. Guy
Manager Permitting/Compliance

cc: Johnny Coffey
File

DWG/cr
IBM CATHY6

7.1.5 Mitigation and Control Plans (continued)

activities, the collector sump at the northeast corner of the property will be filled in, and the french drain line will be severed approximately 50 feet from the sump and plugged off with concrete. The smaller french drain line located south of the railroad loop will also be severed at the lower end and plugged off with concrete to render it non-discharging. While water table conditions on the site are expected to rise following removal of the sump, saturation of reclaimed surface or coal refuse is not expected to occur. The remaining portion of the french drain will continue to favor lowering of the water table and diversion of shallow groundwater around the site. Saturated conditions and seepage expected to occur in the vicinity of the sump and downslope of the french drain. The coal refuse, which is at a higher elevation, should remain above the water table.

7.1.4 Groundwater Monitoring Plan

Monthly water levels and quarterly water quality samples were continued in 1982 for an additional one-year baseline monitoring period. Following this baseline period, water levels of existing wells will be measured bi-annually in the Spring and Fall just prior to water quality sampling. Water quality analysis will be completed for the parameters listed in Table 7-15. Monitoring results will be reported quarterly for surface stations, bi-annually for groundwater stations, and in an annual summary. Data will be examined for trends in water quality characteristics. Spatial relationships and any trends will be examined in an effort to relate trends to operational activities, off site activities or natural variation.

7.1.5 Mitigation and Control Plans (continued)

activities, the collector sump at the northeast corner of the property will be filled in, and the french drain line will be severed approximately 50 feet from the sump and plugged off with concrete. The smaller french drain line located south of the railroad loop will also be severed at the lower end and plugged off with concrete to render it non-discharging. While water table conditions on the site are expected to rise following removal of the sump, saturation of reclaimed surface or coal refuse is not expected to occur. The remaining portion of the french drain will continue to favor lowering of the water table and diversion of shallow groundwater around the site. Saturated conditions and seepage expected to occur in the vicinity of the sump and downslope of the french drain. The coal refuse, which is at a higher elevation, should remain above the water table.

7.1.4 Groundwater Monitoring Plan

Monthly water levels and quarterly water quality samples were continued in 1982 for an additional one-year baseline monitoring period. Following this baseline period, water levels of existing wells will be measured bi-annually in the Spring and Fall just prior to water quality sampling. Water quality analysis will be completed for the parameters listed in Table 7-15. Monitoring results will be reported quarterly for surface stations, bi-annually for groundwater stations, and in an annual summary. Data will be examined for trends in water quality characteristics. Spatial relationships and any trends will be examined in an effort to relate trends to operational activities, off site activities or natural variation.