

2008 ANNUAL REPORT

**SAVAGE SERVICES CORPORATION
SAVAGE COAL TERMINAL
C/007/022**

File in:

- Confidential
- Shelf
- Expandable

Refer to Record No. 0009 Date 05/04/2009

In C/007/022 2008 Incoming

For additional information

2008 ANNUAL REPORT

**SAVAGE SERVICES CORPORATION
SAVAGE COAL TERMINAL
C/007/022**

File in:

Confidential

Shelf

Expandable

Refer to Record No 0009 Date 05/04/2009

In C CO70022 2007 Incoming

For additional information

0009

COPY

4007022 Incoming

OK #3281

SAVAGE

Savage Services Corporation
Coal & Power Services Group
2025 East 5000 South
Box 1001
Price, UT 84501

(435) 637-5664
Fax (435) 637-3418

May 4, 2009

Daron Haddock
Coal Program Manager
Utah Division of Oil, Gas & Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801

Re: Annual Report for 2008
Savage Coal Terminal
C/007/022
Carbon County, Utah

Dear Daron:

Enclosed is one copy of the 2008 Annual Report for the Savage Coal Terminal. An additional report has been submitted to the Price Field Office.

If you need any additional information, please let me know.

Sincerely,

John M. Walters
John M. Walters
General Manager

cc: Price Field Office
Dan Guy - Blackhawk Engineering
File

File in: *C/007022 2009 Incoming*

Refer to:
 Confidential
 Shelf
 Expandable

Date: *050409* for additional information

Creative Solutions for Materials Management and Transportation Systems and Facilities

RECEIVED

MAY 11 2009

DIR OF OIL GAS & MINING

This Annual Report shows information the Division has for your mine. Please review the information to see if it is current. If the information needs to be updated please do so in this document. At the end of each section the operator is asked to verify if the information is correct. Please answer these questions and make all comments on this document. Submit the completed document and any additional information identified in the Appendicies to the Division by April 30, 2009. During a complete inspection an inspector will check and verify the information. To enter text, click in the cell and type your response. You can use the tab key to move from one field to the next. To enter an X in a box, click next to the box, right click, and select properties, then the checked circle, then hit enter, or hit the unchecked circle if the X is to be removed.

GENERAL INFORMATION

Permitte Name	Savage Services Corporation
Mine Name	Savage Coal Terminal
Operator Name (If other then permittee)	
Permit Expiration Date	August 7, 2009
Permit Number	C0070022
Authorized Representative Title	John M. Walters, General Manager
Phone Number	435 637-5664
Fax Number	435 637-3418
E-mail Address	
Mailing Address	6340 S. 3000 E., Suite 600, SLC, Utah 84121
Designated Representative	Kelly J. Flint, Senior Vice President and General Counsel
Resident Agent	H. Benson Lewis
Resident Agent Mailing Address	6340 S. 3000 E., Suite 600, SLC, Utah 84121
Number of Binders Submitted	1-SLC, 1-PFO

Operator, please update any incorrect information.

IDENTIFICATION OF OTHER PERMITS

Identify other permits that are required in conjunction with mining and reclamation activities.

Permit Type	ID Number	Description	Expiration Date
MSHA Mine ID(s)	42-01444	Coal Loadout	N/A
MSHA Impoundment(s)	None		
NPDES/UPDES Permit(s)	UTG-040005	Pond 6	04-30-13
PSD Permit(s) (Air)	DAQE-AN0117930007-08	Approval Order	N/A

Other

Operator, please update any incorrect information.

CERTIFIED REPORTS

List the certified inspection reports as required by the rules and under the approved plan that must be periodically submitted to the Division. Specify whether the information is included as Appendix A to this report or currently on file with the Division.

Certified Reports:	Required		Included Included	or	DOGM file location Vol, Chapter, Page
	Yes	No			
Excess Spoil Piles	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Refuse Piles	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Impoundments	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Other					
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

Operator Comments:

Inspector:

Has the operator complied with this section? Yes No

Inspector Comments:

COMMITMENTS AND CONDITIONS

This Annual Report shows information the Division has for your mine. Please review the information to see if it is current. If the information needs to be updated please do so in this document. At the end of each section the operator is asked to verify if the information is correct. Please answer these questions and make all comments on this document. Submit the completed document and any additional information identified in the Appendicies to the Division by April 30, 2009. During a complete inspection an inspector will check and verify the information. To enter text, click in the cell and type your response. You can use the tab key to move from one field to the next. To enter an X in a box, click next to the box, right click, and select properties, then the checked circle, then hit enter, or hit the unchecked circle if the X is to be removed.

Admin R645-301-100
Soils R645-301-200
Biology R645-301-300

Title: WILDLIFE AWARENESS PROGRAM

Objective: To protect and enhance wildlife populations at or near the facilities.

Frequency: As needed.

Status: Ongoing.

Reports: Annual.

Citation: Volume 1, Section 3.4.5.2, page 3-49a.

Operator: Has this commitment been acted on this year?

Yes No Not required this year. If yes, comment;

Operator Comments:

During Weekly Meetings.

Inspector:

Has the operator complied with this commitment? Yes No

Inspector Comments:

Title: WILDLIFE MONITORING PROGRAM

Objective: To evaluate the ongoing success of mitigation measures and ensure that TE and Sensitive. Species and habitats are not disturbed

Frequency: As needed.

Status: Ongoing.

Reports: Annual.

Citation: Volume 1, Section 3.4.5.3, page 3-50

Operator: Has this commitment been acted on this year?

Yes No Not required this year. If yes, comment;

Operator Comments:

Inspector:

Has the operator complied with this commitment? Yes No

Inspector Comments:

Title: NOXIOUS WEED CONTROL

Objective: To control invasive species in and adjacent to the disturbed area.

Frequency: Annually.

Status: Annually.

Reports: Annual.

Citation: Volume 1, Section 3.4.5.4 or .5, page 3-62a.

Operator: Has this commitment been acted on this year?

Yes No Not required this year. If yes, comment;

Operator Comments:

Inspector:

Has the operator complied with this commitment? Yes No

Inspector Comments:

Landuse, Cultural Resources, Air Quality R645-301- 400

Engineering R645-301-500

Geology R645-301-600

Hydrology R645-301-700

Title: ANALYSIS OF BASELINE PARAMETERS EVERY FIVE YEARS.

Objective: Periodic analysis for baseline parameters for long term impacts to surface and ground water.

Frequency: Once every five years.

Status: Ongoing.

Reports: Report as part of quarterly water monitoring.

Citation: Chapter 7, pp. 7-26 and 7-36.

Operator: Has this commitment been acted on this year?

Yes No Not required this year. If yes, comment;

Operator Comments:

Inspector:

Has the operator complied with this commitment? Yes No

Inspector Comments:

Title: WASTE STREAM FROM PROCESSING PLANT.

Objective: Provide documentation of chemical characteristics of process waste returned to site through analysis of parameters described in App. 3-6 page 1.

Frequency: Sample every 5,000 tons returned to site.

Status: Ongoing.

Reports: Laboratory analysis sheets (not specified whether provided in annual report).

Citation: MRP Appendix 3-6.

Operator: Has this commitment been acted on this year?

Yes No Not required this year. If yes, comment;

Operator Comments:

No Return.

Inspector:

Has the operator complied with this commitment? Yes No

Inspector Comments:

Title: IDENTIFICATION OF ACID/TOXIC PROPERTIES OF WASTE STREAM FROM SAVAGE PREPARATION PLANT STORED ON SITE LONGER THAN 30 DAYS.

Objective: Provide documentation of chemical characteristics of process waste generated on site through analysis of parameters as described in Tables 4 and 8 of the DRAFT 2005 Division Guidelines.

Frequency: Sample every 5,000 tons generated.

Status: Ongoing.

Reports: Laboratory analysis sheets provided quarterly and in Annual Report.

Citation: MRP Sec. 3.2.3.3.

Operator: Has this commitment been acted on this year?

Yes No Not required this year. If yes, comment;

Operator Comments:

No storage beyond 30 days.

Inspector:

Has the operator complied with this commitment? Yes No

Inspector Comments:

Bonding & Insurance R645-301-800

Other Commitments

*Reminder: If equipment has been abandoned during 2008, an amendment must be submitted that includes a map showing its location, a description of what was abandoned, whether there were any hazardous or toxic materials and any revision to the PHC as necessary.

REPORTING OF OTHER TECHNICAL DATA

List other technical data and information as required under the approved plan, which must be periodically submitted to the Division. Specify whether the information is included as Appendix B to this report or currently on file with the Division.

Operator Comments:

N/A

Inspector:

Has the operator complied with this section? Yes No

Inspector Comments:

LEGAL, FINANCIAL, COMPLIANCE AND RELATED INFORMATION

Change in administration or corporate structure can often bring about necessary changes to information found in the mining and reclamation plan. The Division is Requesting that each permittee review and update the legal, financial, compliance and related information in the plan as part of the annual report. Please provide the Department of Commerce, Annual Report of Officers, or other equivalent information as necessary to ensure that the information provided in the plan is current. Provide any other change as necessary regarding land ownership, lease acquisitions, legal results from appeals of violations, or other changes as necessary to update information required in the mining and reclamation plan. Include certified financial statements, audits or worksheets, which may be required to meet bonding requirements. Specify whether the information is currently on file with the Division or included as Appendix C to the report.

Legal / Financial Update **Required** **Included** **or** **DOGM File location**
 Yes No Included Vol, Chapter, Page

Department of Commerce, Annual Report Officers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	On File
Other				
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Operator Comments:

Inspector:

Has the operator complied with this section? Yes No

Inspector Comments:

MAPS

Copies of mine maps, current and up-to-date through at least December 31, 2008, are to be provided to the Division as Appendix D to this report in accordance with the requirements of R 645-301-525.240. The map copies shall be made in accordance with 30 CFR 75.1200 as required by MSHA. Mine maps are not considered confidential. (Please provide a CD.)

Confidential information is limited to:

R645-300-124.310. Information that pertains only to the analysis of the chemical and physical properties of the coal to be mined, except information on components of such coal which are potentially toxic in the environment.

R645-300-124.330. Information on the nature and location of archeological resources on public land and Indian land as required under the Archeological Resources Protection Act of 1979 (P. L. 96-95, 93 Stat. 721, 16 U.S.C. 470).

R645-301-322, Fish and Wildlife Information; R645-301-322.100, the scope and level of detail for such information will be determined by the Division in consultation with state and federal agencies with responsibilities for fish and wildlife and will be sufficient to design the protection and enhancement plan required under R645-301-333 and R645-301-322.230, other species or habitats identified through agency consultation as requiring special protection under state or federal law; R645-301-333.300, Include protective measures that will be used during the active mining phase of operation.

The Division will provide procedures, including notice and opportunity to be heard for persons both seeking and opposing disclosure.

Map Number(s) Map Title/ Description

Map Number(s)	Map Title/ Description	Confidential	
		Yes	No
Annual subsidence map	N/A		
Mine map	N/A		
Other maps	N/A		
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>

Operator Comments:

Inspector:
 Has the operator complied with this section? Yes No

Inspector Comments:

O:\AnnualReport\2008 Annual Reports\Operator Annual Reports (Initial Outgoing)\Active Mines\Savage Coal Terminal C0070022.doc

APPENDIX A

Certified Reports

Excess Spoil Piles
Refuse Piles
Impoundments

As required under R645-301-514

CONTENTS

REFUSE PILE INSPECTIONS

ANNUAL IMPOUNDMENT INSPECTIONS


SAVAGE COAL TERMINAL REFUSE PILE INSPECTION REPORT

MSHA SITE: *1211-UT-09-01444-01 QUARTER: 1/2008

ITEM	REMARKS
(1) Potential Safety Hazards	None Noted.
(2) Slope Stability	Slopes appear stable.
(3) Removal of Topsoil/Organics.	N/A - No removal necessary.
(4) Construction and Maintenance Performance Standards.	Ditches - O.K. Berms - Restored.
(5) Recommendations/Comments.	Sign - O.K. Top Regraded. Berms O.K.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.





 (Signature)

 3/24/08
 (Date)

**SAVAGE COAL TERMINAL
REFUSE PILE INSPECTION REPORT**

MSHA SITE: *1211-UT-09-01444-01 QUARTER: 2/2008

ITEM	REMARKS
(1) Potential Safety Hazards	None Noted.
(2) Slope Stability	Slopes appear stable.
(3) Removal of Topsoil/Organics.	N/A - No removal necessary.
(4) Construction and Maintenance Performance Standards.	Ditches - O.K. Berms - Restored.
(5) Recommendations/Comments.	Sign - O.K. Top Regraded. Berms O.K.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.



Dan W. Guy

(Signature)

5/29/08
(Date)

SAVAGE COAL TERMINAL REFUSE PILE INSPECTION REPORT

MSHA SITE: *1211-UT-09-01444-01 QUARTER: 3/2008

ITEM	REMARKS
(1) Potential Safety Hazards	None Noted.
(2) Slope Stability	Slopes appear stable.
(3) Removal of Topsoil/Organics.	N/A - No removal necessary.
(4) Construction and Maintenance Performance Standards.	Ditches - O.K. Berms - O.K.
(5) Recommendations/Comments.	Sign - O.K. Drying Pond Sediment. Grade when Dry. Culvert/Belting - O.K.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.



Dan W. Guy

(Signature)

09/04/08

(Date)

SAVAGE COAL TERMINAL REFUSE PILE INSPECTION REPORT

MSHA SITE: *1211-UT-09-01444-01 QUARTER: 4/2008

ITEM	REMARKS
(1) Potential Safety Hazards	None Noted.
(2) Slope Stability	Slopes appear stable. Regrading on North Side.
(3) Removal of Topsoil/Organics.	N/A - No removal necessary.
(4) Construction and Maintenance Performance Standards.	Ditches - O.K. Berms - O.K.
(5) Recommendations/Comments.	Sign - O.K. Culvert/Belting - O.K. Grade Small Piles When Dry.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.





 (Signature)

11/11/08

 (Date)

**SAVAGE INDUSTRIES, INC.
2008 ANNUAL POND INSPECTION REPORT**

POND: Sediment Pond 1 **LOCATION:** Savage Coal Terminal

IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	2' Water.
(5) Existing Storage Capacity	1.27 acre feet.
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	5484.50
(8) Sediment Cleanout Level (Elevation)	5487.20
(9) Principle Spillway (Elevation)	5491.80
(10) Emergency Spillway (Elevation)	5491.80
(11) Existing Sediment Capacity (To Cleanout)	0.45 acre feet.

GENERAL	
(12) Comments/Recommendations	Pond Cleaned August 2008. No Discharge.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



 (Signature)

09/04/08

 (Date)



**SAVAGE INDUSTRIES, INC.
2008 ANNUAL POND INSPECTION REPORT**

POND: Sediment Pond 2

LOCATION: Savage Coal Terminal


IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	N/A - Dry.
(5) Existing Storage Capacity	0.93 acre feet.
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	5484.58
(8) Sediment Cleanout Level (Elevation)	5485.50
(9) Principle Spillway (Elevation)	5492.30
(10) Emergency Spillway (Elevation)	5492.30
(11) Existing Sediment Capacity (To Cleanout)	0.13 acre feet.

GENERAL	
(12) Comments/Recommendations	No Discharge.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



 (Signature)

 09/04/08
 (Date)



**SAVAGE INDUSTRIES, INC.
2008 ANNUAL POND INSPECTION REPORT**

POND: Sediment Pond 3

LOCATION: Savage Coal Terminal

IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	Dry.
(5) Existing Storage Capacity	0.94 acre feet.
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	5483.60
(8) Sediment Cleanout Level (Elevation)	5484.80
(9) Principle Spillway (Elevation)	5491.40
(10) Emergency Spillway (Elevation)	5491.40
(11) Existing Sediment Capacity (To Cleanout)	0.13 acre feet.

GENERAL	
(12) Comments/Recommendations	No Discharge.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

09/04/08
(Date)



**SAVAGE INDUSTRIES, INC.
2008 ANNUAL POND INSPECTION REPORT**

POND: Sediment Pond 5 **LOCATION:** Savage Coal Terminal


IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	1.5' Water.
(5) Existing Storage Capacity	3.57 acre feet.
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	5473.70
(8) Sediment Cleanout Level (Elevation)	5475.20
(9) Principle Spillway (Elevation)	5482.00
(10) Emergency Spillway (Elevation)	5482.00
(11) Existing Sediment Capacity (To Cleanout)	0.48 acre feet.

GENERAL	
(12) Comments/Recommendations	Pond Cleaned August 2008. No Discharge.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



(Signature)

09/04/08

(Date)



**SAVAGE INDUSTRIES, INC.
2008 ANNUAL POND INSPECTION REPORT**

POND: Sediment Pond 6 **LOCATION:** Savage Coal Terminal

IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	3.0' Water.
(5) Existing Storage Capacity	1.22 acre feet.
(6) Monitoring Procedures	Quarterly Inspection. U.P.D.E.S. Discharge.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	5473.50
(8) Sediment Cleanout Level (Elevation)	5474.70
(9) Principle Spillway (Elevation)	5480.30
(10) Emergency Spillway (Elevation)	5480.30
(11) Existing Sediment Capacity (To Cleanout)	0.24 acre feet.

GENERAL	
(12) Comments/Recommendations	Pond Cleaned August 2008. No Discharge.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



 (Signature)

 09/04/08
 (Date)



**SAVAGE SERVICES CORPORATION
2008 ANNUAL IMPOUNDMENT INSPECTION REPORT**

POND: Settling Pond #1 **LOCATION:** Savage Coal Terminal


IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	3' Water.
(5) Existing Storage Capacity	N/A
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	N/A
(8) Sediment Cleanout Level (Elevation)	N/A
(9) Principle Spillway (Elevation)	N/A
(10) Emergency Spillway (Elevation)	N/A
(11) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL	
(12) Comments/Recommendations	Not a Sediment Pond. Constructed in October 2006. Cleaned August 2008.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

09/04/08
(Date)



**SAVAGE SERVICES CORPORATION
2008 ANNUAL IMPOUNDMENT INSPECTION REPORT**

POND: Settling Pond #2 LOCATION: Savage Coal Terminal

IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	6" (Small Puddle).
(5) Existing Storage Capacity	N/A
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	N/A
(8) Sediment Cleanout Level (Elevation)	N/A
(9) Principle Spillway (Elevation)	N/A
(10) Emergency Spillway (Elevation)	N/A
(11) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL	
(12) Comments/Recommendations	Not a Sediment Pond. Constructed in October 2006.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



(Signature)

09/04/08

(Date)



**SAVAGE SERVICES CORPORATION
2008 ANNUAL IMPOUNDMENT INSPECTION REPORT**

POND: Settling Pond #3 **LOCATION:** Savage Coal Terminal


IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	Dry - Full of Coal.
(5) Existing Storage Capacity	N/A
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	N/A
(8) Sediment Cleanout Level (Elevation)	N/A
(9) Principle Spillway (Elevation)	N/A
(10) Emergency Spillway (Elevation)	N/A
(11) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL	
(12) Comments/Recommendations	Not a Sediment Pond. Constructed in October 2006.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

09/04/08
(Date)



**SAVAGE SERVICES CORPORATION
2008 ANNUAL IMPOUNDMENT INSPECTION REPORT**

POND: Settling Pond #4 **LOCATION:** Savage Coal Terminal

IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	1.5' Water.
(5) Existing Storage Capacity	N/A
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	N/A
(8) Sediment Cleanout Level (Elevation)	N/A
(9) Principle Spillway (Elevation)	N/A
(10) Emergency Spillway (Elevation)	N/A
(11) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL	
(12) Comments/Recommendations	Not a Sediment Pond. Constructed in October 2006.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

09/04/08
(Date)



APPENDIX B

Reporting of Technical Data

Including monitoring data, reports, maps, and other information
As required under the approved plan or as required by the Division

In accordance with the requirement of R645-310-130 and R645-301-140

CONTENTS

N/A

APPENDIX C

Legal Financial, Compliance and Related Information

Annual Report of Officers
As submitted to the Utah Department of Commerce

Other change in ownership and control information
As required under R645-301-110

CONTENTS

ON FILE

VOLUME 1, CHAPTER 1

R645-301-112.310

APPENDIX D

Mine Maps

As required under R645-302-525-270

CONTENTS

N/A

APPENDIX E

Other Information

In accordance with the requirements of R645-301 and R645-302

CONTENTS

N/A