

Print Form

Submit by Email

Reset Form

Annual Report

This Annual Report shows information the Division has for your mine. Submit the completed document and any additional information identified in the Appendices to the Division by the date specified in the cover letter. During a complete inspection an inspector will check and verify the information.

GENERAL INFORMATION			
Company Name	Savage Services Corporation	Mine Name	Savage Coal Terminal
Permit Number	C/007/0022	Permit expiration Date	2019-08-07
Operator Name	Savage Coal Terminal	Phone Number	+1 (435) 637-5664
Mailing Address	P.O. Box 1001	Email	garthnielson@savageservices.com
City	Price		
State	UT	Zip Code	84501

DOGM File Location or Annual Report Location

Excess Spoil Piles	<input type="checkbox"/> Required <input checked="" type="checkbox"/> Not Required	
Refuse Piles	<input checked="" type="checkbox"/> Required <input type="checkbox"/> Not Required	Included in Appendix A
Impoundments	<input checked="" type="checkbox"/> Required <input type="checkbox"/> Not Required	Included in Appendix A
Other:		

OPERATOR COMMENTS

Reports included in Appendix A.

REVIEWER COMMENTS Met Requirements Did Not meet Requirements

COMMITMENTS AND CONDITIONS

The Permittee is responsible for ensuring annual technical commitments in the Mining and Reclamation Plan and conditions accepted with the permit are completed throughout the year. The Division has identified these commitments below and has provided space for you to report what you have done during the past year for each commitment. If additional written response is required, it should be filed as an attachment to this report.

Title: NOXIOUS WEED CONTROL

Objective: To control invasive species in and adjacent to the disturbed area. The permittee should obtain a list of noxious weeds from the county and invasive species from DWR.

Frequency: Ongoing treatment. Report annually

Status: Ongoing

Reports: Summarize treatment in Annual report.

Citation: MRP, Volume 1, Section 3.4.5.4 or .5, page 3-62a

Operator Comments

Past removal of Tamarisk and Russian Olive. No new removal needed in 2016.

Reviewer Comments Met Requirements Did Not Meet Requirements

FUTURE COMMITMENTS AND CONDITIONS

The following commitments are not required for the current annual report year, but will be required by the permittee in the future as indicated by the "status" field. These commitments are included for information only, and do not currently require action. If you feel that the commitment is no longer relevant or needs to be revised, please contact the Division.

Title: WASTE STREAM FROM PROCESSING PLANT

Objective: Provide documentation of chemical characteristics of process waste returned to site through analysis of parameters.

Frequency: Sample every 5,000 tons returned to site.

Status: Ongoing, report required if waste is returned to site. Or, state if reported in Dugout Annual Report.

Reports: Submit Laboratory analysis sheets with annual report.

Citation: MRP, Volume 1, Chapter 5, Appendix 5-2.

Title: FINAL RECLAMATION SOIL TESTING

Objective: To ensure vegetation establishment

Frequency: At final reclamation

Status: At reclamation

Reports: Discussions with DOGM and laboratory analysis reporting required at final reclamation.

Citation: MRP, Volume 1, Chapter 5, Section 542.200, page 50

Title: SEALING OF WELLS

Objective: Permanent closure of wells using measures required by DOGM to prevent access and prevent contamination of ground water.

Frequency: Seal wells when no longer needed.

Status: Ongoing

Reports: Report status when mining is terminated or wells are no longer needed.

Citation: MRP, Volume 2, Chapter 6, Section 631, page 5, and Volume 1, Chapter 5, page 46.

Title: ANALYSIS OF BASELINE PARAMETERS EVERY 5 YEARS

Objective: Periodic analysis for baseline parameters for long term impacts to surface and ground water.

Frequency: Once every five years

Status: Next event Fall 2018

Reports: Report as part of quarterly water-monitoring.

Citation: MRP Chapter 7, Table 17

OPERATOR COMMENTS (OPTIONAL)

None of the above were required in 2016.

REVIEWER COMMENTS

REPORTING OF OTHER TECHNICAL DATA

Please list other technical data or information that was not included in the form above, but is required under the approved plan, which must be periodically submitted to the Division.

Please list attachments:

N/A

Reviewer Comments

MAPS

Copies of mine maps, current and up-to-date, are to be provided to the Division as an attachment to this report in accordance with the requirements of R645-301-525.240. The map copies shall be made in accordance with 30 CFR 75.1200 as required by MSHA. Mine maps are not considered confidential.

Map Name	Map Number	Included		Confidential	
		Yes	No	Yes	No
N/A		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Reviewer Comments Met Requirements Did Not Meet Requirements

2016 Annual Report

Appendix A

Certified Reports

Refuse Pile Inspections

Annual Impoundment Inspections


State of Utah
DEPARTMENT OF NATURAL RESOURCES
Division of Oil, Gas & Mining

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801
 Telephone (801) 538-5340 facsimile (801) 359 3940 TTY (801) 538-7458
www.ogm.utah.gov



Quarterly Inspection Form - Refuse Disposal Areas

(please provide to DOGM promptly after inspection is complete)

Permit Number : C/007/022 Inspection Date : 03/11/16
 Mine Name : Savage Coal Terminal Quarter / Year : 1st / 2016
 Mine Operator (Permittee) : Savage Services Corporation Inspector Name : Dan W. Guy / Garth Nielsen
 MSHA ID # : 1211-UT-09-01444-01 Inspector Signature : 
 Facility Name / Location / Address : Savage Coal Terminal , 2025 East 5000 South, Price, Utah 84501

1. Describe any changes in the geometry of the structure (as well as instrumentation, if any, used to monitor changes):
Main refuse pile has been removed. Small piles have been graded and compacted into one pile.

2. Lift Height / Thickness Avg 24" Maximum 24" # Elevation of Active Benches : 5496 , ,
 3. Vertical Angle of Outslope(s) / Location(s) where measured App. 3H:1V / / /
 4. Total storage capacity: 1,500,000 cy Remaining storage capacity 1,499,800 cy Volume placed during year : App. 100 cy

5. Describe foundation preparation (including removal of vegetation, stumps, topsoil, and all other organic material) :
Topsoil / Subsoil removed and stored on site.

6. Describe placement and compaction of fill materials (including an explanation of how compaction is confirmed) :
Dumped by truck. Graded and compacted by dozer and/or wheeled loader. Compaction tested by standard proctor methods as needed.

7. Is there any evidence of fires or burning on the structure ? (If YES, specify extent, location, and abatement/extinguishment of such fires) :
None

8. Describe placement of under drains, protective filter systems, and final surface drainage systems (report any seepage, including location, color, flow) :
N/A

9. Describe any appearances of instability, structural weakness, or other hazardous conditions :
None noted. Small pile graded and compacted per plan. I.D. sign in place.


10. Please provide any other information pertaining to the stability of the structure (attach any photos taken during the inspection)

Are there cracks or scarps in crest ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Is there any detectable sloughing or bulging ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Do slope erosion problems exist ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Cracks or scarps in slope ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Surface movements? (valley bottom, hillsides)	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Erosion of Toe ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Water impounded by structure ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>
Are diversion ditches stable?	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>
Is drainage positive ?	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>

Could failure of structure create an impoundment (provide description) ? No

Are design standards established within the mining and reclamation plan for the disposal facility being met ?
Yes

Proctor Determination : N/A - Not Tested. Main Pile Removed.



I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

State of Utah
DEPARTMENT OF NATURAL RESOURCES
Division of Oil, Gas & Mining

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801
 Telephone (801) 538-5340 facsimile (801) 359 3940 TTY (801) 538-7458
www.ogm.utah.gov



Quarterly Inspection Form - Refuse Disposal Areas

(please provide to DOGM promptly after inspection is complete)

Permit Number : C/007/022 Inspection Date : 06/08/16
 Mine Name : Savage Coal Terminal Quarter / Year : 2nd / 2016
 Mine Operator (Permittee) : Savage Services Corporation Inspector Name : Dan W. Guy / Garth Nielsen
 MSHA ID # : 1211-UT-09-01444-01 Inspector Signature : *[Signature]*
 Facility Name / Location / Address : Savage Coal Terminal, 2025 East 5000 South, Price, Utah 84501

1. Describe any changes in the geometry of the structure (as well as instrumentation, if any, used to monitor changes):

Main refuse pile has been removed. Small piles have been graded and compacted into one pile.
Approximately 10 truck loads of sediment pond material added this quarter.

2. Lift Height / Thickness Avg 24" Maximum 24" # _____ Elevation of Active Benches : 5496 , _____ , _____

3. Vertical Angle of Outslope(s) / Location(s) where measured App. 3H:1V / _____ / _____ / _____

4. Total storage capacity: 1,500,000 cy Remaining storage capacity 1,499,800 cy Volume placed during year : App. 200 cy

5. Describe foundation preparation (including removal of vegetation, stumps, topsoil, and all other organic material) :

Topsoil / Subsoil removed and stored on site.

6. Describe placement and compaction of fill materials (including an explanation of how compaction is confirmed) :

Dumped by truck. Graded and compacted by dozer and/or wheeled loader. Compaction tested by standard proctor methods as needed.

7. Is there any evidence of fires or burning on the structure ? (If YES, specify extent, location, and abatement/extinguishment of such fires) :

None

8. Describe placement of under drains, protective filter systems, and final surface drainage systems (report any seepage, including location, color, flow) :

N/A

9. Describe any appearances of instability, structural weakness, or other hazardous conditions :

None noted. Small pile graded and compacted per plan. I.D. sign in place.

10. Please provide any other information pertaining to the stability of the structure (attach any photos taken during the inspection)

Are there cracks or scarps in crest ? YES NO

Is there any detectable sloughing or bulging ? YES NO

Do slope erosion problems exist ? YES NO

Cracks or scarps in slope ? YES NO

Surface movements? (valley bottom, hillsides) YES NO

Erosion of Toe ? YES NO

Water impounded by structure ? YES NO

Are diversion ditches stable? YES NO

Is drainage positive ? YES NO

Could failure of structure create an impoundment (provide description) ? No

Are design standards established within the mining and reclamation plan for the disposal facility being met ?

Yes

Proctor Determination : N/A - Not Tested. Main Pile Removed.

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

(place P.E. certification below)



State of Utah
DEPARTMENT OF NATURAL RESOURCES
Division of Oil, Gas & Mining

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801
 Telephone (801) 538-5340 facsimile (801) 359 3940 TTY (801) 538-7458
www.ogm.utah.gov



Quarterly Inspection Form - Refuse Disposal Areas

(please provide to DOGM promptly after inspection is complete)

Permit Number : C/007/022 Inspection Date : 09/22/16
 Mine Name : Savage Coal Terminal Quarter / Year : 3rd / 2016
 Mine Operator (Permittee) : Savage Services Corporation Inspector Name : Dan W. Guy / Garth Nielsen
 MSHA ID # : 1211-UT-09-01444-01 Inspector Signature : _____
 Facility Name / Location / Address : Savage Coal Terminal , 2025 East 5000 South, Price, Utah 84501

1. Describe any changes in the geometry of the structure (as well as instrumentation, if any, used to monitor changes):
Main refuse pile has been removed. Small piles have been graded and compacted into one pile.
No change in pile this quarter.

2. Lift Height / Thickness Avg 24" Maximum 24" # _____ Elevation of Active Benches : 5496 , _____ , _____
 3. Vertical Angle of Outslope(s) / Location(s) where measured App. 3H:1V / _____ / _____ / _____
 4. Total storage capacity: 1,500,000 cy Remaining storage capacity 1,499,800 cy Volume placed during year : App. 200 cy
 5. Describe foundation preparation (including removal of vegetation, stumps, topsoil, and all other organic material) :
Topsoil / Subsoil removed and stored on site.

6. Describe placement and compaction of fill materials (including an explanation of how compaction is confirmed) :
Dumped by truck. Graded and compacted by dozer and/or wheeled loader. Compaction tested by standard proctor methods as needed.

7. Is there any evidence of fires or burning on the structure ? (If YES, specify extent, location, and abatement/extinguishment of such fires) :
None

8. Describe placement of under drains, protective filter systems, and final surface drainage systems (report any seepage, including location, color, flow) :
N/A

9. Describe any appearances of instability, structural weakness, or other hazardous conditions :
None noted. Small pile graded and compacted per plan. I.D. sign in place.

10. Please provide any other information pertaining to the stability of the structure (attach any photos taken during the inspection)


Are there cracks or scarps in crest ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>	_____
Is there any detectable sloughing or bulging ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>	_____
Do slope erosion problems exist ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>	_____
Cracks or scarps in slope ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>	_____
Surface movements? (valley bottom, hillsides)	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>	_____
Erosion of Toe ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>	_____
Water impounded by structure ?	YES <input type="checkbox"/>	NO <input checked="" type="checkbox"/>	_____
Are diversion ditches stable?	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	_____
Is drainage positive ?	YES <input checked="" type="checkbox"/>	NO <input type="checkbox"/>	_____

Could failure of structure create an impoundment (provide description) ? No

Are design standards established within the mining and reclamation plan for the disposal facility being met ?
Yes

Proctor Determination : N/A - Not Tested. Main Pile Removed.

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



State of Utah
DEPARTMENT OF NATURAL RESOURCES
Division of Oil, Gas & Mining

1594 West North Temple, Suite 1210, PO Box 145801, Salt Lake City, UT 84114-5801
 Telephone (801) 538-5340 facsimile (801) 359 3940 TTY (801) 538-7458
www.ogm.utah.gov



Quarterly Inspection Form - Refuse Disposal Areas

(please provide to DOGM promptly after inspection is complete)

Permit Number : C/007/022 Inspection Date : 10/15/16
 Mine Name : Savage Coal Terminal Quarter / Year : 4th / 2016
 Mine Operator (Permittee) : Savage Services Corporation Inspector Name : Dan W. Guy
 MSHA ID # : 1211-UT-09-01444-01 Inspector Signature : *[Signature]*
 Facility Name / Location / Address : Savage Coal Terminal, 2025 East 5000 South, Price, Utah 84501

- Describe any changes in the geometry of the structure (as well as instrumentation, if any, used to monitor changes):
Main refuse pile has been removed. Small piles have been graded and compacted into one pile.
No change in pile this quarter.
- Lift Height / Thickness Avg 24" Maximum 24" # _____ Elevation of Active Benches : 5496 , _____ , _____
- Vertical Angle of Outslope(s) / Location(s) where measured App. 3H:1V / _____ / _____ / _____
- Total storage capacity: 1,500,000 cy Remaining storage capacity 1,499,800 cy Volume placed during year : App. 200 cy
- Describe foundation preparation (including removal of vegetation, stumps, topsoil, and all other organic material) :
Topsoil / Subsoil removed and stored on site.
- Describe placement and compaction of fill materials (including an explanation of how compaction is confirmed) :
Dumped by truck. Graded and compacted by dozer and/or wheeled loader. Compaction tested by standard proctor methods as needed.
- Is there any evidence of fires or burning on the structure ? (If YES, specify extent, location, and abatement/extinguishment of such fires) :
None
- Describe placement of under drains, protective filter systems, and final surface drainage systems (report any seepage, including location, color, flow) :
N/A
- Describe any appearances of instability, structural weakness, or other hazardous conditions :
None noted. Small pile graded and compacted per plan. I.D. sign in place.

10. Please provide any other information pertaining to the stability of the structure (attach any photos taken during the inspection)

- | | | |
|--|---|--|
| Are there cracks or scarps in crest ? | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> |
| Is there any detectable sloughing or bulging ? | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> |
| Do slope erosion problems exist ? | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> |
| Cracks or scarps in slope ? | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> |
| Surface movements? (valley bottom, hillsides) | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> |
| Erosion of Toe ? | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> |
| Water impounded by structure ? | YES <input type="checkbox"/> | NO <input checked="" type="checkbox"/> |
| Are diversion ditches stable? | YES <input checked="" type="checkbox"/> | NO <input type="checkbox"/> |
| Is drainage positive ? | YES <input checked="" type="checkbox"/> | NO <input type="checkbox"/> |

Could failure of structure create an impoundment (provide description) ? No

Are design standards established within the mining and reclamation plan for the disposal facility being met ?
Yes

Proctor Determination : N/A - Not Tested. Main Pile Removed.

(place P.E. certification below)

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

**SAVAGE SERVICES CORPORATION
2016 ANNUAL POND INSPECTION REPORT**

POND: Sediment Pond 1 **LOCATION:** Savage Coal Terminal

IMPOUNDMENTS	
(1) <i>Stability</i>	<i>Slopes Stable. Incised Pond</i>
(2) <i>Structural Weakness/Erosion</i>	<i>None Noted.</i>
(3) <i>Potential Safety Hazards</i>	<i>None Noted.</i>
(4) <i>Depth of Impounded Water</i>	<i>3.0' Water.</i>
(5) <i>Existing Storage Capacity</i>	<i>0.86 acre feet.</i>
(6) <i>Monitoring Procedures</i>	<i>Quarterly Inspection.</i>

SEDIMENT PONDS ONLY	
(7) <i>Sediment Accumulation (Elevation)</i>	<i>5485.50</i>
(8) <i>60% Sediment Cleanout Level (Elevation)</i>	<i>5487.20</i>
(9) <i>Principle Spillway (Elevation)</i>	<i>5491.80</i>
(10) <i>Emergency Spillway (Elevation)</i>	<i>5491.80</i>
(11) <i>Existing Sediment Capacity (To Cleanout)</i>	<i>0.31 acre feet.</i>


GENERAL	
(12) <i>Comments/Recommendations</i>	<i>No Discharge. Pumped down from recent storms.</i>

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy
(Signature)

10/15/16
(Date)



**SAVAGE SERVICES CORPORATION
2016 ANNUAL POND INSPECTION REPORT**

POND: Sediment Pond 2 **LOCATION:** Savage Coal Terminal

IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	Some sloughing on east bank where hole was repaired.
(3) Potential Safety Hazards	None Noted. No safety hazard from sloughing.
(4) Depth of Impounded Water	5.0' Water.
(5) Existing Storage Capacity	0.25 acre feet.
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	5485.10
(8) 60% Sediment Cleanout Level (Elevation)	5485.50
(9) Principle Spillway (Elevation)	5492.30
(10) Emergency Spillway (Elevation)	5492.30
(11) Existing Sediment Capacity (To Cleanout)	0.06 acre feet.


GENERAL	
(12) Comments/Recommendations	No Discharge. Sloughing scheduled for repair.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

10/15/16
(Date)



**SAVAGE SERVICES CORPORATION
2016 ANNUAL POND INSPECTION REPORT**

POND: Sediment Pond 3 **LOCATION:** Savage Coal Terminal

IMPOUNDMENTS	
(1) <i>Stability</i>	<i>Slopes Stable. Incised Pond</i>
(2) <i>Structural Weakness/Erosion</i>	<i>Some sloughing on east bank where hole was repaired.</i>
(3) <i>Potential Safety Hazards</i>	<i>None Noted. No safety hazard from sloughing.</i>
(4) <i>Depth of Impounded Water</i>	<i>5.0' Water</i>
(5) <i>Existing Storage Capacity</i>	<i>0.26 acre feet.</i>
(6) <i>Monitoring Procedures</i>	<i>Quarterly Inspection.</i>

SEDIMENT PONDS ONLY	
(7) <i>Sediment Accumulation (Elevation)</i>	<i>5484.00</i>
(8) <i>60% Sediment Cleanout Level (Elevation)</i>	<i>5484.80</i>
(9) <i>Principle Spillway (Elevation)</i>	<i>5491.40</i>
(10) <i>Emergency Spillway (Elevation)</i>	<i>5491.40</i>
(11) <i>Existing Sediment Capacity (To Cleanout)</i>	<i>0.09 acre feet.</i>

GENERAL	
(12) <i>Comments/Recommendations</i>	<i>No Discharge. Sloughing scheduled for repair.</i>

STATEMENT


I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.



(Signature)

10/15/16

(Date)



**SAVAGE SERVICES CORPORATION
2016 ANNUAL POND INSPECTION REPORT**

POND: Sediment Pond 5 **LOCATION:** Savage Coal Terminal

IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	Minor erosion on west side inside pond.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	6.0' Water.
(5) Existing Storage Capacity	0.45 acre feet.
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	5474.40
(8) 60% Sediment Cleanout Level (Elevation)	5475.20
(9) Principle Spillway (Elevation)	5482.00
(10) Emergency Spillway (Elevation)	5482.00
(11) Existing Sediment Capacity (To Cleanout)	0.19 acre feet.


GENERAL	
(12) Comments/Recommendations	No Discharge. Sediment marked okay. Some coal accumulation in west inlet from recent large storms.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

10/15/16
(Date)



**SAVAGE SERVICES CORPORATION
2016 ANNUAL POND INSPECTION REPORT**

POND: Sediment Pond 6 **LOCATION:** Savage Coal Terminal


IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	5.0' Water.
(5) Existing Storage Capacity	0.34 acre feet.
(6) Monitoring Procedures	Quarterly Inspection. U.P.D.E.S. Discharge.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	5474.20
(8) 60% Sediment Cleanout Level (Elevation)	5474.70
(9) Principle Spillway (Elevation)	5480.30
(10) Emergency Spillway (Elevation)	5480.30
(11) Existing Sediment Capacity (To Cleanout)	0.10 acre feet.


GENERAL	
(12) Comments/Recommendations	No Discharge. Storms in late Sept. exceeded the 10 year – 24 hour pond design.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

10/15/16
(Date)



**SAVAGE SERVICES CORPORATION
2016 ANNUAL IMPOUNDMENT INSPECTION REPORT**

POND: Settling Pond #1 **LOCATION:** Savage Coal Terminal


IMPOUNDMENTS	
(1) Stability	<i>Slopes Stable. Incised Pond</i>
(2) Structural Weakness/Erosion	<i>None Noted.</i>
(3) Potential Safety Hazards	<i>None Noted.</i>
(4) Depth of Impounded Water	<i>Nearly Full of Water / Coal.</i>
(5) Existing Storage Capacity	<i>N/A</i>
(6) Monitoring Procedures	<i>Quarterly Inspection.</i>

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	<i>N/A</i>
(8) Sediment Cleanout Level (Elevation)	<i>N/A</i>
(9) Principle Spillway (Elevation)	<i>N/A</i>
(10) Emergency Spillway (Elevation)	<i>N/A</i>
(11) Existing Sediment Capacity (To Cleanout)	<i>N/A</i>


GENERAL	
(12) Comments/Recommendations	<i>Not a Sediment Pond.</i>

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

10/15/16
(Date)



**SAVAGE SERVICES CORPORATION
2016 ANNUAL IMPOUNDMENT INSPECTION REPORT**

POND: Settling Pond #2 **LOCATION:** Savage Coal Terminal

IMPOUNDMENTS	
(1) Stability	Slopes Stable. Incised Pond
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	1.5' Water.
(5) Existing Storage Capacity	N/A
(6) Monitoring Procedures	Quarterly Inspection.

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	N/A
(8) Sediment Cleanout Level (Elevation)	N/A
(9) Principle Spillway (Elevation)	N/A
(10) Emergency Spillway (Elevation)	N/A
(11) Existing Sediment Capacity (To Cleanout)	N/A


GENERAL	
(12) Comments/Recommendations	Not a Sediment Pond. No Inflow.

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

10/15/16
(Date)



**SAVAGE SERVICES CORPORATION
2016 ANNUAL IMPOUNDMENT INSPECTION REPORT**

POND: Settling Pond #3 **LOCATION:** Savage Coal Terminal

IMPOUNDMENTS	
(1) Stability	<i>Slopes Stable. Incised Pond</i>
(2) Structural Weakness/Erosion	<i>None Noted.</i>
(3) Potential Safety Hazards	<i>None Noted.</i>
(4) Depth of Impounded Water	<i>Approx. 3' Coal / Water.</i>
(5) Existing Storage Capacity	<i>N/A</i>
(6) Monitoring Procedures	<i>Quarterly Inspection.</i>

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	<i>N/A</i>
(8) Sediment Cleanout Level (Elevation)	<i>N/A</i>
(9) Principle Spillway (Elevation)	<i>N/A</i>
(10) Emergency Spillway (Elevation)	<i>N/A</i>
(11) Existing Sediment Capacity (To Cleanout)	<i>N/A</i>


GENERAL	
(12) Comments/Recommendations	<i>Not a Sediment Pond.</i>

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy
(Signature)

10/15/16
(Date)



**SAVAGE SERVICES CORPORATION
2016 ANNUAL IMPOUNDMENT INSPECTION REPORT**

POND: Settling Pond #4 **LOCATION:** Savage Coal Terminal


IMPOUNDMENTS	
(1) Stability	<i>Slopes Stable. Incised Pond</i>
(2) Structural Weakness/Erosion	<i>None Noted.</i>
(3) Potential Safety Hazards	<i>None Noted.</i>
(4) Depth of Impounded Water	<i>Less than 1' of Water.</i>
(5) Existing Storage Capacity	<i>N/A</i>
(6) Monitoring Procedures	<i>Quarterly Inspection.</i>

SEDIMENT PONDS ONLY	
(7) Sediment Accumulation (Elevation)	<i>N/A</i>
(8) Sediment Cleanout Level (Elevation)	<i>N/A</i>
(9) Principle Spillway (Elevation)	<i>N/A</i>
(10) Emergency Spillway (Elevation)	<i>N/A</i>
(11) Existing Sediment Capacity (To Cleanout)	<i>N/A</i>

GENERAL	
(12) Comments/Recommendations	<i>Not a Sediment Pond.</i>

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

10/15/16
(Date)

