PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC Sht 4/6

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER
MINOR
F - FINAL
SED POND DISCHARGE 001 94AT WSH

Form Approved. OMB No. 2040-0004 Approval Expires 10-31-94

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	09	01	TO	94	09	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [X] ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MEASRD MONTH	
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ GRAB MONTH	
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ GRAB MONTH	
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ GRAB MONTH	
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/ GRAB MONTH	
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ GRAB MONTH	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	*******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ VISUAL MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE | NUMBER

DATE: YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC SH 6/6

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER
MINOR
F - FINAL
SED POND DISCHARGE TO WILDCAT WSH

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

MONITORING PERIOD
FROM YEAR 94 MO 09 DAY 01 TO YEAR 94 MO 09 DAY 30
(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE |__| ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			GR
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and/or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE AREA CODE 801 NUMBER 6375385

DATE YEAR 94 MO 10 DAY 28

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

MINOR QC SH 6/6/

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

F - FINAL
SED POND DISCHARGE - WILDCAT WSH

(2-16) PERMIT NUMBER	(17-19) DISCHARGE NUMBER
UTG040007	003 A

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	07	01	TO	94	07	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MEASRD MONTH	
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ GRAB MONTH	
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ GRAB MONTH	
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ GRAB MONTH	
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/ GRAB* MONTH	
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	2.3 DAILY MX	MG/L		ONCE/ GRAB MONTH	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ VISUAL MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*		AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) UTG040007 PERMIT NUMBER

(17-19) 003 A DISCHARGE NUMBER

MINOR

QC SH 6/6

Form Approved.
F - FINAL OMB No. 2040-0004
SED POND DISCHARGE EXPIRES 10-31-94 WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	08	01	TO	94	08	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [X] ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MEASRD MONTH	
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.3 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE
	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE / NUMBER	YEAR / MO / DAY
TYPED OR PRINTED				

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC SH 6/16

(2-16) PERMIT NUMBER: UTG040007
(17-19) DISCHARGE NUMBER: 003 A

MINOR
F - FINAL
SEO POND 003 OUTFALL UPDATE WSH
*** NO DISCHARGE [ ] ***

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	08	01	TO	94	08	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

NOTE: Read Instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 YES=1 DAILY MX NO=0		******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GR
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 801 | NUMBER 6375385

DATE: YEAR 94 | MO 10 | DAY 28

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

OC SH 6/C

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER
MINOR
Form Approved.
OMB No. 2040-0004
F - FINAL
SED POND OUTFALL TO WILDCAT WSH
Approval expires 10-31-94

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	07	01	TO	94	07	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE |__| ***
NOTE: Read Instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******		(94)	*******	*******	*******				
	PERMIT REQUIREMENT	*******	0 DAILY MX	YES=1 NO=0	*******	*******	*******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*******		(26)	*******	*******		(19)			
	PERMIT REQUIREMENT	*******	2000 DAILY MX	LBS/DY	*******	*******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GR
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

Michael W Glasson
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 801 | NUMBER 637-5355
DATE: YEAR 94 | MO 10 | DAY 28

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC SH 6/6

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER

MINOR

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

F - FINAL
SED POND DISCHARGE AT WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	06	01	TO	94	06	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE: Read Instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE 00056 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT			(07)	******	******	******				
	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	*** ****		ONCE/ MEASRD MONTH	
PH 00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******			******		(12)			
	PERMIT REQUIREMENT	******	****** *** ****		6.5 DAILY MN	******	9.0 DAILY MX	SU		ONCE/ GRAB MONTH	
SOLIDS, TOTAL SUSPENDED 00530 P 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******	******		******			(19)			
	PERMIT REQUIREMENT	******	****** *** ****		******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ GRAB MONTH	
SOLIDS, SETTLEABLE 00545 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******	******		******	******		(25)			
	PERMIT REQUIREMENT	******	****** *** ****		******	******	0.5 DAILY MX	ML/L		ONCE/ GRAB MONTH	
OIL AND GREASE FREON EXTR-GRAV METH 00556 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******		(19)			
	PERMIT REQUIREMENT	******	****** *** ****		******	******	10 DAILY MX	MG/L		ONCE/ GRAB* MONTH	
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******		(19)			
	PERMIT REQUIREMENT	******	****** *** ****		******	******	2.0 DAILY MX	MG/L		ONCE/ GRAB MONTH	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 45613 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	*** ****		ONCE/ VISUAL MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE | NUMBER

DATE: YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (*Include Facility Name/Location if different*)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) PERMIT NUMBER: UTG040007
(17-19) DISCHARGE NUMBER: 003 A

MINOR QC SH 6/6
Form Approved.
F - FINAL OMB No. 2040-0004
SED POND D Approval expires 10-31-94 T WSH

MONITORING PERIOD: FROM YEAR 94 MO 06 DAY 01 (20-21) (22-23) (24-25) TO YEAR 94 MO 06 DAY 30 (26-27) (28-29) (30-31)

*** NO DISCHARGE [ ] ***

NOTE: Read Instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only) (46-53) AVERAGE	QUANTITY OR LOADING (54-61) MAXIMUM	UNITS	QUALITY OR CONCENTRATION (4 Card Only) (38-45) MINIMUM	QUALITY OR CONCENTRATION (46-53) AVERAGE	QUALITY OR CONCENTRATION (54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GR
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 801 NUMBER 6375385

DATE: YEAR 94 MO 07 DAY 28

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER

MINOR
QC Sht 4/6
Form Approved.
OMB No. 2040-0004
F - FINAL
SED POND D Approval Expires 10-31-94 AT WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	05	01	TO	94	05	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MONTH	MEASRD
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE			DATE		
	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (*Include Facility Name/Location if different*)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (*NPDES*)
DISCHARGE MONITORING REPORT (*DMR*)

QC Sh: 4/6

(2-16) PERMIT NUMBER	(17-19) DISCHARGE NUMBER
UTG040007	003 A

MINOR

Form Approved.
OMB No. 2040-0004
F - FINAL
SED POND DISCHARGE UTAH WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	05	01	TO	94	05	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE |__| ***
NOTE: Read Instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GR
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (*Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.*)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 801 | NUMBER 6375385

DATE: YEAR 94 | MO 06 | DAY 07

COMMENT AND EXPLANATION OF ANY VIOLATIONS (*Reference all attachments here*)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501

FACILITY

LOCATION

ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC SH 6/6

(2-16) UTG040007 PERMIT NUMBER

(17-19) 003 A DISCHARGE NUMBER

MINOR

Form Approved. OMB No. 2040-0004 Approval expires 10-31-94

F - FINAL

SED POND OUTFALL TO LITTLE WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	04	01	TO	94	04	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ESI ***

NOTE: Read Instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MONTH	MEASRD
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		THICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	*** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	*** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and/or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE | NUMBER

DATE: YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (*Include Facility Name/Location if different*)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (*NPDES*)
DISCHARGE MONITORING REPORT (*DMR*)

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER

MINOR QC SH 6/6

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

F - FINAL
SED POND 003 WILDCAT WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	04	01	TO	94	04	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (*Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.*)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 801 NUMBER 6375365

DATE: YEAR 94 MO 06 DAY 07

COMMENT AND EXPLANATION OF ANY VIOLATIONS (*Reference all attachments here*)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER

MINOR

QC SH 11/4/96

Form Approved. OMB No. 2040-0004 Approval expires 10-31-94

F - FINAL
SED POND DISCHARGE AT WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	03	01	TO	94	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ☒ ***

NOTE: Read Instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		CONT/ MONTH	CALCU
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		CONT/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		MNTH/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		MNTH/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		MNTH/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	3.0 DAILY MX	MG/L		MNTH/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	*******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		MNTH/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*		AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) PERMIT NUMBER: UTG040007
(17-19) DISCHARGE NUMBER: 003 A

MINOR
Form Approved.
F - FINAL OMB No. 2040-0004
SED POND D Approval expires 10-31-94 T WSH
*** NO DISCHARGE [ ] ***

MONITORING PERIOD

	YEAR	MO.	DAY		YEAR	MO.	DAY
FROM	94	03	01	TO	94	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	GRAB
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

Michael W Glasson
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 801 NUMBER 6375385
DATE: YEAR 94 MO 04 DAY 06

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC 84 4/6

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER
MINOR
F - FINAL
SED POND D
Form Approved. OMB No. 2040-0004 Approval Expires 10-31-94
AT WSH

MONITORING PERIOD

	YEAR	MO.	DAY		YEAR	MO.	DAY
FROM	94	02	01	TO	94	02	28
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [X] ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		INCL/ MONTH	GRAB
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	6.0 DAILY MN	******	9.0 DAILY MX	SU		INCL/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 P 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******	******		******			(19)			
	PERMIT REQUIREMENT	******	******	*** ****	******	25 30DA AVG	70 DAILY MX	MG/L		INCL/ MONTH	24HR COMP
SOLIDS, SETTLEABLE 00545 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******	******		******	******		(25)			
	PERMIT REQUIREMENT	******	******	*** ****	******	******	0.5 DAILY MX	ML/L		INCL/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH 00556 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******		(19)			
	PERMIT REQUIREMENT	******	******	*** ****	******	******	10 DAILY MX	MG/L		INCL/ MONTH	GRAB
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******		(19)			
	PERMIT REQUIREMENT	******	******	*** ****	******	******	2.0 DAILY MX	MG/L		INCL/ MONTH	24HR COMP
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 45613 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	DAILY MX	YES=1 NO=0	******	******	******	**** ****		INCL/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER			TELEPHONE		DATE		
	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)		AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501

FACILITY

LOCATION

ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16) PERMIT NUMBER	*(17-19)* DISCHARGE NUMBER
UTG040007	003 A

MINOR

Form Approved.
OMB No. 2040-0004
Approval expires 12-31-94

F - FINAL
SED POND DISCHARGE AT WSH

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	02	01	TO	94	02	28
	(20-21)	*(22-23)*	*(24-25)*		*(26-27)*	*(28-29)*	*(30-31)*

PARAMETER *(32-37)*		*(3 Card Only)* QUANTITY OR LOADING *(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	*(4 Card Only)* QUALITY OR CONCENTRATION *(38-45)* MINIMUM	*(46-53)* AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE 801	NUMBER 6375365	YEAR 94	MO 03	DAY 28
TYPED OR PRINTED						

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER

MINOR QC SH 6/6
Form Approved. OMB No. 2040-0004
F - FINAL
SED POND DISCHARGE NPDES WILDCAT WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	93	12	01	TO	93	12	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [X] ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MEASRD MONTH	
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ GRAB MONTH	
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ GRAB MONTH	
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ GRAB MONTH	
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/ GRAB MONTH	
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ GRAB MONTH	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ VISUAL MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*		AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16) PERMIT NUMBER	(17-19) DISCHARGE NUMBER
UTG040007	003 A

MINOR QC 9/1 10/6

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

F - FINAL
SED POND DISCHARGE - WILDCAT WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	93	12	01	TO	93	12	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [ ] ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45514 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE 801	NUMBER 637-5385	YEAR 94	MO 1	DAY 13

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC SH 4/6

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER
MINOR
Form Approved. OMB No. 2040-0004
F - FINAL
SED POND DISCHARGE/OUTFALL 001 WAT WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	93	11	01	TO	93	11	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MONTH	MEASRD
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.3 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE | NUMBER

DATE: YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

OC SH 6/6

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER
MINOR
F - FINAL
SED POND DISCHARG WILDCAT WSH

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	93	11	01	TO	93	11	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [__] ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 801 | NUMBER 6375363
DATE: YEAR 94 | MO 1 | DAY 13

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501

FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

QC SH 6/6

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER

MINOR

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

F - FINAL
SED POND DISCHARGE TO WILDCAT WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	93	10	01	TO	93	10	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ☒ ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MONTH	EST
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 P 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******	******		******			(19)			
	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE 00545 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******	******		******	******		(25)			
	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH 00556 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******		(19)			
	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******	******		******	******		(19)			
	PERMIT REQUIREMENT	******	******	**** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 45613 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*		AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC 9/1 6/6

(2-16) PERMIT NUMBER: UTG040007
(17-19) DISCHARGE NUMBER: 003 A
MINOR
Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94
F - FINAL
SED POND DISCHG WILDCAT WSH

MONITORING PERIOD
FROM YEAR 93 MO 10 DAY 01 (20-21) (22-23) (24-25) TO YEAR 93 MO 10 DAY 31 (26-27) (28-29) (30-31)

*** NO DISCHARGE [__] ***
NOTE: Read Instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 801 NUMBER 6375385
DATE: YEAR 94 MO 1 DAY 13

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

QC SH 6/6

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER

MINOR

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

F - FINAL
SED POND OUTFALL 003 AT WSH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	93	09	01	TO	93	09	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE [X] ***

NOTE: Read Instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MONTH	MEASRD
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE			DATE		
	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)		AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

(2-16) UTG040007 PERMIT NUMBER
(17-19) 003 A DISCHARGE NUMBER

MONITORING PERIOD
FROM YEAR 93 (20-21) MO 09 (22-23) DAY 01 (24-25) TO YEAR 93 (26-27) MO 09 (28-29) DAY 30 (30-31)

MINOR
F - FINAL
SED POND D
*** NO DISCHARGE [ ] ***
NOTE: Read instructions before completing this form.

QC SH 6/6

Form Approved. OMB No. 2040-0004
Approval expires 10-31-94

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 D SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

RECEIVED
OCT 14 1993
DIVISION OF
OIL, GAS & MINING

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE 801, NUMBER 6375385
DATE: YEAR 93, MO 09, DAY 28

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.