PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC SA 6/10

(2-16) UTG040007 PERMIT NUMBER
(17-19) 005 A DISCHARGE NUMBER

MINOR
Form Approved. OMB No. 2040-0004 Approval expires 10-31-97
F - FINAL
SED POND DISCHARGE WASH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	05	01	TO	94	05	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	********		ONCE/ MONTH	MEASRD
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	********	6.5 DAILY MN	******	9.0 DAILY MX	SU		THICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	********	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	********	******	******	0.3 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	********	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	********	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	********		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE | NUMBER

DATE: YEAR | MO | DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME ANDALEX RESOURCES--WILDCAT

ADDRESS P.O. BOX 902

PRICE UT 84501

FACILITY

LOCATION

ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

QC S11 6/10

(2-16)	(17-19)
UTG040007	005 A
PERMIT NUMBER	DISCHARGE NUMBER

MINOR

F - FINAL

SED POND DSCHRG TO WILDCAT WASH

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	06	01	TO	94	06	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE |__| ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GR
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)

Michael W Glasson

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
801	6375385	94	07	28
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

OC SH 6/10

(2-16) PERMIT NUMBER	(17-19) DISCHARGE NUMBER
UTG040007	005 A

MINOR

F - FINAL

SED POND DISCHARGE TO WILDCAT WASH

Form Approved. OMB No. 2040-0004 Approval expires 10-31-94

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	06	01	TO	94	06	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ☒ ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61) AVERAGE	MAXIMUM	UNITS	(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) MINIMUM	AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	*** ****		ONCE/ MONTH	GRABS
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	*** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	*** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	*** ****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)		TELEPHONE	DATE
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE / NUMBER	YEAR / MO / DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501

FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC SH 6/16

(2-16) UTG040007 — PERMIT NUMBER
(17-19) 005 A — DISCHARGE NUMBER
MINOR
F - FINAL
SED POND DISCHARGE WILDCAT WASH

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	07	01	TO	94	07	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE |__| ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	*** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
801	6375385	94	10	28
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TOS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501

FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC SH 6/16

MINOR

Form Approved.
OMB No. 2040-0004

(2-16) UTG040007 PERMIT NUMBER
(17-19) 005 A DISCHARGE NUMBER

F - FINAL
SED POND DISCHARGE, DRAINS TO DIL 30-94 WASH

MONITORING PERIOD

FROM YEAR	MO	DAY	TO YEAR	MO	DAY
94	07	01	94	07	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MONTH	MEASURE
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF those INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE, NUMBER

DATE: YEAR, MO, DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501

FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MINOR QC SH 6/10

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-97

(2-16) UTG040007 PERMIT NUMBER
(17-19) 005 A DISCHARGE NUMBER

F - FINAL
SED POND DISCHARGE WILDCAT WASH

MONITORING PERIOD

	YEAR	MO.	DAY		YEAR	MO.	DAY
FROM	94	08	01	TO	94	08	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE |__| ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61) AVERAGE	MAXIMUM	UNITS	(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) MINIMUM	AVERAGE	MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GR
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
801	6375385	94	10	28
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501

FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) PERMIT NUMBER: UTG040007
(17-19) DISCHARGE NUMBER: 005 A

MINOR QC SH 6/10

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

F - FINAL
SED POND OVERFLOW TO WILDCAT WASH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	08	01	TO	94	08	31
	(30-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ☒ ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61) AVERAGE	MAXIMUM	UNITS	(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) MINIMUM	AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	**** ****		ONCE/ MONTH	MEASURE
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	6.5 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	**** ****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	**** ****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)		TELEPHONE		DATE		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME ANDALEX RESOURCES--WILDCAT

ADDRESS P.O. BOX 902

PRICE UT 84501

FACILITY

LOCATION

ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)

DISCHARGE MONITORING REPORT (DMR)

(2-16) UTG040007 PERMIT NUMBER

(17-19) 005 A DISCHARGE NUMBER

MINOR

F - FINAL

SED POND DISCHRG TO WILDCAT WASH

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	09	01	TO	94	09	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE |__| ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) QUANTITY OR LOADING (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	(4 Card Only) QUALITY OR CONCENTRATION (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******		(94)	******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******		(26)	******	******		(19)			
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	SP
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)

Michael W Glasson

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
801	6375385	94	10	28
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QN SH 6/10

(2-16) PERMIT NUMBER	(17-19) DISCHARGE NUMBER
UTG040007	005 A

MINOR

Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94

F - FINAL
SED POND DISCHARGE TO WILLOW WASH

*** NO DISCHARGE ☒ ***

NOTE: Read instructions before completing this form.

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	94	09	01	TO	94	09	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61) AVERAGE	MAXIMUM	UNITS	(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) MINIMUM	(54-61) AVERAGE	MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT			(07)	******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	******	******	******	*****		ONCE/ MONTH	MEASRD
PH	SAMPLE MEASUREMENT	******	******			******		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*****	6.5 DAILY MN	******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	*****	******	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	*****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	*****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******		(94)	******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	*****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)		TELEPHONE		DATE		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 62
PRICE UT 84501
FACILITY
LOCATION

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

(2-16) PERMIT NUMBER: UTG040017
(17-19) DISCHARGE NUMBER: 002

F - FINAL
SED POND DSCHRG TO WILCAT WASH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	91	02	01	TO	91	02	28
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MINOR

QC SH 6/10

ATTN: MICHAEL H. GLASSON

NOTE: Read Instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	QUALITY OR CONCENTRATION (4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT	NO DISCHARGE									
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30 DA AV	REPORT DAILY MX	GPD						ONCE/ MONTH	MEASRD
PH	SAMPLE MEASUREMENT										
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT				6.5 DAILY MN		9.0 DAILY MX	SU		1/WICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT										
00530 P 0 0 See COMMENTS BELOW	PERMIT REQUIREMENT					25 30 DA AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT										
00545 X 0 0 See COMMENTS BELOW	PERMIT REQUIREMENT						0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT										
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT										
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT										
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	0 DAILY MX		NONE						ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]ITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]Y" IN THE APPROPRIATE BOX.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME ARMARCO ARCHITECTS-ATTORNEY

ADDRESS C.O. BOX 502

PRICE UT 84501

FACILITY

LOCATION

ATTN: MICHAEL H. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*

DISCHARGE MONITORING REPORT *(DMR)*

Form Approved. OMB No. 2040-0004 Approval expires 6-30-91

(2-16) UT0020087 — PERMIT NUMBER

(17-19) 005 A — DISCHARGE NUMBER

F - FINAL

SED POND DSCHRG TO WILCAT WASH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	91	02	01	TO	91	02	28
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MINOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	QUALITY OR CONCENTRATION (4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMENT 00614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******			*******	*******	*******				
	PERMIT REQUIREMENT	*******	DAILY MX	LBS=1 MO=0	*******	*******	*******	*******		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*******			*******	*******					
	PERMIT REQUIREMENT	*******	2000 DAILY MX	LBS/DY	*******	*******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	801 AREA CODE	6325355 NUMBER	91 YEAR	04 MO	25 DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]ITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]LY" IN THE APPROPRIATE BOX.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME [illegible]

ADDRESS [illegible]

FACILITY

LOCATION

ATTN: MICHAEL M. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*

DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
[illegible]	[illegible]
PERMIT NUMBER	DISCHARGE NUMBER

QC SH 6/10

F - FINAL

SED POND DSCHRG TO WILCAT WASH

CMM 4/24

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

MONITORING PERIOD						
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	91	01	01		91	01	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MINOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61) AVERAGE	MAXIMUM	UNITS	(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) MINIMUM	AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT	NO DISCHARGE			******	******	******				
00056 1 0 00	PERMIT REQUIREMENT	REPORT 30 DA AV	REPORT DAILY MX	CFD	******	******	******	****		ONCE/ MONTH	[illegible]
EFFLUENT GROSS VALUE											
PH	SAMPLE MEASUREMENT	******	******			******					
00400 1 0 0	PERMIT REQUIREMENT	******	******	****	6.5 DAILY MN	******	9.0 DAILY MX	SU		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE											
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******						
00530 P 0 0	PERMIT REQUIREMENT	******	******	****	******	25 30 DA AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SEE COMMENTS BELOW											
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******					
00545 R 0 0	PERMIT REQUIREMENT	******	******	****	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
SEE COMMENTS BELOW											
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******					
00556 1 0 0	PERMIT REQUIREMENT	******	******	****	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE											
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******					
01045 1 0 0	PERMIT REQUIREMENT	******	******	****	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
EFFLUENT GROSS VALUE											
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******			******	******	******				
45613 1 0 0	PERMIT REQUIREMENT	******		YES=1 NO=0	******	******	******	****		ONCE/ MONTH	VISUAL
EFFLUENT GROSS VALUE											

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION. I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*		TELEPHONE		DATE		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]ITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]" IN THE APPROPRIATE ROW.

EPA Form 3320-[illegible] (Rev. 9-88) *Previous editions may be used.* (REPLACES EPA FORM [illegible] WHICH MAY NOT BE USED.)

00315/900501-1731 1 OF

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME AMERICAN ASBESTOS-ALBERT

ADDRESS P.O. BOX 762

PAGE 4 MT 59522

FACILITY

LOCATION

ATTN: MICHAEL W. GLASCOE

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

PERMIT NUMBER (2-16)	DISCHARGE NUMBER (17-19)
MT0028007	005

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	91	01	01	TO	91	01	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

GC Sl 6/10

F - FINAL

SED POND DSCHRG TO WILLAT WASH

MINOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	QUALITY OR CONCENTRATION (4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0	SAMPLE MEASUREMENT	*******			*******	*******	*******				
	PERMIT REQUIREMENT	*******	DAILY MX	125=1 NO=0	*******	*******	*******	*****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*******			*******	*******					
	PERMIT REQUIREMENT	*******	2500 DAILY MX	LBS/DY	*******	*******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	801 (AREA CODE)	2375355 (NUMBER)	91 (YEAR)	04 (MO)	28 (DAY)

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO 0.5 TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE BOX.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*
NAME ANGLER RESOURCES--WILDCAT
ADDRESS P.O. BOX 902
PRICE UT 84501
FACILITY
LOCATION
ATTN: MICHAEL W. GLASON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*
(2-16) *(17-19)*

QC SH 6/10

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

PERMIT NUMBER: UT-0024007
DISCHARGE NUMBER: 001

P - FINAL
SED POND DSCHRG TO WILCAT WASH

MONITORING PERIOD

FROM YEAR	MO	DAY	TO YEAR	MO	DAY
90	12	01	90	12	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

MINOR

NOTE: Read Instructions before completing this form.

PARAMETER *(32-37)*		(3 Card Only) *(46-53)* QUANTITY OR LOADING *(54-61)* AVERAGE	MAXIMUM	UNITS	(4 Card Only) *(38-45)* QUALITY OR CONCENTRATION *(46-53)* MINIMUM	AVERAGE	*(54-61)* MAXIMUM	UNITS	NO. EX *(62-63)*	FREQUENCY OF ANALYSIS *(64-68)*	SAMPLE TYPE *(69-70)*
FLOW RATE	SAMPLE MEASUREMENT	NO DISCHARGE OBSERVED			*******	*******	*******				
00056 1 0 00 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30 DA AV	REPORT DAILY MX	GPD	*******	*******	*******	******		ONCE/ MONTH	ESTIMATE
PH	SAMPLE MEASUREMENT	*******	*******			*******					
00400 1 0 00 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*******	*******	******	6.5 DAILY MN	*******	9.0 DAILY MX	SU		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 P 0 00 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*******	*******		*******						
	PERMIT REQUIREMENT	*******	*******	******	*******	25 30 DA AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE 00545 R 0 00 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*******	*******		*******	*******					
	PERMIT REQUIREMENT	*******	*******	******	*******	*******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH 00556 1 0 00 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******	*******		*******	*******					
	PERMIT REQUIREMENT	*******	*******	******	*******	*******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE) 01045 1 0 00 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******	*******		*******	*******					
	PERMIT REQUIREMENT	*******	*******	******	*******	*******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 00013 1 0 00 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******			*******	*******	*******				
	PERMIT REQUIREMENT	*******		1&S-1 DAILY MX	*******	*******	*******	******		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]MITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]LY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME ANDALEX RESOURCES--WILDCAT

ADDRESS P.O. BOX 902

PRICE UT 84501

FACILITY

LOCATION

ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*

DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
[illegible]	005 A
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD						
	YEAR	MO	DAY		YEAR	MO	DAY
FROM	90	12	01	TO	90	12	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

Form Approved, OMB No. 2040-0004 Approval expires 6-30-91

F - FINAL

SED POND DSCHRG TO WILCAT WASH

MINOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	QUALITY OR CONCENTRATION (4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******			******	******	******				
	PERMIT REQUIREMENT	******	DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******			******	******					
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION. I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY
			801	6375385	91	1	25

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TSS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]MITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]LY" IN THE APPROPRIATE ROW.

EPA Form 3320-[illegible] (Rev. 9-88) *Previous editions may be used.* (REPLACES EPA FORM [illegible] WHICH MAY NOT BE USED.)

[illegible]/[illegible]-1751

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME ANGELA RESOURCES--WILDCAT

ADDRESS P.O. BOX 903

PAIGE FL 34591

FACILITY

LOCATION

ATTN: MICHAEL M. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*

DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
UTG000007	005 A
PERMIT NUMBER	DISCHARGE NUMBER

F - FINAL

SED POND DSCHRG TO WILCAT WASH

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	90	11	01	TO	90	11	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MINOR

Cm 4-24 QC SH 6/16

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only) (46-53) AVERAGE	MAXIMUM	UNITS	QUALITY OR CONCENTRATION (4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT	NO DISCHARGE OBSERVED			******	******	******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30 DA AV	REPORT DAILY MX	GPD	******	******	******	******		ONCE/ MONTH	MEASRD
PH	SAMPLE MEASUREMENT	******	******			******					
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	******	6.5 DAILY MX	******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	******	******		******						
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	******	******	25 30 DA AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	******	******		******	******					
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	******	******	******	******	******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH	SAMPLE MEASUREMENT	******	******		******	******					
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	******	******	******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	******	******		******	******					
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	******	******	******	******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	******			******	******	******				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=2	******	******	******	******		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION. I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]ITED INSTEAD OF TSS. REPORT "DOES NOT A[illegible]Y" IN THE APPROPRIATE ROW.

EPA Form 3320-[illegible]. 9-88) *Previous editions may be used.* (REPLACES EPA FORM T[illegible]CH MAY NOT BE USED.) OF

00311/900521-1731 1

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME [illegible]

ADDRESS [illegible]

[illegible]

FACILITY

LOCATION

ATTN: MICHAEL B. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*

DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
[illegible]	[illegible]
PERMIT NUMBER	DISCHARGE NUMBER

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

F - FINAL
SED POND DSCHRG TO WILCAT WASH

MONITORING PERIOD

FROM YEAR	MO	DAY	TO YEAR	MO	DAY
90	11	01	90	11	30
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

MINOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	QUALITY OR CONCENTRATION (4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******			******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******			******	******					
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION. I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY
			801	6375385	91	1	25

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]ITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]LY" IN THE APPROPRIATE NO.

EPA Form 3320-[illegible]. 9-88) *Previous editions may be used.* (REPLACES EPA FORM T[illegible]CH MAY NOT BE USED.) OF

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*
NAME ANDALEX RESOURCES-LEACH
ADDRESS P.O. BOX 702
PAGE
FACILITY
LOCATION
ATTN: MICHAEL A. CLASON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*
DISCHARGE MONITORING REPORT *(DMR)*

QC SH 6/10

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

(2-16) UT0023027 — PERMIT NUMBER
(17-19) 005 — DISCHARGE NUMBER

F - FINAL
SED POND DSCHRG TO WILCAT WASH

CBM 4/24

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	90	10	01	TO	90	10	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MINOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61) AVERAGE	MAXIMUM	UNITS	(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) MINIMUM	AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT	NO DISCHARGE OBSERVED			*******	*******	*******				
00055 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT MGD AV	REPORT MGD MX	MGD	*******	*******	*******	*****		ONCE/ MONTH	MEASD
PH	SAMPLE MEASUREMENT	*******	*******			*******					
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*******	*******	*****	6.5 DAILY MN	*******	9.0 DAILY MX	SU		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*******	*******		*******						
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*******	*******	*****	*******	25 30 DA AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*******	*******		*******	*******					
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*******	*******	*****	*******	*******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FLOW EXTR-GRAV METH	SAMPLE MEASUREMENT	*******	*******		*******	*******					
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*******	*******	*****	*******	*******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*******	*******		*******	*******					
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*******	*******	*****	*******	*******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*******			*******	*******	*******				
45011 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*******	*******	YES=1 NO=0	*******	*******	*******	*****		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE		DATE		
	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*		AREA CODE	NUMBER	YEAR	MO	DAY
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]LY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS *(Include Facility Name/Location if different)*

NAME [illegible]

ADDRESS [illegible]

[illegible] UT [illegible]

FACILITY

LOCATION

[illegible] MICHAEL [illegible] GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM *(NPDES)*

DISCHARGE MONITORING REPORT *(DMR)*

(2-16)	(17-19)
[illegible]	[illegible]
PERMIT NUMBER	DISCHARGE NUMBER

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

F - FINAL
SED POND DSCHRG TO WILCAT WASH

MONITORING PERIOD						
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	90	10	01		90	10	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MINOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	QUALITY OR CONCENTRATION (4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******			******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******			******	******					
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	DG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION. I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT, SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE		DATE		
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO	DAY
			801	6375385	91	1	25

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]MITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]LY" IN THE APPROPRIATE ROW.

EPA Form 3320-[illegible]ev. 9-88) *Previous editions may be used.* (REPLACES EPA FORM [illegible]HICH MAY NOT BE USED.) OF

[illegible]

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 202
PRICE UT 84501

FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC SH 6/10

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

(2-16) UTG040007 PERMIT NUMBER
(17-19) 005 A DISCHARGE NUMBER

F - FINAL
SED POND DSCHRG TO WILCAT WASH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	90	09	01	TO	90	09	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MINOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61) AVERAGE	MAXIMUM	UNITS	(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) MINIMUM	AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT	NO DISCHARGE OBSERVED			*******	*******	*******				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30 DA AV	REPORT DAILY MX	GPD	*******	*******	*******	*******		ONCE/ MONTH	MEASRD
PH	SAMPLE MEASUREMENT	*******	*******			*******					
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*******	*******	*******	6.5 DAILY MN	*******	9.0 DAILY MX	SU		ONCE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 P 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*******	*******		*******						
	PERMIT REQUIREMENT	*******	*******	*******	*******	25 30 DA AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE 00545 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*******	*******		*******	*******					
	PERMIT REQUIREMENT	*******	*******	*******	*******	*******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH 00556 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******	*******		*******	*******					
	PERMIT REQUIREMENT	*******	*******	*******	*******	*******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******	*******		*******	*******					
	PERMIT REQUIREMENT	*******	*******	*******	*******	*******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 45613 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******			*******	*******	*******				
	PERMIT REQUIREMENT	*******	DAILY MX	YES=1 NO=0	*******	*******	*******	*******		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE: AREA CODE, NUMBER

DATE: YEAR, MO, DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]ITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]LY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)

NAME ANDALEX RESOURCES--WILDCAT

ADDRESS P.O. BOX 902

PRICE UT 84501

FACILITY

LOCATION

ATTN: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16)	(17-19)
UTG040007	005 A
PERMIT NUMBER	DISCHARGE NUMBER

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

F - FINAL
SED POND DSCHRG TO WILCAT WASH

MONITORING PERIOD

	YEAR	MO	DAY		YEAR	MO	DAY
FROM	90	09	01	TO	90	09	30
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MINOR

NOTE: Read instructions before completing this form.

PARAMETER (32-37)		(3 Card Only) (46-53) QUANTITY OR LOADING (54-61) AVERAGE	MAXIMUM	UNITS	(4 Card Only) (38-45) QUALITY OR CONCENTRATION (46-53) MINIMUM	AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	******			******	******	******				
	PERMIT REQUIREMENT	******	0 DAILY MX	YES=1 NO=0	******	******	******	**** ****		ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	******			******	******					
	PERMIT REQUIREMENT	******	2000 DAILY MX	LBS/DY	******	******	REPORT DAILY MX	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

TYPED OR PRINTED

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. *(Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)*

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE		DATE		
801	6375385	90	10	28
AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS *(Reference all attachments here)*

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]MITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]LY" IN THE APPROPRIATE ROW.

EPA Form 3320-[illegible] (Rev. 9-88) *Previous editions may be used.* (REPLACES EPA FORM [illegible] WHICH MAY NOT BE USED.)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ANDALEX RESOURCES--WILDCAT
ADDRESS P.O. BOX 962
PRICE UT 84501

FACILITY
LOCATION
ATTN: MICHAEL E. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

QC Sft 6/10

Form Approved.
OMB No. 2040-0004
Approval expires 6-30-91

(2-16) PERMIT NUMBER	(17-19) DISCHARGE NUMBER
UT0000007	005 A

F - FINAL
SED POND DSCHRG TO WILCAT WASH

MONITORING PERIOD	YEAR	MO	DAY		YEAR	MO	DAY
FROM	90	08	01	TO	90	08	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

MINOR
NOTE: Read instructions before completing this form.

PARAMETER (32-37)		QUANTITY OR LOADING (3 Card Only) (46-53) AVERAGE	(54-61) MAXIMUM	UNITS	QUALITY OR CONCENTRATION (4 Card Only) (38-45) MINIMUM	(46-53) AVERAGE	(54-61) MAXIMUM	UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
FLOW RATE	SAMPLE MEASUREMENT	NO DISCHARGE			OBSERVED						
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30 DA AV	REPORT DAILY MX	GPD	*******	*******	*******	********		ONCE/ MONTH	SEASRD
PH	SAMPLE MEASUREMENT	*******	*******			*******					
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*******	*******	********	6.5 DAILY MN	*******	9.0 DAILY MX	SU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 P 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*******	*******		*******						
	PERMIT REQUIREMENT	*******	*******	********	*******	25 30 DA AV	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE 00545 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*******	*******		*******	*******					
	PERMIT REQUIREMENT	*******	*******	********	*******	*******	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FREON EXTR-GRAV METH 00556 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******	*******		*******	*******					
	PERMIT REQUIREMENT	*******	*******	********	*******	*******	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******	*******		*******	*******					
	PERMIT REQUIREMENT	*******	*******	********	*******	*******	2.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 85613 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*******			*******	*******	*******				
	PERMIT REQUIREMENT	*******	0 DAILY MX	YES=1 NO=0	*******	*******	*******	********		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		TELEPHONE	DATE
TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to $10,000 and or maximum imprisonment of between 6 months and 5 years.)	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE / NUMBER	YEAR / MO / DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE [illegible]MITED INSTEAD OF TSS. REPORT "DOES NOT [illegible]LY" IN THE APPROPRIATE ROW.