

PERMITTEE NAME AND ADDRESS (Include Facility Name/Location if Different)
 NAME AN ALEX RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

Form Approved
 OMB No. 400004
 Expires 05-31-98
 MINOR
 FINAL
 SED POINT DISCHRG TO WILCAT WASH

DTG04007 PERMIT NUMBER
 066 A DISCHARGE NUMBER

FACILITY AND ALEX RESOURCES--WILDCAT
 LOCATION PRICE UT 84501
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
00	08	01	00	08	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (48-53)			(4 Card Only) QUANTITY OR CONCENTRATION (38-43)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)						
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	30DA AVG	DAILY MAX	MGD					00000	00000
PH	SAMPLE MEASUREMENT						(15)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT				6.5		9.0		00000	DAILY/60
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT						(19)			
00530 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT					25	70		00000	DAILY/60
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT						(25)			
00545 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT						0.5		00000	DAILY/60
OIL & GREASE	SAMPLE MEASUREMENT						(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						10		00000	DAILY/60
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT						(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT						1.0		00000	DAILY/60
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT			(94)						
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	0	15S=1						00000	DAILY/60

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 38 U.S.C. § 1019. (Penalties under these statutes may include fines up to \$10,000, and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE NUMBER

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "00000 NOT APPL" IN THE APPROPRIATE ROW.

PERMITTEE NAME AND ADDRESS (Include Facility Name/Location if Different)
 NAME AND ADDRESS
 PRICE
 UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR) (17-19)

Form Approved
 OMB No. 4000-0002
 April 1980 Edition
 GSA FPMR (41 CFR) 101-11.6

UT 000001
 PERMIT NUMBER

006 1
 DISCHARGE NUMBER

MINOR

F - FINAL
 SED POINT DISCHARGE TO WILDCAT RIVER

FACILITY LOCATION
 PRICE
 UT 84501
 ATTN: MICHAEL W. GLESSON

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
00	08	01		00	08	31
(20-21)	(22-23)	(24-26)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (45-53)			(4 Card Only) QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-69)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (45-53)	MAXIMUM (54-61)	UNITS (54-61)	MINIMUM (46-53)	AVERAGE (46-53)	MAXIMUM (54-61)			
SANITARY WASTE DISCHARGED-ASSESSMENT		*****		(94)	*****	*****	*****			
45614 1 0 0	PERMIT REQUIREMENT	*****	0	IES=1	*****	*****	*****		ONCE / MONTH	VISUAL
EFFLUENT GROSS VALUE				DAILY BY						
SOLIDS, TOTAL DISSOLVED		*****		(26)	*****	*****	*****			
70295 0 0 0	PERMIT REQUIREMENT	*****	2000	IES/DY	*****	*****	*****		ONCE / YEAR	LAB
SEE COMMENTS BELOW				DAILY BY						
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 19 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE		
TYPED OR PRINTED			435 6875385	00	9	28

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DCES NOT APPLY" IN THE APPROPRIATE BOX.

PERMITTEE NAME AND ADDRESS (Include Facility Name/Location if Different)
 NAME AND ADDRESS RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 07604 (00) PERMIT NUMBER
 005 A DISCHARGE NUMBER

Form Approved OMB No. 40-0004
 Approved Expires 05-31-88
 MINOR
 F - FINAL
 SED PONI LSCHE TO WILCAT WASH

FACILITY LOCATION AND ADDRESS
 ANDALEX RESOURCES--WILDCAT
 PRICE UT 84501
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD
 YEAR MO DAY TO YEAR MO DAY
 FROM 00 07 01 TO 00 07 31
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
 NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3-Card Only) QUANTITY OR LOADING (46-53)			(4-Card Only) QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)	*****	*****	*****			
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MAX	REQD	*****	*****	*****		ONCE/ YEAR	PCAT1
PH	SAMPLE MEASUREMENT	*****	*****			*****		(12)		
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	6.5	*****	9.0		THICE/ YEAR	PCAT1
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****			(15)		
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	25	70		ONCE/ YEAR	PCAT1
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****	*****	(25)		
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	0.5		ONCE/ YEAR	PCAT1
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(15)		
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	10		ONCE/ YEAR	PCAT1
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****		*****	*****		(15)		
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	1.0		ONCE/ YEAR	PCAT1
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	15=1 DAILY MAX PC=0	*****	*****	*****	*****	ONCE/ VISUAL	PCAT1

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 16 U.S.C. § 1901 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE NUMBER

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DCES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME AND ADDRESS (Include Facility Name/Location if Different)
 NAME AND ADDRESS RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (17-19)
 03000007 PERMIT NUMBER
 006 A DISCHARGE NUMBER

Form Approved
 OMB No. 4000-0004
 Expires 09-31-99
 MINOR
 F - FINAL
 SED POINT DISCHRG TO WILCAT WASH

FACILITY LOCATION AND ADDRESS
 ANDALEX RESOURCES--WILDCAT
 PRICE UT 84501
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD
 YEAR MO DAY TO YEAR MO DAY
 FROM 00 06 01 TO 00 06 30
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (56-63)			NO EX (62-63)	FREQUENCY OF ANALYSIS (64-66)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)	*****	*****	*****			
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	HEIGHT	30DA AVG DAILY MAX GPD	*****	*****	*****		CNCL/ STATE	PCN31
PH	SAMPLE MEASUREMENT	*****	*****		*****	*****		(12)		
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	6.5	*****	9.0		PRICE/ STATE	PCN31
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****	*****		(15)		
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	25	70		CNCL/ STATE	PCN31
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(25)		
00545 B 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	0.5		CNCL/ STATE	PCN31
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(15)		
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	10		CNCL/ STATE	PCN31
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****		*****	*****		(15)		
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	1.0		CNCL/ STATE	PCN31
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	VIS=1 DAILY MAX GC=0	*****	*****	*****	*****	CNCL/ VISUAL	PCN31

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE			
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DCES NOT APPLY" IN THE APPROPRIATE BOX.

PERMITTEE NAME/ ADDRESS (Include Facility Name/Location if Different)
 NAME ANDALEX RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (17-19)
 DTG000007 PERMIT NUMBER
 006 A DISCHARGE NUMBER

Form Approved
 OMB No. 0004
 Approval expires 05-31-98

MINOR
 F - FINAL
 SEE POLLUTANT DISCHARGE TO WILDCAT BASE

FACILITY ANDALEX RESOURCES--WILDCAT
 LOCATION PRICE UT 84501
 ATTN: MICHAEL H. GLASSON

MONITORING PERIOD
 FROM 00 06 01 TO 00 06 30
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
 NOTE: Read Instructions before completing this form.

PARAMETER (92-97)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (46-53)			QUANTITY OR CONCENTRATION (54-61)			NO. EX (62-69)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0		*****		(94)	*****	*****	*****			
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	YES=1 DAILY MAX DC=0	*****	*****	*****	***	ONCE/ VISUAL MONTH	
SOLIDS, TOTAL DISSOLVED 70295 0 0 0		*****		(26)	*****	*****	(15)			
SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	2000	DAILY MAX YES/DY	*****	*****	REPCIN DAILY MAX MG/L		ONCE/ YEAR MONTH	
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE		
TYPED OR PRINTED		<i>Michael H. Glasson</i>	435 637 5385	10	7
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CUTFALLS DURING PRECIPITATION EVENTS. SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF 355. REPORT "DCES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME AND ADDRESS (Include Facility Name/Location if Different)
 NAME AND ADDRESS RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (17-18)

Form Approved
 OMB No. 4000-0004
 Expires 05-31-98

UTG04CC07
 PERMIT NUMBER

006 A
 DISCHARGE NUMBER

MINOR

F - FINAL
 SED POKE TSCRG TC WILCAT WASH

FACILITY AND ADDRESS RESOURCES--WILDCAT
 LOCATION PRICE UT 84501
 ATTN: MICHAEL N. GLASSON

MONITORING PERIOD					
YEAR	MO	DAY	YEAR	MO	DAY
00	05	01	00	05	31
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (42-53)			(4 Card Only) QUANTITY OR CONCENTRATION (54-65)			NO. EX. (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)	*****	*****	*****			
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT		*****	*****	*****		ONCE / YEAR	PCNTH
PH	SAMPLE MEASUREMENT	30DA AVG	DAILY BY	CFD						
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	6.5	*****	9.0		ONCE / YEAR	PCNTH
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****	*****						
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	25	70			ONCE / YEAR	PCNTH
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****	*****						
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	0.5		ONCE / YEAR	PCNTH
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****	*****						
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	10		ONCE / YEAR	PCNTH
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****	*****						
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	1.0		ONCE / YEAR	PCNTH
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	TSS=1 DAILY BY BC=0	*****	*****	*****		ONCE / VISUAL	PCNTH

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1315. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE			
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DCES NOT APPLY" IN THE AILCHERITE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 NAME ANDALEX RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMR)
 UT 0000007 PERMIT NUMBER
 006-4 DISCHARGE NUMBER

Form Approved
 OMB No. 2000-0094
 Approval expires 05-31-98

FACILITY ANDALEX RESOURCES--WILDCAT
 LOCATION PRICE UT 84501
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD
 FROM 00 09 01 TO 00 05 31
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

FINOT
 F - FINAL
 SED POND DISCHRG TO WILCAT WASH
 *** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-55)	MAXIMUM (54-61)	UNITS (54-61)	MINIMUM (54-55)	AVERAGE (54-55)	MAXIMUM (54-61)			
SANITARY WASTE DISCHARGED-ASSESSMENT	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
45614 1 0 0	PERMIT REQUIREMENT	*****	0	1 IS=1	*****	*****	*****		ONCE/ MONTH	VISUAL
EFFLUENT GROSS VALUE SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****		(26)	*****	*****	(15)			
70295 0 0 0	PERMIT REQUIREMENT	*****	2000	1 ES/DY	*****	*****	*****		ONCE/ MONTH	GRAV
SEE COMMENTS BELOW	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE		
TYPED OR PRINTED		<i>Michael W. Glasson</i>	495 697 5385	00	6
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CUTFALLS DURING PRECIPITATION EVENTS. SETTLED SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DCES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME AND ADDRESS (Include Facility Name/Location if Different)
 NAME AND ADDRESS RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

Form Approved OMB No. 4004-0004
 Approval Expires 05-31-98
 MINOR
 F - FINAL
 SED POINT ESCRG TO WILCAT WASH

UTGONC001 PERMIT NUMBER
 006 A DISCHARGE NUMBER

FACILITY AND ADDRESS RESOURCES--WILDCAT
 LOCATION PRICE UT 84501
 ATTN: MICHAEL W. GIBSON

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
00	04	01	TO	00	04	30
(20-21)	(22-23)	(24-26)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (40-53)			(4 Card Only) QUANTITY OR CONCENTRATION (46-53)			NO. OF ANALYSIS (62-63)	FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)	*****	*****	*****			
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	30DA AVG	DAILY BY	CFD	*****		ONCE/ WEEK	PCNTL
PH	SAMPLE MEASUREMENT	*****	*****					(12)		
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	6.5	*****	9.0		TWICE/ WEEK	PCNTL
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****					(19)		
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	25	70		ONCE/ WEEK	PCNTL
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****					(25)		
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	0.5		ONCE/ WEEK	PCNTL
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****					(19)		
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	10		ONCE/ WEEK	PCNTL
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****					(19)		
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	1.0		ONCE/ WEEK	PCNTL
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	ES=1	*****	*****	*****	*****	ONCE/ VISUAL	PCNTL
				DAILY BY	EC=0					

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT, SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000, and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE NUMBER

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "ONCE NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 NAME ANDALEX RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-18)
 WIC040007 PERMIT NUMBER
 006 1 DISCHARGE NUMBER

Form Approved
 OMB No. 4000-0004
 Approval expires 06-31-98

MINOR
 F - FINAL
 SED POKE ESCRG TC WILCAT WASH

FACILITY LOCATION ANDALEX RESOURCES--WILDCAT
 PRICE UT 84501
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD
 FROM 00 04 01 TO 00 04 30
 (20-21) (22-23) (24-26) (28-27) (28-28) (30-31)

*** NO DISCHARGE ***
 NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SANITARY WASTE DISCHARGED-ASSESSMENT		*****		(94)	*****	*****	*****			
45614 1 0 0	PERMIT REQUIREMENT	*****	0	IES=1	*****	*****	*****		06/11	WISD
EFFLUENT GROSS VALUE			DAILY EX	IC=0					10/11	
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****		(26)	*****	*****			(15)	
70295 0 0 0	PERMIT REQUIREMENT	*****	2000		*****	*****	REFC11			06/11
SEE COMMENTS BELOW			DAILY EX	IES/DY			DAILY EX	MG/L		10/11
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE		
TYPED OR PRINTED		<i>Michael W. Glasson</i>	435 2375 385	00	5
	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CUTFALLS DURING PRECIPITATION EVENTS. SETTLED SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DCES NOT PLN" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 NAME ANDALEX RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) DISCHARGE MONITORING REPORT (DMP)
 (2-79)
 UTC 021007 PERMIT NUMBER
 006 A DISCHARGE NUMBER

Form Approved OMB No. 2004-004
 Approval expires 05-31-98
 KINOR

FACILITY LOCATION ANDALEX RESOURCES--WILDCAT
 PRICE UT 84501
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD
 FROM 00 03 01 TO 00 03 31
 (20-21) (22-23) (24-25) (26-27) (28-28) (30,31)

F - FINAL
 SEE POINT DISCHARGE TO WILDCAT WASH
 *** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-66)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0		*****		(94)	*****	*****	*****			
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	YES=1 NO=0	*****	*****	*****	***	ONCE/ VISUAL	PCAT
SOLIDS, TOTAL DISSOLVED 70295 0 0 0		*****		(26)	*****	*****	(19)			
SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	2000	DAILY BY LBS/DY	*****	*****	RECEIVED DAILY BY MG/L	***	ONCE/ YEAR	PCAT
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 6 years.)	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE		
TYPED OR PRINTED			475 6375385 00	4	20	

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CUTFALLS DURING PRECIPITATION EVENTS, SETTLEMENTS SHALL BE LIMITED INSTEAD OF 155. REPORT "DCES NOT FULLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME AND ADDRESS (Include Facility Name/Location if Different)
 NAME AND ADDRESS RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

MINOR

Form Approved
 OMB No. 4000-0004
 Approval Expires 05-31-98

HTG04111
 PERMIT NUMBER

006 A
 DISCHARGE NUMBER

FACILITY LOCATION AND ADDRESS RESOURCES--WILDCAT
 PRICE UT 84501
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD					
YEAR	MO.	DAY	YEAR	MO.	DAY
00	02	01	00	02	29
(20-21)	(22-23)	(24-25)	(26-27)	(28-29)	(30-31)

1 - FINAL
 SED POINT USCHRC TO WILDCAT WASH

*** NO DISCHARGE ***
 NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (38-45)			NO. EX. (62-63)	FREQUENCY OF ANALYSIS (64-66)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)	*****	*****	*****			
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DB AVG	REPORT DAILY MAX	MGD	*****	*****	*****	***	ONCE/ YEAR	PCATE
PH	SAMPLE MEASUREMENT	*****	*****			*****		(12)		
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	6.5	*****	9.0	*****	ONCE/ YEAR	PCATE
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****			*****		(15)		
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	25	70	*****	ONCE/ YEAR	PCATE
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****			*****		(25)		
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	0.5	*****	ONCE/ YEAR	PCATE
OIL & GREASE	SAMPLE MEASUREMENT	*****	*****			*****		(15)		
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	10	*****	ONCE/ YEAR	PCATE
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****			*****		(15)		
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	1.0	*****	ONCE/ YEAR	PCATE
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	YES=1 DAILY MAX NO=0	*****	*****	*****	*****	ONCE/ VISUAL	PCATE

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1318. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE		DATE		
		TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DRY POUND FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DCES NOT APPLY" IN THE APPROPRIATE BOX.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
 NAME ANDALEX RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-7) (17-19)

Form Approved
 OMB No. 4004
 Approval Expires 05-31-98

UT000007
 PERMIT NUMBER

006
 DISCHARGE NUMBER

MINOR

F - FINAL
 SED POINT DISCHARGE TO WILDCAT WASTE

FACILITY ANDALEX RESOURCES--WILDCAT
 LOCATION PRICE UT 84501
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD
 FROM 00 02 01 TO 00 02 29
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (46-53)			QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
	PERMIT REQUIREMENT	*****	0	TSS=1 DAILY MAX MG/L	*****	*****	*****	***	ONCE/ VISUAL MONTH	
	SAMPLE MEASUREMENT	*****		(26)	*****	*****				
	PERMIT REQUIREMENT	*****	2000	DAILY MAX MG/L	*****	*****	REPORT DAILY MAX MG/L	***	ONCE/ YEAR MONTH	
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 39 U.S.C. § 1318. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 6 years.)	TELEPHONE	DATE			
		435 627 5385 00	3	24		
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CUTFALLS DURING PRECIPITATION EVENTS. SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "ONES ONLY" IN THE APPROPRIATE ROW.

COMMITTEE NAME ADDRESS (Include Facility Name, Location if Different)
 NAME ANDALEX RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (40 CFR 122.11)
 076040001
 PERMIT NUMBER
 006 A
 DISCHARGE NUMBER

007/033
 MINOR
 F - FINAL
 SED POLE ESCHRE IC WILDCAT WISH
 Form Approved OMB No. 4004-0004
 Approval Dates 05-31-98

FACILITY ANDALEX RESOURCES--WILDCAT
 LOCATION PRICE UT 84501
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD
 FROM YEAR MO DAY TO YEAR MO DAY
 00 01 01 TO 00 01 31
 (20-21) (22-23) (24-26) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
 NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3-Card Only) QUANTITY OR LOADING (46-53)			(4-Card Only) QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)	*****	*****	*****			
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	3000 AVG DAILY MAX	*****	*****	*****	***	DCES / GLASSON	
PH		*****	*****		*****	*****		(12)		
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	6.5 DAILY MAX	*****	9.0		DCES / GLASSON	
SOLIDS, TOTAL SUSPENDED		*****	*****		*****	*****		(15)		
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	25	70		DCES / GLASSON	
SOLIDS, SETTLEABLE		*****	*****		*****	*****		(15)		
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	0.5		DCES / GLASSON	
OIL & GREASE		*****	*****		*****	*****		(15)		
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	10		DCES / GLASSON	
IRON, TOTAL (AS FE)		*****	*****		*****	*****		(15)		
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	*****	*****	*****	1.0		DCES / GLASSON	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL		*****		(94)	*****	*****	*****			
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	1 FS=1 DC=0	*****	*****	*****	***	DCES / VISUAL	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1011 AND 18 U.S.C. § 1343. (Penalties under these statutes may include fines up to \$500,000 and a maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE NUMBER

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CUTPOINTS, DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DCES NOT APPLICABLE TO APPROPRIATE ROW."

PERMITTEE NAME/ ADDRESS (Include Facility Name/Location if Different)
 NAME ANDALEX RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-76) (17-79)

Form Approved
 OMB No. 40004
 Approval expires 05-31-98

UTCO00007 PERMIT NUMBER
 006-1 DISCHARGE NUMBER

BINGR

F - FINAL
 SED POLL DISCHG TO WILCAT WASH

FACILITY ANDALEX RESOURCES--WILDCAT
 LOCATION PRICE UT 84501
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD
 FROM 00 01 01 TO 00 01 31
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
 NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUANTITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-65)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	15=1	*****	*****	*****		ONCE/ MONTH	WISUAL
SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****		(26)	*****	*****	(19)			
	PERMIT REQUIREMENT	*****	2000	DAILY MAX LBS/DY	*****	*****	*****		ONCE/ MONTH	GLASS
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)	 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE		
TYPED OR PRINTED			AREA CODE	NUMBER	YEAR	MO

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL CATCH BASINS DURING PRECIPITATION EVENTS, SETTLEMENT BASINS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DCES NOT FULLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **ANDALEX RESOURCES--WILDCAT**
 ADDRESS **P.O. BOX 902**
PRICE **UT 84501**
 FACILITY _____
 LOCATION _____
 ATTN: **MICHAEL W. GLASSON**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)
UTG040007 **006 A**
 PERMIT NUMBER DISCHARGE NUMBER
MONITORING PERIOD
 FROM **96 05 01** TO **96 05 31**
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

MINOR: **@e St/ 6/10**
 Form Approved. OMB No. 2040-0004
 F - FINAL SED POND DISCHARGE TO AFFECT WASH
 Approval expires 10-31-94
 *** NO DISCHARGE ***
 NOTE: Read Instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (46-53)			QUALITY OR CONCENTRATION (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE				(07)	*****	*****	*****				
0056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	***	ONCE/ MONTH	HEAD	
PH		*****	*****				(12)				
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	0.5	*****	9.0	***	TWICE/ MONTH	GRAB	
SOLIDS, TOTAL SUSPENDED		*****	*****		*****		(19)				
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	25	7.0	***	ONCE/ MONTH	GRAB	
SOLIDS, SETTLEABLE		*****	*****		*****	*****	(25)				
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	*****	0.5	***	ONCE/ MONTH	GRAB	
OIL AND GREASE		*****	*****		*****	*****	(19)				
FREON EXTR-GRAY METH		*****	*****		*****	*****	10		ONCE/ MONTH	GRAB	
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	DAILY MX	MG/L			
IRON, TOTAL (AS FE)		*****	*****		*****	*****	(19)				
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	1.0	***	ONCE/ MONTH	GRAB	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL		*****		(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****		YES=1 NO=0	*****	*****	*****	***	ONCE/ MONTH	VISUAL	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: _____
 I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)
 TYPED OR PRINTED _____
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT _____
 TELEPHONE _____ DATE _____
 AREA CODE _____ NUMBER _____ YEAR _____ MO _____ DAY _____

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.