

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME ANDREW RESOURCES--WILUCAT
 ADDRESS P.O. BOX 902
 PRICE UI 04501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)
 0TG040007
 PERMIT NUMBER 006 A
 DISCHARGE NUMBER

MINOR Form Approved.
 F - FINAL OMB No. 2040-0004
 SED POND D Approval expires 10-31-94 WASH

FACILITY
 LOCATION
 ACTN: MICHAEL W. GLANSON

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY											
95	01	01		95	01	31											
(20-21)			(22-23)			(24-25)			(26-27)			(28-29)			(30-31)		

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-55)	MAXIMUM (56-57)	UNITS (58-61)	MINIMUM (38-41)	AVERAGE (42-45)	MAXIMUM (46-49)	UNITS (50-53)			
SANITARY WASTE DISCHARGED-ASSESSMENT		*****		(94)	*****	*****	*****				
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	MG=1 NO=0	*****	*****	*****	***	ONCE/	USUAL	
SOLIDS, TOTAL DISSOLVED		*****		(26)	*****	*****					
70295 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	2000	LBS/DY	*****	*****	REPORT DAILY MX	MG/L	ONCE/	GRAB	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE		
			SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TSS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

MINOR

Form Approved.

P - FINAL OMB No. 2040-0004
350 POND 3 JEROME P, ALBERT WASH

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME **ATLANTA RESOURCES--KLLDCAI**
ADDRESS **P.O. BOX 902**
PRICE **01-04501**

UTG040007
PERMIT NUMBER

006 A
DISCHARGE NUMBER

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
95	02	01		95	02	20	
(20-21)		(22-23)		(24-25)		(26-27)	
		(28-29)		(30-31)			

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

FACILITY
LOCATION
APPL: MICHAEL W. GLASSON

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)	*****	*****	*****			
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	***	ONCE/ MONTH	SEASND
P _H		*****	*****					(12)		
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	8.5 DAILY MN	*****	9.0 DAILY MX	3U	TWICE/ GRAB MONTH	
SOLIDS, TOTAL SUSPENDED		*****	*****		*****			(19)		
00339 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	25 30DA AVG	70 DAILY MX	MG/L	ONCE/ GRAB MONTH	
SOLIDS, SETTLEABLE		*****	*****		*****			(25)		
00345 8 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	*****	0.5 DAILY MX	ML/L	ONCE/ GRAB MONTH	
OIL AND GREASE		*****	*****		*****			(19)		
FILTR EXHA-GRAB MET		*****	*****	***	*****	*****	10 DAILY MX	MG/L	ONCE/ GRAB MONTH	
00316 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	*****			
IRON, TOTAL (AS FE)		*****	*****		*****			(19)		
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	1.0 DAILY MX	MG/L	ONCE/ GRAB MONTH	
FLOATING SOLIDS ON VISIBLE FOAM-VISUAL		*****		(94)	*****	*****	*****			
45013 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	YES=1 NO=0	*****	*****	*****	***	ONCE/ VISUAL MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE		DATE		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
THIS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME ARIZONA RESOURCES--WILDCAT
 ADDRESS P.O. BOX 902
PRICE UT 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-1) UT0040007 (17-19) 006 A
 PERMIT NUMBER DISCHARGE NUMBER

MINOR Form Approved, OMB No. 2040-0004
 F - FINAL SED POND D APPROVAL expires 10-31-94 WASH

FACILITY _____
 LOCATION _____
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	95	02	01		95	02	27
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	QUANTITY OR LOADING (3 Card Only) (46-53) (54-61)			QUALITY OR CONCENTRATION (4 Card Only) (38-45) (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
45614 1 0 0	PERMIT REQUIREMENT	*****	0	YES=1 NO=0	*****	*****	*****	***	ONCE/	VISUAL	
EFFLUENT GROSS VALU			DAILY MX					****	MONTH		
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****		(26)	*****	*****					
70295 0 0 0	PERMIT REQUIREMENT	*****	2000		*****	*****	REPORT		ONCE/	GRAB	
SEE COMMENTS BELOW			DAILY MX	LBS/DY			DAILY MX	15/L	MONTH		
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE			
			SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TSS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME AND FAX RESOURCES--WILLCAT
 ADDRESS P.O. BOX 902
 PRICE 01 04501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-) (17-19)
 UTG040007 006 A
 PERMIT NUMBER DISCHARGE NUMBER

MINOR Form Approved.
 F - FINAL OMB No. 2040-0004
 SED FOND D. Approval expires 10-31-94 WASH

FACILITY
 LOCATION
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	93	03	01		93	03	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			QUALITY OR CONCENTRATION (46-53)		NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-61)	MAXIMUM (54-61)	UNITS (54-61)	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (46-53)	UNITS (46-53)				
FLOW RATE				(07)	*****	*****	*****					
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	***	***		ONCE/ MONTH	GRAB
PH		*****	*****					(12)				
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	0.5 DAILY MX	*****	9.0 DAILY MX	50			THICE/ GRAB MONTH	
SOLIDS, TOTAL SUSPENDED		*****	*****		*****			(19)				
00530 1 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	25 30DA AVG	70 DAILY MX	MS/L			ONCE/ GRAB MONTH	
SOLIDS, SETTLEABLE		*****	*****		*****	*****		(25)				
00545 1 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	*****	0.5 DAILY MX	ML/L			ONCE/ GRAB MONTH	
OIL AND GREASE		*****	*****		*****	*****		(19)				
PERM EXPL-GRAY METH		*****	*****	***	*****	*****	10 DAILY MX	MS/L			ONCE/ GRAB MONTH	
00006 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	10 DAILY MX	MS/L			ONCE/ GRAB MONTH	
IRON, TOTAL (AS FE)		*****	*****		*****	*****		(19)				
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	1.0 DAILY MX	MS/L			ONCE/ GRAB MONTH	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL		*****		(94)	*****	*****	*****					
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0 DAILY MX	ES=1 NO=0	*****	*****	*****	***	***		ONCE/ VISUAL MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE		
			AREA CODE	NUMBER	YEAR
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TDS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME AND ADDRESS RESOURCES--WILUCAT
 ADDRESS P.O. BOX 902
 PRICE UT 84501
 FACILITY
 LOCATION
 A.P.N: MICHAEL W. GLASSON

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-) (17-19)
 0600007
 PERMIT NUMBER
 006 A
 DISCHARGE NUMBER

MINOR
 Form Approved. OMB No. 2040-0004
 SED POND D Approval expires 10-31-94 WASH
 F - FINAL

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
95	03	01		95	03	31	
(20-21)		(22-23)		(24-25)		(26-27)	
		(28-29)		(30-31)			

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-55)	MAXIMUM (56-57)	UNITS (58-59)	MINIMUM (38-39)	AVERAGE (40-41)	MAXIMUM (42-43)	UNITS (44-45)			
SANITARY WASTE DISCHARGE-ASSESSMENT		*****		(94)	*****	*****	*****				
45514 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	LS=1 DAILY MX NO=0	*****	*****	*****	***		ONCE/ VISUAL MONTH	
SOLIDS, TOTAL DISSOLVED		*****		(26)	*****	*****					
70076 2 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	2000	DAILY MX LBS/DY	*****	*****	REPORT DAILY MX	NG/L		ONCE/ GRAB MONTH	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE		
			AREA CODE	NUMBER	YEAR	MO

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 LBS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF 100. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **AROMATIC RESOURCES--WILDCAT**
 ADDRESS **P.O. BOX 202**
PRICE **UT 84501**

FACILITY _____
 LOCATION _____
 ATTN: **MICHAEL W. GLASSON**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

UTS040007 **006 R**
 PERMIT NUMBER DISCHARGE NUMBER

MINOR Form Approved.
 F - FINAL OMB No. 2040-0004
 SED POND D. Approval expires **10-31-94** WASH
 *** NO DISCHARGE ~~SI~~ ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	93	04	01		93	04	30
	(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-61)	MAXIMUM (54-61)	UNITS (54-61)	MINIMUM (46-53)	AVERAGE (46-53)	MAXIMUM (46-53)	UNITS (46-53)			
FLOW RATE				(07)	*****	*****	*****				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	SED	*****	*****	*****	***		ONCE/ MONTH	HEASRD
PH		*****	*****					(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	8.5 DAILY MN	*****	9.0 DAILY MX	SU		TWICE/ GRAB MONTH	
SOLIDS, TOTAL SUSPENDED		*****	*****		*****			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ GRAB MONTH	
SOLIDS, SETTLEABLE		*****	*****		*****			(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	*****	0.5 DAILY MX	ML/L		ONCE/ GRAB MONTH	
OIL AND GREASE PALON EXTH-GRAY METH		*****	*****		*****			(19)			
00610 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	10 DAILY MX	MG/L		ONCE/ GRAB MONTH	
IRON, TOTAL (AS FE)		*****	*****		*****			(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	1.0 DAILY MX	MG/L		ONCE/ GRAB MONTH	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL		*****		(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	US=1 NO=0	*****	*****	*****	***		ONCE/ VISUAL MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER _____
 I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)
 TYPED OR PRINTED _____
 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT _____
 TELEPHONE _____ DATE _____
 AREA CODE _____ NUMBER _____ YEAR _____ MO _____ DAY _____

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **ANDERSON RESOURCES--WILUCAT**
 ADDRESS **P.O. BOX 902**
PRICE **UT 84901**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

UTG000007
 PERMIT NUMBER

006. A
 DISCHARGE NUMBER

MINOR
 Form Approved. OMB No. 2040-0004
 SED POND D: Approval expires 10-31-94 WASH

FACILITY
 LOCATION
 NAME: **MICHAEL W. GLASSON**

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
93	04	01		93	04	30
(20-21)			(22-23)			(24-25)
(26-27)			(28-29)			(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (46-53)	MAXIMUM (54-61)	UNITS (54-61)	MINIMUM (38-45)	AVERAGE (46-53)	MAXIMUM (54-61)			
SANITARY WASTE DISCHARGED-ASSESSMENT		*****		(94)	*****	*****	*****			
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	LBS=1 DAILY MX	*****	*****	*****	***	ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED		*****		(25)	*****	*****				
70295 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	2000	DAILY MX LBS/01	*****	*****	REPORT DAILY MX	MG/L	ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT, SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT <i>Michael W. Glasson</i>	TELEPHONE	DATE				
			AREA CODE	NUMBER	YEAR	MO	DAY	

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 THIS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF ONE TON. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **WATER RESOURCES--WILCOX**
 ADDRESS P.O. BOX 902
 PRICE **01 84501**
 FACILITY _____
 LOCATION _____
 AGENT: **MICHAEL W. GLASSON**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)
 (2-10) (17-19)
UT6040007 **006 A**
 PERMIT NUMBER DISCHARGE NUMBER

Form Approved. OMB No. 2040-0004
 I - FINAL
 SED FOND U. Approval expires **10-31-94** WASH
 *** NO DISCHARGE ~~XX~~ ***
 NOTE: Read instructions before completing this form.

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
95	03	01		95	03	31
(20-21)			(22-23)	(24-25)	(26-27)	
			(28-29)	(30-31)		

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			QUALITY OR CONCENTRATION (46-53)		NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-61)	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS				
FLOW RATE				(07)	*****	*****	*****					
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	***	***		ONCE/ MONTH	SEASRD
PH		*****	*****			*****		(12)				
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	6.5 DAILY MN	*****	9.0 DAILY MX	30			TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED		*****	*****		*****			(19)				
00530 1 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	25 30DA AVG	70 DAILY MX	MG/L			ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE		*****	*****		*****	*****		(25)				
00545 1 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	*****	0.5 DAILY MX	ML/L			ONCE/ MONTH	GRAB
OIL AND GREASE		*****	*****		*****	*****		(19)				
PERON EXTR-GRAV METH		*****	*****		*****	*****	20				ONCE/ MONTH	GRAB
00526 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	DAILY MX	MG/L			ONCE/ MONTH	GRAB
IRON, TOTAL (AS FC)		*****	*****		*****	*****		(19)				
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	1.0 DAILY MX	MG/L			ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL		*****		(94)	*****	*****	*****					
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	YES=1 NO=0	*****	*****	*****	***	***		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE		DATE		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO
TYPED OR PRINTED						

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TDS. REPORT "NO'S NOT APPLY" IN THE APPROPRIATE ROW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME **ANDR RESOURCES--WILDCAT**
ADDRESS **P.O. BOX 902**
PRICE **UT 84501**
FACILITY _____
LOCATION _____
AGENT: **MICHAEL W. GLASSON**

UTG040007
PERMIT NUMBER
006 A
DISCHARGE NUMBER

MINOR
Form Approved.
OMB No. 2040-0004
Approval expires 10-31-94
WASH

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	95	05	01		95	05	31

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45014 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
	PERMIT REQUIREMENT	*****	0	DAILY MX LBS=1 NO=0	*****	*****	*****	***		ONCE/MONTH	VISUAL
SOLUBLE TOTAL DISSOLVED 70243 3 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****		(26)	*****	*****		(19)			
	PERMIT REQUIREMENT	*****	2000	DAILY MX LBS/DY	*****	*****	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE 801 6375385	DATE	
			SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT <i>Michael W. Glasson</i>	YEAR 95

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TDS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME ARJUNA RESOURCES--RL DCA
ADDRESS P.O. BOX 902
PRICE UT 64501

UTG040007
PERMIT NUMBER

006 A
DISCHARGE NUMBER

MLTON
Form Approved. OMB No. 2040-0004
SED POND D. APPROVAL EXPIRES 10-31-94 WASH

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
95	06	01		95	05	30

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE				(07)	*****	*****	*****				
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	***	***	ONCE/ MONTH	WEASRD
PH		*****	*****			*****				(12)	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	6.5 DAILY MX	*****	9.0 DAILY MX	30			TWICE/ GRAB MONTH
SOLIDS, TOTAL SUSPENDED		*****	*****		*****					(19)	
00530 1 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	25 30DA AVG	70 DAILY MX	MG/L			ONCE/ GRAB MONTH
SOLIDS, SETTLEABLE		*****	*****		*****	*****				(25)	
00545 1 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	*****	0.5 DAILY MX	ML/L			ONCE/ GRAB MONTH
OIL AND GREASE FRESH WATER-GRAV MET		*****	*****		*****	*****				(19)	
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	10 DAILY MX	MG/L			ONCE/ GRAB MONTH
IRON, TOTAL (AS FE)		*****	*****		*****	*****				(19)	
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	1.0 DAILY MX	MG/L			ONCE/ GRAB MONTH
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL		*****		(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	YES=1 DAILY MX NO=0	*****	*****	*****	***	***	ONCE/ VISUAL MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE		
			SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (include Facility Name/Location if different)
NAME ANNA RESOURCES--WILLCAT
ADDRESS P.O. BOX 902
PRICE UT 84501

UTG040007
PERMIT NUMBER

006 A
DISCHARGE NUMBER

NI'OH Form Approved.
F - FINAL OMB No. 2040-0004
SED POND 0 Approval expires 10-31-94 WASH

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	95	06	01		95	06	30

FACILITY _____
LOCATION _____
ATTN: MICHAEL W. GLASSON

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-61)	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGE-ASSESSMENT		*****		(94)	*****	*****	*****				
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	DAILY MX LBS=1 NO=0	*****	*****	*****	0.00		ONCE/MONTH	VISUAL
SOLIDS, TOTAL DISSOLVES		*****		(26)	*****	*****		(19)			
70295 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	2000	DAILY MX LBS/DY	*****	*****	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT, SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE		
			SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	NUMBER	YEAR

TYPED OR PRINTED _____

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
TSS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **ANDASIA RESOURCES--WILDCAT**
 ADDRESS **P.O. BOX 902**
PRICE **UT 84501**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

UTG040007 **006 A**
 PERMIT NUMBER DISCHARGE NUMBER

MINOR

Form Approved.

F - FINAL OMB No. 2040-0004
 SED POND DISCHARGE REPORT WASH

FACILITY
 LOCATION
 ATTN: **MICHAEL W. GLASSON**

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
95	07	01		95	07	31
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			UNITS (54-61)	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
FLOW RATE				(07)	*****	*****	*****				
00056 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	REPORT	REPORT		*****	*****	*****	***	ONCE/	BEARD	
	PERMIT REQUIREMENT	30DA AVG	DAILY MX	GPD				***	MONTH		
PH		*****	*****			*****		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	***	0.5	*****	3.0		TWICE/	GRAB	
	PERMIT REQUIREMENT	*****	*****	***	DAILY MX		DAILY MX	SU	MONTH		
SOLIDS, TOTAL SUSPENDED		*****	*****		*****			(19)			
00530 P 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****	*****	***	*****	25	70		ONCE/	GRAB	
	PERMIT REQUIREMENT	*****	*****	***	*****	30DA AVG	DAILY MX	MG/L	MONTH		
SOLIDS, SETTLEABLE		*****	*****		*****	*****		(25)			
00545 H 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	0.5		ONCE/	GRAB	
	PERMIT REQUIREMENT	*****	*****	***	*****	*****	DAILY MX	ML/L	MONTH		
OIL AND GREASE FREON EXTR-GRAV METH		*****	*****		*****	*****		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	10		ONCE/	GRAB	
	PERMIT REQUIREMENT	*****	*****	***	*****	*****	DAILY MX	MG/L	MONTH		
IRON, TOTAL (AS FE)		*****	*****		*****	*****		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	***	*****	*****	1.0		ONCE/	GRAB	
	PERMIT REQUIREMENT	*****	*****	***	*****	*****	DAILY MX	MG/L	MONTH		
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL		*****		(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	YES=1 NO=0	*****	*****	*****	***	ONCE/	VISUAL	
	PERMIT REQUIREMENT	*****			*****	*****	*****	***	MONTH		

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines, up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE		DATE		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA CODE	NUMBER	YEAR
TYPED OR PRINTED						

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **ANDALUSIA RESOURCES--WILDCAT**
 ADDRESS **P.O. BOX 902**
PRICE **UT 84501**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

UTG040007
 PERMIT NUMBER

006 A
 DISCHARGE NUMBER

MINOR

Form Approved.

F - FINAL OMB No. 2040-0004
 SED POND DISCHARGE PERMIT WASH
 Approval expires 10/31/94

FACILITY _____
 LOCATION _____
 ATTN: **MICHAEL W. GLASSON**

MONITORING PERIOD
 FROM YEAR **95** MO **07** DAY **01** TO YEAR **95** MO **07** DAY **31**
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			(54-61)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS					
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****						
	PERMIT REQUIREMENT	*****	0	DAILY MX ES=1 NO=0	*****	*****	*****	***	***	ONCE/MONTH	VISUAL		
SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****		(26)	*****	*****		(19)					
	PERMIT REQUIREMENT	*****	2000	DAILY MX LBS/DY	*****	*****	REPORT DAILY MX	MG/L	ONCE/MONTH	GRAB			
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												
	SAMPLE MEASUREMENT												
	PERMIT REQUIREMENT												

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE			
		<i>Michael W. Glasson</i>	801 6375385	95	10	27
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TUS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **ANDALUSIA RESOURCES--WILDCAI**
 ADDRESS **P.O. BOX 902**
PRICE **UT 84501**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)

UTG040007 **U06 A**
 PERMIT NUMBER DISCHARGE NUMBER

MINOR Form Approved.
 F - FINAL OMB No. 2040-0004
 SED POND DRAINAGE TO EFFLUENT WASH

FACILITY _____
 LOCATION _____
 ATTN: **MICHAEL W. GLASSON**

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
95	08	01		95	08	31
(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)	*****	*****	*****			
00056 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT				*****	*****	*****			
	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	***	ONCE/ MONTH	WASH
PH	SAMPLE MEASUREMENT	*****	*****			*****			(12)	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	0.5 DAILY MN	*****	9.0 DAILY MX	***	TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****				(19)	
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	25 30DA AVG	70 DAILY MX	***	ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****			(25)	
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	*****	0.5 DAILY MX	***	ONCE/ MONTH	GRAB
OIL AND GREASE	SAMPLE MEASUREMENT	*****	*****		*****	*****			(19)	
FREON EXIR-GRAY METH	PERMIT REQUIREMENT	*****	*****	***	*****	*****	10 DAILY MX	***	ONCE/ MONTH	GRAB
00556 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****			(19)	
IRON, TOTAL (AS FE)	PERMIT REQUIREMENT	*****	*****	***	*****	*****	1.0 DAILY MX	***	ONCE/ MONTH	GRAB
01045 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****	(94)	*****	*****	*****			
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	PERMIT REQUIREMENT	*****	0	YES=1 NO=0	*****	*****	*****	***	ONCE/ MONTH	VISUAL
45613 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	*****		*****	*****			(19)	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE		
			AREA CODE	NUMBER	YEAR
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
TSS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **ANDALUSIA RESOURCES--WILDCAT**
 ADDRESS **P.O. BOX 902**
PRICE **UT 84501**
 FACILITY _____
 LOCATION _____
 ATTN: **MICHAEL W. GLASSON**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

UTG040007 **006 A**
 PERMIT NUMBER DISCHARGE NUMBER

MINOR
 Form Approved. OMB No. 2040-0004
 F - FINAL SED POND DISCHARGE REPORT WASH
 Approval expires 10/31/94

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	95	08	01		95	08	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			UNITS (54-61)	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****		(44)	*****	*****	*****				
	PERMIT REQUIREMENT	*****	0	DAILY MX YES=1 NO=0	*****	*****	*****	***	ONCE/ MONTH	VISUAL	
SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****		(26)	*****	*****		(19)			
	PERMIT REQUIREMENT	*****	2000	DAILY MX LBS/DY	*****	*****	REPORT DAILY MX	MG/L	ONCE/ MONTH	GRAB	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE				
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO	DAY
		<i>Michael W. Glasson</i>	801	6375385	95	10	27

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TSS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **ANDALUSIA RESOURCES--WILDCAT**
 ADDRESS **P.O. BOX 902**
 CITY **PRICE** STATE **UT** ZIP **84501**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

MINOR

Form Approved.

F - FINAL OMB No. 2040-0004
 SED POND DISCHARGE TO LAKE WASH

UTG040007
 PERMIT NUMBER

006 A
 DISCHARGE NUMBER

FACILITY _____
 LOCATION _____
 ATTN: **MICHAEL W. GLASSON**

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
95	09	01	TO	95	09	30
(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)	
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				UNITS
FLOW RATE				(07)	*****	*****	*****				
00056 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT				*****	*****	*****	***	ONCE/	WASH	
	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	***	MONTH		
PH						*****		(12)			
00400 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT				0.5	*****	9.0		TWICE/	GRAB	
	PERMIT REQUIREMENT				DAILY MX		DAILY MX	SU	MONTH		
SOLIDS, TOTAL SUSPENDED					*****			(19)			
00530 P 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT				*****	25	70		ONCE/	GRAB	
	PERMIT REQUIREMENT				*****	300/L AVG	DAILY MX	MG/L	MONTH		
SOLIDS, SETTLEABLE					*****	*****		(25)			
00545 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT				*****	*****	0.5		ONCE/	GRAB	
	PERMIT REQUIREMENT				*****	*****	DAILY MX	ML/L	MONTH		
OIL AND GREASE FREON EXTR-GRAB METH					*****	*****		(19)			
00556 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT				*****	*****	10		ONCE/	GRAB	
	PERMIT REQUIREMENT				*****	*****	DAILY MX	MG/L	MONTH		
IRON, TOTAL (AS FE)					*****	*****		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT				*****	*****	1.0		ONCE/	GRAB	
	PERMIT REQUIREMENT				*****	*****	DAILY MX	MG/L	MONTH		
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL				(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT				*****	*****	*****	***	ONCE/	VISUAL	
	PERMIT REQUIREMENT			YES=1 DAILY MX NO=0	*****	*****	*****	***	MONTH		
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years.)						TELEPHONE		DATE		
TYPED OR PRINTED	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT						AREA CODE	NUMBER	YEAR	MO	DAY

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME **ANDALUSIA RESOURCES--WILUCAT**

ADDRESS **P.O. BOX 902**
PRICE **UT 84501**

FACILITY
 LOCATION
 ATTN: **MICHAEL W. GLASSON**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)

UTG040007 **006 A**
 PERMIT NUMBER DISCHARGE NUMBER

MINOR
 Form Approved. OMB No. 2040-0004
 F - FINAL SED POND DISCHARGE TO WASH
 Approval expires 10-31-94

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
95	09	01		95	09	30
(20-21) (22-23) (24-25)				(26-27) (28-29) (30-31)		

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	X	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-61)	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
SANITARY WASTE DISCHARGED-ASSESSMNT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
	PERMIT REQUIREMENT	*****	0	DAILY MX YES=1 NO=0	*****	*****	*****	***	ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 0 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****		(26)	*****	*****	(19)			
	PERMIT REQUIREMENT	*****	2000	DAILY MX LBS/DY	*****	*****	REPORT DAILY MX MG/L	***	ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									
	SAMPLE MEASUREMENT									
	PERMIT REQUIREMENT									

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE	DATE		
			801 6375385	95	10	27

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
 NAME A. D. A. RESOURCES--H.L.O.C.A.
 ADDRESS P.O. BOX 902
PRICK 01 84501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) UTG0400 (17-19) 000 A
 PERMIT NUMBER DISCHARGE NUMBER

MINOR Form Approved. OMB No. 2040-0004
 F - FINAL Approval expires 10-31-94 WASH
 SED POND D

FACILITY _____
 LOCATION _____
 ATTN: MICHAEL W. GLASSON

MONITORING PERIOD
 FROM YEAR 75 MO 10 DAY 01 TO YEAR 75 MO 10 DAY 31
 (20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)	*****	*****	*****			
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT	REPORT	GPD	*****	*****	*****	***	ONCE/	SEASHD
PH	SAMPLE MEASUREMENT	*****	*****			*****		(12)		
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	0.5	*****	9.0	***	TWICE/	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****			(19)		
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	25	70	***	ONCE/	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(25)		
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	*****	0.5	***	ONCE/	GRAB
OIL AND GREASE FREQN EXTR-GRAB METH	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)		
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	10	***	ONCE/	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)		
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	1.0	***	ONCE/	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	YES=1 NO=0	*****	*****	*****	***	ONCE/	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER TYPED OR PRINTED	I CERTIFY, UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 USC § 1001 AND 33 USC § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE		DATE		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TSS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

PERMITTEE NAME/ADDRESS (include Facility Name/Location if different)
 NAME A. J. DA... RESOURCES -- WILCOX
 ADDRESS P.O. BOX 902
 PRICE UI 54501

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
 DISCHARGE MONITORING REPORT (DMR)
 (2-16) (17-19)
 UTS0400
 PERMIT NUMBER

MINOR
 Form Approved. OMB No. 2040-0004
 F - FINAL
 SED POND DISCHARGE TO WASH
 Approval expires 10-31-94

FACILITY
 LOCATION
 NAME: MICHAEL J. GLASSON

MONITORING PERIOD							
FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	93	10	01		93	10	31
	(20-21)	(22-23)	(24-25)		(26-27)	(28-29)	(30-31)

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (38-45)			UNITS	NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
SANITARY WASTE DISCHARGED-ASSESSMENT	*****			(94)	*****	*****	*****				
45614 1 0 0	PERMIT REQUIREMENT	*****	0	LBS=1	*****	*****	*****	***		ONCE/ VISUAL	
EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	DAILY MX	NO=0	*****	*****	*****	***		MONTH	
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****		(26)	*****	*****		(19)			
70295 4 0 0	PERMIT REQUIREMENT	*****	2000	LBS/D.	*****	*****	REPORT			ONCE/ SHAB	
SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	DAILY MX		*****	*****	DAILY MX	MG/L		MONTH	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE		
			SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 TDS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME: WATER RESOURCES -- HILDCO
ADDRESS: P.O. BOX 702
PRICE UT 84501

01600000
PERMIT NUMBER

006 A
DISCHARGE NUMBER

MINOR

Form Approved.

F - FINAL OMB No. 2040-0004
SED POND DERRING APPROVAL EXPIRES 10-31-84 WASH

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
95	11	01	TO	95	11	30

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

FACILITY
LOCATION
ATTN: MICHAEL W. GLASSON

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (46-53)			NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM			
FLOW RATE				(07)	*****	*****	*****			
00056 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	***	ONCE/ MONTH	SEALED
PH	SAMPLE MEASUREMENT	*****	*****			*****			(12)	
00400 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	6.5 DAILY MX	*****	3.0 DAILY MX	***	TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****				(19)	
00630 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	25 30DA AVG	70 DAILY MX	***	ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****			(25)	
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	*****	0.5 DAILY MX	***	ONCE/ MONTH	GRAB
OIL AND GREASE FROM EXTR-GRAV METH	SAMPLE MEASUREMENT	*****	*****		*****	*****			(19)	
00556 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	10 DAILY MX	***	ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****		*****	*****			(19)	
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	1.0 DAILY MX	***	ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****			
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	ES=1 DAILY MX	*****	*****	*****	***	ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION I BELIEVE THE SUBMITTED INFORMATION IS TRUE ACCURATE AND COMPLETE I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10000 and/or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE		DATE		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 THIS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

(2-16) (17-19)

MINOR

Form Approved:

OMB No. 2040-0004

F - FINAL OMB No. 2040-0004
SED POND DISCHARGE APPROVAL EXPIRES 10-31-94 WASH

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME AWWA RESOURCES--WILUCAI
ADDRESS P.O. BOX 902
PRICE UT 64501
FACILITY
LOCATION
BY: MICHAEL W. GLASSON

UTG040007
PERMIT NUMBER

006 A
DISCHARGE NUMBER

MONITORING PERIOD							
YEAR	MO	DAY	TO	YEAR	MO	DAY	
95	11	01		95	11	30	
(20-21)		(22-23)		(24-25)		(26-27)	
		(28-29)		(30-31)			

*** NO DISCHARGE ***

NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	QUANTITY OR LOADING (3 Card Only) (46-53)			QUALITY OR CONCENTRATION (4 Card Only) (38-45)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE (54-55)	MAXIMUM (56-57)	UNITS (58-59)	MINIMUM (60-61)	AVERAGE (62-63)	MAXIMUM (64-65)	UNITS (66-67)			
SANITARY WASTE DISCHARGED-ASSESSMENT	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
45614 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****		DAILY MX (N)=0	*****	*****	*****	***		ONCE/MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED	SAMPLE MEASUREMENT	*****		(26)	*****	*****		(19)			
70295 0 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	2000	DAILY MX LBS/DY	*****	*****	REPORT DAILY MX	MG/L		ONCE/MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE	DATE		
			SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
TSS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (include Facility Name/Location if different)
NAME **WATER RESOURCES--WILDCA**
ADDRESS **1.0 BOX 902**
PRICE UT 64501

UTG040007
PERMIT NUMBER

006 A
DISCHARGE NUMBER

FORM APPROVED
OMB No. 2040-0004
Approval expires **10-31-94**

MONITORING PERIOD

YEAR	MO	DAY	TO	YEAR	MO	DAY
95	12	01		95	12	31

FACILITY
LOCATION
ATTN: **MICHAEL W. GLASSON**

NO DISCHARGE NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT	(3 Card Only) QUANTITY OR LOADING (46-53)			(4 Card Only) QUALITY OR CONCENTRATION (46-53)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE				(07)	*****	*****	*****				
00055 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	REPORT 30DA AVG	REPORT DAILY MX	GPD	*****	*****	*****	***		ONCE/ MONTH	BASED
PH	SAMPLE MEASUREMENT	*****	*****			*****		(12)			
00400 2 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	0.5 DAILY MX	*****	9.0 DAILY MX	GU		TWICE/ MONTH	GRAB
SOLIDS, TOTAL SUSPENDED	SAMPLE MEASUREMENT	*****	*****		*****			(19)			
00530 P 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	25 30DA AVG	70 DAILY MX	MG/L		ONCE/ MONTH	GRAB
SOLIDS, SETTLEABLE	SAMPLE MEASUREMENT	*****	*****		*****	*****		(25)			
00545 R 0 0 SEE COMMENTS BELOW	PERMIT REQUIREMENT	*****	*****	***	*****	*****	0.5 DAILY MX	ML/L		ONCE/ MONTH	GRAB
OIL AND GREASE FROM EXTRA-GRAV METH	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)			
00550 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	10 DAILY MX	MG/L		ONCE/ MONTH	GRAB
IRON, TOTAL (AS FE)	SAMPLE MEASUREMENT	*****	*****		*****	*****		(19)			
01045 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	*****	***	*****	*****	1.0 DAILY MX	MG/L		ONCE/ MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL	SAMPLE MEASUREMENT	*****		(94)	*****	*****	*****				
45613 1 0 0 EFFLUENT GROSS VALUE	PERMIT REQUIREMENT	*****	0	YES=1 NO=0	*****	*****	*****	***		ONCE/ MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER TYPED OR PRINTED	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE, AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE		DATE		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
TSS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if different)
NAME: RESOURCES--LOCAL
ADDRESS: 01 84511
FACILITY: _____
LOCATION: _____

PERMIT NUMBER
073040007

DISCHARGE NUMBER
005

Form Approved. OMB No. 2040-0004
Approval expires 10-31-94

MONITORING PERIOD

FROM	YEAR	MO	DAY	TO	YEAR	MO	DAY
	95	12	01		95	12	31

(20-21) (22-23) (24-25) (26-27) (28-29) (30-31)

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER (32-37)	SAMPLE MEASUREMENT / PERMIT REQUIREMENT	(3 Card Only) QUANTITY OR LOADING (46-53) (54-61)			(4 Card Only) QUALITY OR CONCENTRATION (38-45) (46-53) (54-61)				NO. EX (62-63)	FREQUENCY OF ANALYSIS (64-68)	SAMPLE TYPE (69-70)
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGE ASSESSMENT	SAMPLE MEASUREMENT	*****		(14)	*****	*****	*****				
45614 1.0 0	PERMIT REQUIREMENT	*****	0	15=1	*****	*****	*****	***		ONCE/	VISUAL
APPLIED GROSS VALU			DAILY MX	10=0				****		MONTH	
50.14, 10.14	SAMPLE MEASUREMENT	*****		(14)	*****	*****					
70.14 1.0 0	PERMIT REQUIREMENT	*****	2000	15/D	*****	*****	REPORT			ONCE/	GRAB
SEE COMMENTS BELOW			DAILY MX	1.15/D			DAILY MX	15/L		MONTH	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER	I CERTIFY UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN, AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT, SEE 18 U.S.C. § 1001 AND 33 U.S.C. § 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)	TELEPHONE		DATE		
		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	AREA CODE	NUMBER	YEAR	MO

COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
TSS IS LIMITED TO ONE TON PER DAY FROM ALL OUTFALLS. DURING PRECIPITATION EVENTS, SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS. REPORT "DOES NOT APPLY" IN THE APPROPRIATE ROW.

WILDCAT 1994

RAIN GAUGE READINGS

	Initials	Date
Prepared By		
Approved By		

WILSON JONES COMPANY

G7207 GREEN

7207 BUFF

MADE IN U.S.A.

DATE	RAIN INCHES	O.P.	REMARKS
3-17-94	.33	B.J.	
4-14-94	.77	B.J.	SEVERAL SNOW & RAIN STORMS
4-11-94	.90	B.J.	" " " "
4-25, 26, 27-94	.40	B.J.	3 DAYS SNOW & RAIN
4-28-94	.62	B.J. & J.P.	1 DAY RAIN & SNOW - 3" to 4" HAIL & SNOW
4-29-94	.25	B.J.	OVERNIGHT RAIN
5-29-94	.10	B.J.	
6-19-94	.06	B.J.	
8-1-94	.22	B.J.	
8-8-94	.90	P	
8-12-94	.03	P	only night Rain
9-2-94	.50	P	" " "
9-20-94	.48	S.O.	
9-29-94	.63	B.J.	
10-3-94	.45	B.J.	OVER WEEKEND
10-4-94	1.33	B.J.	
10-18-94	1.27	B.J.	4 OR 5 DAYS - SNOW & RAIN
WINTER			
4-18-95	2.50 EST.	B.J.	WINTER & SPRING STORMS
4-26-95	.62	B.J.	
5-1-95	.58	P	
5-2-95	.25	P	
5-12-95	.39	B.J.	
5-25 3rd Pm	1.03	P	
5-26-95	.03	P BJ	
5-30-95	.59	P	Week End Rain
6-2-95	.20	B.J.	
6-8-95	1.31	B.J.	
6-10-95	.18	B.J.	
6-17-95	.27	P	
7-5-95	.69	B.J.	STORM ALL WEEKEND
8-16-95	.52	P	
8-18-95	1.04	P	Rain for 45 min
8-12-95	0.62	P	
8-23-95	0.19	P	
9-2-95	0.30	P	
Total 1995	10.30		

Subsidence Monitoring

Not Applicable

Vegetation Monitoring

No monitoring occurred in 1995.

ANDALEX RESOURCES, INC.

1995 ANNUAL POND INSPECTION REPORT

POND: SED. POND "A"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Dry.</u>
(5) Existing Storage Capacity	<u>2.363 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	<u>6142.90</u> <u>1.60 to Bottom.</u> <u>3.3 to Top.</u>
(8) Sediment Cleanout Level (Elev.)	<u>6144.50</u>
(9) Principle Spillway (Elev.)	<u>6149.00</u>
(10) Emergency Spillway (Elev.)	<u>6150.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.085 Ac. Ft.</u>

GENERAL

(12) Comments/Recommendations	<u>Thick Veg. in Bottom.</u> <u>No Discharge.</u>
-------------------------------	--

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy
(Signature)

11-03-95
(Date)



ANDALEX RESOURCES, INC.

1995 ANNUAL POND INSPECTION REPORT

POND: SED. POND "B"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Dry.</u>
(5) Existing Storage Capacity	<u>0.332 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	<u>6132.70</u>
(8) Sediment Cleanout Level (Elev.)	<u>6134.75</u>
(9) Principle Spillway (Elev.)	<u>6138.00</u>
(10) Emergency Spillway (Elev.)	<u>6139.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.040 Ac. Ft.</u>

GENERAL

(12) Comments/Recommendations	<u>Pond Dry.</u>
	<u>No Discharge.</u>
	<u>Pond Cleaned.</u>

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11-03-95
(Date)



ANDALEX RESOURCES, INC.

1995 ANNUAL POND INSPECTION REPORT

POND: SED. POND "C"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	Slopes Stable.
(2) Structural Weakness/Erosion	Minor Rilling on West End (inside pond)
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	N/A - Dry.
(5) Existing Storage Capacity	4.277 Ac. Ft.
(6) Monitoring Procedures	U.P.D.E.S. Quarterly Inspection.

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	6129.75
(8) Sediment Cleanout Level (Elev.)	6131.50
(9) Principle Spillway (Elev.)	6137.00
(10) Emergency Spillway (Elev.)	6138.00
(11) Existing Sediment Capacity (To Cleanout)	0.153 Ac. Ft.

GENERAL

(12) Comments/Recommendations	No Discharge.
-------------------------------	---------------

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11-03-95
(Date)



ANDALEX RESOURCES, INC.

1995 ANNUAL POND INSPECTION REPORT

POND: SED. POND "D"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Dry.</u>
(5) Existing Storage Capacity	<u>0.800 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S. Quarterly Inspection.</u>

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	<u>6135.35</u>
(8) Sediment Cleanout Level (Elev.)	<u>6135.25</u>
(9) Principle Spillway (Elev.)	<u>6139.00</u>
(10) Emergency Spillway (Elev.)	<u>6140.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.000 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>No Discharge. Pond scheduled for cleaning.</u>
-------------------------------	---

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11-03-95
(Date)



ANDALEX RESOURCES, INC.

1995 ANNUAL POND INSPECTION REPORT

POND: SED. POND "E"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	Slopes Stable.
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	N/A - Dry.
(5) Existing Storage Capacity	0.889 Ac. Ft.
(6) Monitoring Procedures	U.P.D.E.S. Quarterly Inspection.

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	6140.54
(8) Sediment Cleanout Level (Elev.)	6142.50
(9) Principle Spillway (Elev.)	6145.00
(10) Emergency Spillway (Elev.)	6146.00
(11) Existing Sediment Capacity (To Cleanout)	0.169 Ac. Ft.

GENERAL

(12) Comments/Recommendations	Moderate Veg. in Bottom No Discharge.
-------------------------------	--

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Don W. Guy
(Signature)

11-03-95
(Date)



ANDALEX RESOURCES, INC.

1995 ANNUAL POND INSPECTION REPORT

POND: SED. POND "F"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Dry.</u>
(5) Existing Storage Capacity	<u>0.801 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	<u>6167.05</u>
(8) Sediment Cleanout Level (Elev.)	<u>6168.75</u>
(9) Principle Spillway (Elev.)	<u>6173.00</u>
(10) Emergency Spillway (Elev.)	<u>6174.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.058 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>No Discharge.</u>
-------------------------------	----------------------

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11-03-95
(Date)



ANDALEX RESOURCES, INC.

1995 ANNUAL POND INSPECTION REPORT

POND: PERM. IMPOUNDMENT

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Dry.</u>
(5) Existing Storage Capacity	<u>0.380 Ac. Ft. (Upper)</u> <u>0.530 Ac. Ft. (Lower)</u>
(6) Monitoring Procedures	<u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	<u>N/A</u>
(8) Sediment Cleanout Level (Elev.)	<u>N/A</u>
(9) Principle Spillway (Elev.)	<u>N/A</u>
(10) Emergency Spillway (Elev.)	<u>N/A</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>N/A</u>

GENERAL

(12) Comments/Recommendations	<u>Reconstructed in 10/91.</u> <u>Permanent Impoundment.</u> <u>No Discharge.</u>
-------------------------------	---

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Gray
(Signature)

11-03-95
(Date)



ANDALEX RESOURCES, INC.

1995 ANNUAL POND INSPECTION REPORT

POND: DEPRESSION AREA

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Railroad Slopes</u>
(2) Structural Weakness/Erosion	<u>Stable.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>None Noted.</u>
(5) Existing Storage Capacity	<u>N/A</u>
(6) Monitoring Procedures	<u>N/A - Full of Coal.</u>
	<u>Monitor for Water</u>
	<u>Depth for Pumping.</u>

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	<u>N/A</u>
(8) Sediment Cleanout Level (Elev.)	<u>N/A</u>
(9) Principle Spillway (Elev.)	<u>N/A</u>
(10) Emergency Spillway (Elev.)	<u>N/A</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>N/A</u>

GENERAL

(12) Comments/Recommendations	<u>Depression Area next</u>
	<u>to Railroad.</u>
	<u>Full of Coal Stockpile.</u>

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Gily
(Signature)

11-03-95
(Date)



SEDIMENTATION POND Inspection Report

Pond 17

Date: 2-6-95

Inlet & Outlet Conditions: ok

Erosion Problems: none

Embankment Stability: good

Water Level: normal

Weather Conditions: Cloudy

Additional Comments:

Time of Inspection: 12:10 P

Person Conducting Inspection: J. R. Ryan

SEDIMENTATION POND Inspection Report Pond B

Date: 2-6-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: normal

Weather Conditions: cloudy

Additional Comments:

Time of Inspection: 12:15 PM

Person Conducting Inspection: John D. [Signature]

SEDIMENTATION POND Inspection Report

Pond e

Date: 8-6-94

Inlet & Outlet Conditions: now ok

Erosion Problems: none

Embankment Stability: good

Water Level: now

Weather Conditions: cloudy

Additional Comments:

Time of Inspection: 1250P

Person Conducting Inspection: JL Ryan

SEDIMENTATION POND

Inspection Report

Pond D

Date: 2-6-95

Inlet & Outlet Conditions: OK

Erosion Problems: None

Embankment Stability: good

Water Level: normal

Weather Conditions: Cloudy

Additional Comments:

Time of Inspection: 12:50 PM

Person Conducting Inspection: JL Bysm

SEDIMENTATION POND

Inspection Report

Pond E

Date: 2-4-95

Inlet & Outlet Conditions: OK

Erosion Problems: none

Embankment Stability: good

Water Level: near

Weather Conditions: Cloudy

Additional Comments:

Time of Inspection: 1:10 PM

Person Conducting Inspection: John Byrne

SEDIMENTATION POND Inspection Report

Pond E

Date: 2-6-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: normal

Weather Conditions: cloudy

Additional Comments:

Time of Inspection: 1:20 Pm

Person Conducting Inspection: JL Ryan

SEDIMENTATION POND

Inspection Report

Pond A

Date: 5-15-94

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: no

Weather Conditions: Cloudy

Additional Comments:

Time of Inspection: 2:50 PM

Person Conducting Inspection: Jed Ryan

SEDIMENTATION POND Inspection Report Pond B

Date: 5-15-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: none

Weather Conditions: Cloudy

Additional Comments:

Time of Inspection: 2:30P

Person Conducting Inspection: John R. Ryan

SEDIMENTATION POND Inspection Report Pond e

Date: 5-15-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: none

Weather Conditions: Cloudy

Additional Comments:

Time of Inspection: 2:35 P

Person Conducting Inspection: John Prynor

SEDIMENTATION POND Inspection Report Pond D

Date: 5-15-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: none

Weather Conditions: Cloudy

Additional Comments:

Time of Inspection: 2:40 P.

Person Conducting Inspection: John P. Ryan

SEDIMENTATION POND Inspection Report Pond E

Date: 5-15-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: none

Weather Conditions: Cloudy

Additional Comments:

Time of Inspection: 2:40 hr

Person Conducting Inspection: JL Payne

SEDIMENTATION POND Inspection Report

Pond 7

Date: 8-20-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: OK

Water Level: none

Weather Conditions: Cloudy

Additional Comments:

Time of Inspection: 1045 A.M.

Person Conducting Inspection: John Pappas

SEDIMENTATION POND Inspection Report Pond B

Date: 8-20-95

Inlet & Outlet Conditions: Good

Erosion Problems: None

Embankment Stability: good

Water Level: None

Weather Conditions: cloudy

Additional Comments:

Time of Inspection: 1050 am

Person Conducting Inspection: John Ryznar

SEDIMENTATION POND Inspection Report

Pond e

Date: 8-20-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: 2.5 m

Weather Conditions: cloudy

Additional Comments:

Time of Inspection: 1050 am

Person Conducting Inspection: John P. [Signature]

SEDIMENTATION POND Inspection Report

Pond D

Date: 8-21-85

Inlet & Outlet Conditions: Good

Erosion Problems: None

Embankment Stability: Good

Water Level: High

Weather Conditions: Clear

Additional Comments:

Time of Inspection: 8:45 AM

Person Conducting Inspection: John P. Ryan

SEDIMENTATION POND Inspection Report Pond E

Date: 8-21-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: slag

Weather Conditions: clear

Additional Comments:

Time of Inspection: 850 a

Person Conducting Inspection: John Ryan

SEDIMENTATION POND Inspection Report Pond E

Date: 8-21-75

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: slight

Weather Conditions: clear

Additional Comments:

Time of Inspection: 8:55 am

Person Conducting Inspection: John R. [Signature]

SEDIMENTATION POND Inspection Report

Pond #

Date: 12-4-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: Good

Water Level: Normal

Weather Conditions: Cloudy

Additional Comments:

Time of Inspection: 11 am

Person Conducting Inspection: John P. [Signature]

SEDIMENTATION POND Inspection Report Pond B

Date: 12-6-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: normal

Weather Conditions: Cloudy

Additional Comments: none

Time of Inspection: 11:00

Person Conducting Inspection: John S. Miller

SEDIMENTATION POND Inspection Report

Pond e

Date: 12-1-75

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: draw

Weather Conditions: cloudy

Additional Comments: none

Time of Inspection: 11:10 am

Person Conducting Inspection: J. H. [Signature]

SEDIMENTATION POND Inspection Report Pond D

Date: 12-6-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: low

Weather Conditions: cloudy

Additional Comments: nil

Time of Inspection: 11:15

Person Conducting Inspection: [Signature]

SEDIMENTATION POND Inspection Report Pond E

Date: 12-6-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: 5 feet

Weather Conditions: cloudy

Additional Comments: none

Time of Inspection: 11:15/hr

Person Conducting Inspection: John P. [Signature]

SEDIMENTATION POND Inspection Report Pond F

Date: 12-7-95

Inlet & Outlet Conditions: good

Erosion Problems: none

Embankment Stability: good

Water Level: normal

Weather Conditions: cloudy

Additional Comments: none

Time of Inspection: 10 am

Person Conducting Inspection: John C. [Signature]

Roof and Floor

No new roof and floor samples were taken in 1995 as no new conditions were encountered from previous sampling. Andalex will be moving into a new recently permitted federal lease this year and we anticipate samples will be taken.

08/22/95

**POSITIONS HELD - BEGINNING AND ENDING DATES
ANDALEX RESOURCES, INC.**

NAME	AFFILIATE DATE	POSITON HELD	BEGINNING DATE	ENDING DATE
NAME	AFFIL. DATE	POSITION HELD	BEGIN. DATE	ENDING DATE
PETER B. GREEN	01/05/88	DIRECTOR	01/05/88	_____
	01/05/88	CHAIRMAN	05/11/90	_____
ROBERT ANDERSON, JR.	01/03/78	DIRECTOR	01/03/78	07/12/95
	01/03/78	PRESIDENT	08/20/90	07/01/94
	01/03/78	VICE CHAIRMAN	07/01/94	07/12/95
JOHN BRADSHAW	02/05/90	V P FINANCE	02/05/90	_____
	02/05/90	SECRETARY	03/01/94	04/24/95
RONALD C. BEEDIE	01/05/88	DIRECTOR	01/05/88	_____
DOUGLAS H. SMITH	03/07/94	SR. VICE PRESIDENT	03/07/94	07/01/94
	03/07/94	PRESIDENT	07/01/94	_____
	03/07/94	DIRECTOR	07/01/94	_____
SAMUEL C. QUIGLEY	02/24/95	VICE PRESIDENT	02/24/95	_____
GORDON ULRICH	07/01/94	DIRECTOR	07/01/94	_____
HOWARD M. RATTI	6/13/95	VICE PRESIDENT	6/13/95	
G. CHRISTOPHER VAN BEVER	4/24/95	SECRETARY	4/24/95	

08/22/95

NAME	AFFIL. DATE	POSITION HELD	BEGIN. DATE	ENDING DATE
MARY JEAN MITCHELL GREEN	12/31/85	DIRECTOR	12/31/85	05/11/90
	12/31/85	CHAIRMAN	12/31/85	05/11/90
KENNETH O. TAYLOR	01/01/81	VICE PRESIDENT	01/01/81	03/31/93
EMMETT ANDERSON	12/31/85	VICE PRESIDENT	12/31/85	08/11/89
JAMES D. POWELL	12/31/85	VICE PRESIDENT	12/31/85	08/11/89
BRUCE FERRIELL	11/18/86	SECRETARY	11/18/86	10/12/93
MALCOLM THOMAS	09/29/89	VICE PRESIDENT	09/29/89	12/01/93
DENNIS HALLIBURTON	12/31/85	VICE PRESIDENT	12/31/85	10/19/87
CHARLES MILLS	10/14/88	VICE PRESIDENT	10/14/88	10/01/89
DENNIS PERREY	12/31/85	CONTROLLER	12/31/85	02/08/90
W. KEITH SMITH	07/09/81	VICE PRESIDENT	07/09/81	05/01/90
GARY LIVINGSTONE	01/05/88	PRESIDENT	01/08/88	08/20/90

REVISED 08/08/95

Waste Pile Inspection Report

Date: 1-15-95 Time: 13⁰⁰ Inspected by: S. J. J.

Weather Conditions: Cloudy

Compaction: good

Erosion: none

Sluffage: none

Runoff: Reynolds to Pond F.

Remarks:

Waste Pile Inspection Report

Date: H-19- Time: 13⁰⁰ Inspected by: Rypu

Weather Conditions: Rain

Compaction: good

Erosion: none

Sluffage: none

Runoff: Reynolds to Pond, F

Remarks: _____

Waste Pile Inspection Report

Date 7-21-95 Time: 2:45P Inspected by Ryz

Weather Conditions: Clear

Compaction: good

Erosion none

Sluffage none

Runoff Repeats to Pond F

Remarks

Waste Pile Inspection Report

Date 12-7-95 Time 10:20 Inspected by [Signature]

Weather Conditions: cloudy

Compaction: good

Erosion: none

Sluffage: none

Runoff: Reverts to Pond F

Remarks: [Signature]

ANNUAL REPORT - 1996 WILDCAT LOADOUT - ACT/007/033

ANNUAL REPORT - 1996
WILDCAT LOADOUT
ACT/007/033

GENERAL INFORMATION

1. Permit Number	ACT 007/033
2. Mine Name	Wildcat Loadout
3. Permittee Name	ANDALEX Resources, Inc.
4. Operator Name (if other than Permittee)	
5. Permit Expiration Date	May, 1999
6. Company Representative, Title	Michael W. Glasson, Senior Geologist
7. Phone Number	(801) 637-5385
8. Fax Number	(801) 637-8860
9. Mailing Address	P.O. Box 902
	Price, Utah 84501
10. Resident Agent, Title	Michael W. Glasson, Senior Geologist
Mailing Address	P.O. Box 902
	Price, Utah 84501

IDENTIFICATION OF OTHER PERMITS

Identify other permits which are required in conjunction with mining and reclamation activities.

Permit Type	ID Number	Description	Expires on
1. MSHA Mine ID(s)	42-01864	Wildcat Loadout	N/A
2. MSHA Impoundment(s)	N/A		
3. NPDES/UPDES Permit(s) (water)	UTG-040007	Wildcat Loadout. Discharge points 001-006	04/30/98

1996 ANNUAL REPORT			Page 2
4. PSD (Air) Permit(s)	DAQE-998-96	Wildcat Loadout	N/A
5.			
6.			

CERTIFIED REPORTS

List the certified inspection reports as required by the rules and under the approved plan which must be periodically submitted to the Division. Specify whether the information is included as APPENDIX A to this Annual Report or currently ON FILE with the Division.

Certified Reports:	Reports Required?		INCLUDED or ON FILE w/DOGM?			Comments
	YES	NO	YES	NO	ON FILE	
1. Excess Spoil Piles		XX		XX		
2. Refuse Piles	XX		XX			
3. Impoundments	XX		XX			
4.						
5.						

REPORTING OF OTHER TECHNICAL DATA

List other technical data and information as required under the approved plan which must be periodically submitted to the Division. Specify whether the information is included as APPENDIX B to this Annual Report or currently ON FILE with the Division.

Technical Data:	Reports Required?		INCLUDED or ON FILE w/DOGM?			Comments
	YES	NO	YES	NO	ON FILE	
1. Climatological Data		XX		XX		
2. Subsidence Monitoring Data		XX		XX		
3. Vegetation Monitoring Data		XX		XX		
4. Soils Monitoring Data		XX		XX		
5. Water Monitoring Data						
First Quarter Report	XX		XX		XX	
Second Quarter Report	XX		XX		XX	
Third Quarter Report	XX		XX		XX	
Fourth Quarter Report	XX		XX		XX	
6. Geological/Geophysical Data		XX		XX		
7. Engineering Data		XX		XX		
8. Other Data						

LEGAL, FINANCIAL, COMPLIANCE AND RELATED INFORMATION

Changes in administration or corporate structure can often bring about necessary changes to information found in the mining and reclamation plan. The Division is requesting that each permittee review and update the legal, financial, compliance and related information in the plan as part of the Annual Report. Provide the Department of Commerce, Annual Report of Officers, or other equivalent information as necessary to ensure that the information provided in the plan is current. Provide any other changes as necessary regarding land ownership, lease acquisitions, legal results from appeals of violations, or other changes as necessary to update information required in the mining and reclamation plan. Include any certified financial statements, audits or worksheets which may be required to meet bonding requirements. Specify whether the information is currently ON FILE with the Division or included as APPENDIX C to this Annual Report.

Legal/Financial Data:	Report Required?		INCLUDED or ON FILE w/DOGM?			Comments
	YES	NO	YES	NO	ON FILE	
1. Department of Commerce, Annual Report of Officers	XX		XX			
2. Other						

MINE MAPS

Copies of mine maps, current and up-to-date through at least December 31, 1996, are to be provided to the Division as APPENDIX D to this Annual Report in accordance with the requirements of R645-301-525.270. These map copies shall be made in accordance with 30 CFR 75.1200, as required by MSHA. Upon request, mine maps shall be kept confidential by the Division.

Map Number(s)	Map Title / Description	Confidential?
Not Applicable		

OTHER INFORMATION

Please provide any comments or further information to be included as part of the Annual Report. Any other attachments are to be provided as APPENDIX E to this Annual Report.

Additional attachments to this report? No Yes

APPENDIX A

Certified Reports

Excess Spoil Piles
Refuse Piles
Impoundments

as required under R645-301-514

CONTENTS

Refuse Pile Certification
Permanent Impoundment Certification

ANDALEX RESOURCES, INC.

1996 ANNUAL POND INSPECTION REPORT

POND: SED. POND "A"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Dry.</u>
(5) Existing Storage Capacity	<u>2.349 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	<u>6143.17</u>
(8) Sediment Cleanout Level (Elev.)	<u>6144.50</u>
(9) Principle Spillway (Elev.)	<u>6149.00</u>
(10) Emergency Spillway (Elev.)	<u>6150.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.071 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>Thick Veg. in Bottom.</u> <u>No Discharge.</u>
-------------------------------	--

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

12-03-96
(Date)



ANDALEX RESOURCES, INC.

1996 ANNUAL POND INSPECTION REPORT

POND: SED. POND "B"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Damp.</u>
(5) Existing Storage Capacity	<u>0.416 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	<u>6132.40</u>
(8) Sediment Cleanout Level (Elev.)	<u>6135.00</u>
(9) Principle Spillway (Elev.)	<u>6138.00</u>
(10) Emergency Spillway (Elev.)	<u>6139.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.139 Ac. Ft.</u>

GENERAL

(12) Comments/Recommendations	<u>Pond Dry.</u> <u>No Discharge.</u> <u>Pond Cleaned in 1996.</u>
-------------------------------	--

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Don W. Guy
(Signature)

12-03-96
(Date)



ANDALEX RESOURCES, INC.

1996 ANNUAL POND INSPECTION REPORT

POND: SED. POND "C"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	Slopes Stable.
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	N/A - Damp.
(5) Existing Storage Capacity	4.248 Ac. Ft.
(6) Monitoring Procedures	U.P.D.E.S. Quarterly Inspection.

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	6130.08
(8) Sediment Cleanout Level (Elev.)	6131.50
(9) Principle Spillway (Elev.)	6137.00
(10) Emergency Spillway (Elev.)	6138.00
(11) Existing Sediment Capacity (To Cleanout)	0.124 Ac. Ft.

GENERAL

(12) Comments/Recommendations	No Discharge.
-------------------------------	---------------

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

12-03-96
(Date)



ANDALEX RESOURCES, INC.

1996 ANNUAL POND INSPECTION REPORT

POND: SED. POND "D"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>Minor Cutting on NW inlet (inside pond)</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Dry.</u>
(5) Existing Storage Capacity	<u>0.632 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S. Quarterly Inspection.</u>

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	<u>6135.17</u>
(8) Sediment Cleanout Level (Elev.)	<u>6136.00</u>
(9) Principle Spillway (Elev.)	<u>6139.00</u>
(10) Emergency Spillway (Elev.)	<u>6140.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.051 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>No Discharge.</u> <u>Pond cleaned in 1996.</u>
-------------------------------	--

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Don W. Guy
(Signature)

12-03-96
(Date)



ANDALEX RESOURCES, INC.

1996 ANNUAL POND INSPECTION REPORT

POND: SED. POND "E"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	Slopes Stable.
(2) Structural Weakness/Erosion	None Noted.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	N/A - Dry.
(5) Existing Storage Capacity	0.871 Ac. Ft.
(6) Monitoring Procedures	U.P.D.E.S. Quarterly Inspection.

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	6140.75
(8) Sediment Cleanout Level (Elev.)	6142.50
(9) Principle Spillway (Elev.)	6145.00
(10) Emergency Spillway (Elev.)	6146.00
(11) Existing Sediment Capacity (To Cleanout)	0.151 Ac. Ft.

GENERAL


(12) Comments/Recommendations	Moderate Veg.in Bottom. No Discharge.
-------------------------------	--

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Evan W. Guy
(Signature)

12-03-96
(Date)



ANDALEX RESOURCES, INC.

1996 ANNUAL POND INSPECTION REPORT

POND: SED. POND "F"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>Minor Undercutting on</u> <u>Inlets.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Dry.</u>
(5) Existing Storage Capacity	<u>0.791 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	<u>6167.33</u>
(8) Sediment Cleanout Level (Elev.)	<u>6168.75</u>
(9) Principle Spillway (Elev.)	<u>6173.00</u>
(10) Emergency Spillway (Elev.)	<u>6174.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.048 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>No Discharge.</u>
-------------------------------	----------------------

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy
(Signature)

12-03-96
(Date)



ANDALEX RESOURCES, INC.

1996 ANNUAL POND INSPECTION REPORT

POND: DEPRESSION AREA

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	Railroad Slopes
(2) Structural Weakness/Erosion	Stable.
(3) Potential Safety Hazards	None Noted.
(4) Depth of Impounded Water	None Noted.
(5) Existing Storage Capacity	N/A
(6) Monitoring Procedures	N/A - Full of Coal.
	Monitor for Water
	Depth for Pumping.

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	N/A
(8) Sediment Cleanout Level (Elev.)	N/A
(9) Principle Spillway (Elev.)	N/A
(10) Emergency Spillway (Elev.)	N/A
(11) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL

(12) Comments/Recommendations	Depression Area next to Railroad.
	Full of Coal Stockpile

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

12-03-96
(Date)



ANDALEX RESOURCES, INC.

1996 ANNUAL POND INSPECTION REPORT

POND: PERM. IMPOUNDMENT

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Dry.</u>
(5) Existing Storage Capacity	<u>0.370 Ac. Ft. (Upper)</u> <u>0.530 Ac. Ft. (Lower)</u>
(6) Monitoring Procedures	<u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	<u>N/A</u>
(8) Sediment Cleanout Level (Elev.)	<u>N/A</u>
(9) Principle Spillway (Elev.)	<u>N/A</u>
(10) Emergency Spillway (Elev.)	<u>N/A</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>N/A</u>

GENERAL


(12) Comments/Recommendations	<u>Reconstructed in 10/91.</u> <u>Permanent Impoundment.</u> <u>No Discharge.</u>
-------------------------------	---

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy
(Signature)

12-03-96
(Date)



ANDALEX RESOURCES, INC. - WILDCAT LOADOUT


REFUSE PILE INSPECTION REPORT

MSHA SITE: 1211-UT-09-01864-01

QUARTER: 04/96

ITEM	REMARKS
(1) Potential Safety Hazards	None Noted.
(2) Slope Stability	Slopes appear stable.
(3) Removal of Topsoil/Organics	N/A - No new removal necessary.
(4) Construction and Maintenance Performance Standards	15 small piles on west, concrete on east. Sign - O.K. Ditches - O.K.
(5) Recommendations/Comments	Grade out piled material.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.




(Signature)

12/03/96
(Date)

ANDALEX RESOURCES, INC. - WILDCAT LOADOUT


REFUSE PILE INSPECTION REPORT

MSHA SITE 1211-UT-09-01864-01

QUARTER 01/96

<u>ITEM</u>	<u>REMARKS</u>
(1) Potential Safety Hazards	None Noted.
(2) Slope Stability	Slopes appear stable.
(3) Removal of Topsoil/Organics	N/A - No new removal necessary.
(4) Construction and Maintenance Performance Standards	Additional sediment/fines dumped on West. Sign - O.K. Ditches - O.K.
(5) Recommendations/Comments	Grade out piled material.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.



Dawn W. Guy
(Signature)

03/20/96
(Date)

ANDALEX RESOURCES, INC. - WILDCAT LOADOUT

REFUSE PILE INSPECTION REPORT

MSHA SITE: 1211-UT-09-01864-01

QUARTER 02/96

<u>ITEM</u>	<u>REMARKS</u>
<u>(1) Potential Safety Hazards</u>	<u>None Noted.</u>
<u>(2) Slope Stability</u>	<u>Slopes appear stable.</u>
<u>(3) Removal of Topsoil/Organics</u>	<u>N/A - No new removal necessary.</u>
<u>(4) Construction and Maintenance Performance Standards</u>	<u>No apparent new dumping.</u> <u>Sign - O.K.</u> <u>Ditches - O.K.</u>
<u>(5) Recommendations/Comments</u>	<u>Grade out piled material.</u>

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.



Dawn W. Guy
(Signature)

06/24/96
(Date)

ANDALEX RESOURCES, INC. - WILDCAT LOADOUT


REFUSE PILE INSPECTION REPORT


MSHA SITE: 1211-UT-09-01864-01

QUARTER: 03/96

ITEM	REMARKS
(1) Potential Safety Hazards	None Noted.
(2) Slope Stability	Slopes appear stable.
(3) Removal of Topsoil/Organics	N/A - No new removal necessary.
(4) Construction and Maintenance Performance Standards	No apparent new dumping. Sign - O.K. Ditches - O.K.
(5) Recommendations/Comments	Grade out piled material.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.




(Signature)

09/26/96
(Date)

APPENDIX B


Reporting of Technical Data

including monitoring data, reports, maps, and other information
as required under the approved plan
or as required by the Division

in accordance with the requirements of R645-301-130 and R645-301-140.

CONTENTS

First through Fourth quarter Water Monitoring



ANDALEX
RESOURCES, INC.
Tower Division

P.O. BOX 902
PRICE, UTAH 84501
PHONE (801) 637-5385
TELECOPIER (801) 637-8860

MEMORANDUM


TO: DOGM, General Inspection File
FROM: Michael W. Glasson *MWG*
DATE: April 9, 1996
SUBJECT: 1996 1st Quarter Water Monitoring - Wildcat

Water Monitoring - 1st quarter, 1996

January 1 to March 31, 1996

WCW-1	No Flow 3/29/96
WCW-2	No Flow 3/29/96
WCW-3	No Flow 3/29/96
WCW-4	No Flow 3/29/96

cc: Jim Smith, DOGM
File



ANDALEX
RESOURCES, INC.
Tower Division

P.O. BOX 902
PRICE, UTAH 84501
PHONE (801) 637-5385
TELECOPIER (801) 637-8860

MEMORANDUM


TO: DOGM, General Inspection File
FROM: Michael W. Glasson *MWG*
DATE: July 9, 1996
SUBJECT: 1996 2nd Quarter Water Monitoring - Wildcat

Water Monitoring - 2nd quarter, 1996

April 1 to June 30, 1996

WCW-1	No Flow 6/30/96
WCW-2	No Flow 6/30/96
WCW-3	No Flow 6/30/96
WCW-4	No Flow 6/30/96

cc: Jim Smith, DOGM
File



ANDALEX
RESOURCES, INC.
Tower Division

P.O. BOX 902
PRICE, UTAH 84501
PHONE (801) 637-5385
TELECOPIER (801) 637-8860

MEMORANDUM


TO: DOGM, General Inspection File
FROM: Michael W. Glasson *MWG*
DATE: September 30, 1996
SUBJECT: 1996 3rd Quarter Water Monitoring - Wildcat

Water Monitoring - 3rd quarter, 1996

July 1 to September 30, 1996

WCW-1	No Flow 9/30/96
WCW-2	No Flow 9/30/96
WCW-3	No Flow 9/30/96
WCW-4	No Flow 9/30/96

cc: Jim Smith, DOGM
File



ANDALEX
RESOURCES, INC.
Tower Division

P.O. BOX 902
PRICE, UTAH 84501
PHONE (801) 637-5385
TELECOPIER (801) 637-8860

MEMORANDUM

TO: DOGM, General Inspection File
FROM: Michael W. Glasson *MWG*
DATE: January 10, 1997
SUBJECT: 1996 4th Quarter Water Monitoring - Wildcat

Water Monitoring - 4th quarter, 1996

October 1 to December 31, 1996

WCW-1	No Flow 12/31/96
WCW-2	No Flow 12/31/96
WCW-3	No Flow 12/31/96
WCW-4	No Flow 12/31/96

cc: Jim Smith, DOGM
File

APPENDIX C

Legal, Financial, Compliance and Related Information

Annual Report of Officers
as submitted to the Utah Department of Commerce
and other changes in ownership and control information
as required under R645-301-110.

CONTENTS

Commerce Department Annual Report

POSITIONS HELD -BEGINNING AND ENDING DATES
 ANDALEX RESOURCES, INC.

NAME	AFFILIAT DATE	POSITION HELD	BEGIN DATE	ENDING DATE
PETER B. GREEN	01/05/88	DIRECTOR	01/05/88	-----
	01/05/88	CHAIRMAN	05/11/90	-----
	01/05/88	CEO	09/30/96	-----
ROBERT ANDERSON, JR.	01/03/78	DIRECTOR	01/03/78	07/12/95
	1/03/78	PRESIDENT	08/20/90	07/01/94
	01/03/78	VICE CHAIRMAN	07/01/94	07/12/95
JOHN BRADSHAW	02/05/90	VP FINANCE	02/05/90	-----
	02/05/90	SECRETARY	03/01/94	04/24/95
RONALD C. BEEDIE	01/05/88	DIRECTOR	01/05/88	-----
DOUGLAS H. SMITH	03/07/94	SR. VICE PRESIDENT	03/07/94	07/01/94
	03/07/94	PRESIDENT	07/01/94	-----
	03/07/94	DIRECTOR	07/01/94	-----
SAMUEL C. QUIGLEY	02/24/95	VICE PRESIDENT WESTERN OPERATIONS	05/15/95	-----
GORDON ULRICH	07/01/94	DIRECTOR	07/01/94	10/30/96
HOWARD RATTI	06/13/95	VICE PRESIDENT	06/13/95	-----
G. CHRISTOPHER VAN BEVER	04/24/95	SECRETARY	04/24/95	-----
MARY JEAN MITCHELL GREEN	12/31/85	DIRECTOR	12/31/85	05/11/90
	12/31/85	CHAIRMAN	12/31/85	05/11/90
KENNETH O. TAYLOR	01/01/81	VICE PRESIDENT	01/01/81	03/31/93
EMMETT ANDERSON	12/31/85	VICE PRESIDENT	12/31/85	08/11/89
JAMES D. POWELL	12/31/85	VICE PRESIDENT	12/31/85	08/11/89
BRUCE FERRIELL	11/18/86	SECRETARY	11/18/86	10/12/93
MALCOLM THOMAS	09/29/89	VICE PRESIDENT	09/29/89	12/01/93
DENNIS HALLIBURTON	12/31/85	VICE PRESIDENT	12/31/85	10/19/87
CHARLES MILLS	10/14/88	VICE PRESIDENT	10/14/88	10/01/89
DENNIS PERREY	12/31/85	CONTROLLER	12/31/85	02/08/90
W. KEITH SMITH	07/09/81	VICE PRESIDENT	07/09/81	05/01/90
GARY LIVINGSTONE	01/05/88	PRESIDENT	01/08/88	08/20/90

APPENDIX D

Mine Maps

as required under R645-301-525.270.

CONTENTS

None

APPENDIX E

Other Information

in accordance with the requirements of R645-301 and R645-302.


CONTENTS

None

ANNUAL REPORT - 1998 WILDCAT LOADOUT - ACT/007/033

ANNUAL REPORT - 1998
WILDCAT LOADOUT
ACT/007/033

GENERAL INFORMATION




1. Permit Number	ACT 007/033
2. Mine Name	Wildcat Loadout
3. Permittee Name	ANDALEX Resources, Inc.
4. Operator Name (if other than Permittee)	Same
5. Permit Expiration Date	May, 2004
6. Company Representative, Title	Michael W. Glasson, Senior Geologist
7. Phone Number	(435) 637-5385
8. Fax Number	(435) 637-8860
9. Mailing Address	PO Box 902
	Price, Utah
	84501
10. Resident Agent, Title	Michael W. Glasson, Senior Geologist
	Mailing Address
	PO Box 902 Price, Utah 84501

IDENTIFICATION OF OTHER PERMITS

Identify other permits which are required in conjunction with mining and reclamation activities.

Permit Type	ID Number	Description	Expires on
1. MSHA Mine ID(s)	42-01864	Wildcat Loadout	NA
2. MSHA Impoundment(s)	None		
3. NPDES/UPDES Permit(s) (water)	UTG-040007	Discharge to Wildcat Wash 001-006	April 30, 2003
4. PSD, DIVISION OF OIL, GAS & MINING PRICE UTAH	DAQE-998-96	Air Quality Approval Order	NA
5.			



APPENDIX A

Certified Reports

Excess Spoil Piles
Refuse Piles
Impoundments

as required under R645-301-514

CONTENTS

Refuse Pile Inspections
Annual Pond Inspections

ANDALEX RESOURCES, INC. - WILDCAT LOADOUT


REFUSE PILE INSPECTION REPORT

MSHA SITE: 1211-UT-09-01864-01

QUARTER: 01/98

ITEM	REMARKS
(1) <i>Potential Safety Hazards</i>	None Noted.
(2) <i>Slope Stability</i>	Slopes appear stable.
(3) <i>Removal of Topsoil/Organics</i>	N/A - No new removal necessary.
(4) <i>Construction and Maintenance Performance Standards</i>	Some piles on SW and NE end. Sign - O.K./Top mostly graded. Ditches - O.K.
(5) <i>Recommendations/Comments</i>	Piles should be graded.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.



Dan W. Guy
(Signature)

03/23/98
(Date)

ANDALEX RESOURCES, INC. - WILDCAT LOADOUT

REFUSE PILE INSPECTION REPORT


MSHA SITE: 1211-UT-09-01864-01

QUARTER: 02/98

ITEM	REMARKS
(1) Potential Safety Hazards	None Noted.
(2) Slope Stability	Slopes appear stable.
(3) Removal of Topsoil/Organics	N/A - No new removal necessary.
(4) Construction and Maintenance Performance Standards	Pile graded. Sign O.K. Ditches - O.K.
(5) Recommendations/Comments	None.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.




(Signature)

06/03/98
(Date)

ANDALEX RESOURCES, INC. - WILDCAT LOADOUT


REFUSE PILE INSPECTION REPORT

MSHA SITE: 1211-UT-09-01864-01

QUARTER: 03/98

ITEM	REMARKS
(1) Potential Safety Hazards	None Noted.
(2) Slope Stability	Slopes appear stable.
(3) Removal of Topsoil/Organics	N/A - No new removal necessary.
(4) Construction and Maintenance Performance Standards	Pile graded. Sign O.K. Ditches - O.K.
(5) Recommendations/Comments	None.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.



Dan W. Guy
(Signature)

09/24/98
(Date)

REFUSE PILE INSPECTION REPORT

MSHA SITE: 1211-UT-09-01864-01

QUARTER: 04/98

ITEM	REMARKS
(1) Potential Safety Hazards	None Noted.
(2) Slope Stability	Slopes appear stable.
(3) Removal of Topsoil/Organics	N/A - No new removal necessary.
(4) Construction and Maintenance Performance Standards	Concrete on East. Sign O.K. Ditches - O.K.
(5) Recommendations/Comments	Middle is graded. Piles on sides should be graded.

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.



Dan W. Guy
(Signature)

11/09/98
(Date)

ANDALEX RESOURCES, INC.

1998 ANNUAL POND INSPECTION REPORT

POND: SED. POND "A"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Damp.</u>
(5) Existing Storage Capacity	<u>2.308 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	<u>6144.00</u>
(8) Sediment Cleanout Level (Elev.)	<u>6144.50</u>
(9) Principle Spillway (Elev.)	<u>6149.00</u>
(10) Emergency Spillway (Elev.)	<u>6150.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.030 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>Thick Veg. in Bottom.</u> <u>No Discharge.</u>
-------------------------------	--

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11-09-98
(Date)



ANDALEX RESOURCES, INC.

1998 ANNUAL POND INSPECTION REPORT

POND: SED. POND "B"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>1' Water.</u>
(5) Existing Storage Capacity	<u>0.406 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	<u>6132.00</u>
(8) Sediment Cleanout Level (Elev.)	<u>6135.00</u>
(9) Principle Spillway (Elev.)	<u>6138.00</u>
(10) Emergency Spillway (Elev.)	<u>6139.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.171 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>Pond Damp.</u>
	<u>No Discharge.</u>
	<u>Pond Cleaned in 1998.</u>

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11-09-98
(Date)



ANDALEX RESOURCES, INC.

1998 ANNUAL POND INSPECTION REPORT

POND: SED. POND "C"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Damp. (Snow)</u>
(5) Existing Storage Capacity	<u>4.169 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	<u>6131.00</u>
(8) Sediment Cleanout Level (Elev.)	<u>6131.50</u>
(9) Principle Spillway (Elev.)	<u>6137.00</u>
(10) Emergency Spillway (Elev.)	<u>6138.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.045 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>No Discharge.</u>
-------------------------------	----------------------

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy
(Signature)

11-09-98
(Date)



ANDALEX RESOURCES, INC.

1998 ANNUAL POND INSPECTION REPORT

POND: SED. POND "D"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Snow.</u>
(5) Existing Storage Capacity	<u>0.611 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S. Quarterly Inspection.</u>

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	<u>6135.50</u>
(8) Sediment Cleanout Level (Elev.)	<u>6136.00</u>
(9) Principle Spillway (Elev.)	<u>6139.00</u>
(10) Emergency Spillway (Elev.)	<u>6140.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.030 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>No Discharge. Pond Cleaned in 1998.</u>
-------------------------------	--

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11-09-98
(Date)



ANDALEX RESOURCES, INC.

1998 ANNUAL POND INSPECTION REPORT

POND: SED. POND "E"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - (Snow)</u>
(5) Existing Storage Capacity	<u>0.806 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	<u>6141.50</u>
(8) Sediment Cleanout Level (Elev.)	<u>6142.50</u>
(9) Principle Spillway (Elev.)	<u>6145.00</u>
(10) Emergency Spillway (Elev.)	<u>6146.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.086 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>Moderate Veg. in Bottom.</u> <u>No Discharge.</u>
-------------------------------	---

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11-09-98
(Date)



ANDALEX RESOURCES, INC.

1998 ANNUAL POND INSPECTION REPORT

POND: SED. POND "F"

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>Undercutting on</u> <u>Inlets.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>6" Water.</u>
(5) Existing Storage Capacity	<u>0.691 Ac. Ft.</u>
(6) Monitoring Procedures	<u>U.P.D.E.S.</u> <u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	<u>6168.00</u>
(8) Sediment Cleanout Level (Elev.)	<u>6168.75</u>
(9) Principle Spillway (Elev.)	<u>6173.00</u>
(10) Emergency Spillway (Elev.)	<u>6174.00</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>0.025 Ac. Ft.</u>

GENERAL


(12) Comments/Recommendations	<u>No Discharge.</u> <u>Repair Inlets.</u>
-------------------------------	---

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11-09-98
(Date)



ANDALEX RESOURCES, INC.

1998 ANNUAL POND INSPECTION REPORT

POND: PERM. IMPOUNDMENT

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Slopes Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A - Dry.</u>
(5) Existing Storage Capacity	<u>0.370 Ac. Ft. (Upper)</u> <u>0.530 Ac. Ft. (Lower)</u>
(6) Monitoring Procedures	<u>Quarterly Inspection.</u>

SEDIMENT PONDS ONLY


(7) Sediment Accumulation (Elev.)	<u>N/A</u>
(8) Sediment Cleanout Level (Elev.)	<u>N/A</u>
(9) Principle Spillway (Elev.)	<u>N/A</u>
(10) Emergency Spillway (Elev.)	<u>N/A</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>N/A</u>

GENERAL

(12) Comments/Recommendations	<u>Reconstructed in 10/91.</u> <u>Permanent Impoundment.</u> <u>No Discharge.</u>
-------------------------------	---

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.


(Signature)

11-09-98
(Date)



ANDALEX RESOURCES, INC.

1998 ANNUAL POND INSPECTION REPORT

POND: DEPRESSION AREA

LOCATION: WILDCAT

IMPOUNDMENTS

(1) Stability	<u>Railroad Slopes</u> <u>Stable.</u>
(2) Structural Weakness/Erosion	<u>None Noted.</u>
(3) Potential Safety Hazards	<u>None Noted.</u>
(4) Depth of Impounded Water	<u>N/A</u>
(5) Existing Storage Capacity	<u>N/A - Full of Coal.</u>
(6) Monitoring Procedures	<u>Monitor for Water</u> <u>Depth for Pumping.</u>

SEDIMENT PONDS ONLY

(7) Sediment Accumulation (Elev.)	<u>N/A</u>
(8) Sediment Cleanout Level (Elev.)	<u>N/A</u>
(9) Principle Spillway (Elev.)	<u>N/A</u>
(10) Emergency Spillway (Elev.)	<u>N/A</u>
(11) Existing Sediment Capacity (To Cleanout)	<u>N/A</u>

GENERAL


(12) Comments/Recommendations	<u>Depression Area next</u> <u>to Railroad.</u> <u>Full of Coal Stockpile</u>
-------------------------------	---

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Dan W. Guy
(Signature)

11-09-98
(Date)



APPENDIX B


Reporting of Technical Data

including monitoring data, reports, maps, and other information
as required under the approved plan
or as required by the Division

in accordance with the requirements of R645-301-130 and R645-301-140.

CONTENTS

Water Monitoring Reports



ANDALEX
RESOURCES, INC.

P.O. BOX 902
PRICE, UTAH 84501
PHONE (435) 637-5385
FAX (435) 637-8860

MEMORANDUM

TO: DOGM, General Inspection File
FROM: Michael W. Glasson
DATE: April 5, 1998
SUBJECT: 1998 1st Quarter Water Monitoring - Wildcat

Water Monitoring - 1st quarter, 1998

January 1 to March 31, 1998

WCW-1	No Flow 03/31/98
WCW-2	No Flow 03/31/98
WCW-3	No Flow 03/31/98
WCW-4	No Flow 03/31/98

cc: Jim Smith, DOGM
File



ANDALEX
RESOURCES, INC.
Tower Division

P.O. BOX 902
PRICE, UTAH 84501
PHONE (801) 637-5385
TELECOPIER (801) 637-8860

MEMORANDUM


TO: DOGM, General Inspection File
FROM: Michael W. Glasson
DATE: July 10, 1998
SUBJECT: 1998 2nd Quarter Water Monitoring - Wildcat

Water Monitoring - 2nd quarter, 1998

April 1 to June 30, 1998

WCW-1	No Flow 6/30/98
WCW-2	No Flow 6/30/98
WCW-3	No Flow 6/30/98
WCW-4	No Flow 6/30/98

cc: Jim Smith, DOGM
File



ANDALEX
RESOURCES, INC.

PO. BOX 902
PRICE, UTAH 84501
PHONE (435) 637-5385
FAX (435) 637-8860

MEMORANDUM


TO: DOGM, General Inspection File
FROM: Michael W. Glasson *MWG*
DATE: October 15, 1998, 1998
SUBJECT: 1998 3rd Quarter Water Monitoring - Wildcat

Water Monitoring - 3rd quarter, 1998

July 1 to September 30, 1998

WCW-1	No Flow 9/30/98
WCW-2	No Flow 9/30/98
WCW-3	No Flow 9/30/98
WCW-4	No Flow 9/30/98

cc: Jim Smith, DOGM
File



ANDALEX
RESOURCES, INC.

PO. BOX 902
PRICE, UTAH 84501
PHONE (435) 637-5385
FAX (435) 637-8860

MEMORANDUM

TO: DOGM, General Inspection File
FROM: Michael W. Glasson
DATE: January 15, 1999
SUBJECT: 1998 4th Quarter Water Monitoring - Wildcat

Water Monitoring - 4th quarter, 1998

October 1 to December 31, 1998

WCW-1	No Flow 12/31/98
WCW-2	No Flow 12/31/98
WCW-3	No Flow 12/31/98
WCW-4	No Flow 12/31/98

cc: Jim Smith, DOGM
File

APPENDIX C

Legal, Financial, Compliance and Related Information

Annual Report of Officers
as submitted to the Utah Department of Commerce
and other changes in ownership and control information
as required under R645-301-110.

CONTENTS

Annual Report of Officers

STATE OF UTAH
DEPARTMENT OF COMMERCE
DIVISION OF CORPORATIONS AND COMMERCIAL CODE
PHONE: (801) 530-4849



PROFIT CORPORATION ANNUAL REPORT

The following information is on file in this office. All profit corporations must file their annual reports and corrections within the month of their anniversary date. Failure to do so will result in Delinquency, Revocation or Involuntary Dissolution of the corporate charter.

THIS BOX MUST BE COMPLETED

CORPORATE NAME, REGISTERED AGENT, REGISTERED OFFICE, CITY, STATE & ZIP
CORPORATION # 080962
F 03/01/79
1. ANDALEX RESOURCES, INC.
2. C T CORPORATION SYSTEM
3. 50 W BROADWAY 8TH FLOOR
4. SALT LAKE CITY UT 84101-2006

MAKE ALL CORRECTIONS IN THIS COLUMN

Print New Agent Name: _____
NEW AGENT MUST SIGN ABOVE
NEW REGISTERED OFFICE ADDRESS REQUIRED
New City: UTAH REGISTERED AGENT MUST BE IN UTAH
State: _____

WHEN CHANGING THE REGISTERED AGENT THE NEW AGENT MUST SIGN.

5. INCORPORATED IN THE STATE AND UNDER THE LAWS OF. DELAWARE

6. ADDRESS OF THE PRINCIPAL OFFICE IN THE HOME STATE.
45 W 10000 S STE 401

Street Address: _____ (State or Country)
City: _____ ZIP: _____

SANDY UT 84070

7. BUSINESS PURPOSE: BITUMINUS COAL (UNDERGROUND)

DOMESTIC, PROFIT CORPORATIONS ARE REQUIRED TO LIST A CORPORATE OFFICER.

OFFICERS

8. PRESIDENT DOUGLAS H SMITH
ADDRESS 45 W 10000 S STE 401
CITY, STATE & ZIP SANDY UT 84070
9. VICE PRESIDENT SAMUEL C QUIGLEY
ADDRESS 45 W 10000 S STE 401
CITY, STATE & ZIP SANDY UT 84070
10. SECRETARY & Vice President
ADDRESS 45 W 10000 S STE 401
CITY, STATE & ZIP SANDY UT 84070
11. TREASURER
ADDRESS
CITY, STATE & ZIP

8 _____
9 Samuel C. Quigley
45 W. 10000 So. Suite 401
Sandy, Ut. 84070
10 John Bradshaw
45 W. 10000 So Suite 401
Sandy, Ut. 84070
11 _____

IF YOU HAVE NO CHANGES FROM THE PREVIOUS YEAR, AND YOU HAVE ALL CORPORATE REQUIREMENTS FILLED, YOU MAY DETACH THIS COUPON FROM THE REPORT AND RETURN IT IN THE ENCLOSED ENVELOPE WITH YOUR PAYMENT. YOU MAY KEEP THE ABOVE REPORT FOR YOUR RECORDS.

DIRECTORS

12. DIRECTOR DOUGLAS H SMITH
ADDRESS 45 W 10000 S STE 401
CITY, STATE & ZIP SANDY UT 84070
13. DIRECTOR PETER B GREEN
ADDRESS 45 W 10000 S STE 401
CITY, STATE & ZIP SANDY UT 84070
14. DIRECTOR RONALD C BEEDIE
ADDRESS 45 W 10000 S STE 401
CITY, STATE & ZIP SANDY UT 84070

12. _____
13. _____
14. _____

Under penalties of perjury and as an authorized officer, I declare that this annual report and, if applicable, the statement change of registered office and/or agent, has been examined by me and is, to the best of my knowledge and belief, true, correct, and complete.

15. BY _____

16. President

17. March 8 1999

IF THERE ARE NO CHANGES FROM THE PREVIOUS YEAR, AND YOU HAVE ALL CORPORATE REQUIREMENTS FILLED PERTAINING TO OFFICER AND DIRECTOR INFORMATION YOU MAY DETACH THE COUPON BELOW, AND RETURN IT IN THE ENCLOSED ENVELOPE WITH YOUR PAYMENT. YOU MAY KEEP THE ABOVE REPORT FOR YOUR RECORDS.

APPENDIX D

Mine Maps

as required under R645-301-525.270.

CONTENTS

None

APPENDIX E

Other Information



in accordance with the requirements of R645-301 and R645-302.


CONTENTS

Raptor Survey

1998 Raptor Survey
 Standardville Quad
 (Note: Entire quad not surveyed)

REC_NO	DATE	EASTING	NORTHING	ELEVATION	SPECIES	TYPE	STATUS	QUAD1
98_202	5/29/98	510577	4386795	5916	Buteo	Cliff	Old/Dilapidat	Standvl
98_203	5/29/98	510485	4386981	5879	Golden Eagle	Cliff	Inactive	Standvl
98_204	5/29/98	510538	4387109	5851	Golden Eagle	Cliff	Old/Dilapidat	Standvl
98_205	5/29/98	505770	4388581	6398	Golden Eagle	Cliff	Old/Dilapidat	Standvl
98_206	5/29/98	505623	4388689	6399	Golden Eagle	Cliff	Inactive	Standvl
98_207	5/29/98	505634	4388688	6397	Golden Eagle	Cliff	Old/Dilapidat	Standvl
98_208	5/29/98	505124	4388087	6447	Redtail Hawk	Cliff	Active	Standvl
98_209	5/29/98	505030	4387941	6461	Buteo	Cliff	Inactive	Standvl
98_210	5/29/98	504928	4387846	6489	Golden Eagle	Cliff	Old/Dilapidat	Standvl
98_211	5/29/98	504784	4387880	6520	Buteo	Cliff	Tended	Standvl
98_212	5/29/98	504324	4387869	6518	Golden Eagle	Cliff	Old/Dilapidat	Standvl
98_213	5/29/98	504024	4387866	6513	Golden Eagle	Cliff	Old/Dilapidat	Standvl
98_214	5/29/98	504117	4387633	6533	Golden Eagle	Cliff	Inactive	Standvl
98_215	5/29/98	504117	4387068	6574	Golden Eagle	Cliff	Tended	Standvl
98_216	5/29/98	504085	4387056	6573	Golden Eagle	Cliff	Old/Dilapidat	Standvl
98_217	5/29/98	502733	4387588	6548	Buteo	Cliff	Tended	Standvl
98_218	5/29/98	502392	4387138	6635	Golden Eagle	Cliff	Tended	Standvl
98_219	5/29/98	502299	4387137	6630	Golden Eagle	Cliff	Tended	Standvl
98_220	5/29/98	502131	4387159	6641	Golden Eagle	Cliff	Tended	Standvl
98_227	5/29/98	509840	4386876	6010	Buteo	Cliff	Inactive	Standvl
98_228	5/29/98	508527	4386645	6015	Golden Eagle	Cliff	Active	Standvl
98_229	5/29/98	508574	4386676	6015	Golden Eagle	Cliff	Inactive	Standvl
98_230	5/29/98	508569	4386512	6028	Golden Eagle	Cliff	Tended	Standvl
98_231	5/29/98	508819	4386601	6029	Golden Eagle	Cliff	Inactive	Standvl
98_232	5/29/98	510061	4386301	6110	Buteo	Cliff	Tended	Standvl





ANDALEX
RESOURCES, INC.
Tower Division



ACT 007/033

1994 ANNUAL REPORT




ANDALEX
RESOURCES, INC.
 Tower Division

P.O. BOX 902
 PRICE, UTAH 84501
 PHONE (801) 637-5385
 TELECOPIER (801) 637-8860



April 12, 1995

State of Utah
 Department of Natural Resources
 Division of Oil, Gas & Mining
 355 West North Temple
 3 Triad Center, Suite 350
 Salt Lake City, Utah 84180-1203



Attn: Lowell Braxton
 Associate Director

Re: Annual Reports ~~007/019~~ & AC ~~007/033~~

#6 Copy to #6

Dear Mr. Braxton:



Enclosed please find annual reports for both the ~~Central~~ Mine (ACT 007/019) and the ~~watermon~~ (ACT 007/033). The water information is also included on a diskette formatted for Word Perfect 5.1 in a file named "watermon.94#".

Please call with questions.

Sincerely,

Michael W. Glasson,
 Senior Geologist

Enclosures



Coal Annual Reports Review- 1994
Due June 30, 1995

Mine Name Wildcat

Date Submitted April 13, 1995

Compliance/Permitting Stephen J Demczyk

Instructions: Please review and verify operational commitments and note. Review annual report, initial and date when reviewed. If deficient, a hindrance violation should be prepared and noted in the inspection report. Please forward to appropriate permitting staff, if necessary, when completed. Inspectors should have all annual reports reviewed by June 30, 1995. Please return the completed form to PGL when completed. These reports will be returned to the Division in Salt Lake for filing in the library. Daron/Joe will assign permitting staff to review. Permitting staff should have all annual reports completed by September 30, 1995. Thank you.

Sections to be reviewed:

Cover Sheet and Mine Sequence Map-Reviewed (Initial/Date) No Mining

Summarized Water Monitoring Data - Reviewed _____ (Ken)

Precipitation and Climatological Data -Reviewed yes included by Ken (Ken)

Subsidence Monitoring Report - Reviewed No Mining

Vegetation Data/Revegetation Success Monitoring Reviewed _____ (Paul/Susan)

Annual Impoundment Certification - Reviewed OK

Annual Overburden, Spoil, Refuse, Roof, Floor, etc Reviewed No Report For coal mine

AVS Legal/Financial Update (Fourth Quarter complete)
Reviewed _____ (Pam)

COAL MINING AND RECLAMATION OPERATIONS FOR 1994

(Must be submitted to the Division by April 14, 1995)

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
3 Triad Center, Suite 350
355 West North Temple
Salt Lake City, Utah 84180-1203
(801) 538-5340

Permittee: ANDALEX RESOURCES, INC.

Mine Name: WILDCAT LOADOUT

Mailing Address: PO BOX 902, PRICE, UTAH 84501

Company Representative: MICHAEL W. GLASSON

Resident Agent: MICHAEL W. GLASSON

Permit Number: 007/033

MSHA ID Number: 42-01864

Date of Initial Permanent Program Permit: MAY, 1989

Date of Permit Renewal: 1994

Quantity of Coal Mined (tonnage) 1994: NOT APPLICABLE

Attach Updated Mine Sequence Map(s) showing mine development through December 31, 1994.
(Same as Lease Royalty Payment Map and/or MSHA Progress Map)

All monitoring activities during the report period to be submitted with this report (including, but not limited to):

A. General

1. Discuss anomalies, missing data and monitoring changes made throughout the year.
2. Summarize any corrective actions and the results that may have occurred during the year.

**B. Water Monitoring Data:
Groundwater Summary**

1. Mine Discharge
 - a. Summarize the total annual discharge from mine water discharge points and breakdown on a monthly basis for each site.
 - b. Discuss the past five years of data comparing changes in discharge. (Include in the discussion elements encountered during the year such as mining rate, location of faults or large in-mine flows during the year.)
 - c. Discuss trends, if existent, and exceedence in water quality parameters. A correlation with flow could provide additional information.

2. **Springs**
 - a. Are there seasonal trends/or changes in water quality for each quarter? Stiff diagrams provide a good aid in this determination.
 - b. Provide an analysis of changes in quantity of flow. Discuss any significant changes or trends. (An accumulation of long-term data, especially in graph form, is helpful for this discussion.)
 3. **Surface Water**
 - a. Include (discuss or tabulate) comparisons of upstream and downstream water quality and quantity for monitoring sites for each quarter. Include tributary quantity and quality information. Compare with mine water discharge, where applicable.
 - b. Discuss any subsidence occurring over underlying tributaries and streams (perennial or ephemeral), and results from monitoring of subsided areas.
- C. Summarized Water Monitoring Data**
1. List of monitoring points and their locations (based on UTM coordinates, if possible) and respective frequencies of monitoring (monthly, quarterly, etc.) as approved in the PAP;
 2. UPDES permit number, UPDES discharge points, and their locations (based on UTM coordinates, if possible).
 3. Summary of findings based on water monitoring during 1994; and
 4. Submit water monitoring as DOS-based files. Be specific about the format, submit data in one of the following formats only, i.e: Quattro Pro, Lotus, or ASCII.
- D. Precipitation or Other Climatological Data (please submit as DOS-based files: ASCII, Lotus, Quattro Pro, FoxPro, etc. -- Contact Ken Wyatt, if you have any questions).**
- E. Subsidence Monitoring Report:**
1. Brief description of monitoring system (monuments or aerial surveys, how monitoring is done, how frequently monitoring is done);
 2. List of all monitoring points (if any) and their locations and amount of displacement of each;
 3. Map showing either monitoring points (if any) or a representation of subsidence which has occurred; and
 4. Any owners and/or occupants of surface property and structures above the underground workings who were or will be mailed notification six months prior to mining (R645-301-525.300).
 5. Discussion of any proposed mining sequence changes and how that may affect the area of monitoring for the following year.
- F. Vegetation Data (test plots) or Revegetation Success Monitoring (includes interim and final):**
1. Test plot monitoring data or implementation;
 2. Quantitative results from interim or final seeding efforts;
 3. If quantitative monitoring was not required, then at minimum, a qualitative description of the interim or final vegetation; and
 4. Describe any seeding done on site during the current year.

G. Annual Impoundment Certification, (R645-301-514.312) which includes the following information:

- 1. Any appearances of instability;**
- 2. Structural weakness or other hazardous conditions;**
- 3. Depth and elevation of any impounded waters;**
- 4. Existing storage capacity;**
- 5. Any existing or required monitoring procedures and instrumentation; and**
- 6. Any other aspects of the structure affecting stability.**

Suggested form enclosed

H. Annual Overburden, Spoil, Refuse, Roof, Floor, and Mid-Seam Data. For Consistency and completeness, please submit data for this reporting requirement in the following manner:

- 1. Location of sample site, sample interval, and sample matrix (if roof or floor, then include lithologic unit and if coal, then thickness of seam at sample site);**
- 2. Sampling technique employed in the field (i.e., grab sample, composite, depth segregated or specific procedure outlined in the permit by chapter and page) and preparation prior to analysis (i.e., sieved sample, ground sample, air dried, oven dried, etc.);**
- 3. Laboratory analysis report sheet which includes:**
 - i. Sample time and date;**
 - ii. Date and time of lab analysis; and**
 - iii. Analytical method(s) employed and references. Include the soil/spoil: water ratio.**
- 4. Summary of findings based on monitoring.**

I. A current copy of the annual report of officers submitted to the Department of Commerce and any changes in the ownership and control information required under R645-301-110.

J. Any Other Information Required to be Submitted as Specified in your Permit Application Package and Permit.