

ANDALEX RESOURCES, INC.

WILDCAT LOADOUT

C/007/033

2007 ANNUAL REPORT

File in:

- Confidential
- Shelf
- Expandable

Refer to Record No 0018 Date 6/30/2008
In C/007/033, 2008, Incoming
For additional information

CHECKLIST

To enter text, click in the box and type your response. If a box already contains an entry select the entry and type the replacement. You can use the **tab** key to move from one field to the next. To select a check box, click in the box or type an x.

GENERAL INFORMATION

Permittee Name	Andalex Resources, Inc.
Mine Name	Wildcat Loadout
Operator Name (If other than permittee)	
Permit Expiration Date	May 5, 2009
Permit Number	C/007/0033
Authorized Representative Title	Dave Shaver. Resident Agent
Phone Number	(435) 888-4017
Fax Number	(4350 888-4002
E-mail Address	dshaver@coaslource.com
Mailing Address	P.O. Box 1077, Price, Utah 84501
Designated Representative	Dave Shaver
Resident Agent	Dave Shaver
Resident Agent Mailing Address	P.O. Box 1077, Price, Utah 84501
Number of Binders Submitted	1 - Salt Lake Office and 1 - Price Field Office

IDENTIFICATION OF OTHER PERMITS

Identify other permits that are required in conjunction with mining and reclamation activities.

Permit Type	ID Number	Description	Expiration Date
MSHA Mine ID(s)	42-01864	Wildcat Loadout	N/A
MSHA Impoundment(s)	N/A		
NPDES/UPDES Permit(s)	UTG-040007	UPDES Permit	04/30/08
PSD Permit(s) (Air)	DAQE-ANO113007-04	Wildcat Loadout	N/A
Other			
MHA Refuse Pile	1211-UT-09-0186401	Refuse Pile	N/A

File in:
 Confidential
 Shelf
 Expandable
 Refer to Record No 0018, Date 6/30/08
 In C/0070033 2008, Incoming
 For additional information

CERTIFIED REPORTS

List the certified inspection reports as required by the rules and under the approved plan that must be periodically submitted to the Division. Specify whether the information is included as Appendix A to this report or currently on file with the Division.

Certified Reports:	Required		Included or DOGM file location Included	Vol, Chapter, Page	Comments
	Yes	No			
Excess Spoil Piles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Refuse Piles	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Impoundments	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
Other					
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

COMMITMENTS AND CONDITIONS

The Permittee is responsible for ensuring annual technical commitments in the MRP and conditions accepted with the permit are completed throughout the year. The Division has identified these commitments below and has provided space for you to report what you have done during the past year for each commitment. If the particular section is blank, no commitment has been identified and no response is required for this report. If a written response is required, it should be filed under Appendix B to this report.

Admin R645-301-100	
Soils R645-301-200	
<p>Has this commitment been acted on this year?</p> <p>Yes <input type="checkbox"/> No <input checked="" type="checkbox"/></p> <p>Not Required for this year. <input type="checkbox"/></p> <p><i>See letter ATTACHED</i></p>	<p>Title. USE OF A VACUUMING SYSTEM TO PICK UP WIND-CARRIED COAL FINES AT THE MINESITE.</p> <p>Objective. Andalex proposes to clean as many coal fines as is practical at the Wildcat Loadout in the area east of the main stockpile.</p> <p>Frequency. This vacuum system will be utilized in the Spring of 1994 and thereafter as necessary.</p> <p>Status. Ongoing through operations.</p> <p>Reports. Annually.</p> <p>Citation. Sec. 5.2, Surface Area to be Disturbed, p. 63.</p>
Biology R645-301-300	
Landuse, Cultural Resources, Air Quality R645-301-400	
Engineering R645-301-500	
Geology R645-301-600	
Hydrology R645-301-700	



P.O. Box 910, East Carbon, Utah 84520
Telephone (435) 888-4000 Fax (435) 888-4002

Utah Division of Oil, Gas & Mining
Utah Coal Program
1594 West North Temple, Suite 1210
P.O.Box 145801
Salt Lake City, UT 84114-5801

December 12, 2008

Attn: Daron Haddock
Permit Supervisor

Re: 2007 Annual Reports:
West Ridge Mine C/007/041
Crandall Canyon Mine C/015/032
Tower Mine (Centennial) C/007/019
Wildcat Loadout C/007/033

Dear Mr. Haddock:

Enclosed are copies of replacement pages for "COMMITMENTS AND CONDITIONS" from the 2007 Annual Reports for the referenced operations. The check boxes for these pages was inadvertently left unchecked, as we recently discussed. Please note the following points of explanation:

1) For Wildcat Loadout, Soils R645-301-200, "Use of a Vacuuming System to Pick Up Wind-Blown Coal Fines at the Minesite"-----**The Division has determined that it does not want the fines vacuumed up. Instead, we have committed to remove the fine with heavy equipment as proposed in the 2008 Expansion Plan/Response to Division Order DO-04. This response is presently under review by the Division.**

2) For the West Ridge Mine, Soils R645-301-200, "Experimental Practice Field Trials"---
---**This commitment was not met in 2007 due to company oversight. It should be noted that this commitment has been satisfied for the 2008 year.**

3) For the West Ridge Mine, Soils R645-301-200, "Soil Sampling of Fill at T1, T2, T3"--
----**This commitment was not met in 2007 due to company oversight. It should be noted that this commitment has been satisfied for the 2008 year.**

4) For the West Ridge Mine, Biology R645-301-300, "Mexican Spotted Owl Survey"-----
----**This survey is no longer required. After this commitment was made the Division of Wildlife**

RECEIVED

DEC 09 2008


DIV. OF OIL, GAS & MINING

Daron Haddock
Dec. 12, 2008
page 2

Resources determined that, based on newer USFW protocol, none of the area within the West Ridge Mine permit area was suitable habitat for Mexican Spotted Owl. This issue was formally addressed with the Division in Appendix 3-9 (incorporated Feb. 15, 2002) and Appendix 3-9A (incorporated April 15, 2005).

I apologize for not having checked the boxes during the original submittal. It was a time of transition with the new company take-over, with everyone assuming new responsibilities. It was an oversight that will not be repeated for the 2008 annual reports. If you have questions or comments please contact me at (435) 888-4017.

Sincerely,

A handwritten signature in black ink, appearing to read "David Shaver", written in a cursive style.

David Shaver
Resident Agent

Bonding & Insurance R645-301-800

Other Commitments

*Reminder: If equipment has been abandoned during 2007, an amendment must be submitted that includes a map showing its location, a description of what was abandoned, whether there were any hazardous or toxic materials and any revision to the PHC as necessary.

REPORTING OF OTHER TECHNICAL DATA

List other technical data and information as required under the approved plan, which must be periodically submitted to the Division. Specify whether the information is included as Appendix B to this report or currently on file with the Division.

LEGAL, FINANCIAL, COMPLIANCE AND RELATED INFORMATION

Change in administration or corporate structure can often bring about necessary changes to information found in the mining and reclamation plan. The Division is Requesting that each permittee review and update the legal, financial, compliance and related information in the plan as part of the annual report. Please provide the Department of Commerce, Annual Report of Officers, or other equivalent information as necessary to ensure that the information provided in the plan is current. Provide any other change as necessary regarding land ownership, lease acquisitions, legal results from appeals of violations, or other changes as necessary to update information required in the mining and reclamation plan. Include certified financial statements, audits or worksheets, which may be required to meet bonding requirements. Specify whether the information is currently on file with the Division or included as Appendix C to the report.

Legal / Financial Update	Required		Included or DOGM File location	Comments
	Yes	No		

Legal / Financial Update	Required Yes	Required No	Included or DOGM File location Included	Vol, Chapter, Page	Comments
Department of Commerce, Annual Report Officers	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Other					
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

MINE MAPS

Copies of mine maps, current and up-to-date through at least December 31, 2007, are to be provided to the Division as Appendix D to this report in accordance with the requirements of R 645-301-525.240. These map copies shall be made in accordance with 30 CFR 75.1200 as required by MSHA. Upon request, the Division shall keep mine maps confidential. Please provide a CD.

Map Number(s)	Map Title/ Description	Confidential	
		Yes	No
N/A		<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>

APPENDIX A

Certified Reports

Excess Spoil Piles
Refuse Piles
Impoundments

As required under R645-301-514

CONTENTS

APPENDIX B

Reporting of Technical Data

Including monitoring data, reports, maps, and other information
As required under the approved plan or as required by the Division

In accordance with the requirement of R645-310-130 and R645-301-140

CONTENTS

APPENDIX C

Legal Financial, Compliance and Related Information

Annual Report of Officers
As submitted to the Utah Department of Commerce

Other change in ownership and control information
As required under R645-301-110

CONTENTS

APPENDIX D

Mine Maps

As required under R645-302-525-270

CONTENTS

APPENDIX E

Other Information

In accordance with the requirements of R645-301 and R645-302

CONTENTS

SEDIMENT POND CERTIFICATION

UtahAmerican Energy, Inc.
Wildcat Loadout
2007 Annual Pond Certification Report

POND: Sediment Pond A **LOCATION:** Wildcat Loadout

IMPOUNDMENTS	
(1) Stability	All impoundment slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems, and no erosion is noted
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	Dry
(5) Existing Storage Capacity	2.9 ac-ft
(6) Monitoring Procedures	Quarterly inspections are performed Spillway is a UPDES outfall monitoring point

(7) Sediment Accumulation (Elevation)	6142.6
(8) Sediment Cleanout Level (Elevation)	6144.5
(9) Principle Spillway (Elevation)	6149.0
(10) Emergency Spillway (Elevation)	6150.0
(11) Existing Sediment Capacity (To Cleanout)	0.9 ac-ft

GENERAL	
(12) Comments/Recommendations	No discharge, Cleaned March 2006


STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs

 (Signature)
07/31/07

 (Date)



**UtahAmerican Energy, Inc.
Wildcat Loadout
2007 Annual Pond Certification Report**

POND: Sediment Pond B

LOCATION: Wildcat Loadout

IMPOUNDMENTS	
(1) Stability	All impoundment slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems, and no erosion is noted
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	Dry
(5) Existing Storage Capacity	0.4 ac-ft
(6) Monitoring Procedures	Quarterly inspections are performed Spillway is a UPDES outfall monitoring point

(7) Sediment Accumulation (Elevation)	6130.0
(8) Sediment Cleanout Level (Elevation)	6135.0
(9) Principle Spillway (Elevation)	6138.0
(10) Emergency Spillway (Elevation)	6139.0
(11) Existing Sediment Capacity (To Cleanout)	0.15 ac-ft

GENERAL	
(12) Comments/Recommendations	No discharge, Cleaned March 2006

STATEMENT


I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs

(Signature)

07/31/07

(Date)



**UtahAmerican Energy, Inc.
Wildcat Loadout
2007 Annual Pond Certification Report**

POND: Sediment Pond C

LOCATION: Wildcat Loadout

IMPOUNDMENTS	
(1) Stability	All impoundment slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems, and no erosion is noted
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	Dry
(5) Existing Storage Capacity	4.3 ac-ft
(6) Monitoring Procedures	Quarterly inspections are performed Spillway is a UPDES outfall monitoring point

(7) Sediment Accumulation (Elevation)	6130.0
(8) Sediment Cleanout Level (Elevation)	6131.5
(9) Principle Spillway (Elevation)	6137.0
(10) Emergency Spillway (Elevation)	6138.0
(11) Existing Sediment Capacity (To Cleanout)	0.3 ac-ft


GENERAL	
(12) Comments/Recommendations	No discharge, Cleaned March 2006

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs
(Signature)

07/31/07
(Date)



UtahAmerican Energy, Inc.
Wildcat Loadout
2007 Annual Pond Certification Report

POND: Sediment Pond D

LOCATION: Wildcat Loadout

IMPOUNDMENTS	
(1) Stability	All impoundment slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems, and no erosion is noted
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	Dry
(5) Existing Storage Capacity	0.9 ac-ft
(6) Monitoring Procedures	Quarterly inspections are performed Spillway is a UPDES outfall monitoring point

(7) Sediment Accumulation (Elevation)	6133.0
(8) Sediment Cleanout Level (Elevation)	6136.0
(9) Principle Spillway (Elevation)	6139.0
(10) Emergency Spillway (Elevation)	6140.0
(11) Existing Sediment Capacity (To Cleanout)	0.18 ac-ft


GENERAL	
(12) Comments/Recommendations	No discharge, Cleaned March 2006

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs
 (Signature)

07/31/07
 (Date)



**UtahAmerican Energy, Inc.
Wildcat Loadout
2007 Annual Pond Certification Report**

POND: Sediment Pond E

LOCATION: Wildcat Loadout

IMPOUNDMENTS	
(1) Stability	All impoundment slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems, and no erosion is noted
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	Dry
(5) Existing Storage Capacity	0.8 ac-ft
(6) Monitoring Procedures	Quarterly inspections are performed Spillway is a UPDES outfall monitoring point

(7) Sediment Accumulation (Elevation)	6140.8
(8) Sediment Cleanout Level (Elevation)	6142.5
(9) Principle Spillway (Elevation)	6145.0
(10) Emergency Spillway (Elevation)	6146.0
(11) Existing Sediment Capacity (To Cleanout)	0.14 ac-ft

GENERAL	
(12) Comments/Recommendations	No discharge, Cleaned March 2006

STATEMENT


I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs

(Signature)

07/31/07

(Date)



**UtahAmerican Energy, Inc.
Wildcat Loadout
2007 Annual Pond Certification Report**

POND: Sediment Pond F

LOCATION: Wildcat Loadout

IMPOUNDMENTS	
(1) Stability	All impoundment slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems, and no erosion is noted
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	Dry
(5) Existing Storage Capacity	0.75 ac-ft
(6) Monitoring Procedures	Quarterly inspections are performed Spillway is a UPDES outfall monitoring point

(7) Sediment Accumulation (Elevation)	6166.9
(8) Sediment Cleanout Level (Elevation)	6168.75
(9) Principle Spillway (Elevation)	6173.0
(10) Emergency Spillway (Elevation)	6174
(11) Existing Sediment Capacity (To Cleanout)	0.07 ac-ft


GENERAL	
(12) Comments/Recommendations	No discharge, Cleaned March 2006

STATEMENT

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs
(Signature)

07/31/07
(Date)



**UtahAmerican Energy, Inc.
Wildcat Loadout
2007 Annual Pond Certification Report**

POND: Permanent Impoundment

LOCATION: Wildcat Loadout

IMPOUNDMENTS	
(1) Stability	All slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems, and no erosion is noted
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	Dry
(5) Existing Storage Capacity	upper : 0.09 ac-ft lower: 0.5 ac-ft
(6) Monitoring Procedures	Quarterly inspections are performed

(7) Sediment Accumulation (Elevation)	N/A
(8) Sediment Cleanout Level (Elevation)	N/A
(9) Principle Spillway (Elevation)	N/A
(10) Emergency Spillway (Elevation)	N/A
(11) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL	
(12) Comments/Recommendations	Reconstructed 10/1991 Permanent impoundment, no discharge

STATEMENT


I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs

(Signature)

07/31/07

(Date)



**UtahAmerican Energy, Inc.
Wildcat Loadout
2007 Annual Pond Certification Report**

POND: Depression Area **LOCATION:** Wildcat Loadout

IMPOUNDMENTS	
(1) Stability	Railroad slopes are stable
(2) Structural Weakness/Erosion	There are no apparent structural problems
(3) Potential Safety Hazards	There are no signs of any safety hazards
(4) Depth of Impounded Water	Dry
(5) Existing Storage Capacity	N/A, mostly full of coal
(6) Monitoring Procedures	Pumped whenever water is present

(7) Sediment Accumulation (Elevation)	N/A
(8) Sediment Cleanout Level (Elevation)	N/A
(9) Principle Spillway (Elevation)	N/A
(10) Emergency Spillway (Elevation)	N/A
(11) Existing Sediment Capacity (To Cleanout)	N/A

GENERAL	
(12) Comments/Recommendations	This area is net to the railroad tracks and is frequently full of coal

STATEMENT


I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

David W. Hibbs

(Signature)

07/31/07

(Date)



REFUSE PILE CERTIFICATION

**ANDALEX RESOURCES, INC. - WILDCAT LOADOUT
REFUSE PILE INSPECTION REPORT**

MSHA SITE: 1211-UT-09-01864-01

QUARTER: 4th qtr 2007

ITEM	REMARKS
(1) Potential Safety Hazards	none noted
(2) Slope Stability	stable
(3) Removal of Topsoil/Organics	NA
(4) Construction and Maintenance Performance Standards	Signs, ditches, and berms all in place and functioning
(5) Recommendations/Comments	M.S.H.A. ID #42-01864 Snow covered (8") no wood visible

I have performed the above inspection on this refuse pile and do hereby certify it to be a true and accurate representation of the pile at this time.



David W. Hibbs
(Signature)

Dec 21, 2007
(Date)

PRECIPITATION INFORMATION

<u>Date</u>	<u>Precipitation in inches</u>
2007-01-01	0
2007-01-02	0
2007-01-03	0
2007-01-04	0
2007-01-05	0
2007-01-06	0
2007-01-07	0
2007-01-08	0
2007-01-09	0
2007-01-10	0
2007-01-11	0
2007-01-12	0
2007-01-13	0.21
2007-01-14	0.005
2007-01-15	0
2007-01-16	0
2007-01-17	0
2007-01-18	0
2007-01-19	0
2007-01-20	0
2007-01-21	0
2007-01-22	0
2007-01-23	0
2007-01-24	0
2007-01-25	0
2007-01-26	0
2007-01-27	0
2007-01-28	0
2007-01-29	0
2007-01-30	0
2007-01-31	0
2007-02-01	0
2007-02-02	0
2007-02-03	0
2007-02-04	0
2007-02-05	0
2007-02-06	0
2007-02-07	0
2007-02-08	0
2007-02-09	0
2007-02-10	0
2007-02-11	0.01
2007-02-12	0.1
2007-02-13	0
2007-02-14	0
2007-02-15	0
2007-02-16	0
2007-02-17	0
2007-02-18	0
2007-02-19	0
2007-02-20	0
2007-02-21	0
2007-02-22	0
2007-02-23	0
2007-02-24	0
2007-02-25	0
2007-02-26	0.08
2007-02-27	0
2007-02-28	0
2007-03-01	0
2007-03-02	0
2007-03-03	0
2007-03-04	0
2007-03-05	0
2007-03-06	0
2007-03-07	0
2007-03-08	0
2007-03-09	0
2007-03-10	0
2007-03-11	0
2007-03-12	0
2007-03-13	0
2007-03-14	0
2007-03-15	0
2007-03-16	0

Price BLM

2007-03-17	0
2007-03-18	0
2007-03-19	0
2007-03-20	0
2007-03-21	0
2007-03-22	0.06
2007-03-23	0
2007-03-24	0.02
2007-03-25	0
2007-03-26	0
2007-03-27	0
2007-03-28	0
2007-03-29	0.03
2007-03-30	0
2007-03-31	0
2007-04-01	0
2007-04-02	0
2007-04-03	0
2007-04-04	0
2007-04-05	0
2007-04-06	0
2007-04-07	0
2007-04-08	0
2007-04-09	0.06
2007-04-10	0
2007-04-11	0
2007-04-12	0
2007-04-13	0
2007-04-14	0
2007-04-15	0
2007-04-16	0.08
2007-04-17	0
2007-04-18	0.11
2007-04-19	0
2007-04-20	0
2007-04-21	0
2007-04-22	0
2007-04-23	0.16
2007-04-24	0.05
2007-04-25	0
2007-04-26	0
2007-04-27	0
2007-04-28	0
2007-04-29	0
2007-04-30	0
2007-05-01	0
2007-05-02	0
2007-05-03	0.24
2007-05-04	0.03
2007-05-05	0.17
2007-05-06	0
2007-05-07	0
2007-05-08	0
2007-05-09	0
2007-05-10	0
2007-05-11	0
2007-05-12	0
2007-05-13	0
2007-05-14	0
2007-05-15	0
2007-05-16	0
2007-05-17	0
2007-05-18	0
2007-05-19	0
2007-05-20	0
2007-05-21	0
2007-05-22	0
2007-05-23	0
2007-05-24	0
2007-05-25	0
2007-05-26	0
2007-05-27	0
2007-05-28	0
2007-05-29	0
2007-05-30	0
2007-05-31	0
2007-06-01	0

2007-06-02	0
2007-06-03	0
2007-06-04	0
2007-06-05	0
2007-06-06	0
2007-06-07	0
2007-06-08	0
2007-06-09	0
2007-06-10	0
2007-06-11	0
2007-06-12	0
2007-06-13	0
2007-06-14	0
2007-06-15	0
2007-06-16	0
2007-06-17	0
2007-06-18	0
2007-06-19	0
2007-06-20	0
2007-06-21	0
2007-06-22	0
2007-06-23	0
2007-06-24	0
2007-06-25	0
2007-06-26	0
2007-06-27	0
2007-06-28	0
2007-06-29	0
2007-06-30	0
2007-07-01	0
2007-07-02	0
2007-07-03	0
2007-07-04	0
2007-07-05	0
2007-07-06	0
2007-07-07	0
2007-07-08	0
2007-07-09	0
2007-07-10	0
2007-07-11	0
2007-07-12	0
2007-07-13	0
2007-07-14	0
2007-07-15	0
2007-07-16	0
2007-07-17	0
2007-07-18	0
2007-07-19	0
2007-07-20	0
2007-07-21	0
2007-07-22	0
2007-07-23	0.03
2007-07-24	0
2007-07-25	0
2007-07-26	0
2007-07-27	0
2007-07-28	0
2007-07-29	0
2007-07-30	0
2007-07-31	0
2007-08-01	0
2007-08-02	0
2007-08-03	0.14
2007-08-04	0
2007-08-05	0
2007-08-06	0.29
2007-08-07	0
2007-08-08	0
2007-08-09	0
2007-08-10	0
2007-08-11	0
2007-08-12	0
2007-08-13	0
2007-08-14	0
2007-08-15	0.02
2007-08-16	0
2007-08-17	0

2007-08-18	0
2007-08-19	0.05
2007-08-20	0
2007-08-21	0
2007-08-22	0
2007-08-23	0
2007-08-24	0
2007-08-25	0
2007-08-26	0
2007-08-27	0.04
2007-08-28	0.02
2007-08-29	0.32
2007-08-30	0
2007-08-31	0
2007-09-01	0
2007-09-02	0
2007-09-03	0
2007-09-04	0.09
2007-09-05	0
2007-09-06	0.94
2007-09-07	0
2007-09-08	0
2007-09-09	0
2007-09-10	0
2007-09-11	0
2007-09-12	0
2007-09-13	0
2007-09-14	0
2007-09-15	0
2007-09-16	0
2007-09-17	0
2007-09-18	0
2007-09-19	0
2007-09-20	0
2007-09-21	0
2007-09-22	0
2007-09-23	0.74
2007-09-24	0.02
2007-09-25	0
2007-09-26	0
2007-09-27	0
2007-09-28	0
2007-09-29	0
2007-09-30	0

Some data and products on this WEB site may have conditions placed on their international or commercial use. They can be used freely within the U.S. or for non-commercial activities without restriction. Commercial or International Re-distribution of the data is not allowed. Please visit the World Meteorological Organization WEB site at [WMO](http://www.wmo.org), and our [Policy & Uses](#) for complete details.

Copyright © 2001-2007 Utah State University, Logan UT 84322, (435) 797-8166