

**OGMCOAL - Banning Loadout Second Quarter 2009 Water Quality Report**

---

**From:** April Abate  
**To:** Vicky Miller  
**Date:** 12/28/2009 10:02 AM  
**Subject:** Banning Loadout Second Quarter 2009 Water Quality Report  
**CC:** OGMCOAL@utah.gov; Steve Demczak  
**Attachments:** 0007.pdf; April Abate.vcf

*Outgoing*  
*C0070034*  
*R*

Hello Vicky,

Attached is your Q2-2009 Water Quality Report for the Banning Loadout. Hope you are enjoying your holidays.

Regards,

April Abate

**April A. Abate**

*Environmental Scientist II*  
Division of Oil, Gas and Mining  
1594 W. North Temple, Suite 1210  
Salt Lake City, Utah 84114-5801  
*T: 801.538.5214*  
*F: 801.359.3940*  
*M: 801.232.1339*

0007

#3323

α

# WATER QUALITY MEMORANDUM

Utah Coal Regulatory Program

September 10, 2009

TO: Internal File

THRU: James D. Smith, Permit Supervisor *JS 09/14/09*

FROM: April Abate, Environmental Scientist II *(AAA) 9-14-2009*

RE: 2009 Second Quarter Water Monitoring, Canyon Fuel Company, Banning Siding Loadout, C/007/0034, WQ09-2, Task ID #3323

The Banning Siding Loadout has been in temporary cessation since 2000.

Pertinent water monitoring requirement information is in the MRP in Sections 731.210, and 731.220.

1. Was data submitted for all of the MRP required sites? YES  NO

Springs –

*The Permittee is not required to monitor any springs at the Banning Siding Loadout.*

Streams –

*The Permittee is not required to monitor any streams at the Banning Siding Loadout.*

Wells–

*During temporary cessation, the Permittee is required to sample the "Truck Dump Sump during the "late fall."*

The Truck Dump Sump was not monitored this quarter.

UPDES–

*There are two active UPDES sites at the Banning Siding Loadout. They are both under the permit #UTG040011, and are the primary and emergency spillways for*

*the sedimentation pond. The Permittee is required to monitor each UPDES site monthly.*

The Permittee monitored and reported the essential data for all UPDES sites as required during this quarter. *None of the UPDES sites recorded any flow during the period.*

2. Were all required parameters reported for each site?      YES       NO

Not applicable this quarter

3. Were any irregularities found in the data?      YES       NO

Not applicable this quarter

4. On what date does the MRP require a five-year re-sampling of baseline water data.

The MRP does not contain a commitment for re-sampling of baseline water data.

5. Based on your review, what further actions, if any, do you recommend?

No further actions are required at this time.