


## PLATEAU MINING CORPORATION

Willow Creek Mine  
P.O. Box 30  
Helper, Utah 84526  
(435)472-0475  
Fax: (435)472-4782

March 18, 2004

Mr. Michael Herkimer  
State of Utah  
Department of Environmental Quality  
Division of Water Quality  
P.O. Box 144870  
Salt Lake City, Utah 84114-4870



1/007/0038

Re: UPDES Report, February 2003 - Permit No. UTG040012

Dear Mr. Herkimer:

Discharge Monitoring Reports are enclosed. The potential to discharge from the permitted outfalls 014 and 015 no longer exist. If you have any questions, please do not hesitate to contact me at (435) 472-4741.

Sincerely,



Johnny Pappas  
Sr. Environmental Engineer

Enclosures

cc: UDOGM

File: Env: 2.5.2.1.2.1  
Chrono: JP040305.ltr

RECEIVED  
MAR 22 2004  
DIV. OF OIL, GAS & MINING

PERMITTEE NAME/ADDRESS (Include Facility Name/ Location if Different)  
 NAME PLATEAU MINING CORP  
 ADDRESS WILLOW CREEK MINE  
 P.O. BOX 30  
 HELPER UT 84526  
 FACILITY PLATEAU MINING CORP  
 LOCATION HELPER UT 84526  
 ATTN: JOHNNY PAPPAS

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
 DISCHARGE MONITORING REPORT (DMR)

MINOR

UTG040012  
 PERMIT NUMBER

SUM A  
 DISCHARGE NUMBER

F - FINAL  
 SUM OF ALL OUTFALLS

| MONITORING PERIOD |    |     |    |      |    |     |
|-------------------|----|-----|----|------|----|-----|
| YEAR              | MO | DAY | TO | YEAR | MO | DAY |
| 04                | 02 | 01  |    | 04   | 02 | 29  |

\*\*\* NO DISCHARGE [X] \*\*\*

NOTE: Read instructions before completing this form.

| PARAMETER  | X                  | QUANTITY OR LOADING |         |                 | QUALITY OR CONCENTRATION |         |         |       | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|--|--------------------|---------------------|---------|-----------------|--------------------------|---------|---------|-------|--------|-----------------------|-------------|
|  |                    | AVERAGE             | MAXIMUM | UNITS           | MINIMUM                  | AVERAGE | MAXIMUM | UNITS |        |                       |             |
| SOLIDS, TOTAL DISSOLVED<br>70295 0 0 0<br>SEE COMMENTS BELOW | SAMPLE MEASUREMENT |                     |         | ( 26 )          |                          |         |         |       |        |                       |             |
|  | PERMIT REQUIREMENT |                     | 2000    | DAILY PX LBS/DY |                          |         |         |       |        | ONCE / GRAB MONTH     |             |
|  | SAMPLE MEASUREMENT |                     |         |                 |                          |         |         |       |        |                       |             |
|  | PERMIT REQUIREMENT |                     |         |                 |                          |         |         |       |        |                       |             |
|  | SAMPLE MEASUREMENT |                     |         |                 |                          |         |         |       |        |                       |             |
|  | PERMIT REQUIREMENT |                     |         |                 |                          |         |         |       |        |                       |             |
|  | SAMPLE MEASUREMENT |                     |         |                 |                          |         |         |       |        |                       |             |
|  | PERMIT REQUIREMENT |                     |         |                 |                          |         |         |       |        |                       |             |
|  | SAMPLE MEASUREMENT |                     |         |                 |                          |         |         |       |        |                       |             |
|  | PERMIT REQUIREMENT |                     |         |                 |                          |         |         |       |        |                       |             |
|  | SAMPLE MEASUREMENT |                     |         |                 |                          |         |         |       |        |                       |             |
|  | PERMIT REQUIREMENT |                     |         |                 |                          |         |         |       |        |                       |             |

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER  
 Johnny Pappas  
 Sr. Env. Engineer  
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE  
 435 472-4741  
 DATE  
 04 03 18  
 AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)  
 IF TDS IS 500 MG/L OR LESS AT EACH OUTFALL ENTER N.A. FOR SUM A.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
001 A DISCHARGE NUMBER

MINOR
F - FINAL
WILLOW CREEK DISCHARGE

MONITORING PERIOD
YEAR MO DAY
FROM 04 02 01 TO 04 02 29

\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, PH, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: Johnny Pappas, Sr. Env. Engineer. Includes signature and typed name. Includes signature of authorized agent and telephone/area code information.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
001 A DISCHARGE NUMBER

MINOR
F - FINAL
WILLOW CREEK DISCHARGE

MONITORING PERIOD
YEAR MO DAY
FROM 04 02 01 TO 04 02 29

\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMNT, SOLIDS, TOTAL DISSOLVED, and multiple empty rows for other parameters.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: Johnny Pappas, Sr. Env. Engineer. Includes signature and typed name. Includes signature of authorized agent and telephone/area code information.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER

002 A DISCHARGE NUMBER

MINOR

F - FINAL

WILLOW CREEK DISCHARGE

MONITORING PERIOD

FROM 04 02 01 TO 04 02 29

NO DISCHARGE [X]

NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Johnny Pappas Sr. Env. Engineer

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

435 472-4741

DATE

04 03 18

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER

002 A DISCHARGE NUMBER

MINOR

F - FINAL

WILLOW CREEK DISCHARGE

MONITORING PERIOD

FROM 04 02 01 TO 04 02 29

NO DISCHARGE [X]

NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Johnny Pappas Sr. Env. Engineer

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

435 472-4741

DATE

04 03 18

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
011 A DISCHARGE NUMBER

MINOR
F - FINAL
DISCHARGE TO PRICE RIVER

MONITORING PERIOD
YEAR MO DAY
FROM 04 02 01 TO 04 02 29

\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, PH, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Johnny Pappas
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-4741
DATE 04 03 18

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 1 OF 1

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
011 A DISCHARGE NUMBER

MINOR
F - FINAL
DISCHARGE TO PRICE RIVER

MONITORING PERIOD
YEAR MO DAY
FROM 04 02 01 TO 04 02 29

\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Johnny Pappas
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-4741
DATE 04 03 18

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 2 OF 2

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
012 A DISCHARGE NUMBER
MONITORING PERIOD
YEAR MO DAY FROM 04 02 01 TO 04 02 29

MINOR
F - FINAL
DISCHARGE TO PRICE RIVER
\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include FLOW RATE, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: Johnny Pappas, Sr. Env. Engineer. Includes signature and typed name. Includes signature of Principal Executive Officer or Authorized Agent. Includes telephone number 435-472-4741 and date 04/03/18.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 1 OF 1

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
012 A DISCHARGE NUMBER
MONITORING PERIOD
YEAR MO DAY FROM 04 02 01 TO 04 02 29

MINOR
F - FINAL
DISCHARGE TO PRICE RIVER
\*\*\* NO DISCHARGE [X] \*\*\*
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: Johnny Pappas, Sr. Env. Engineer. Includes signature and typed name. Includes signature of Principal Executive Officer or Authorized Agent. Includes telephone number 435-472-4741 and date 04/03/18.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SUM FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form. PAGE 2 OF 2

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

UTG000012 PERMIT NUMBER

013 A DISCHARGE NUMBER

MINOR

F - FINAL

SRD POND DISCHARGE TO PRICE RIV

MONITORING PERIOD table with columns YEAR, MO, DAY and FROM, TO

NO DISCHARGE

NOTE: Read instructions before completing this form.

Main monitoring data table with columns PARAMETER, QUANTITY OR LOADING, QUALITY OR CONCENTRATION, NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Johnny Pappas Sr. Env. Engineer

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

435 472-7741 04 03 18

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THIS PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP

ADDRESS WILLOW CREEK MINE

P.O. BOX 30

HELPER

UT 84526

FACILITY PLATEAU MINING CORP

LOCATION HELPER

UT 84526

ATTN: JOHNNY PAPPAS

UTG000012 PERMIT NUMBER

013 A DISCHARGE NUMBER

MINOR

F - FINAL

SRD POND DISCHARGE TO PRICE RIV

MONITORING PERIOD table with columns YEAR, MO, DAY and FROM, TO

NO DISCHARGE

NOTE: Read instructions before completing this form.

Main monitoring data table with columns PARAMETER, QUANTITY OR LOADING, QUALITY OR CONCENTRATION, NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER

Johnny Pappas Sr. Env. Engineer

TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE

DATE

435 472-7741 04 03 18

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THIS PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
014 2 DISCHARGE NUMBER

MINOR
F - FINAL
SED POND TO CRANDALL CANYON
NO DISCHARGE [X]
NOTE: Read instructions before completing this form.

MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
04 02 01 TO 04 02 29

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Includes rows for FLOW RATE, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, IRON, TOTAL, FLOTTING SOLIDS OR VISIBLE FOAM-VISUAL, and SANITARY WASTE DISCHARGED-ASSESSMENT.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Johnny Pappas
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-4741
DATE 04 03 18

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED ON ONE TON (2000 LBS) PER DAY AS TAKEN FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.
This is a 4-part form. PAGE 1 OF 1

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012 PERMIT NUMBER
014 2 DISCHARGE NUMBER

MINOR
F - FINAL
SED POND TO CRANDALL CANYON
NO DISCHARGE [X]
NOTE: Read instructions before completing this form.

MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
04 02 01 TO 04 02 29

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Includes rows for SANITARY WASTE DISCHARGED-ASSESSMENT, SOLIDS, TOTAL DISSOLVED, and multiple empty rows for other parameters.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Johnny Pappas
Sr. Env. Engineer
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 435 472-4741
DATE 04 03 18

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED ON ONE TON (2000 LBS) PER DAY AS TAKEN FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used.
This is a 4-part form. PAGE 2 OF 2

NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012
PERMIT NUMBER

015 A
DISCHARGE NUMBER

MINOR

P - FINAL

SED POND TO CRANDALL CANYON

MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
FROM 04 02 01 TO 04 02 29

NO DISCHARGE [X] Pool Reclaimed
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include parameters like FLOW RATE, EFFLUENT GROSS VALUE, SOLIDS, TOTAL SUSPENDED, SOLIDS, SETTLEABLE, OIL & GREASE, IRON, TOTAL, FLOATING SOLIDS OR VISIBLE FOAM-VISUAL.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer. Includes signature and stamp area.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here). SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)
NAME PLATEAU MINING CORP
ADDRESS WILLOW CREEK MINE
P.O. BOX 30
HELPER UT 84526
FACILITY PLATEAU MINING CORP
LOCATION HELPER UT 84526
ATTN: JOHNNY PAPPAS

UTG040012
PERMIT NUMBER

015 A
DISCHARGE NUMBER

MINOR

P - FINAL

SED POND TO CRANDALL CANYON

MONITORING PERIOD
YEAR MO DAY TO YEAR MO DAY
FROM 04 02 01 TO 04 02 29

NO DISCHARGE [X] Pool Reclaimed
NOTE: Read instructions before completing this form.

Table with columns: PARAMETER, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX, FREQUENCY OF ANALYSIS, SAMPLE TYPE. Rows include parameters like SANITARY WASTE DISCHARGED-ASSESSMENT, EFFLUENT GROSS VALUE, SOLIDS, TOTAL DISSOLVED.

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER: JOHNNY PAPPAS, Sr. Env. Engineer. Includes signature and stamp area.

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here). SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT.