


0003



RECEIVED

JAN 31 2005

Sunnyside Cogeneration Associates DIV. OF OIL, GAS & MINING

P.O. Box 10, East Carbon, Utah 84520 • (435) 888-4476 • Fax (435) 888-2538

January 27, 2005

Daron Haddock
STATE OF UTAH
Division of Oil, Gas & Mining
1594 W. North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Annual 2004 Inspection Report
Star Point Refuse Pile C/007/042

Dear Mr. Haddock:

Please find enclosed a copy of the Annual 2004 Inspection Report for the Star Point refuse pile, impoundments, and excess spoil area. The inspection was performed by a professional engineer from Psomas and Associates Engineering.

Should you have any questions, please contact me or Rusty Netz at (435)888-4476.

Sincerely,

Agent For
Sunnyside Cogeneration Associates

Randy J. Scott/R.A.

Randy J. Scott
Plant Manager

Enclosure

c.c. Karl Houskeeper/Division of Oil, Gas & Mining
Rusty Netz, COSI
Plant File

*Meaning
1/27/04
Includes
DMP's e-mail
DANA)*

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT		Sediment Pond 005	
Permit Number	C/007/042	Report Date	1/13/05
Mine Name	STAR POINT WASTE FUEL		
Company Name	SUNNYSIDE COGENERATION ASSOCIATES		
Impoundment Identification	Impoundment Name	Sediment Pond 005	
	Impoundment Number	005	
	UPDES Permit Number	UTR000604	
	MSHA ID Number	N/A	
IMPOUNDMENT INSPECTION			
Inspection Date	Dec 16, 2004		
Inspected By	Scott Carlson		
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)	Annual Inspection 2004		
<p>1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.</p> <p>NONE</p>			
Required for an impoundment which functions as a SEDIMENTATION POND.	<p>2. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and, estimated average elevation of existing sediment.</p> <p>Total Pond volume = 6.96 acre-feet</p> <p>Sediment Storage Capacity = 2.42 acre-feet Pond bottom elevation = 7387.3 60% sediment elevation = 7393 Maximum Sediment Depth Elevation = 7394.9 Existing Sediment Elevation = 7393 +/-</p>		
	<p>3. Principle and emergency spillway elevations.</p> <p>Spillway Elevation = 7401.3 Dewatering Orifice = 7394.9</p>		

4. **Field Information.** Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/instrumentation information, inlet/outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/repairs, monitoring information, vegetation on outslopes of embankments, etc.

No discharge, inlet/outlet conditions are good

No structural or hazardous conditions exist.

5. **Field Evaluation.** Describe any changes in the geometry of the impounding structure, average and maximum depths and elevations of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period.

Pond was essentially empty.

No structure or stability problems observed.

Qualification Statement

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Signature: Scott Carlson

Date: 1/13/05

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT	Sediment Pond 005	
---	-------------------	--

CERTIFIED REPORT

IMPOUNDMENT EVALUATION (If NO, explain under Comments)	YES	NO
1. Is impoundment designed and constructed in accordance with the approved plan?	yes	
2. Is impoundment free of instability, structural weakness, or any other hazardous condition?	yes	
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection?	yes	

COMMENTS AND OTHER INFORMATION

Although no discharge was occurring during the inspection, UPDES monitoring reported by Rusty Netz, Plant Engineer, indicate that this pond did discharge on October 22, 2004 after a series of several consecutive days of precipitation measuring one inch or more of rainfall. The UPDES monitoring report for October 2004 is attached and includes a letter of explanation, analytical results from lab testing on a sample taken during discharge, and the official discharge monitoring report.

Certification Statement:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson Senior Project Manager
 (Full Name and Title)
 Signature: *S. Scott Carlson*
 P.E. Number & State: 187727 U



IMPOUNDMENT INSPECTION AND CERTIFIED REPORT		Sediment Pond 006	
Permit Number	C/007/042	Report Date	1/13/05
Mine Name	STAR POINT WASTE FUEL		
Company Name	SUNNYSIDE COGENERATION ASSOCIATES		
Impoundment Identification	Impoundment Name	Sediment Pond 006	
	Impoundment Number	006	
	UPDES Permit Number	UTR000604	
	MSHA ID Number	N/A	
IMPOUNDMENT INSPECTION			
Inspection Date	Dec 16, 2004		
Inspected By	Scott Carlson		
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)		Annual Inspection 2004	
<p>1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.</p> <p>NONE</p>			
Required for an impoundment which functions as a SEDIMENTATION POND.	<p>2. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and, estimated average elevation of existing sediment.</p> <p>Total Pond volume = 2.6 acre-feet</p> <p>Sediment Storage Capacity = 0.76 acre-feet</p> <p>Pond bottom elevation = 7132.7</p> <p>60% sediment elevation = 7138.8</p> <p>Maximum Sediment Depth Elevation = 7140.7</p> <p>Existing Sediment Elevation = 7138 +/-</p>		
	<p>3. Principle and emergency spillway elevations.</p> <p>Spillway Elevation = 7147.2</p> <p>Dewatering Orifice = 7140.7</p>		

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 006

4. Field Information. Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/instrumentation information, inlet/outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/repairs, monitoring information, vegetation on out slopes of embankments, etc.

No discharge, inlet/outlet conditions are good,
no structural or hazardous conditions exist.


5. Field Evaluation. Describe any changes in the geometry of the impounding structure, average and maximum depths and elevations of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period.

No changes. Pond was essentially empty.
No structure or stability problems observed.

Qualification Statement

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Signature:



Date: 1/13/05


IMPOUNDMENT INSPECTION AND CERTIFIED REPORT	Sediment Pond 006	
---	-------------------	--

CERTIFIED REPORT

IMPOUNDMENT EVALUATION (If NO, explain under Comments)	YES	NO
1. Is impoundment designed and constructed in accordance with the approved plan?	yes	
2. Is impoundment free of instability, structural weakness, or any other hazardous condition?	yes	
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection?	yes	

COMMENTS AND OTHER INFORMATION

Although no discharge was occurring during the inspection, UPDES monitoring reported by Rusty Netz, Plant Engineer, indicate that this pond did discharge on October 22, 2004 after a series of several consecutive days of precipitation measuring one inch or more of rainfall. The UPDES monitoring report for October 2004 is attached and includes a letter of explanation, analytical results from lab testing on a sample taken during discharge, and the official discharge monitoring report.

<p>Certification Statement:</p>	<p>I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.</p>
	<p>By: <u>S. Scott Carlson, P.E. Senior Professional Engineer</u></p> <p>Signature: <u><i>S. Scott</i></u>  Date: <u>11/23/05</u></p> <p>P.E. Number & State: <u>187727 - UT</u></p>

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT		Sediment Pond 009	
Permit Number	C/007/042	Report Date	1/13/05
Mine Name	STAR POINT WASTE FUEL		
Company Name	SUNNYSIDE COGENERATION ASSOCIATES		
Impoundment Identification	Impoundment Name	Sediment Pond 009	
	Impoundment Number	009	
	UPDES Permit Number	UTR000604	
	MSHA ID Number	N/A	
IMPOUNDMENT INSPECTION			
Inspection Date	Dec 16, 2004		
Inspected By	Scott Carlson		
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)	Annual Inspection 2004		
<p>1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.</p> <p>NONE</p>			
Required for an impoundment which functions as a SEDIMENTATION POND	<p>2. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and, estimated average elevation of existing sediment.</p> <p>Total Pond volume = 7.4 acre-feet</p> <p>Sediment Storage Capacity = 2.02 acre-feet</p> <p>Pond bottom elevation = 7435.0</p> <p>60% sediment elevation = 7437.7</p> <p>Maximum Sediment Depth Elevation = 7439.3</p> <p>Existing Sediment Elevation = 7437 +/-</p>		
	<p>3. Principle and emergency spillway elevations.</p> <p>Emergency Spillway Elevation = 7446.5</p> <p>Primary Drain Elevation = 7445.5</p>		

4. Field Information. Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/instrumentation information, inlet/outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/repairs, monitoring information, vegetation on out slopes of embankments, etc.

No discharge, Pond was essentially empty. inlet/outlet conditions are good,
No structural or hazardous conditions exist.

5. Field Evaluation. Describe any changes in the geometry of the impounding structure, average and maximum depths and elevations of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period.

No changes, no structure or stability problems observed.

Qualification Statement

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Signature: Scott Carlson

Date: 1/13/05

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT	Sediment Pond 009	
---	-------------------	--

CERTIFIED REPORT

IMPOUNDMENT EVALUATION (If NO, explain under Comments)	YES	NO
1. Is impoundment designed and constructed in accordance with the approved plan?	yes	
2. Is impoundment free of instability, structural weakness, or any other hazardous condition?	yes	
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection?	yes	

COMMENTS AND OTHER INFORMATION

None


Certification Statement:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, P.E. Senior Project Manager

Signature: *S. Scott Carlson*

P.E. Number & State: 187727 - UT



INSPECTION AND CERTIFIED REPORT ON EXCESS SPOIL PILE OR REFUSE PILE		Coarse Refuse Pile
Permit Number	C/007/042	Report Date 1/13/05
Mine Name	STAR POINT WASTE FUEL	
Company Name	SUNNYSIDE COGENERATION ASSOCIATES	
Excess Spoil Pile or Refuse Pile Identification	Pile Name:	Coarse Refuse Pile
	Pile Number	N/A
	MSHA ID Number	Abandoned by MSHA Jan 2004
Inspection Date	Dec 16, 2004	
Inspected By	Scott Carlson	
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)		Annual Inspection 2004
		Attachments to Report? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
Field Evaluation		
1.	Foundation preparation, including the removal of all organic material and topsoil.	
	N/A	
2.	Placement of underdrains and protective filter systems.	
	N/A	
3.	Installation of final surface drainage systems.	
	N/A	
4.	Placement and compaction of fill materials.	
	N/A	
	Removal of Refuse Material Only	

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions.

No smokers visible

Many small rills exist on the out slopes of the refuse pile. These have reportedly been there for some time and are typical for exposed refuse materials. They do not appear to pose a structural hazard. Runoff from the top surface is not directed to the out slope, therefore it is expected that re-grading would simply start new rills. Sediment from this erosion reports to existing sediment ponds. In time, SCA's operations to remove the pile will eliminate the problem.

7. Other Comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period.

Waste Coal Removal

MSHA has maintained jurisdiction over the Star Point Mine and its Coarse Refuse Pile for many years. This has been throughout the process of constructing the pile. In connection with the mining permit transfer from RAG to SCA in late 2003, a request for final abandonment of the refuse pile was made to MSHA. That request was granted by MSHA in a letter dated January 28, 2004. Although MSHA has classified this pile as abandoned, semi-annual inspections to review mining operations will still occur.

In early 2004, the operator removed material from the lower face of the pile, resulting in a steeper slope. It was determined that this did not comply with the approved mining plan and the inspector issued a notice of violation (NOV # N04-49-3-1) on February 25, 2004. SCA immediately stopped its operation until the slope was restored. SCA is again excavating coal materials from the top of the pile in compliance with the approved plan.


Certification Statement


I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson - Senior Project Manager
(Full Name and Title)

Signature: *S. Scott Carlson* Date: 1/23/05

P.E. Number & State: 187727 - UT





COARSE REFUSE PILE

INSPECTION AND CERTIFIED REPORT ON EXCESS SPOIL PILE OR REFUSE PILE		Disposal Area
Permit Number	C/007/042	Report Date 1/13/05
Mine Name	STAR POINT WASTE FUEL	
Company Name	SUNNYSIDE COGENERATION ASSOCIATES	
Excess Spoil Pile or Refuse Pile Identification	File Name:	Disposal Area
	File Number	N/A
	MSHA ID Number	N/A
Inspection Date	Dec 16, 2004	
Inspected By	Scott Carlson	
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)		Annual Inspection 2004
		Attachments to Report? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes
Field Evaluation		
<p>1. Foundation preparation, including the removal of all organic material and topsoil.</p> <p>The site selected for the new disposal area is the old slurry ponds. Any topsoil recovered would have been addressed prior to the pond construction.</p>		
<p>2. Placement of underdrains and protective filter systems.</p> <p>N/A</p>		
<p>3. Installation of final surface drainage systems.</p> <p>N/A</p>		
<p>4. Placement and compaction of fill materials.</p> <p>Did not receive disposal materials during this Year.</p>		

INSPECTION AND CERTIFIED REPORT ON EXCESS SPOIL PILE OR REFUSE PILE	Disposal Area	
--	---------------	--

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions.

None

7. Other Comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period.

No Construction occurred during this year.


Certification Statement


I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson Senior Project Manager
(Full Name and Title) # 187727

Signature: *S. Scott Carlson* Date: 7/3/05
S. SCOTT CARLSON

P.E. Number & State: 187727 - UT






Disposal Area looking north easterly

Dec 16, 2004

COPY



Sunnyside Cogeneration Associates

P.O. Box 10, East Carbon, Utah 84520 • (435) 888-4476 • Fax (435) 888-2538

November 23, 2004

Kari Lundeen
Division of Water Quality
288 North 1460 West
Salt Lake City, Utah 84114

RE: October 2004, Monitoring Period
UPDES Permit No. UTG040025
Discharge Monitoring Report Forms
Sunnyside Cogeneration Facility(SCA)

Dear Kari:

This letter summarizes the UPDES-permit field activities at the Star Point Site during October 2004. Rusty Netz, the Plant Engineer for the facility, has physically inspected the permit outfalls in accordance with the UPDES permit guidelines.

On October 22, 2004, Ponds 005 and 006, at the Star Point Facility, discharged due to continuing precipitation events. The discharge was the result of several consecutive days measuring one inch or more of rainfall. The discharges were sampled for parameters in accordance with section I.E.1. of SCA's UPDES Permit.

The sampling results for pond 006, pertaining to Iron and Total Suspended Solids, were above the permit protection levels. Pond 006 discharged for less than a 24-hour period and was the only discharge that SCA has history of. SCA believes that the higher Iron could have resulted from Iron scale within the discharge piping and the higher TSS was the result of continuing rainfall, which is not typical of our area.

Again, the discharge event only lasted for a 24-hour period, and no discharge has occurred since. Attached are the discharge sampling results and the discharge monitoring reports. If you have any questions or comments, please contact me or Rusty Netz at (801)888-4476.

Sunnyside Cogeneration Associates

Randy J. Scott
Plant Manager

cc. Rusty Netz, SCA
Plant File



November 3, 2004

Sunnyside Cogeneration Assoc.
P.O. Box 10
East Carbon Utah 84520

Sample identification by
Sunnyside Cogeneration Assoc.

ID:005-Star Point

RECEIVED 1700
SAMPLED

FIELD MEASUREMENTS

FLOW 10 pH 8.14

NOTES:

Page 1 of 1

Analysis report no. 59-26991

Parameter	Result	MRL	Units	Method	Analyzed		
					Date/Time/Analyst		
Iron, Total	0.68	0.050	mg/l	EPA 200.7	11-02-2004	0825	BLP
Oil & Grease	<2	2	mg/l	EPA 413.1	10-28-2004	0805	BW
Solids, Settleable	0.1	0.1	ml/l	EPA 160.5	10-22-2004	1730	DI
Solids, Total Dissolved	310	30	mg/l	EPA 160.1	10-26-2004	0840	BW
Solids, Total Suspended	62	5	mg/l	EPA 160.2	10-26-2004	0840	BW



Respectfully submitted,
SGS NORTH AMERICA INC.

Huntington Laboratory

Minerals Services Division
P.O. Box 1020, Huntington, UT 84528 t (435) 653-2311 f (435) 653-2436 www.sgs.com

Member of the SGS Group



November 3, 2004

Sunnyside Cogeneration Assoc.
P.O. Box 10
East Carbon Utah 84520

Sample identification by
Sunnyside Cogeneration Assoc.

ID:006-Star Point

Kind of sample Water
reported to us

RECEIVED 1700
SAMPLED

Sample taken at Sunnyside Cogeneration

FIELD MEASUREMENTS
FLOW 30 pH 7.98

Sample taken by Rusty Netz

NOTES:

Date sampled October 22, 2004

Date received October 22, 2004

Page 1 of 1

Analysis report no. 59-26992

Parameter	Result	MRL	Units	Method	Analyzed		
					Date/Time	Analyst	
Iron, Total	3.83	0.050	mg/l	EPA 200.7	11-02-2004	0825	BLP
Oil & Grease	<2	2	mg/l	EPA 413.1	10-28-2004	0805	BW
Solids, Settleable	0.4	0.1	ml/l	EPA 160.5	10-22-2004	1730	DI
Solids, Total Dissolved	272	30	mg/l	EPA 160.1	10-26-2004	0840	BW
Solids, Total Suspended	248	5	mg/l	EPA 160.2	10-26-2004	0840	BW



Respectfully submitted,
SGS NORTH AMERICA INC

Huntington Laboratory

Minerals Services Division
P.O. Box 1020, Huntington, UT 84528 t (435) 653-2311 f (435) 653-2436 www.sgs.com

Member of the SGS Group

NAME STAR POINT REFUSE PILE
 ADDRESS P. O. BOX 10
 EAST CARBON UT 84520

HTG040075
 PERMIT NUMBER

006 A
 DISCHARGE NUMBER

MINOR

F - FINAL
 SECOND TO SERVICE BERRY CREEK

FACILITY STAR POINT REFUSE PILE
 LOCATION WATTIS UT 84520
 ATTN: RUSTZ NETZ, ENVIR COORDINATOR

MONITORING PERIOD						
YEAR	MO	DAY	YEAR	MO	DAY	
04	10	01	TO	04	10	31

*** NO DISCHARGE ***
 NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE 00056 1 0 0 EFFLUENT GROSS VALU			43,200	(07)					0	1/7	MON
		REPORT	REPORT							ONCE/	MEASUR
		30DA AVG	DAILY MX	GPD						MONTH	
PH 00400 1 0 0 EFFLUENT GROSS VALU					7.98		7.98	(12)	0	1/7	MON
					6.5		9.0			ONCE/	GRAB
					MINIMUM		MAXIMUM	50		MONTH	
SOLIDS, TOTAL SUSPENDED 00530 P 0 0 SEE COMMENTS BELOW						25	35	70	1	1/7	GRAB
						30DA AVG	MX 7D AV	DAILY MX		MONTH	
											MG/L
SOLIDS, SETTLEABLE 00545 Q 0 0 SEE COMMENTS BELOW							0.4	(25)	0	1/7	GRAB
							0.5			ONCE/	GRAB
							DAILY MX	ML/L		MONTH	
OIL & GREASE 00556 1 0 0 EFFLUENT GROSS VALU							< 2	(19)	0	1/7	GRAB
							10			ONCE/	GRAB
							DAILY MX	MG/L		MONTH	
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALU							3.83	(19)	1	1/7	GRAB
							1.0			ONCE/	GRAB
							DAILY MX	MG/L		MONTH	
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 45613 1 0 0 EFFLUENT GROSS VALU			0	(94)					0	1/7	MON
										ONCE/	VISUAL
										MONTH	

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
 Randy Scott
 Plant Mgr
 TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
 Randy Scott

TELEPHONE 888
 4476
 DATE 11 20
 AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY MORE THAN THE 10 YEAR
 RR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED
 AT EACH TYPICAL, THEN PERMITTEE IS LIMITED TO ONE (2000 LBS) PER DAY AS SHOWN ON ALL GU...
 EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME **STAR POINT REFUSE PILE**
ADDRESS **P. O. BOX 10**
EAST CARBON **UT 84520**

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DTG040025 **006 A**
PERMIT NUMBER DISCHARGE NUMBER

MINOR
F - FINAL
SEDPOND TO SERVICE BERRY CREEK

FACILITY **STAR POINT REFUSE PILE**
LOCATION **WATTIS** **UT 84520**
ATTN: **RUSTZ NETZ, ENVIR COORDINATOR**

MONITORING PERIOD
FROM **04 10 01** TO **04 10 31**

NO NO DISCHARGE
NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45614 1 0 0 EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT		0	(94)					0	1/7	VISUAL
	PERMIT REQUIREMENT		DAILY BY	YES=1 NO=0						ONCE/MONTH	
SOLIDS, TOTAL DISSOLVED 70295 R 0 0 SEE COMMENTS BELOW	SAMPLE MEASUREMENT					248		(19)	0	1/7	GAB
	PERMIT REQUIREMENT					REPORT 30DA AVG				ONCE/MONTH	
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Randy Scott
Plant Mgr
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Randy Scott
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE **888 4476**
DATE **04 11 22**
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY LESS THAN THE 10 YR/24 HR PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH OUTFALL, THEN PERMITTEE IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN FROM ALL OUTFALLS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form PAGE OF

PERMITTEE NAME/ADDRESS (Include Facility Name/Location (if different))

NAME STAR POINT REFUSE PILE
ADDRESS P. O. BOX 10
EAST CARBON UT 84520

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

PERMIT NUMBER 005
DISCHARGE NUMBER 005

MINOR

FINAL SEDPOND SERVICEBERRY CREEK

FACILITY STAR POINT REFUSE PILE
LOCATION WATTIS UT 84520
ATTN: HUSTZ NETZ, ENVIR COORDINATOR

MONITORING PERIOD
FROM 04 10 01 TO 04 10 31

NO DISCHARGE
NOTE: Read Instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW RATE 00056 1 0 0 EFFLUENT GROSS VALUE			7200	(07)					0	1/7	MON
		PERMIT REQUIREMENT	REPORT	REPORT						ONCE/MONTH	MEASUREMENT
PH 00400 1 0 0 EFFLUENT GROSS VALUE					8.14		8.14	(12)	0	1/7	MON
		PERMIT REQUIREMENT			6.5		4.0			ONCE/MONTH	GRAB
SOLIDS, TOTAL SUSPENDED 00530 P 0 0 SEE COMMENTS BELOW							62	(19)	0	1/7	GRAB
		PERMIT REQUIREMENT			25	35	70			ONCE/MONTH	GRAB
SOLIDS, SETTLEABLE 00545 Q 0 0 SEE COMMENTS BELOW							0.1	(25)	0	1/7	GRAB
		PERMIT REQUIREMENT					0.5			ONCE/MONTH	GRAB
OIL & GREASE 00556 1 0 0 EFFLUENT GROSS VALUE							< 2	(19)	0	1/7	GRAB
		PERMIT REQUIREMENT					10			ONCE/MONTH	GRAB
IRON, TOTAL (AS FE) 01045 1 0 0 EFFLUENT GROSS VALUE							0.68	(19)	0	1/7	GRAB
		PERMIT REQUIREMENT					1.0			ONCE/MONTH	GRAB
FLOATING SOLIDS OR VISIBLE FOAM-VISUAL 45613 1 0 0 EFFLUENT GROSS VALUE			0	(94)					0	1/7	VISUAL
		PERMIT REQUIREMENT			YES=1					ONCE/MONTH	VISUAL

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Randy Scott
Plant Mgr
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT
Randy Scott

TELEPHONE 888
DATE 04 11 22
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLEABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY MORE THAN THE 10 MINUTE RAIN PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG IDS OF 500 MG/L CANNOT BE ACHIEVED AT EACH INFALL, THEN PERMITTED IS LIMITED TO ONE TON (2000 LBS) PER DAY AS SHOWN ON ALL SUBMITTALS.
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form.

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME ST POINT REFUSE PILE
ADDRESS P. O. BOX 10
EAST CARBON UT 84520

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

076040025
PERMIT NUMBER

005 A
DISCHARGE NUMBER

MINOR

F - FINAL
SEDPOND TO DEVICSBERRY CREEK

FACILITY STAR POINT REFUSE PILE
LOCATION WATTIS UT 84520
ATTN: RUSTZ NETZ, ENVIR COORDINATOR

MONITORING PERIOD						
YEAR	MO	DAY	YEAR	MO	DAY	
04	10	01	TO	04	10	31

*** NO DISCHARGE ***
NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SANITARY WASTE DISCHARGED-ASSESSMENT 45814 I U U EFFLUENT GROSS VALUE	SAMPLE MEASUREMENT	*****	0	(30)	*****	*****	*****		0	1/7	VIS
	PERMIT REQUIREMENT	*****	DAILY MAX	YES=1 NO=0	*****	*****	*****			ONCE/ MONTH	VISUAL
SOLIDS, TOTAL DISSOLVED 70295 R U U SEE COMMENTS BELOW	SAMPLE MEASUREMENT	*****	*****	*****	*****	310	*****	(19)	0	1/7	GRAB
	PERMIT REQUIREMENT	*****	*****	*****	*****	REPORT 30 DAY AVG	*****	MG/L		ONCE/ MONTH	GRAB
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										
	SAMPLE MEASUREMENT										
	PERMIT REQUIREMENT										

NAME/TITLE PRINCIPAL EXECUTIVE OFFICER
Randy Scott
Plant mgr
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Randy Scott
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 888
437 41176
AREA CODE NUMBER
DATE 04 11 22
YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SETTLABLE SOLIDS SHALL BE LIMITED INSTEAD OF TSS DURING RUNOFF EVENTS CAUSED BY MORE THAN 10 IP/DAY
48 PRECIPITATION EVENT. ENTER N.A. WHEN NOT APPLICABLE. IF 30 DAY AVG TDS OF 500 MG/L CANNOT BE ACHIEVED
AT EACH OUTFALL, THEN PERMITTED IS LIMITED TO ONE TON (2000 LBS) PER DAY AS PER ALL OUTFALLS
EPA Form 3320-1 (Rev. 3/99) Previous editions may be used. This is a 4-part form PAGE OF

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME STAR POINT REFUSE PILE
ADDRESS P. O. BOX 19
EAST CARBON UT 84520

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

UTG040025 PERMIT NUMBER
SUM A DISCHARGE NUMBER

MINOR

F - FINAL
TOTAL OF ALL OUTFALLS

FACILITY STAR POINT REFUSE PILE
LOCATION WATTIS UT 84520
ATTN: RUSTZ NETZ, ENVIR COORDINATOR

MONITORING PERIOD
FROM 04 10 01 TO 04 10 31

NO DISCHARGE []
NOTE: Read instructions before completing this form.

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
SOLIDS, TOTAL DISSOLVED 70295 Q 0 0 SEE COMMENTS BELOW		*****	N.A.	(26)	*****	*****	*****		0	1/7	GRAB
		*****	2000	DAILY EX LBS/DY	*****	*****	*****	****		ONCE/MONTH	

NAME/TITLE-PRINCIPAL EXECUTIVE OFFICER
Randy SCOTT
Plant Mgr.
TYPED OR PRINTED

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Randy Scott
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT

TELEPHONE 888 435 4476
DATE 04 11 22
AREA CODE NUMBER YEAR MO DAY

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
IF TDS IS 500 MG/L OR LESS AT EACH OUTFALL ENTER N.A. FOR SUM A.