


C/007/042 Incoming

#4067

R



Sunnyside Cogeneration Associates

P.O. Box 10, East Carbon, Utah 84520 • (435) 888-4476 • Fax (435) 888-2538

March 28, 2012

Daron Haddock
Division of Oil Gas and Mining
1594 West North Temple, Suite 1210
Salt Lake City, UT 84116

RE: Sunnyside Cogeneration Associates, Annual Reports
Sunnyside Refuse/Slurry, C007/035
Star Point Waste Fuel, C/007/042

Dear Mr. Haddock,

Enclosed, please find the Annual Reports for the Sunnyside Refuse/Slurry, C007/035 and Star Point Waste Fuel, C/007/042 mine sites. Given that some of the required data is not in an electronic format, we have provided both a hard copy version of the reports and a CD including the available information electronically.

Your December 1, 2011 letter mentioned several items, in addition to the regular report information.

1. Raptor and archeology reports – SCA is not required to submit any raptor or archeology reports.
2. Mine map identifying mining in 2010 – SCA has submitted with the report an updated map showing conditions of mining through 2011.
3. Mining proposed for the next five years – SCA maintains its current plan of proposed mining (projecting more than five years) in each of the MRP documents. Given the nature of SCA's mining activity (excavation of the waste piles), mining plans are not changing often and annual updates to the plan are not required.
4. Notices of Proposed Mining sent to districts, occupants and owners of surface property above the underground workings – SCA does not have any underground workings, no occupants exist and SCA owns the surface property at Sunnyside and most of the surface property at Star Point. Given the nature of SCA's mining activity, and since annual updates to the plan are not required, the notices provided to BLM (surface owner of a portion of the Star Point property) in past years (included in the approved MRP) are sufficient.

RECEIVED

MAR 30 2012

DIV. OF OIL, GAS & MINING

Sunnyside Cogeneration Associates
Annual Reports
March 28, 2012
Page 2 of 2

If you have any questions, please feel free to call Rusty Netz or myself at (435) 888-4476.

Thank You,



Richard Carter
Agent for
Sunnyside Cogeneration Associates

c.c. Steve Gross
Maggie Estrada
Rusty Netz
Plant File



**SUNNYSIDE COGENERATION ASSOCIATES
STAR POINT REFUSE (WASTE FUEL)
C/007/0042
2011 ANNUAL REPORT**

Submitted to:

State of Utah
Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Box 145801
Salt Lake City, Utah 84114-5801



SUNNYSIDE COGENERATION ASSOCIATES
STAR POINT WASTE FUEL
2011 ANNUAL REPORT

TABLE OF CONTENTS

- I. General Permit Information:**
- II. Identification of Other Permits**
- III. Certified Reports**
- IV. Reporting of Other Technical Data**
 - 1. Climatological Data
 - 2. Subsidence Monitoring Data
 - 3. Vegetation Monitoring Data
 - 4. Raptor Surveys
 - 5. Water Monitoring Data
 - 6. Geological / Geophysical Data
 - 7. Engineering Data (Refuse Excavation and Spoils Disposal)
 - 8. Soils Monitoring Data
 - 9. Other Data
- V. Legal, Financial, Compliance and Related Information**
Certificates of Existence from the Department of Commerce
- VI. Mine Maps**
 - Appendix A Certified Reports**
 - Appendix B Storm Water Permit**
 - Appendix C Dept of Commerce, Certificates of Existence**
 - Appendix D Mine Map**



I. GENERAL PERMIT INFORMATION

Permit Number: C/007/042

Mine Name: Star Point Waste Fuel

Permittee: Sunnyside Cogeneration Associates

**Company Representative
& Resident Agent:** Mr. Richard Carter
One Power Plant Road
PO Box 159
Sunnyside, UT 84539
(435) 888-4476
(435) 888-2538 fax

Date of Initial Permanent Program Permit: November 14, 2003

Date of Most Recent Permit Renewal: November 14, 2008
The reclamation bond for SCA's Star Point facility was renewed during mid-term review 2011.

Date of Expiration: November 14, 2013

SCA completed one permit amendment during 2011. This was associated with comments received from the Division during the Mid-Term Review. Updates included the reclamation bond amount as well as the endangered species discussion and reclamation seed mix.

Another amendment was submitted previously (task 3496) for which approval is still waiting. This amendment addresses a change in the permit boundary to remove the approved industrial PMLU area from the permit area. This amendment is waiting for reclamation to be completed in the area in accordance with the revised reclamation plan. A portion of the reclamation (focused on removing coal materials from the area) has been completed and it is likely that this reclamation work will be finished in 2012.



II. IDENTIFICATION OF OTHER PERMITS

MSHA ID Numbers: Star Point Refuse Pile Mine ID No. 42-02334

MSHA granted approval for final abandonment of the Coarse Refuse Pile on January 28, 2004. As such, SCA's Star Point Waste Fuel Mine has no MSHA qualifying facilities or structures. The mine ID number remains active.

Storm Water Permit Number: UTR000604 Approved effective August 29, 2002
Renewed effective Jan 1, 2012
Expires December 31, 2016

Under the Utah Pollutant Discharge Elimination System, the Utah Department of Water Quality issued SCA a Multi-Sector General Permit for Storm Water Discharges associated with Industrial Activities from Coal Mines and Coal Mining-related Facilities. A copy of the renewal documents is included with this report in Appendix B.

UPDES Discharge Permit Number: UTG040025 Approved Sept 1, 2002
Renewed May 1, 2008
Expires April 30, 2013

The UDWQ has also issued SCA a general storm water discharge permit to regulate discharges from the three sediment ponds in the mining permit area (Ponds 005, 006 & 009). SCA submits monthly discharge monitoring reports to the DWQ. UDEQ DWQ renewed the General Coal Mining Permit No. UTG040000 in 2008. SCA's general permit was then renewed with reference to the state permit.

Air Quality Permit:

The operations on the Star Point Waste Coal Pile are of such a nature that the mining operation generates little to no emissions. The Utah State Department of Air Quality (DAQ) has determined that special air quality permitting is not required. DAQ issued a Small Source Exemption – De Minimis Emissions permit / letter for the Star Point Waste Fuel operation.



III. CERTIFIED REPORTS

Each impoundment as well as the Refuse Pile and the proposed Disposal Area were inspected in accordance with the requirements of the Mining and Reclamation Permit. The quarterly and annual inspection / certification reports were submitted to the Division. These reports are also included in **Appendix A**.

No discharges occurred from any of the UPDES discharge points during 2011.

Excavation of Refuse from the Refuse Pile occurred in general conformance with the operational criteria and performance standards established in the permit. In 2011, the operator excavated coal material by removing refuse directly from the top of the main refuse pile.

No material was placed in the Disposal Area during the year.



IV. REPORTING OF OTHER TECHNICAL DATA

1. Climatological Data

Not required in the approved permit.

2. Subsidence Monitoring Data

No subsidence monitoring is required by the approved plan. No material damage or diminution within the Permit Area will be caused by subsidence because no underground coal resources are available within the permit area that would cause subsidence. No past or future underground coal mining operations have or are likely to occur within the SCA Permit Area.

3. Vegetation Monitoring Data

Two areas within the permit area have received final reclamation treatment. These are located at the west end of the permit area and at the southeast side, both adjoining the permit boundary. These areas were reclaimed by RAG in accordance with their reclamation work on the Star Point Mine. Monitoring of these areas is being performed by RAG and information on the reclamation success can be found in their annual report documents.

4. Raptor Surveys

Raptor studies were conducted by DWR in 2002. No additional periodic raptor studies are required by the approved permit.

5. Water Monitoring Data

Water monitoring is not required in the approved plan. SCA's operations to remove the refuse pile are not located in or around surface or ground water sources. Storm runoff is controlled and treated in sediment ponds regulated through the Storm Water Permit and UPDES Discharge Permit discussed above.



6. Geological / Geophysical Data

No periodic Geological / Geophysical monitoring is required in the approved plan. The data included as resource information in the plan has been determined adequate for the operations of SCA. In the event that the operations of SCA change dramatically such that additional geologic or geophysical data becomes necessary, additional analysis will be performed at that time.

7. Engineering Data

a. Refuse Excavation

During 2011, SCA excavated a total of 340,854 tons of coal materials at the Star Point facility. This material was all transported to SCA's Sunnyside facilities.

b. Disposal Area

During 2011 no material was deposited in the disposal area.

Inspections of the refuse area and the disposal area are conducted on a quarterly basis. Reports from these site visits are submitted to the Division throughout the year and have been included in this report with the certified reports.

8. Soils Monitoring Data

No periodic soil monitoring is required by the approved plan. The approved subsoil storage pile reserved for reclamation activities has previously undergone soils studies from which the data is included in Chapter 2 of the Permit.

In the event that SCA determines it necessary to utilize soils from other sources for reclamation, the proper analysis will be performed at that time.

9. Other Data

No additional periodic data is required in the approved plan.



V. LEGAL, FINANCIAL, COMPLIANCE & RELATED INFORMATION

Sunnyside Cogeneration Associates is a joint venture between Sunnyside Holdings I, Inc. and Sunnyside II, L.P. **Appendix C** includes copies of the Certificates of Existence for Sunnyside Cogeneration Associates, Sunnyside Holdings I, Inc. and Sunnyside II, L.P. The Utah Department of Commerce, Division of Corporations and Commercial Code issues these certificates. They demonstrate that the entities are in good standing with the State of Utah.



VI. MINE MAPS

The mine map included in **Appendix D** of this report provides a photographic update to the surface configuration of the refuse area being excavated. This refuse is utilized as fuel for the Sunnyside Cogeneration Facility. The aerial survey used to generate contours of the site was performed in May 2010. A February 2012 photograph of the active mining area has been added to the map to show current conditions.

Mining activity proposed for the next five years is projected to occur in general conformance with the mining plan shown on the PE Certified drawings approved in the Mining and Reclamation Permit.

Print Form

Submit by Email

Reset Form

Annual Report

This Annual Report shows information the Division has for your mine. Submit the completed document and any additional information identified in the Appendices to the Division by **March 30, 2012**. During a complete inspection an inspector will check and verify the information.

GENERAL INFORMATION

Company Name	Sunnyside Cogeneration Assoc.	Mine Name	Star Point Waste Fuel
Permit Number	C/007/0042	Permit expiration Date	2013-11-14
Operator Name	Rick Carter	Phone Number	+1 (435) 888-4476
Mailing Address	PO Box 159	Email	
City	Sunnyside		
State	UT	Zip Code	84539

DOGM File Location or Annual Report Location

Excess Spoil Piles

- Required
 Not Required

Submitted quarterly to DOGM

Refuse Piles

- Required
 Not Required

Submitted quarterly to DOGM

Impoundments

- Required
 Not Required

Submitted quarterly to DOGM

Other:

OPERATOR COMMENTS

All impoundments performed as designed with no discharges during 2011
 The refuse pile is being excavated as intended and in conformance with the approved design
 The Disposal area/Excess Spoil Pile is in conformance with the approved plan

REVIEWER COMMENTS

Met Requirements

Did Not meet Requirements

REPORTING OF OTHER TECHNICAL DATA

Please list other technical data or information that was not included in the form above, but is required under the approved plan, which must be periodically submitted to the Division.

Please list attachments:

Storm water permit was renewed effective 1/1/2012

Two reclaimed areas within the permit boundary are being monitored by RAG in connection with their reclamation reporting. These areas appear to be doing well

SCA excavated 340,854 tons of refuse material from this site and transported it to the Sunnyside facility

No material was placed in the disposal area during 2011

Reviewer Comments

MAPS

Copies of mine maps, current and up-to-date through at least December 31, 2011, are to be provided to the Division as an attachment to this report in accordance with the requirements of R645-301-525.240. The map copies shall be made in accordance with 30 CFR 75.1200 as required by MSHA. Mine maps are not considered confidential.

Map Name	Map Number	Included		Confidential	
		Yes	No	Yes	No
Mine Map	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Current mining plan is in the permit	#521.100 d and e	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Reviewer Comments Met Requirements Did Not Meet Requirements




APPENDIX A CERTIFIED REPORTS



**APPENDIX A
CERTIFIED REPORTS**

FIRST QUARTER INSPECTION

**IMPOUNDMENTS, REFUSE PILE AND DISPOSAL
AREA**



Sunnyside Cogeneration Associates

P.O. Box 10, East Carbon, Utah 84520 • (435) 888-4476 • Fax (435) 888-2538

April 25, 2011

Daron Haddock
Utah Division of Oil, Gas & Mining
1594 W. North Temple, Suite 1210
Salt Lake City, Utah 84116

RE: 1st Quarter 2011 Inspection Report
Star Point Refuse Pile C/007/042

Dear Daron:

Please find enclosed a copy of the First Quarter 2011 Inspection Report for the Star Point refuse pile, impoundments, and excess spoil area.

Should you have any questions, please contact Rusty Netz or myself at (435)888-4476.

Thank You,

Richard Carter
Agent For
Sunnyside Cogeneration Associates

c.c. Steve Gross
William Rossiter
Paul Shepard
Maggie Estrada
Rusty Netz
Plant File

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 005

Report Date April 20, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 005
Impoundment Number 005
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date March 24, 2011
Inspected by Rusty Netz
Reason for Inspection First Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 6.96 Acre-feet
Pond bottom elevation = 7387.3
100% Sediment Storage Volume = 2.42 acre-feet at Elevation 7394.9
60% sediment Storage Volume = 1.45 acre feet at Elevation = 7393
Existing Average Sediment Elevation = 7392 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7394.9
Emergency Spillway Elevation = 7401.3

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it but was not discharging. No samples were taken
Sediment levels were reasonably low. Pond did not require decanting.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 005

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed

Depth of impounded water was minimal

Sediment level was good.

No other aspects were observed to affect stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that, I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: _____

Rusty net

Date: _____

4/25/11

CERTIFIED REPORT IMPOUNDMENT EVALUATION

If you answer NO to these questions, please explain under comments

1. Is impoundment designed and constructed in accordance with the approved plan?
2. Is impoundment free of instability, structural weakness, or any other hazardous conditions?
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection?

YES

YES

YES

COMMENTS/ OTHER INFORMATION

None


CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.

P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date



IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 006

Report Date April 20, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 006
Impoundment Number 006
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date March 24, 2011
Inspected by Rusty Netz
Reason for Inspection First Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 2.6 Acre-feet
Pond bottom elevation = 7132.7
100% Sediment Storage Volume = 0.76 acre-feet at Elevation 7140.7
60% sediment Storage Volume = 0.45 acre feet at Elevation = 7138.8
Existing Average Sediment Elevation = 7135 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7140.7
Emergency Spillway Elevation = 7147.2

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on outslopes of embankments, etc.

Pond had some water in it. No samples were taken
Sediment levels were reasonably low. Pond did not require decanting.
Embankment conditions were good. Vegetation on outslopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 006

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.

No other aspects of the impounding structure were observed that could affect its stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty noty Date: 4/25/11

**CERTIFIED REPORT
IMPOUNDMENT EVALUATION**

If you answer NO to these questions, please explain under comments

- 1. Is impoundment designed and constructed in accordance with the approved plan? YES
- 2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
- 3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES


COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 009

Report Date April 20, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 009
Impoundment Number 009
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date March 24, 2011
Inspected by Rusty Netz
Reason for Inspection First Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 7.4 Acre-feet
Pond bottom elevation = 7435.0
100% Sediment Storage Volume = 2.02 acre-feet at Elevation 7439.3
60% sediment Storage Volume = 1.21 acre feet at Elevation = 7437.7
Existing Average Sediment Elevation = 7437 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7439.8
Primary Spillway Elevation = 7445.5
Emergency Spillway Elevation = 7446.5

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it. No samples were taken. Pond did not require decanting.
Sediment levels were reasonable.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 009

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.

No other aspects of the impounding structure were observed that could affect its stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty noty Date: 4/25/11

CERTIFIED REPORT IMPOUNDMENT EVALUATION

If you answer NO to these questions, please explain under comments

1. Is impoundment designed and constructed in accordance with the approved plan? YES
2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES


COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

GENERAL INFORMATION

Coarse Refuse Pile

Report Date April 20, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

EXCESS SPOIL PILE OR REFUSE PILE IDENTIFICATION

File Name Coarse Refuse Pile
File Number N/A
MSHA ID Number Abandoned by MSHA Jan 2004

Inspection Date March 24, 2011
Inspected by Rusty Netz
Reason for Inspection First Quarter Inspection 2011

Attachment to Report? (such as refuse sample analysis or photos) **NO**

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

N/A

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems

N/A

4. Placement and compaction of fill materials

N/A - Activities occurring at this time are associated with removal of refuse material

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions

No aspects of the Fill structure were observed that could affect its stability or functionality

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

Coarse Refuse Pile

7. Other comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period

Refuse material is actively being excavated and removed from the top of the pile
New access roads were constructed at the north side of the pile in recent months

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.


Signature: Rusty Arty Date: 4/25/11

CERTIFICATION STATEMENT

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date



**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

GENERAL INFORMATION

Disposal Area

Report Date April 20, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

EXCESS SPOIL PILE OR REFUSE PILE IDENTIFICATION

Pile Name Disposal Area
Pile Number N/A
MSHA ID Number N/A

Inspection Date March 24, 2011
Inspected by Rusty Netz
Reason for Inspection First Quarter Inspection 2011

Attachment to Report? (such as refuse sample analysis or photos) **NO**

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

The site selected for the disposal area is the old slurry ponds associated with the prior mining activity. No topsoil is available to be removed.

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems

N/A

4. Placement and compaction of fill materials

The disposal area did not receive any materials during the quarter.

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions

No aspects of the Fill structure were observed that could affect its stability or functionality

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

Disposal Area

7. Other comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period

The disposal area did not receive any materials during the quarter.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty Nety Date: 4/25/11

CERTIFICATION STATEMENT

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date






**APPENDIX A
CERTIFIED REPORTS**

SECOND QUARTER INSPECTION

**IMPOUNDMENTS, REFUSE PILE AND DISPOSAL
AREA**



Sunnyside Cogeneration Associates

P.O. Box 10, East Carbon, Utah 84520 • (435) 888-4476 • Fax (435) 888-2538

July 18, 2011

Daron Haddock
Utah Division of Oil, Gas & Mining
1594 W. North Temple, Suite 1210
Salt Lake City, Utah 84116

RE: 2nd Quarter 2011 Inspection Report
Star Point Refuse Pile C/007/042

Dear Daron:

Please find enclosed a copy of the Second Quarter 2011 Inspection Report for the Star Point refuse pile, impoundments, and excess spoil area.

Should you have any questions, please contact Rusty Netz or myself at (435)888-4476.

Thank You,

Richard Carter
Agent For
Sunnyside Cogeneration Associates

c.c. Steve Gross
William Rossiter
Paul Shepard
Maggie Estrada
Rusty Netz
Plant File

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 005

Report Date July 13, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 005
Impoundment Number 005
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date June 16, 2011
Inspected by Rusty Netz
Reason for Inspection Second Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 6.96 Acre-feet
Pond bottom elevation = 7387.3
100% Sediment Storage Volume = 2.42 acre-feet at Elevation 7394.9
60% sediment Storage Volume = 1.45 acre feet at Elevation = 7393
Existing Average Sediment Elevation = 7392 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7394.9
Emergency Spillway Elevation = 7401.3

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it but was not discharging. No samples were taken
Sediment levels were reasonably low. Pond did not require decanting.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 005

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.
No other aspects were observed to affect stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty sety Date: 7/18/11

**CERTIFIED REPORT
IMPOUNDMENT EVALUATION**

If you answer NO to these questions, please explain under comments

- 1. Is impoundment designed and constructed in accordance with the approved plan? YES
- 2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
- 3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES


COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 006

Report Date July 13, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 006
Impoundment Number 006
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date June 16, 2011
Inspected by Rusty Netz
Reason for Inspection Second Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 2.6 Acre-feet
Pond bottom elevation = 7132.7
100% Sediment Storage Volume = 0.76 acre-feet at Elevation 7140.7
60% sediment Storage Volume = 0.45 acre feet at Elevation = 7138.8
Existing Average Sediment Elevation = 7135 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7140.7
Emergency Spillway Elevation = 7147.2

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it. No samples were taken
Sediment levels were reasonably low. Pond did not require decanting.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 006

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.

No other aspects of the impounding structure were observed that could affect its stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty Rety Date: 7/18/11

**CERTIFIED REPORT
IMPOUNDMENT EVALUATION**

If you answer NO to these questions, please explain under comments

- 1. Is impoundment designed and constructed in accordance with the approved plan? YES
- 2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
- 3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES


COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Professional Engineer Act.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 009

Report Date July 13, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 009
Impoundment Number 009
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date June 16, 2011
Inspected by Rusty Netz
Reason for Inspection Second Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 7.4 Acre-feet
Pond bottom elevation = 7435.0
100% Sediment Storage Volume = 2.02 acre-feet at Elevation 7439.3
60% sediment Storage Volume = 1.21 acre feet at Elevation = 7437.7
Existing Average Sediment Elevation = 7437 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7439.8
Primary Spillway Elevation = 7445.5
Emergency Spillway Elevation = 7446.5

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it. No samples were taken. Pond did not require decanting.
Sediment levels were reasonable.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 009

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.

No other aspects of the impounding structure were observed that could affect its stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty Nety Date: 7/18/11

CERTIFIED REPORT IMPOUNDMENT EVALUATION

If you answer NO to these questions, please explain under comments

1. Is impoundment designed and constructed in accordance with the approved plan? YES
2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES


COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

GENERAL INFORMATION

Coarse Refuse Pile

Report Date July 13, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

EXCESS SPOIL PILE OR REFUSE PILE IDENTIFICATION

Pile Name Coarse Refuse Pile
Pile Number N/A
MSHA ID Number Abandoned by MSHA Jan 2004

Inspection Date June 16, 2011
Inspected by Rusty Netz
Reason for Inspection Second Quarter Inspection 2011

Attachment to Report? (such as refuse sample analysis or photos) **YES**

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

N/A

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems

N/A

4. Placement and compaction of fill materials

N/A - Activities occurring at this time are associated with removal of refuse material

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions

No aspects of the Fill structure were observed that could affect its stability or functionality

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

Coarse Refuse Pile

7. Other comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period

Refuse material is actively being excavated and removed from the top of the pile

QUALIFICATION STATEMENT:


I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty Ady Date: 7/18/11

CERTIFICATION STATEMENT

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

GENERAL INFORMATION

Disposal Area

Report Date July 13, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

EXCESS SPOIL PILE OR REFUSE PILE IDENTIFICATION

Pile Name Disposal Area
Pile Number N/A
MSHA ID Number N/A

Inspection Date June 16, 2011
Inspected by Rusty Netz
Reason for Inspection Second Quarter Inspection 2011

Attachment to Report? (such as refuse sample analysis or photos) **NO**

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

The site selected for the disposal area is the old slurry ponds associated with the prior mining activity. No topsoil is available to be removed.

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems

N/A

4. Placement and compaction of fill materials

The disposal area did not receive any materials during the quarter.

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions

No aspects of the Fill structure were observed that could affect its stability or functionality

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

Disposal Area

7. Other comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period

The disposal area did not receive any materials during the quarter.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: _____

Rusty Acty

Date: _____

7/18/11

CERTIFICATION STATEMENT

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date



Sediment Pond 006

April 2011



Sediment Pond 009

April 2011



Coarse Refuse Pile


April 2011



**APPENDIX A
CERTIFIED REPORTS**

THIRD QUARTER INSPECTION

**IMPOUNDMENTS, REFUSE PILE AND DISPOSAL
AREA**



Sunnyside Cogeneration Associates

P.O. Box 10, East Carbon, Utah 84520 • (435) 888-4476 • Fax (435) 888-2538

October 13, 2011

Daron Haddock
Utah Division of Oil, Gas & Mining
1594 W. North Temple, Suite 1210
Salt Lake City, Utah 84116

RE: 3rd Quarter 2011 Inspection Report
Star Point Refuse Pile C/007/042

Dear Daron:

Please find enclosed a copy of the Third Quarter 2011 Inspection Report for the Star Point refuse pile, impoundments, and excess spoil area.

Should you have any questions, please contact Rusty Netz or myself at (435)888-4476.

Thank You,

Richard Carter
Agent For
Sunnyside Cogeneration Associates

c.c. Steve Gross
William Rossiter
Maggie Estrada
Rusty Netz
Plant File

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 005

Report Date October 7, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 005
Impoundment Number 005
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date September 22, 2011
Inspected by Rusty Netz
Reason for Inspection Third Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 6.96 Acre-feet
Pond bottom elevation = 7387.3
100% Sediment Storage Volume = 2.42 acre-feet at Elevation 7394.9
60% sediment Storage Volume = 1.45 acre feet at Elevation = 7393
Existing Average Sediment Elevation = 7392 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7394.9
Emergency Spillway Elevation = 7401.3

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it but was not discharging. No samples were taken
Sediment levels were reasonably low. Pond did not require decanting.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 005

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.
No other aspects were observed to affect stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty Acty Date: 10/13/11

**CERTIFIED REPORT
IMPOUNDMENT EVALUATION**

If you answer NO to these questions, please explain under comments

- 1. Is impoundment designed and constructed in accordance with the approved plan? YES
- 2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
- 3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES


COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 006

Report Date October 7, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 006
Impoundment Number 006
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date September 22, 2011
Inspected by Rusty Netz
Reason for Inspection Third Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 2.6 Acre-feet
Pond bottom elevation = 7132.7
100% Sediment Storage Volume = 0.76 acre-feet at Elevation 7140.7
60% sediment Storage Volume = 0.45 acre feet at Elevation = 7138.8
Existing Average Sediment Elevation = 7135 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7140.7
Emergency Spillway Elevation = 7147.2

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it. No samples were taken
Sediment levels were reasonably low. Pond did not require decanting.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 006

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.

No other aspects of the impounding structure were observed that could affect its stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty [Signature] Date: 10/13/11

**CERTIFIED REPORT
IMPOUNDMENT EVALUATION**

If you answer NO to these questions, please explain under comments

- 1. Is impoundment designed and constructed in accordance with the approved plan? YES
- 2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
- 3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES


COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 009

Report Date October 7, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 009
Impoundment Number 009
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date September 22, 2011
Inspected by Rusty Netz
Reason for Inspection Third Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 7.4 Acre-feet
Pond bottom elevation = 7435.0
100% Sediment Storage Volume = 2.02 acre-feet at Elevation 7439.3
60% sediment Storage Volume = 1.21 acre feet at Elevation = 7437.7
Existing Average Sediment Elevation = 7437 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7439.8
Primary Spillway Elevation = 7445.5
Emergency Spillway Elevation = 7446.5

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it. No samples were taken. Pond did not require decanting.
Sediment levels were reasonable.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 009

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.

No other aspects of the impounding structure were observed that could affect its stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that, I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty Noty Date: 10/13/11

**CERTIFIED REPORT
IMPOUNDMENT EVALUATION**

If you answer NO to these questions, please explain under comments

- 1. Is impoundment designed and constructed in accordance with the approved plan? YES
- 2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
- 3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES


COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

GENERAL INFORMATION

Coarse Refuse Pile

Report Date October 7, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

EXCESS SPOIL PILE OR REFUSE PILE IDENTIFICATION

Pile Name Coarse Refuse Pile
Pile Number N/A
MSHA ID Number Abandoned by MSHA Jan 2004

Inspection Date September 22, 2011
Inspected by Rusty Netz
Reason for Inspection Third Quarter Inspection 2011

Attachment to Report? (such as refuse sample analysis or photos) **NO**

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

N/A

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems

N/A

4. Placement and compaction of fill materials

N/A - Activities occurring at this time are associated with removal of refuse material

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions

No aspects of the Fill structure were observed that could affect its stability or functionality

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

Coarse Refuse Pile

7. Other comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period

Refuse material is actively being excavated and removed from the top of the pile

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.


Signature: Rusty Nety Date: 10/13/11

CERTIFICATION STATEMENT

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date



**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

GENERAL INFORMATION

Disposal Area

Report Date October 7, 2011
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

EXCESS SPOIL PILE OR REFUSE PILE IDENTIFICATION

Pile Name Disposal Area
Pile Number N/A
MSHA ID Number N/A

Inspection Date September 22, 2011
Inspected by Rusty Netz
Reason for Inspection Third Quarter Inspection 2011

Attachment to Report? (such as refuse sample analysis or photos) **NO**

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

The site selected for the disposal area is the old slurry ponds associated with the prior mining activity. No topsoil is available to be removed.

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems

N/A

4. Placement and compaction of fill materials

The disposal area did not receive any materials during the quarter.

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions

No aspects of the Fill structure were observed that could affect its stability or functionality

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

Disposal Area

7. Other comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period

The disposal area did not receive any materials during the quarter.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.


Signature: Rusty nety Date: 10/13/11

CERTIFICATION STATEMENT

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date






**APPENDIX A
CERTIFIED REPORTS**

FOURTH QUARTER INSPECTION

**IMPOUNDMENTS, REFUSE PILE AND DISPOSAL
AREA**



Sunnyside Cogeneration Associates

P.O. Box 10, East Carbon, Utah 84520 • (435) 888-4476 • Fax (435) 888-2538

January 26, 2012

Daron Haddock
Utah Division of Oil, Gas & Mining
1594 W. North Temple, Suite 1210
Salt Lake City, Utah 84116

RE: 4th Quarter 2011 Inspection Report
Star Point Refuse Pile C/007/042

Dear Daron:

Please find enclosed a copy of the Fourth Quarter 2011
Inspection Report for the Star Point refuse pile, impoundments, and
excess spoil area.

Should you have any questions, please contact Rusty Netz or
myself at (435)888-4476.

Thank You,

Richard Carter
Agent For
Sunnyside Cogeneration Associates

c.c. Steve Gross
Maggie Estrada
Rusty Netz
Plant File

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 005

Report Date January 19, 2012
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 005
Impoundment Number 005
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date December 22, 2011
Inspected by Rusty Netz
Reason for Inspection Fourth Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 6.96 Acre-feet
Pond bottom elevation = 7387.3
100% Sediment Storage Volume = 2.42 acre-feet at Elevation 7394.9
60% sediment Storage Volume = 1.45 acre feet at Elevation = 7393
Existing Average Sediment Elevation = 7392 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7394.9
Emergency Spillway Elevation = 7401.3

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it but was not discharging. No samples were taken
Sediment levels were reasonably low. Pond did not require decanting.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 005

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed

Depth of impounded water was minimal

Sediment level was good.

No other aspects were observed to affect stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: _____

Rusty nety

Date: _____

1/26/12

CERTIFIED REPORT IMPOUNDMENT EVALUATION

If you answer NO to these questions, please explain under comments

- | | |
|--|------------|
| 1. Is impoundment designed and constructed in accordance with the approved plan? | <u>YES</u> |
| 2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? | <u>YES</u> |
| 3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? | <u>YES</u> |

COMMENTS/ OTHER INFORMATION


None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date



IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 006

Report Date January 19, 2012
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 006
Impoundment Number 006
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date December 22, 2011
Inspected by Rusty Netz
Reason for Inspection Fourth Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 2.6 Acre-feet
Pond bottom elevation = 7132.7
100% Sediment Storage Volume = 0.76 acre-feet at Elevation 7140.7
60% sediment Storage Volume = 0.45 acre feet at Elevation = 7138.8
Existing Average Sediment Elevation = 7135 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7140.7
Emergency Spillway Elevation = 7147.2

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it. No samples were taken
Sediment levels were reasonably low. Pond did not require decanting.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 006

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.

No other aspects of the impounding structure were observed that could affect its stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty nety Date: 1/26/12

CERTIFIED REPORT IMPOUNDMENT EVALUATION

If you answer NO to these questions, please explain under comments

1. Is impoundment designed and constructed in accordance with the approved plan? YES
2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES


COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 009

Report Date January 19, 2012
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 009
Impoundment Number 009
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date December 22, 2011
Inspected by Rusty Netz
Reason for Inspection Fourth Quarter Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 7.4 Acre-feet
Pond bottom elevation = 7435.0
100% Sediment Storage Volume = 2.02 acre-feet at Elevation 7439.3
60% sediment Storage Volume = 1.21 acre feet at Elevation = 7437.7
Existing Average Sediment Elevation = 7437 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7439.8
Primary Spillway Elevation = 7445.5
Emergency Spillway Elevation = 7446.5

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it. No samples were taken. Pond did not require decanting.
Sediment levels were reasonable.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 009

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.

No other aspects of the impounding structure were observed that could affect its stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty noty Date: 1/26/12

CERTIFIED REPORT

IMPOUNDMENT EVALUATION

If you answer NO to these questions, please explain under comments

1. Is impoundment designed and constructed in accordance with the approved plan? YES
2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES

COMMENTS/ OTHER INFORMATION


None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date



**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

GENERAL INFORMATION

Coarse Refuse Pile

Report Date January 19, 2012
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

EXCESS SPOIL PILE OR REFUSE PILE IDENTIFICATION

Pile Name Coarse Refuse Pile
Pile Number N/A
MSHA ID Number Abandoned by MSHA Jan 2004

Inspection Date December 22, 2011
Inspected by Rusty Netz
Reason for Inspection Fourth Quarter Inspection 2011

Attachment to Report? (such as refuse sample analysis or photos) **NO**

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

N/A

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems

N/A

4. Placement and compaction of fill materials

N/A - Activities occurring at this time are associated with removal of refuse material

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions

No aspects of the Fill structure were observed that could affect its stability or functionality

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

Coarse Refuse Pile

7. Other comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period

Refuse material is actively being excavated and removed from the top of the pile

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.


Signature: Rusty noty Date: 1/26/12

CERTIFICATION STATEMENT

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date



**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

GENERAL INFORMATION

Disposal Area

Report Date January 19, 2012
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

EXCESS SPOIL PILE OR REFUSE PILE IDENTIFICATION

Pile Name Disposal Area
Pile Number N/A
MSHA ID Number N/A

Inspection Date December 22, 2011
Inspected by Rusty Netz
Reason for Inspection Fourth Quarter Inspection 2011

Attachment to Report? (such as refuse sample analysis or photos) **NO**

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

The site selected for the disposal area is the old slurry ponds associated with the prior mining activity. No topsoil is available to be removed.

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems

N/A

4. Placement and compaction of fill materials

The disposal area did not receive any materials during the quarter.

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions

No aspects of the Fill structure were observed that could affect its stability or functionality

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

Disposal Area

7. **Other comments.** Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period

The disposal area did not receive any materials during the quarter.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: _____

Rusty netz

Date: _____

1/26/12


CERTIFICATION STATEMENT

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson, PE, Twin Peaks, P.C.

P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date






**APPENDIX A
CERTIFIED REPORTS**

ANNUAL INSPECTION

**IMPOUNDMENTS, REFUSE PILE AND DISPOSAL
AREA**



Sunnyside Cogeneration Associates

P.O. Box 10, East Carbon, Utah 84520 • (435) 888-4476 • Fax (435) 888-2538

January 26, 2012

Daron Haddock
Division of Oil, Gas & Mining
1594 W. North Temple, Suite 1210
Salt Lake City, Utah 84116

RE: Annual 2011 Inspection Report
Star Point Refuse Pile C/007/042

Dear Mr. Haddock:

Please find enclosed a copy of the Annual 2011 Inspection Report for the Star Point refuse pile, impoundments, and excess spoil area.

Should you have any questions, please contact Rusty Netz or myself at (435)888-4476.

Thank You,

Richard Carter
Agent For
Sunnyside Cogeneration Associates

c.c. Steve Gross
Maggie Estrada
Rusty Netz
Plant File

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 005

Report Date January 19, 2012
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 005
Impoundment Number 005
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date December 22, 2011
Inspected by Rusty Netz
Reason for Inspection Annual Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 6.96 Acre-feet
Pond bottom elevation = 7387.3
100% Sediment Storage Volume = 2.42 acre-feet at Elevation 7394.9
60% sediment Storage Volume = 1.45 acre feet at Elevation = 7393
Existing Average Sediment Elevation = 7392 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7394.9
Emergency Spillway Elevation = 7401.3

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it but was not discharging. No samples were taken
Sediment levels were reasonably low. Pond did not require decanting.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 005

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.
No other aspects were observed to affect stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: _____

Rusty nety

Date: _____

1/26/12

CERTIFIED REPORT IMPOUNDMENT EVALUATION

If you answer NO to these questions, please explain under comments

1. Is impoundment designed and constructed in accordance with the approved plan? YES
2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES

COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date



IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 006

Report Date January 19, 2012
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 006
Impoundment Number 006
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date December 22, 2011
Inspected by Rusty Netz
Reason for Inspection Annual Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 2.6 Acre-feet
Pond bottom elevation = 7132.7
100% Sediment Storage Volume = 0.76 acre-feet at Elevation 7140.7
60% sediment Storage Volume = 0.45 acre feet at Elevation = 7138.8
Existing Average Sediment Elevation = 7135 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7140.7
Emergency Spillway Elevation = 7147.2

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it. No samples were taken
Sediment levels were reasonably low. Pond did not require decanting.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 006

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed

Depth of impounded water was minimal

Sediment level was good.

No other aspects of the impounding structure were observed that could affect its stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty netz Date: 1/26/12

CERTIFIED REPORT IMPOUNDMENT EVALUATION

If you answer NO to these questions, please explain under comments

- | | |
|--|------------|
| 1. Is impoundment designed and constructed in accordance with the approved plan? | <u>YES</u> |
| 2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? | <u>YES</u> |
| 3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? | <u>YES</u> |

COMMENTS/ OTHER INFORMATION


None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date



IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

GENERAL INFORMATION

Sediment Pond 009

Report Date January 19, 2012
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

IMPOUNDMENT IDENTIFICATION

Impoundment Name Sediment Pond 009
Impoundment Number 009
UPDES Permit Number UTG040025
MSHA ID Number N/A

IMPOUNDMENT INSPECTION

Inspection Date December 22, 2011
Inspected by Rusty Netz
Reason for Inspection Annual Inspection 2011

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

None

a. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and estimated average elevation of existing sediment.

Total Pond Volume = 7.4 Acre-feet
Pond bottom elevation = 7435.0
100% Sediment Storage Volume = 2.02 acre-feet at Elevation 7439.3
60% sediment Storage Volume = 1.21 acre feet at Elevation = 7437.7
Existing Average Sediment Elevation = 7437 +/-

b. Principle and emergency spillway elevations.

Primary Dewatering Orifice = 7439.8
Primary Spillway Elevation = 7445.5
Emergency Spillway Elevation = 7446.5

2. Field Information

Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/ instrumentation information, inlet/ outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/ repairs, monitoring information, vegetation on out slopes of embankments, etc.

Pond had some water in it. No samples were taken. Pond did not require decanting.
Sediment levels were reasonable.
Embankment conditions were good. Vegetation on out slopes was adequate.
Inlet / Outlet conditions were good. No structural or hazardous conditions were observed.

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT

Sediment Pond 009

3. Field Evaluation.

Describe any changes in the geometry of the impounding structure, average and maximum depths and elevation of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period

No recent changes in the geometry of the structure have been observed
Depth of impounded water was minimal
Sediment level was good.

No other aspects of the impounding structure were observed that could affect its stability or functionality.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty Net Date: 1/26/12

**CERTIFIED REPORT
IMPOUNDMENT EVALUATION**

If you answer NO to these questions, please explain under comments

- 1. Is impoundment designed and constructed in accordance with the approved plan? YES
- 2. Is impoundment free of instability, structural weakness, or any other hazardous conditions? YES
- 3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection? YES


COMMENTS/ OTHER INFORMATION

None

CERTIFICATION STATEMENT:

I hereby certify that: I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved designs and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH



Affix Signature, Stamp and Date

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

GENERAL INFORMATION

Coarse Refuse Pile

Report Date January 19, 2012
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

EXCESS SPOIL PILE OR REFUSE PILE IDENTIFICATION

Pile Name Coarse Refuse Pile
Pile Number N/A
MSHA ID Number Abandoned by MSHA Jan 2004

Inspection Date December 22, 2011
Inspected by Rusty Netz
Reason for Inspection Annual Inspection 2011

Attachment to Report? (such as refuse sample analysis or photos) **YES**

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

N/A

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems

N/A

4. Placement and compaction of fill materials

N/A - Activities occurring at this time are associated with removal of refuse material

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions

No aspects of the Fill structure were observed that could affect its stability or functionality

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

Coarse Refuse Pile

7. Other comments. Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period

Refuse material is actively being excavated and removed from the top of the pile

New access roads were constructed at the north side of the pile during the winter of 2010/2011

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: _____

Rusty rusty

Date: _____


1/26/12

CERTIFICATION STATEMENT

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date



**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

GENERAL INFORMATION

Disposal Area

Report Date January 19, 2012
Permit Number C/007/042
Mine Name Star Point Waste Fuel
Company Name Sunnyside Cogeneration Associates

EXCESS SPOIL PILE OR REFUSE PILE IDENTIFICATION

Pile Name Disposal Area
Pile Number N/A
MSHA ID Number N/A

Inspection Date December 22, 2011
Inspected by Rusty Netz
Reason for Inspection Annual Inspection 2011

Attachment to Report? (such as refuse sample analysis or photos) **NO**

Field Evaluation

1. Foundation preparation, including the removal of all organic material and topsoil.

The site selected for the disposal area is the old slurry ponds associated with the prior mining activity. No topsoil is available to be removed.

2. Placement of underdrains and protective filter systems.

N/A

3. Installation of final surface drainage systems

N/A

4. Placement and compaction of fill materials

The disposal area did not receive any materials during the quarter.

5. Final grading and revegetation of fill.

N/A

6. Appearances of instability, structural weakness, and other hazardous conditions

No aspects of the Fill structure were observed that could affect its stability or functionality

**INSPECTION AND CERTIFIED REPORT
ON EXCESS SPOIL PILE OR REFUSE PILE**

Disposal Area

7. **Other comments.** Describe any changes in the geometry of the Excess Spoil/Refuse Pile structure, instrumentation, average and maximum lifts of materials placed in the pile, elevations of active benches, total and remaining storage capacity of the structure, evidence of fires in the pile and abatement of such fires, volumes of materials placed in the structure during the year, and any other aspect of the structure affecting its stability or function which has occurred during the reporting period

The disposal area did not receive any materials during the quarter.

QUALIFICATION STATEMENT:

I hereby certify that; I am experienced in the construction of earth and rock fills; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with approved design and meets or exceeds the minimum design requirements under all applicable federal, state and local regulations; and that inspections are made by myself and include any appearances of instability, structural weakness or other hazardous condition of the structure affecting stability.

Signature: Rusty Nety Date: 1/26/12

CERTIFICATION STATEMENT

I hereby certify that: I am experienced in the construction of earth and rock fills; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of earth and rock fills in accordance with the certified and approved designs for this structure; that the fill structure has been maintained in accordance with the approved design and meets or exceeds the minimum design requirements under all applicable federal, state, and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

By: S. Scott Carlson, PE, Twin Peaks, P.C.
P.E. Number & State: 187727 UTAH

Affix Signature, Stamp and Date





Sediment Pond 006

April 2011



Sediment Pond 009

April 2011



Sediment Pond 006

April 2011



Sediment Pond 009

April 2011




Coarse Refuse Pile

April 2011



APPENDIX B

STORM WATER PERMIT



Subject: Utah Pollutant Discharge Elimination System (UPDES) Multi-Sector General Permit for Storm Water Discharges Associated with Industrial Activity, Coverage No. **UTR000604**.

Our office received your "notice of intent" (NOI) for **SUNNYSIDE COGENERATION ASSOCIA** to obtain coverage under the UPDES Multi-Sector General Permit for Storm Water Discharges Associated with Industrial Activity, General Permit No. **UTR000604**. The received NOI is for the facility located at, 23 MILES SOUTHWEST OF PRICE, PRICE, Utah, CARBON. This letter confirms your coverage under the general permit; the permit coverage number for the facility is No. **UTR000604** Please use this number in any future correspondence associated with this project.

This coverage is effective **01/01/2012** and expires at midnight, **12/31/2016**.

The permit requires a Storm Water Pollution Prevention Plan (SWP3). Maintaining a current copy of the SWP3 at the site is a requirement of the permit. Monitoring is also required as outlined in appendix II requirements. Please review these requirements if you are not familiar with them. A copy of the general permit and appendix requirements can be found on our website at <http://www.waterquality.utah.gov/updes/stormwater.htm>.

Storm water discharge monitoring report (SWDMR) forms are enclosed for your convenience. These forms may be used to record visual and/or analytical monitoring results.

If you have any questions concerning this letter or your permit coverage please do not hesitate to contact me by phone at (801) 536-4393 or by e-mail at mmgeorge@utah.gov. Thank you.

Sincerely,
Division of Water Quality
Department of Environmental Quality

STATE OF UTAH, DEPARTMENT OF ENVIRONMENTAL QUALITY, DIVISION OF WATER QUALITY

195 North 1950 West, P.O. Box 144870, Salt Lake City, Utah 84114-4870 (801)536-4300

NOI

Notice of Intent (NOI) for Coverage Under the UPDES General Multi-Sector Storm Water Permit for Discharges Associated with Industrial Activity, Permit No. UTR000604

INSTRUCTIONS ON BACK PAGE

Submission of this Notice of Intent constitutes notice that the party identified in Section I of this form intends to be authorized by a UPDES permit issued for storm water discharges associated with industrial activity in the State of Utah. Becoming a permittee obligates such discharger to comply with the terms and conditions of the permit. ALL NECESSARY INFORMATION MUST BE PROVIDED ON THIS FORM. A different NOI form is provided for construction activities.

I. FACILITY OPERATOR INFORMATION

Issued Date 11/07/2006

Expiration Date 12/31/2016

Name: SUNNYSIDE COGENERATION ASSOCIA

Phone: 000-000-0000

Address: PO Box 159

Status of Owner/Operator: PRIVATE

City: SUNNYSIDE

State: UT

Zip: 84539

Facility Contact Person: Richard Carter

Phone: 435-888-4476

Facility Contact Person Title: PLANT MANAGER

II. FACILITY SITE/LOCATION INFORMATION

Name: STAR POINT REFUSE PILE

Is the facility located in Indian Country? (Y or N) N

Address: 23 MILES SOUTHWEST OF PRICE

County: CARBON

City: PRICE

State: UT

Zip: 84501

Latitude: 39 31 38.91

Longitude: 111 00 41.28

Quarter:

Section:

Township:

Range:

Site Contact Person: RUSTY NETZ

Phone: 435-888-4476

Site Contact Person Title: PLANT ENGINEER

III. SITE ACTIVITY INFORMATION

Name of Municipality which Operates the Storm Sewer System: N/A

Receiving Water Body(s): SERVICEBERRY CREEK null

Is there existing quantitative storm water discharge data? Yes No

Is the facility required to do analytical monitoring? (See permit conditions Part V. and Sector monitoring requirements.) Yes No

Is the facility required to do visual monitoring? (See permit conditions near the end of applicable Sector(s); Appendix A to AD) Yes No

Is the facility required to submit monitoring data or retain it on site? Submit Retain on site

Is This a New Facility, or is it an Existing Facility? New Existing

If This is an Existing Facility, and the Start-up Date was After Oct. 1992, Please Fill in the Start-up Month:

Month: 06

Year: 2002

SIC or Designated Activity Code: Primary: 1221

2nd:

3rd:

4th:

If You Have Other Existing UPDES Permits, Enter Permit #'s:

IV. SECTOR IDENTIFICATION: The General Multi-Sector Permit covers all industrial activity that is required by law to be covered by a storm water permit. On the following pages the sectors are listed with a description of the industrial activity that is covered by that sector. Please check each sector that covers industrial activities which occur at your site. The sector covered in Appendix AD is the catch-all sector and should only be used if positively no other sector covers your industrial activity. If you should select AD, please call the Storm Water Coordinator at DWQ to discuss the need for choosing Sector AD (Non-Classified Facilities).

- J. Mineral Mining and Processing Facilities** – active and inactive mineral mining and processing facilities (generally identified by Standard Industrial Classification (SIC) Major Group 14). **Not covered** are: 1) facilities associated with industrial activity which are subject to an existing effluent limitation guideline (40 CFR Part 436), 2) inactive mineral mining activities occurring on Federal lands where an operator cannot be identified are not eligible for coverage under this permit.
- K. Hazardous Waste Treatment Storage or Disposal Facilities** – facilities that treat, store, or dispose of hazardous wastes, including those that are operating under interim status or a permit under subtitle C of RCRA. [Disposal facilities that have been properly closed and capped, and have no significant materials exposed to storm water, are considered inactive and do not require permits (UAC R317-8-3.9(6)(c)).]
- L. Landfills and Land Application Sites** – waste disposal at landfills, land application sites, and open dumps that receive or have received industrial wastes. Open dumps are solid waste disposal units that are not in compliance with State/Federal criteria established under RCRA Subtitle D. **Not covered** are: inactive landfills, land application sites, and open dumps occurring on Federal lands where an operator cannot be identified.
- M. Automobile Salvage Yards** – facilities engaged in dismantling or wrecking used motor vehicles for parts recycling or resale and for scrap (SIC Code 5015).
- N. Scrap Recycling and Waste Recycling Facilities** – facilities that are engaged in the processing, reclaiming and wholesale distribution of scrap and waste materials such as ferrous and nonferrous metals, paper, plastic, cardboard, glass, animal hides (these types of activities are typically identified as SIC code 5093). Facilities that are engaged in reclaiming and recycling liquid wastes such as used oil, antifreeze, mineral spirits, and industrial solvents (also identified as SIC code 5093) are also covered under this section. Separate permit requirements have been established for recycling facilities that only receive source-separated recyclable materials primarily from non-industrial and residential sources (also identified as SIC 5093) (e.g., common consumer products including paper, newspaper, glass, cardboard, plastic containers, aluminum and tin cans). This includes recycling facilities commonly referred to as material recovery facilities (MRF).
- O. Steam Electric Power Generating Facilities** – steam electric power generating facilities, including coal handling areas. Non-storm water discharges subject to effluent limitations guidelines are not covered by this permit. Storm water discharges from coal pile runoff subject to numeric limitations are eligible for coverage under this permit, but are subject to the limitations established by 40 CFR 423. **Not covered** are: ancillary facilities such as fleet centers, gas turbine stations, and substations that are not contiguous to a steam electric power generating facility are not covered by this permit. Heat capture co-generation facilities are not covered by this permit; however, dual fuel co-generation facilities are included.
- P. Vehicle Maintenance or Equipment Cleaning areas at Motor Freight Transportation Facilities, Passenger Transportation Facilities, Petroleum Bulk Oil Stations and Terminals, the United States Postal Service, or Railroad Transportation Facilities** – ground transportation facilities and rail transportation facilities (generally identified by Standard Industrial Classification (SIC) codes 40, 41, 42, 43, and 5171), that have vehicle and equipment maintenance shops (vehicle and equipment rehabilitation, mechanical repairs, painting, fueling and lubrication) and/or equipment cleaning operations are eligible for coverage under this section. Also covered under this section are facilities found under SIC code 4221-4225 (public warehousing and storage) that do not have vehicle and equipment maintenance shops and/or equipment cleaning operations but have areas (exclusive of access roads and rail lines) where material handling equipment or activities, raw materials, intermediate products, final products, waste materials, by-products or industrial machinery are exposed to storm water.
- Q. Vehicle Maintenance Areas and Equipment Cleaning Areas of Water Transportation Facilities** – water transportation facilities that have vehicle (vessel) maintenance shops and/or equipment cleaning operations. The water transportation industry includes facilities engaged in foreign or domestic transport of freight or passengers in deep sea or inland waters; marine cargo handling operations; ferry operations; towing and tugboat services; and marinas (facilities commonly identified by SIC code Major Group 44).
- R. Ship or Boat Building and Repair Yards** – facilities engaged in ship building and repairing and boat building and repairing (SIC code 373).
- S. Vehicle Maintenance Areas, Equipment Cleaning Areas or Airport Deicing Operations located at Air Transportation Facilities** – establishments and/or facilities including airports, air terminals, air carriers, flying fields, and establishments engaged in servicing or maintaining airports and/or aircraft (generally classified under Standard Industrial Classification (SIC) code 45) which have vehicle maintenance shops, material handling facilities, equipment cleaning operations or airport and/or aircraft deicing/anti-icing operations. For the purpose of this permit, the term "deicing" is defined as the process to remove frost, snow, or ice and "anti-icing" is the process which prevents the accumulation of frost, snow, or ice. Only those portions of the facility or establishment that are either involved in vehicle maintenance (including vehicle rehabilitation, mechanical repairs, painting, fueling, and lubrication), equipment cleaning operations, or deicing/anti-icing operations are addressed under this section.
- T. Wastewater Treatment Works** – treatment works treating domestic sewage or any other sewage sludge or wastewater treatment device or system, used in the storage, treatment, recycling, and reclamation of municipal or domestic sewage, including lands dedicated to the disposal of sewage sludge that are located within the confines of the facility with a design flow of 1.0 MGD or more, or required to have an approved pretreatment program under 40 CFR Part 403.
- U. Food and Kindred Products Facilities** – food and kindred products processing facilities (commonly identified by Standard Industrial Classification (SIC) code 20), including: meat products; dairy products; canned, frozen and preserved fruits, vegetables, and food specialties; grain mill products; bakery products; sugar and confectionery products; fats and oils; beverages; and miscellaneous food preparations and kindred products and tobacco products manufacturing (SIC Code 21), except for storm water discharges identified under paragraph I.B.3. where industrial plant yards; material handling sites; refuse sites; sites used for application or disposal of process wastewaters; sites used for storage and maintenance of material handling equipment; sites used for residential treatment, storage, or disposal; shipping and receiving areas; manufacturing buildings; and storage areas for raw material and intermediate and finished products are exposed to storm water and areas where industrial activity has taken place in the past and significant materials remain. For the purposes of this paragraph, material handling activities include the storage, loading, and unloading, transportation, or conveyance of any raw material, intermediate product, finished product, by-product, or waste product.
- V. Textile Mills, Apparel and other Fabric Product Manufacturing Facilities** – Textile Mill Products, of and regarding facilities and establishments engaged in the preparation of fiber and subsequent manufacturing of yarn, thread, braids, twine, and cordage, the manufacturing of broad woven fabrics, narrow woven fabrics, knit fabrics, and carpets and rugs from yarn; processes involved in the dyeing and finishing of fibers, yarn fabrics, and knit apparel; the integrated manufacturing of knit apparel and other finished articles of yarn; the manufacturing of felt goods (wool), lace goods, nonwoven fabrics; miscellaneous textiles, and other apparel products (generally described by SIC codes 22 and 23). This section also covers facilities engaged in manufacturing finished leather and artificial leather products (SIC 31, except 3111).
- W. Furniture and Fixture Manufacturing Facilities** – facilities involved in the manufacturing of: wood kitchen cabinets (generally described by SIC code 2434); household furniture (generally described by SIC code 251); office furniture (generally described by SIC code 252); public buildings and related furniture (generally described by SIC code 253); partitions, shelving, lockers, and office and store fixtures (generally described by SIC code 254); and miscellaneous furniture and fixtures (generally described by SIC code 259).
- X. Printing and Publishing Facilities** – newspaper, periodical, and book publishing or publishing and printing (SIC Codes 2711-2731); book printing (SIC Code 2732); miscellaneous publishing (SIC Code 2741); commercial printing, lithographic (SIC Code 2752); commercial printing, gravure (SIC Code 2754); commercial printing, not elsewhere classified (SIC Code 2759); manifold business forms, greeting cards, bankbooks, looseleaf binders and devices, bookbinding and related work, and typesetting (SIC Codes 2761-2791); and, plate making and related services (SIC Code 2796).
- Y. Rubber and Miscellaneous Plastic Product Manufacturing Facilities** – rubber and miscellaneous plastic products manufacturing facilities (SIC major group 30) and miscellaneous manufacturing industries, except jewelry, silverware, and plated ware (SIC major group 39, except 391).
- Z. Leather Tanning and Finishing Facilities** – leather tanning, currying and finishing (commonly identified by Standard Industrial Classification (SIC) code 3111). Discharges from facilities that make fertilizer solely from leather scraps and leather dust are also covered under this section.
- AA. Facilities That Manufacture Metal Products including Jewelry, Silverware and Plated Ware** – fabricated metals industry listed below, except for electrical related industries: fabricated metal products, except machinery and transportation equipment, SIC 34, and jewelry, silverware, and plated ware (SIC Code 391).

INSTRUCTIONS
NOTICE OF INTENT (NOI) FOR STORM WATER DISCHARGES ASSOCIATED WITH INDUSTRIAL ACTIVITY
TO BE COVERED UNDER THE UPDES GENERAL PERMIT

WHERE TO FILE THE NOI FORM

NOIs, with fee payment(s), must be sent to the following address:
Department of Environmental Quality
Division of Water Quality
P.O. Box 144870
Salt Lake City, UT 84114-4870

COMPLETING THE NOI FORM

You must type or print, using upper-case letters, in the appropriate areas only. Please place each character between the marks. Abbreviate if necessary to stay within the number of characters allowed for each item. Use one space for breaks between words, but not for punctuation marks unless they are needed to clarify your response. If you have any questions on this form, call (801) 536-4300.

BEGINNING OF COVERAGE

Storm Water General Permits are drafted to cover a facility quickly avoiding delays, therefore there is no waiting time to receive coverage. The permittee should be aware that though you may not have a permit in hand, if you have submitted a completed NOI with the permit fee you are covered by the permit and will be expected to conform to the conditions in the permit. If you wish you may contact the Division of Water Quality at (801) 536-4300, to receive a generic copy of the permit. After we receive the NOI and the permit fee we will send you an official copy of the permit including your specific permit number.

PERMIT FEES (MAKE CHECK PAYABLE TO: DIVISION OF WATER QUALITY)

The permit fee is \$550 (or is prorated) and must be submitted with the NOI to authorize immediate coverage under the permit. This provides five years of coverage under the permit (unless prorated). The minimum fee is \$110 for 12 months of coverage; additional years are calculated at \$110.00 each. The permit can be prorated on a yearly basis.

Permittees that have a new facility that began operating after the date that the Multi-Sector General Permit was issued, will be prorated from the day they began operations until the expiration date of the Permit.

GENERAL INFORMATION

Facilities within municipalities (such as Salt Lake City or Salt Lake County) that have been issued Municipal Storm Water Permits by DWQ must contact that city or the county and notify them of the new permit status for the facility. If you have questions that have not been answered above, or need an NOI for construction activities, please contact the Storm Water Coordinator, Division of Water Quality, at (801) 536-4300.

SECTION I - FACILITY OPERATOR INFORMATION

Give the legal name of the person, firm, public organization, or any other entity that operates the facility or site described in this application. The name of the operator may or may not be the same as the name of the facility. The responsible party is the legal entity that controls the facility's operation, rather than the plant or site manager. Do not use a colloquial name. Enter the complete address and telephone number of the operator. Enter the appropriate letter to indicate the legal status of the operator of the facility.

F = Federal M = Public (other than Fed or State)
S = State P = Private

A contact person is someone that we may contact, that has knowledge of the facility and permit conditions, but not necessarily the person with signatory responsibility.

SECTION II - FACILITY/SITE LOCATION INFORMATION

Enter the facility's or site's official or legal name and complete street address, including city, state and ZIP code. If the facility or site lacks a street address, indicate the state, the latitude and longitude of the facility to the nearest 15 seconds, or the quarter, section, township, and range (to the nearest quarter section) of the approximate center of the site.

Indicate whether the facility is located on Indian Lands. If the facility is located on Indian Lands, EPA form 3510-6 should be used and submitted to EPA Region VIII except for facilities on the Navajo Reservation or on the Goshute Reservation which should submit EPA form 3510-6 to Region IX.

SECTION III - SITE ACTIVITY INFORMATION

If the storm water discharges to a municipal separate sewer system, enter the name of the operator of the municipality (e.g., municipality name, county name) and the receiving water of the discharge from the municipal storm sewer if it is known. (A municipal separate storm sewer system (MS4) is defined as a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains) that is owned or operated by a state, city, town, county, district, association or other public body which is designed or used for collecting or conveying storm water).

If the facility discharges storm water directly to receiving water(s), enter the name of the receiving water.

Indicate whether or not the owner or operator of the facility has existing quantitative data that represent the characteristics and concentration of pollutants in storm water discharges.

To answer the questions concerning analytical or visual monitoring you must examine a copy of the permit, Part V, and the sectors (in the appendix) that your facility will fall into. Upon examination you will be able to determine your monitoring and reporting (whether data must be submitted or retained in a storm water pollution prevention plan file) requirements.

A facility is an existing facility if it has been in operation, it is a new facility if it has not begun operation but is about to

List, in descending order of significance, up to four 4-digit standard industrial classification (SIC) codes that best describe the principal products or services provided at the facility or site identified in Section II of the application.

For industrial activities defined in UAC 317-8-3.9(6)(c) & (d)1 to 11, that do not have SIC codes that accurately describe the principal products produced or services provided, the following 2-character codes are to be used:

- HZ = Hazardous waste treatment, storage, or disposal facilities, including those that are operating under interim status or a permit under subtitle C of RCRA [UAC R317-8-3.9(6)(d)4.];
- LF = Landfills, land application sites, and open dumps that receive or have received any industrial wastes, including those that are subject to regulation under subtitle D of RCRA [UAC R317-8-3.9(6)(d)5.];
- SE = Steam electric power generating facilities, including coal handling sites [UAC R317-8-3.9(6)(d)7.];
- TW = Treatment works treating domestic sewage or any other sewage sludge or wastewater treatment device or system, used in the storage, treatment, recycling, and reclamation of municipal or domestic sewage [UAC R317-8-3.9(6)(d)9.].

If there are other UPDES permits presently issued for the facility or site listed in Section II, list the permit numbers. If an application for the facility has been submitted but no permit number has been assigned, enter the application number.

SECTION IV - SECTOR IDENTIFICATION

Select and check all the boxes indicating the sectors that describe activities that occur at the site described in section II.

SECTION V - CERTIFICATION

State statutes provide for severe penalties for submitting false information on this application form. State regulations require this application to be signed as follows:

For a corporation: by a responsible corporate officer, which means: (i) president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision making functions, or (ii) the manager of one or more manufacturing, production, or operating facilities employing more than 250 persons or having gross annual sales or expenditures exceeding \$25 million (in second quarter 1980 dollars), if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures;

For a partnership or sole proprietorship: by a general partner or the proprietor; or
For a municipality, state, Federal, or other public facility: by either a principal executive officer or ranking elected official.



APPENDIX C

DEPARTMENT OF COMMERCE CERTIFICATES OF EXISTENCE



Utah Department of Commerce
Division of Corporations & Commercial Code
160 East 300 South, 2nd Floor, PO Box 146705
Salt Lake City, UT 84114-6705
Service Center: (801) 530-4849
Toll Free: (877) 526-3994 Utah Residents
Fax: (801) 530-6438
Web Site: <http://www.commerce.utah.gov>

03/19/2012
4911242-015003192012-3434660

CERTIFICATE OF EXISTENCE

Registration Number: 4911242-0150
Business Name: SUNNYSIDE COGENERATION ASSOCIATES
Registered Date: April 24, 2001
Entity Type: DBA
Current Status: Good Standing

The Division of Corporations and Commercial Code of the State of Utah, custodian of the records of business registrations, certifies that the business entity on this certificate is authorized to transact business and was duly registered under the laws of the State of Utah. The Division also certifies that this entity has paid all fees and penalties owed to this state; its most recent annual report has been filed by the Division (unless Delinquent); and, that Articles of Dissolution have not been filed.



Kathy Berg
Director
Division of Corporations and Commercial Code

Utah Business Search - Details

SUNNYSIDE COGENERATION ASSOCIATES

Entity Number: 4911242-0150

Company Type: DBA

Address: ONE POWER PLANT RD PO BOX 159 Sunnyside, UT 84539

State of Origin:

Registered Agent: BRIAN W BURNETT

Registered Agent Address:

10 E SOUTH TEMPLE ST STE 900 Salt Lake City UT 84133

Status: Active

Status: Active  as of 04/24/2001

Renew By: 04/24/2013

Status Description: Good Standing

Employment Verification: Not Registered with Verify Utah

History

Filed document images are not available for DBA

Registration Date: 04/24/2001

Last Renewed: 02/25/2010

Additional Information

Refine your search by:

- Search by:
- Business Name
- Number
- Executive Name
- Search Hints

Name:

Utah Business Search - Registered Principals

Registered Principals

Name	Type	City	Status
SUNNYSIDE COGENERATION ASSOCIATES	DBA	Sunnyside	Active

Position	Name	Address
Applicant	SUNNYSIDE HOLDINGS I, INC.	103 SPRINGER BUILDING WILMINGTON DE 198
Applicant	SUNNYSIDE II, LP	C/O CONTELLATION POWER BALTIMORE MD 2120
Registered Agent	BRIAN W BURNETT	10 E SOUTH TEMPLE ST Salt Lake City UT 8413

If you believe there may be more principals, click here to

Search by:

- Search by:
- Business Name
- Number
- Executive Name
- Search Hints

Name:



Utah Department of Commerce
Division of Corporations & Commercial Code
160 East 300 South, 2nd Floor, PO Box 146705
Salt Lake City, UT 84114-6705
Service Center: (801) 530-4849
Toll Free: (877) 526-3994 Utah Residents
Fax: (801) 530-6438
Web Site: <http://www.commerce.utah.gov>

03/19/2012
1215877-014303192012-955287

CERTIFICATE OF EXISTENCE

Registration Number: 1215877-0143
Business Name: SUNNYSIDE HOLDINGS I, INC.
Registered Date: December 30, 1994
Entity Type: Corporation - Foreign - Profit
Current Status: Good Standing

The Division of Corporations and Commercial Code of the State of Utah, custodian of the records of business registrations, certifies that the business entity on this certificate is authorized to transact business and was duly registered under the laws of the State of Utah. The Division also certifies that this entity has paid all fees and penalties owed to this state; its most recent annual report has been filed by the Division (unless Delinquent); and, that Articles of Dissolution have not been filed.



Kathy Berg
Director
Division of Corporations and Commercial Code

Utah Business Search - Details

SUNNYSIDE HOLDINGS I, INC.

Entity Number: 1215877-0143

Company Type: Corporation - Foreign - Profit

Address: 1105 N MARKET STREET STE 1300 WILMINGTON, DE 19801

State of Origin: DE

Registered Agent: C T CORPORATION SYSTEM

Registered Agent Address:

136 EAST SOUTH TEMPLE STE 2100 Salt Lake City UT 84111

Status: Active

Status: Active  as of 02/28/2011

Renew By: 12/30/2012

Status Description: Good Standing

Employment Verification: Not Registered with Verify Utah

History

Registration Date: 12/30/1994

Last Renewed: 11/28/2011

Additional Information

Refine your search by:

- Search by:
- Business Name
- Number
- Executive Name
- Search Hints

Name:

Utah Business Search - Registered Principals

Registered Principals

Name	Type	City	Status
SUNNYSIDE HOLDINGS I, INC.	Corporation	WILMINGTON	Active

Position	Name	Address
Registered Agent	C T CORPORATION SYSTEM	136 EAST SOUTH TEMPLE STE 2100 Salt Lake City UT 8411
Director	ROBERT S MCLEESE	1105 N MARKET ST WILMINGTON DE 1980
President	CHRIS L THOMPSON	1105 N MARKET STREET WILMINGTON DE 1980

If you believe there may be more principals, click here to

Search by:

- Search by:
- Business Name
- Number
- Executive Name
- Search Hints

Name:



Utah Department of Commerce
Division of Corporations & Commercial Code
160 East 300 South, 2nd Floor, PO Box 146705
Salt Lake City, UT 84114-6705
Service Center: (801) 530-4849
Toll Free: (877) 526-3994 Utah Residents
Fax: (801) 530-6438
Web Site: <http://www.commerce.utah.gov>

03/19/2012
2113550-018103192012-3099474

CERTIFICATE OF EXISTENCE

Registration Number: 2113550-0181
Business Name: SUNNYSIDE II, L.P.
Registered Date: December 30, 1994
Entity Type: Limited Partnership - Foreign
Current Status: Good Standing

The Division of Corporations and Commercial Code of the State of Utah, custodian of the records of business registrations, certifies that the business entity on this certificate is authorized to transact business and was duly registered under the laws of the State of Utah. The Division also certifies that this entity has paid all fees and penalties owed to this state; its most recent annual report has been filed by the Division (unless Delinquent); and, that Articles of Dissolution have not been filed.



Kathy Berg
Director
Division of Corporations and Commercial Code

Utah Business Search - Details

SUNNYSIDE II, L.P.

Entity Number: 2113550-0181

Company Type: Limited Partnership - Foreign

Address: 100 CONSTELLATION WAY STE 1700P BALTIMORE, MD 21202

State of Origin: DE

Registered Agent: C T CORPORATION SYSTEM

Registered Agent Address:

136 EAST SOUTH TEMPLE STE 2100 Salt Lake City UT 84111

Status: Active

Status: Active  as of 02/03/2012

Renew By: 12/30/2012

Status Description: Good Standing

Employment Verification: Not Registered with Verify Utah

History

Registration Date: 12/30/1994

Last Renewed: 02/03/2012

Additional Information

Refine your search by:

- Search by:
- Business Name
- Number
- Executive Name
- Search Hints

Name:

Utah Business Search - Registered Principals

Registered Principals

Name	Type	City	Status
SUNNYSIDE II, L.P.	Limited Partnership	BALTIMORE	Active

Position	Name	Address
Registered Agent	C T CORPORATION SYSTEM	136 EAST SOUTH TEMPLE STE 2100 Salt Lake City UT 8411
Partner	SUNNYSIDE II, INC.	750 E PRATT STREET 5TH FL Baltimore MD 21202

If you believe there may be more principals, click here to

Search by:



- Search by:
- Business Name
- Number
- Executive Name
- Search Hints

Name:



APPENDIX D

MINE MAP



- NOTES:
1. CONTOURS SHOWN HERE ON ARE A COMBINATION OF:
 2. CONTOUR INTERVALS ARE BASED ON FLIGHT OF 5/10. OTHER CONTOUR INTERVALS IN SURROUNDING AREAS ARE BASED ON RECORD INFORMATION OR PROVIDED BY SCA IN PREVIOUS YEARS.
 3. SHADING IDENTIFIES AREA OF ACTIVE EXCAVATION.
 4. THE PHOTOS INSET ABOVE SHOW SITE CONDITIONS AS OF FEB 2011.
 5. CURRENT MINING ACTIVITY IN HATCH AREA

DATE:	MARCH 2012
PLAT NAME:	
SHEET:	1
OF:	1

TWIN PEAKS
 Engineering & Land Surveying
 2264 NORTH 1450 EAST LEHI, UTAH 84043
 (801) 450-3511, (801) 439-0700 FAX

RECEIVED
SCA-STARPOINT WASTE FUEL
MAR 30 2012 REFUSE PILE MINE MAP
 Carbon County, Utah



DIV OF OIL, GAS & MINING