

OGMCOAL - Re: Emery Water Sampling

From: Steve Christensen
To: Peter Behling
Date: 5/18/2011 8:22 AM
Subject: Re: Emery Water Sampling
CC: John Gefferth; OGMCOAL

Hi Peter,

Yes, I still want to come out and see the monitoring sites. Unfortunately, next week is full for me. For reasons beyond my control, I have lots of fires breaking out at the same time.

That said, it sounds like we'll have to do this 3rd quarter. Just give me a couple weeks notice 3rd quarter and we'll get it done then.

Any word on the Emery Town Well reports? I've been waiting on this report for eons. It was my understanding that it would be submitted with the annual report. I've looked for it in there and it appears it was not submitted. These reports are to be submitted bi-annually. Since the PHC was revised back in April of 2008, I have yet to receive one.

Additionally, has Richard White been working on the revisions to the water monitoring plan? What's the status of that?

Thanks for the heads up. We'll have to do it next quarter it sounds like.

Steve

Steve Christensen
Environmental Scientist III
Utah Division of Oil, Gas and Mining
(801) 538-5350

>>> "Behling, Peter" <PeterBehling@consolenergy.com> 5/17/2011 7:11 AM >>>
Steve,

I know you were talking about coming out and water sampling with me this quarter. Do you still want to come along? I don't know your time frame, or which ones you want to go to. It will probably take a good three days to do this quarterly samples. In looking into my schedule June is filling up fast with stuff, so I need to get going on the sampling. I'm kind of running the idea of starting next week. Does this fit in with your schedule, and do you still want to come? I usually try and get all the surface one day, wells that need to be sampled the next, then try to finish the wells that just need to get the depth the next. Let me know what you want to do.

Thanks,

Peter R. Behling

Emery Mine Operations

CONSOL ENERGY

Office: 435-286-3513

Cell: 435-749-1334

Email: peterbehling@consolenergy.com

"This communication, including any attachments, may contain confidential and privileged information that is subject to the CONSOL Energy Inc.'s Business Information Protection Policy. The information is intended solely for the use of the intended recipient(s). If you are not an intended recipient, you are prohibited from any use, distribution, or copying of this communication. If you have received this communication in error, please immediately notify the sender and then delete this communication in its entirety from your system."