

From: "Oakley, Dennis" <dennis.oakley@pacificorp.com>
To: "'Priscilla Burton'" <priscillaburton@utah.gov>
Date: 3/31/03 1:07PM
Subject: FW: Final - first set of data

Here are the four bathhouse slope samples.

Dennis Oakley
Environmental Engineer

Energy West Mining Company
15 North Main Street
Huntington, Utah 84528
Phone: 435.687.4825
Fax: 435.687.2695
E-mail: dennis.oakley@pacificorp.com

-----Original Message-----

From: Joey Sheeley [mailto:joeys@wavecom.net]
Sent: Thursday, March 27, 2003 6:47 AM
To: Dennis Oakley
Subject: Final - first set of data

I'll send the hard copy today.

Joey Sheeley

The contents of this e-mail and any attachments may contain confidential and/or proprietary information, and are intended only for the person to whom they were originally addressed. Any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this e-mail in error, please notify the sender immediately by return e-mail and delete this message and any attachments from your system.

This email is confidential and may be legally privileged.

It is intended solely for the addressee. Access to this email by anyone else, unless expressly approved by the sender or an authorized addressee, is unauthorized.

If you are not the intended recipient, any disclosure, copying, distribution or any action omitted or taken in reliance on it, is prohibited and may be unlawful. If you believe that you have received this email in error, please contact the sender, delete this e-mail and destroy all copies.

SET_ID	LAB_ID	QC	SAMPLE_I	UPPRDEF	LOWRDEF	SAMPLED	TIME_SAM	PH
0103S0290	0103S02905		DBD 0103	0	4	3/12/2003		7
0103S0290	0103S02906		DBD 0203	0	4	3/12/2003		7.2
0103S0290	0103S02907		DBD 0303	0	4	3/12/2003		7.2
0103S0290	0103S02908		DBD 0403	0	4	3/12/2003		7.3

SATPCT	EC	CA	MG	NA	SAR	CFPCT	SANDPCT	SILTPCT
31.1	4.73	30.4	22.9	14	2.71	32.1	67	20
32	4.61	30.5	22.3	13.9	2.7	35.1	62	23
31.3	5.02	30.4	23.9	17.2	3.31	34.9	60	26
31.1	4.56	31.1	23.4	13.8	2.64	43.3	62	23

CLAYPCT	TEXTURE	FIELD CAP	WILTPOIN	TS_PCT	AB	NP	ABP	BORON	
13	SANDY LC	20.7	11.7	0.39		12.2	184	172	2.53
15	SANDY LC	22	12.5	0.36		11.2	232	221	3.18
14	SANDY LC	22.4	13.3	0.33		10.3	220	210	2.17
15	SANDY LC	21.5	12.5	0.32		10	249	239	1.74

SE

0.02

0.02

0.02

0.02

=====