



PO Box 310
Huntington, Utah 84528

October 2, 2003

Mr. John Blake, Mineral Resource Specialist
Utah State Institutional Trust Lands Administration
675 East 500 South, Suite 500
Salt Lake City, Utah 84102

Dear Mr. Blake:

PacifiCorp, by and through its wholly-owned subsidiary, Energy West Mining Company ("Energy West") as mine operator, hereby submits the exploration data compiled from the "2003 Mill Fork/Joes Valley Drilling Program" (State Lease ML-48258), including lithologic logs, geophysical logs (compact disk), coal quality analysis and report of water observed. Drilling commenced on May 30, 2003 and was completed on July 3, 2003. A total of five holes were drilled detailing the geologic / hydrologic characteristics of coal reserves in State Lease ML-48258. The following summary outlines the drill hole information submitted along with the hole abandonment documentation:

**PACIFICORP - ENERGY WEST MINING COMPANY
2003 Mill Fork/Joes Valley Drilling Program**

DRILL HOLE NUMBER	DATE COMPLETED	LOCATION			ELEVATION (feet)	TOTAL DEPTH (feet)
		Section	Township	Range		
EM-180	Jun. 8, 2003	7	16 South	7 East	9237'	1337
HOLE ABANDONMENT DATA: BLM Contact: Don Stephens, BLM Witness: None Energy West Mining Representative: Chuck Semborski Heli-Port Drilling Representative: Ron Lancaster Diameter of Drill Hole: 2.36" Drill hole abandoned utilizing slurry cement/abandonite pumped through drill rods to bottom of hole. A total of 8 bags of cement, 12 bags of abandonite and 20 bags of bentonite chips were used. Brass cap identification marker installed below the ground surface. All drill pipe and casing was removed from the hole.						
EM-181	Jun. 19, 2003	12	16 South	6 East	9477'	1537.5
HOLE ABANDONMENT DATA: BLM Contact: Don Stephens, BLM Witness: None Energy West Mining Representative: Ken Fleck Heli-Port Drilling Representative: Mike Gregory Diameter of Drill Hole: 2.36" Drill hole abandoned utilizing slurry cement/abandonite pumped through drill rods to bottom of hole. A total of 8 bags of cement, 20 bags of abandonite and 25 bags of bentonite chips were used. Brass cap identification marker installed below the ground surface. All drill pipe and casing was removed from the hole.						

OCT 06 2003

Huntington Office:
(435) 687-9821
Fax (435) 687-2695
Purchasing Fax (435) 687-9092

Deer Creek Mine:
(435) 687-2317
Fax (435) 687-2285

Trail Mountain Mine:
(435) 748-2140
Fax (435) 748-5125

Mr. John Blake, Mineral Resource Specialist
 Utah State Institutional Trust Lands Administration
 October 2, 2003
 Page Two


DRILL HOLE NUMBER	DATE COMPLETED	LOCATION			ELEVATION (feet)	TOTAL DEPTH (feet)
		Section	Township	Range		
EM-183	Jun. 23, 2003	10	16 South	6 East	9248'	1457
HOLE ABANDONMENT DATA: BLM Contact: Don Stephens, BLM Witness: Suzy Burger Energy West Mining Representative: Chuck Semborski Heli-Port Drilling Representative: Ron Lancaster Diameter of Drill Hole: 2.36" Drill hole abandoned utilizing slurry cement/abandonite pumped through drill rods to bottom of hole. A total of 7 bag of cement, 20 bags of abandonite and 12.5 bags of bentonite chips were used. Brass cap identification marker installed below the ground surface. All drill pipe and casing was removed from the hole.						
EM-186	Jun. 17, 2003	7	16 South	7 East	9223	1337
HOLE ABANDONMENT DATA: BLM Contact: Don Stephens, BLM Witness: None Energy West Mining Representative: Chuck Semborski Heli-Port Drilling Representative: Ron Lancaster Diameter of Drill Hole: 2.36" Drill hole abandoned utilizing slurry cement/abandonite pumped through drill rods to bottom of hole. A total of 7 bags of cement, 12 bags of abandonite and 8 bags of bentonite chips were used. Brass cap identification marker installed below the ground surface. Difficulty cementing , 210' of NQ drill rod cemented in the hole.						
EM-187	Jul. 2, 2003	24	16 South	6 East	9305	1357
HOLE ABANDONMENT DATA: BLM Contact: Don Stephens, BLM Witness: Suzy Burger Energy West Mining Representative: Chuck Semborski Heli-Port Drilling Representative: Ron Lancaster Diameter of Drill Hole: 2.36" Drill hole abandoned (cemented to surface) utilizing cement pumped through drill rods to bottom of hole. A total of 8.5 bags of cement, 20 bags of abandonite and 20 bags of bentonite chips were used. Brass cap identification marker installed below the ground surface. All drill pipe and casing was removed from the hole.						

Mr. John Blake, Mineral Resource Specialist
Utah State Institutional Trust Lands Administration
October 2, 2003
Page Three

Each of the five (5) sites were reclaimed and seeded according to U.S.F.S. specifications upon completion (see attached map).

If any additional information is needed please contact me at 687-4720.


Sincerely,



Charles A. Semborski
Geology/Permitting Supervisor

Enclosures

cc: Don Stephens/Suzy Burger (BLM - Price Office), without enclosures
Tom Lloyd/Brain McClelland (U.S.F.S. - Price Office), without enclosures
Daron Haddock (DOGM), without enclosures
Carl Pollastro, without enclosures
Ken Fleck, without enclosures
Scott Child (Interwest), without enclosures
File: 2003 Mill Fork/Joes Valley Exploration



• DRILL HOLES COMPLETED
& RECLAIMED AS SPECIFIED

CAD FILE NAME/DISK#: 2003 COAL EXPLORATION MAP.DWG

ENERGY WEST
MINING COMPANY
HUNTINGTON, UTAH 84528

2003 COAL EXPLORATION MAP
UTAH STATE COAL LEASE ML-48258
GENERAL LOCATION MAP

DRAWN BY: K. LARSEN

SCALE: 1" = 3000'

DATE: JULY 31, 2003

DRAWING #:

SHEET 1 OF 1

REV. _____



Modified from
Rilda Quadrangle
7.5 Minute Series